




People who serve, products that solve.™

# DROP-IN & BUILT-IN HEATED SHELVES



# [ CHOICES ]

...THROUGH CUSTOMERIZATION



Due to our policy of continual product development and improvement, all details and specification are subject to change without notice.

*Unique Needs, Exact Solutions.*

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
PORT MELBOURNE, VIC. 3207 AUSTRALIA  
T: +61 3 8645 2555 F: +61 3 8645 2565  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
UNIT 15, 7-9 PROGRESS CIRCUIT,  
PRESTONS, NSW 2170 AUSTRALIA  
T: +61 2 9608 8620 F: +61 2 9607 9370  
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
T: 0400 099 992  
E: sales@fsm-pl.com.au  
W: www.fsm-pl.com.au




People who serve, products that solve.™

# BLACK GLASS SHELF

The Hatco Heated Black Glass Shelf has a smooth black glass to add just the right touch to any decor. Thermostatically-controlled ceramic surface creates uniform heat across the entire area that can range from 100° to 200° F (38° - 93° C). The black glass is foodsafe and allows you to place food product directly on the surface. The Choice is Yours.

- Lighted On/Off rocker switch
- Equipped with an attached trim mounting ring that is available in stainless steel (standard) or *Designer Black* powdercoated
- Includes a remote box with a 3' (914 mm) conduit and 6' (1829 mm) cord and plug



CODE	DIMENSIONS	WATTS
HBGB-2418	498 mm long x 610 mm wide	425
HBGB-3018	498 mm long x 762 mm wide	525
HBGB-3618	498 mm long x 914 mm wide	630
HBGB-4818	498 mm long x 1220 mm wide	850
HBGB-6018	498 mm long x 1524 mm wide	1050
HBGB-7218	498 mm long x 1828 mm wide	1260

Units over 914 mm (36") are constructed of two equal size pieces of glass.

Portable models include 102 mm (4") legs.

Recommended for use in a metallic countertop. For other surfaces, verify that the material is suitable for temperatures up to 94°C

Due to our policy of continual product development and improvement, all details and specification are subject to change without notice.

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
 PORT MELBOURNE, VIC. 3207 AUSTRALIA  
 T: +61 3 8645 2555 F: +61 3 8645 2565  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
 UNIT 15, 7-9 PROGRESS CIRCUIT,  
 PRESTONS, NSW 2170 AUSTRALIA  
 T: +61 2 9608 8620 F: +61 2 9607 9370  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
 T: 0400 099 992  
 E: sales@fsm-pl.com.au  
 W: www.fsm-pl.com.au



People who serve, products that solve.™

# GLO-RAY® RECESSED TOP HEATED SHELF

Let Hatco add heat to your serving surface with the Glo-Ray® Built-in Heated Shelf. This 1/2" (13 mm) recessed top foodwarmer has a hardcoated aluminum top and blanket-type element for uniform heat to extend your food holding time. Widths from 25 1/2" to 73 1/2" (648-1867 mm). The Choice is Yours.

- 3' (914 mm) flexible conduit to a remote control enclosure
- Enclosure includes control thermostat, an illuminated power switch, and mounting brackets
- Thermostatically-controlled heated base



## GLO-RAY® RECESSED TOP HEATED SHELF

*GRSB-54-I with recessed top and accessory pans shown below a GRAL-96D with optional sneeze guard*

CODE	DIMENSIONS	WATTS
GRSB-24-I	610 mm long x 533 mm wide	550
GRSB-30-I	762 mm long x 533 mm wide	665
GRSB-36-I	914 mm long x 533 mm wide	780
GRSB-42-I	1067 mm long x 533 mm wide	885
GRSB-48-I	1219 mm long x 533 mm wide	1000
GRSB-54-I	1372 mm long x 533mm wide	1110
GRSB-60-I	1524 mm long x 533 mm wide	1220
GRSB-72-I	1829 mm long x 533 mm wide	1440

Due to our policy of continual product development and improvement, all details and specification are subject to change without notice.

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
 PORT MELBOURNE, VIC. 3207 AUSTRALIA  
 T: +61 3 8645 2555 F: +61 3 8645 2565  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
 UNIT 15, 7-9 PROGRESS CIRCUIT,  
 PRESTONS, NSW 2170 AUSTRALIA  
 T: +61 2 9608 8620 F: +61 2 9607 9370  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
 T: 0400 099 992  
 E: sales@fsm-pl.com.au  
 W: www.fsm-pl.com.au



People who serve, products that solve.™

# GLO-RAY® FLUSH TOP HEATED SHELF

*GRSBF-60-0 with flush top and accessory pans shown below a GR2AL-96D in Designer Color with optional sneeze guards*



## GLO-RAY® FLUSH TOP HEATED SHELF

Another choice for your serving surface is the Glo-Ray Built-in Flush Top Heated Shelf. This foodwarmer has a hardcoated aluminum top and blanket-type element for uniform heat to extend your food holding time. Available in widths from 25½" to 73½" (648-1867 mm).

The Choice is Yours.

- Uniform heat distribution with hardcoated aluminum top and blanket-type element
- 3' (914 mm) flexible conduit to a remote control enclosure
- Enclosure includes control thermostat, an illuminated power switch, and mounting brackets
- Thermostatically-controlled heated base
- Optional stainless steel surface

CODE	DIMENSIONS	WATTS
GRSBF-24-I	Dimensions: 648 x 533 x 60 mm	550
GRSBF-30-I	Dimensions: 800 x 533 x 60 mm	665
GRSBF-36-I	Dimensions: 953 x 533 x 60 mm	780
GRSBF-42-I	Dimensions: 1105 x 533 x 60 mm	885
GRSBF-48-I	Dimensions: 1257 x 533 x 60 mm	1000
GRSBF-60-I	Dimensions: 1562 x 533 x 60 mm	1220
GRSBF-72-I	Dimensions: 1867 x 533 x 60 mm	1440

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
 PORT MELBOURNE, VIC. 3207 AUSTRALIA  
 T: +61 3 8645 2555 F: +61 3 8645 2565  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
 UNIT 15, 7-9 PROGRESS CIRCUIT,  
 PRESTONS, NSW 2170 AUSTRALIA  
 T: +61 2 9608 8620 F: +61 2 9607 9370  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
 T: 0400 099 992  
 E: sales@fsm-pl.com.au  
 W: www.fsm-pl.com.au




People who serve, products that solve.™

# SPECIFICATIONS

## BUILT-IN HEATED BLACK GLASS SHELVES

**Model HBGB Heated Black Glass Shelves**  
Made of foodsafe materials. Available in single phase only, with a temperature range of 38°-93° C.




**HBGB Countertop Cut-Out Dimensions**

Model	Minimum Width	Maximum Width	Minimum Depth	Maximum Depth
HBGB-2418	625 mm	632 mm	473 mm	480 mm
HBGB-3018	778 mm	784 mm	473 mm	480 mm
HBGB-3618	930 mm	937 mm	473 mm	480 mm
HBGB-4818	1235 mm	1241 mm	473 mm	480 mm
HBGB-6018	1540 mm	1546 mm	473 mm	480 mm
HBGB-7218	1845 mm	1851 mm	473 mm	480 mm

## BUILT-IN HEATED STONE SHELVES

**Model GRSSB Built-in Heated Stone Shelves**  
Made of simulated stone foodsafe materials. Available in single phase only, with a temperature range of 38°-93° C. Models come in four Decorative Stone Colors.



**GRSSB Countertop Cut-Out Dimensions**

Model	Minimum Width	Maximum Width	Minimum Depth	Maximum Depth
GRSSB-2418	625 mm	632 mm	473 mm	480 mm
GRSSB-3018	778 mm	784 mm	473 mm	480 mm
GRSSB-3618	930 mm	937 mm	473 mm	480 mm
GRSSB-4818	1235 mm	1241 mm	473 mm	480 mm
GRSSB-6018	1540 mm	1546 mm	473 mm	480 mm
GRSSB-7218	1845 mm	1851 mm	473 mm	480 mm


## HEATED STONE COLORS



## GLO-RAY® BUILT-IN HEATED SHELVES


### Model GRSB Built-in Heated Shelf with Recessed Top

Available in 240 volts, single phase, Flush mount control box bezel available in seven Designer colors.



### Model GRSBF Built-in Heated Shelf with Flush Mount Top

Available in 240 volts, single phase, Flush mount control box bezel available in seven Designer colors. Optional Stainless Steel surface also available.



**GRSB/GRSBF Countertop Cut-Out Dimensions**

Item	Minimum Width	Maximum Width	Minimum Depth	Maximum Depth
GRSB-24-F/GRSBF-24-F	622 mm	629 mm	406 mm	413 mm
GRSB-24-I/GRSBF-24-I	622 mm	629 mm	508 mm	514 mm
GRSBF-24-S	622 mm	629 mm	622 mm	629 mm
GRSB-24-O/GRSBF-24-O	622 mm	629 mm	775 mm	781 mm
GRSB-30-F/GRSBF-30-F	775 mm	781 mm	406 mm	413 mm
GRSB-30-I/GRSBF-30-I	775 mm	781 mm	508 mm	514 mm
GRSBF-30-S	775 mm	781 mm	622 mm	629 mm
GRSB-30-O/GRSBF-30-O	775 mm	781 mm	775 mm	781 mm
GRSB-36-F/GRSBF-36-F	927 mm	934 mm	406 mm	413 mm
GRSB-36-I/GRSBF-36-I	927 mm	934 mm	508 mm	514 mm
GRSBF-36-S	927 mm	934 mm	622 mm	629 mm
GRSB-36-O/GRSBF-36-O	927 mm	934 mm	775 mm	781 mm
GRSB-42-F/GRSBF-42-F	1080 mm	1086 mm	406 mm	413 mm
GRSB-42-I/GRSBF-42-I	1080 mm	1086 mm	508 mm	514 mm
GRSBF-42-S	1080 mm	1086 mm	622 mm	629 mm
GRSB-42-O/GRSBF-42-O	1080 mm	1086 mm	775 mm	781 mm
GRSB-48-F/GRSBF-48-F	1232 mm	1238 mm	406 mm	413 mm
GRSB-48-I/GRSBF-48-I	1232 mm	1238 mm	508 mm	514 mm
GRSBF-48-S	1232 mm	1238 mm	622 mm	629 mm
GRSB-48-O/GRSBF-48-O	1232 mm	1238 mm	775 mm	781 mm
GRSB-54-I	1384 mm	1391 mm	508 mm	514 mm
GRSB-60-F/GRSBF-60-F	1537 mm	1543 mm	406 mm	413 mm
GRSB-60-I/GRSBF-60-I	1537 mm	1543 mm	508 mm	514 mm
GRSBF-60-S	1537 mm	1543 mm	622 mm	629 mm
GRSB-60-O/GRSBF-60-O	1537 mm	1543 mm	775 mm	781 mm
GRSB-66-I	1689 mm	1695 mm	508 mm	514 mm
GRSB-72-F/GRSBF-72-F	1842 mm	1848 mm	406 mm	413 mm
GRSB-72-I/GRSBF-72-I	1842 mm	1848 mm	508 mm	514 mm
GRSBF-72-S	1842 mm	1848 mm	622 mm	629 mm
GRSB-72-O/GRSBF-72-O	1842 mm	1848 mm	775 mm	781 mm

Due to our policy of continual product development and improvement, all details and specification are subject to change without notice.

**FSM** (FOOD SERVICE MACHINERY PTY. LTD.)  
**HEAD OFFICE:** UNIT E6, 63-85 TURNER STREET,  
 PORT MELBOURNE, VIC. 3207 AUSTRALIA  
 T: +61 3 8645 2555 F: +61 3 8645 2565  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**SYDNEY OFFICE:**  
 UNIT 15, 7-9 PROGRESS CIRCUIT,  
 PRESTONS, NSW 2170 AUSTRALIA  
 T: +61 2 9608 8620 F: +61 2 9607 9370  
 E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

**QUEENSLAND:**  
 T: 0400 099 992  
 E: sales@fsm-pl.com.au  
 W: www.fsm-pl.com.au