


































**YELLOW TAPWARE
WELS RATINGS**



MODEL	DESCRIPTION	WELS RATING
	PRE RINSE UNITS All YELLOW tapware products use the performance criteria of AS/NZS 6400-2005 Water Efficient products – Rating and Labelling, AS/NZS 3718-2005 Taps and AS/NZS 3662-2005 Performance of Showers for bathing as the benchmarks for our water efficient product performance. Yellow tapware is an Australian WaterMark approved product. Yellow Tapware is WELS registered to deliver Basix, PIC and other regulatory authority compliances.	
 YH041	Deck Mount Pre Rinse Assembly, complete with wall bracket as shown. WELS 6 Star (4 lpm) water efficiency rating supplied as standard.	
 YW031	Wall Mount Pre-Rinse Assembly, complete with wall bracket as shown. 150 mm centres. WELS 6 Star (4 lpm) water efficiency rating supplied as standard.	
 Y063-Y182	Add on Faucet with 300 mm swing spout WELS 3 Star (7.7lpm) water efficiency rating supplied as standard.	
 Y1836	CLEANERS SINK FAUCET with support Premium Cleaners Sink Faucet with Support Bracket/cable and Bucket Hook WELS 3 Star (7.7lpm) water efficiency rating supplied as standard.	
 Y1835	Double Jointed Pot & Kettle Filling Faucet 457mm, Deck Mount WELS 3 Star (7.7lpm) water efficiency rating supplied as standard.	Add-on Faucet & Pot Fillers are all WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.
 Y2047	Double Jointed Pot & Kettle Filling Faucet 457mm, Wall Mount WELS 3 Star (7.7lpm) water efficiency rating supplied as standard.	

MODEL	DESCRIPTION	WELS RATING
	PRE RINSE UNITS (CONTINUED)	
 Y729	Ultra-Rinse Pre Rinse Spray Gun WELS 6 Star rated – 4 litres per minute Complete with black handle. (Adapter required to fit to other brands of pre rinse spray assembly – see under). WELS 6 Star (4 lpm) water efficiency rating supplied as standard.	
YFISH	Adapter required to retrofit Y729 Ultra-Rinse Pre Rinse Spray Gun to Fisher Pre Rinse Assemblies.	
YENCTS	Adapter required to retrofit Y729 Ultra-Rinse Pre Rinse Spray Gun to Encore and T&S Brass Pre Rinse Assemblies.	
 YWS021	Pre Rinse Wall Concealed Mixer Assembly WELS 6 Star (4 lpm) water efficiency rating supplied as standard.	
 YHS021	Pre Rinse Deck Mount Concealed Mixer Assembly WELS 6 Star (4 lpm) water efficiency rating supplied as standard.	
	FAUCETS WITH SWING SPOUTS	
 Y022-Y180	Wall mount faucet, 150 mm centres with 180 mm swing spout.	
 Y022-Y182	Wall mount faucet, 150 mm centres with 300 mm swing spout.	
 Y015-Y180	Double Pantry Faucet with 180 mm swing spout, deck mount	WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.
 Y015-Y182	Double Pantry Faucet with 300 mm swing spout, deck mount	

MODEL	DESCRIPTION	WELS RATING
	CERAMIC DISC FAUCETS WITH SWING SPOUTS & CONCEALED MIXER	
 YX307	Deck Mount Sink Set with 180mm Swivel Aerated Spout, Ceramic Disc	 WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.
YX307XYP012	Deck Mount Sink Set with 300mm Swivel Aerated Spout, Ceramic Disc	
 YX315	Wall Set with 180 mm Swivel Aerated Spout, Ceramic Disc	
YX315XYP112	Wall Set with 300 mm Swivel Aerated Spout, Ceramic Disc	
	FAUCETS WITH SWING SPOUTS & FOUR ARM HANDLES	
 YZ370	Deck Mount Faucet with 150 mm Goose Neck Swivel Spout and Four Arm Handles. Jumper Valve.	 WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.
 YZ307XYP012	Deck Mount Faucet with 300 mm Swing Spout, Jumper Valve, Concealed Mixer and Four Arm Handles.	
 YZ315	Wall Mount Faucet with 220 mm Swing Spout, Jumper Valve, Concealed Mixer and Four Arm Handles.	

MODEL	DESCRIPTION	WELS RATING
	HANDS FREE TAPS	
 Y2002	Electronic Hands Free Tap - Hob mount, Mains power	 WELS 6 Star (7.7 lpm) water efficiency rating supplied as standard.
 Y2003	Electronic Hands Free Tap - Wall Mount, Mains power	
 Y780	Knee Auto Tap Basin Kit, Supplied with Bench Mounted fixed gooseneck outlet - Bright chrome finish 500mm flexible connector - Two mini stop taps - Knee Operated Time Flow Valve - 350mm plastic lever with chrome-plated body and installation instructions.	 WELS 4 Star (7.7 lpm) water efficiency rating supplied as standard.
	LEVER MIXER TAP SETS	
 YLM307	Single Lever Mixer Sink Kit with Blade Handle (Flick Mixer) – 180 mm swivel spout	 WELS 4 Star (7 lpm) water efficiency rating supplied as standard.
 YLM306	Single Lever Mixer Basin Kit with Blade Handle – Fixed 90 mm nozzle	
 YG745P	Time Flow Tap (7 second)	
		 WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.



For all enquiries on Yellow Tapware, or any of our fine products, call

03 8645 2555

FSM (FOOD SERVICE MACHINERY PTY. LTD.)

HEAD OFFICE: UNIT E6, 63-85 TURNER STREET,
PORT MELBOURNE, VIC. 3207 AUSTRALIA

T: +61 3 8645 2555 F: +61 3 8645 2565

E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

SYDNEY OFFICE:

UNIT 15, 7-9 PROGRESS CIRCUIT,
PRESTONS, NSW 2170 AUSTRALIA

T: +61 2 9608 8620 F: +61 2 9607 9370

E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

QUEENSLAND:

T: 0400 099 992

E: sales@fsm-pl.com.au

W: www.fsm-pl.com.au