



Excellence since 1976

CATALOGUE / PRICE LIST
NEW ZEALAND

EFFECTIVE: SEPTEMBER 2019

OFFICE AND WAREHOUSE IN AUCKLAND
SERVICE ACROSS NEW ZEALAND



Welcome to our Catalogue / Price List
(All prices are in NZ Dollars)

KEY CONTACT LIST

NEW ZEALAND HEAD OFFICE

Sales & Administration

Craig Roberts

Unit 4/ 930 Great South Road

Penrose, Auckland 1061

Tel: +64 21 423360

croberts@fsm-pl.co.nz sales@fsm-pl.com.au

www.fsm-pl.co.nz

Visit our web site

www.fsm-pl.co.nz

for updates, the latest products, downloads and news.

CLICK LOGO TO GO DIRECTLY TO THAT PRODUCT PAGE



NEW GENERATION TAPWARE



COMMERCIAL MICROWAVES



CAN OPENERS



HOT & COLD FOOD SERVING SYSTEMS



LEADERS IN FOOD WARMING & HOLDING



QUALITY INDUCTION COOKING



NEW ERA GRILLING TECHNOLOGY



DRINK & GRANITA MACHINES



FOODSERVICE, STORAGE &
MATERIAL HANDLING SOLUTIONS

ACQUALINE	9-16
Deck Mount Pre Rinse Models	9-10
Wall Mount Pre Rinse Models	11
Deck Mount Flick Mixers, Thermostatic Mixing Valve	12
Hands Free & Time Flow Models	13
Knee Operated Tap & Cleaners Sink Models	14
Deck Mount Swing Faucet / Sink Sets	15
Wall Mount Swing Faucet / Sink Sets	16
BONN MICROWAVE OVENS	17-19
EDLUND CAN OPENERS	20
EMAINOX	21-23
Drop In Refrigerated Wells	21
Drop In Heated Ceramic Glass Hotplate	21
Drop In Gantries	22
Refrigerated and Heated Open Front <i>Grab'nGo</i>	23
HATCO	24-44
Glo Ray Warmers GRAH & GRAHL	24
Decorative Heat Lamps	25-26
Portable & Drop-In Heated Shelves	27-28
Portable & Drop-In Stone Shelves	29
Drop-in Hot or Cold and Cold Shelves	30
Heated Display Warmers	31
Portable Food Warmers / Chip Dumps	32
Fry Stations & Multi Product Warmers	33
Conveyor, Pop Up and Programmable Toasters	34-36
Decorative Carving Stations	37
Free Standing Drawer Warmers	38
Pasta Cooker & Accessories	39-40
Built-in Heated Wells (Rectangular & Round)	41
Portable Heated Wells (Round)	42
Salamanders & Sink Heater - Sanitising	43
Flav-R-Savor Holding Cabinets	44

SYNERGY GRILLS	45-49
SYNERGY Single Burner Grill	45
SYNERGY Dual Burner Grill	46
SYNERGY Triple Burner Grill	47
SYNERGY ST1700	48
SYNERGY Accessories	49
YELLOW INDUCTION	50-54
Portable Counter Top Hobs	50
Drop-In Single Hob Units	51
Built-In Cooktops	52
Multi-Zone Buffet Induction & Remote Generators	53
Induction Accessories	54
GBG GRANITA MACHINE	55
CARLISLE	56-73
Foodservice Products	56-60
Food Storage Solutions	61-62
Waste Management	63-65
Cateraide™ Insulated Containers	66-67
Material Handling	68-69
Warewashing	70-71
Janitorial	72-73

Please note that due to our policy of continual improvement, all details and specifications are subject to change without notice.

PRICES: Prices shown in this price list are recommended Retail prices only. All prices are in NZD. **RISE & FALL:** Prices are subject to variation at any time without notice and goods will be invoiced at the price current on the date of despatch. **GST:** All prices exclude GST.

TERMS AND CONDITIONS Effective September 1, 2019

The following Trading Terms supersede all previously terms and condition issued by Us.

1. Interpretation

In these Trading Terms and in any quotation, offer, current catalogue, website, price list produced by Us or other agreement with Us, the following definitions apply:

"Account Application Form" means the application form completed and provided by You for the purposes of opening a credit account with Us.

"Goods" means goods supplied by Us to You (and, where the context so permits, shall include any supply of Services) and described in any quotation, offer, current catalogue, website or price list produced by Us.

"Guarantor" means the guarantor(s) described in the Account Application Form, subject to acceptance by Us.

"GST" means the goods and services tax that applies in accordance with A New Tax System (Goods & Services) Act 1999 (Cth).

"Order" means any written, verbal or electronic purchase order made by You for Goods and/or Services.

"Prices" means the prices attributable to the Goods and Services as advised by Us in any quotation, offer, current catalogue, website or price list produced by Us and "Price" shall have a corresponding meaning.

"Services" means all services supplied by Us to You and includes any advice or recommendations (and where the context so permits shall include the supply and installation of any Goods).

"Trading Terms" means these terms and conditions of trade and includes any amendment or variation.

"We" and "Us" means F.S.M. [Food Service Machinery] Pty. Ltd. (. (NZBN 9429047406339) and includes any Related Bodies Corporate (as defined in the Corporations Act 2001 (Cth)) which supplies Goods and/or Services to You (whether or not the fact is disclosed to You) and "Our" means belonging or pertaining to Us.

"You" means the person, firm or company placing an order with Us for the Goods and "Your" means belonging or pertaining to You.

2. Application of Trading Terms

(a) These Trading Terms apply to every sale of Goods and/or supply of Services by Us to You. Each Order made by You and accepted by Us will be an individual contract for those Goods and/or Services in accordance with these Trading Terms.

(b) Subject to any special trading terms agreed to between You and Us and recorded in Your Account Application Form or separately in writing, these Trading Terms (together with any quotation, offer, current catalogue, or price list produced by Us) shall comprise in entirety Our terms and conditions of trade.

(c) In the event of any inconsistency between these Trading Terms and any other document, these Trading Terms shall prevail and any trading terms nominated by You are expressly excluded. Any warranty, representation or guarantee not included or provided for in these Trading Terms is of no effect.

(d) If any part of these Trading Terms, or the application of these Trading Terms to any person or circumstance, is or becomes invalid or enforceable, the remaining provisions of these Trading Terms are not affected and are valid and enforceable to the fullest extent permitted by law.

(e) We may amend these Trading Terms from time to time without notice to You and You will be deemed to have had knowledge of such amendments and have accepted these Trading Terms as amended if You continue to purchase Goods and/or Services from Us after such amendment. Each subsequent supply of Goods and/or Services by Us to You will be in accordance with these Trading Terms as amended.

3. Agreement

(a) Any quotation or offer produced by Us is subject to review, amendment or withdrawal at any time prior to acceptance by You or the expiry of the quotation or offer (whichever occurs first).

(b) Subject to (c) of this clause, Our quotation or offer will be deemed to have been accepted by You and a binding agreement entered into with You on the date We receive Your Order. Any Order which has been accepted by Us may not be cancelled by You without Our written consent (which We may withhold in Our absolute discretion) and then only on the basis that You will indemnify Us in full against all loss (including loss of profit), costs (including the cost of labour and materials used), damages, charges and expenses (including legal costs on a full indemnity basis) incurred by Us as a result of such cancellation. Cancellation of any Orders for Goods which are non-standard manufacture or non-stock items will not be accepted.

(c) We reserve the right to decline, in whole or in part, any Order received from You in Our absolute discretion.

(d) You are solely responsible for determining whether the Goods and Services are suitable for Your intended purposes and meet Your requirements and You acknowledge that no oral or written information, representation or advice given by Us (other than as contained in these Trading Terms) creates a warranty from Us or in any way increases the scope of these Trading Terms.

(e) You agree to notify Us in writing of any change in the ownership or control of Your business structure not less than 7 days prior to such change taking effect and You indemnify Us against any loss or damage We may incur as a result of Your failure to provide such notification.

4. Documents

Any clerical or typing errors, misprints or other similar errors in any document produced by Us in respect of Goods and/or Services are subject to correction by Us by either amending or re-issuing the affected document (as the case requires). We shall not be liable for any cost, expense or damage incurred by You as a result of any correction of any document produced by Us.

5. Intellectual Property

You acknowledge and agree that:

(a) any intellectual property rights in respect of the Goods and Services (including, but

not limited to, rights to design, copyright, patents or trademarks in respect of all drawings, designs, specifications and other information provided by Us in connection with any quotation, offer, current catalogue, website, price list produced by Us) remain Our sole and exclusive property and must remain confidential and You will not attempt to claim any such intellectual property rights in respect of either the Goods and Services or any modification or improvement of the Goods and Services;

(b) You must not attempt to modify or reverse engineer the Goods and Services; and
(c) in all cases where You have provided the design for any Goods and Services, We will not accept any responsibility for any infringement of any design, copyright, patents or trademarks or other intellectual property in connection with the execution of Your Order and You agree to indemnify Us against claims for infringement or unauthorised use of such intellectual property arising out of the manufacture or use of such Goods and Services.

6. Prices and Charges

(a) You agree to buy and We agree to sell the Goods and Services for the Prices.

(b) All Prices and all amounts payable to Us are exclusive of GST or any other applicable government tax or duty, unless otherwise indicated. You must pay all such taxes and duties in connection with those amounts.

(c) The Prices include the cost of Our standard packaging for the Goods. The cost of any special packaging materials or techniques requested by You in connection with the Goods must be paid for by You in addition to the Prices.

(d) We reserve the right, from time to time but prior to issuing any invoice to You, to increase the Prices:

(i) to take account of increases in the cost of supplying the Goods and/or Services to You (which may include, but are not limited to, increases in the cost of energy, materials, labour, equipment or delivery) which are due to any factor beyond Our reasonable control or are due to Your failure to provide adequate information or instructions; or

(ii) to correct, without any liability on Our part, any errors or omissions quotation, offer, current catalogue, website or price list produced by Us.

7. Payment

(a) We reserve the right to pass on to You any additional costs (including merchant fees) incurred by Us where You pay Us by credit card (if applicable).

(b) If We have not provided credit terms to You, You must pay for the Goods prior to delivery.

(c) If We have provided credit terms to You, You must pay for any Goods and/or Services provided to You within the time period stated in Our invoice or statement for such Goods and/or Services. If We have not stated a time period for payment, You must pay for the Goods and/or Services within 30 days of the end of the month in which we issued Our invoice or statement for the Goods and/or Services.

(d) We may set, alter or withdraw credit limits and terms in Our absolute discretion and without giving prior notice to You or providing reasons.

(e) Payments due to Us must be made without any deduction or set-off. We may apply the amounts paid to Us in payment of any amount owed by You. If You dispute Our invoice or statement, You must still pay the entire amount. We will refund any agreed amount following resolution of the dispute.

(f) If You fail to pay Our invoice or statement (whether in whole or in part) by the due date, without limiting any other provision in these Trading Terms, We may (in Our absolute discretion):

(i) suspend or cancel any further production and/or delivery of any Goods or supply of any Services (whether under an existing or new Order) until full payment of all outstanding amounts owed to Us (including accrued interest if applicable) has been made;

(ii) charge interest on any amount outstanding in respect of Our invoices, at the rate of 1.5% per month, such interest to be calculated daily and compounded monthly), until full payment has been made (such interest rate to be subject to amendment from time to time by Us in Our absolute discretion);

(iii) exercise a general lien on any of Your property within Our possession or control to cover the outstanding amount for the Goods and/or Services;

(iv) withdraw (in full or in part) any discount, concession, allowance or benefit which was previously offered to You; and

(v) recover from You, in addition to the outstanding amount, all costs incurred by Us arising out of or in connection with collecting the outstanding amount (including, but not limited to, expenses and fees associated with or paid to or on account of solicitors, legal advisers, mercantile agents and other agents acting on Our behalf) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

8. Security Interest and the Personal Property Securities Act 2009 ("PPSA")

If you have a current credit facility in place with Us, You acknowledge and agree that the following terms apply:

(a) We may require You to provide security for any Order placed by You as a condition of accepting Your Order and the terms of the Personal Property Securities Act 2009 (Cth) ("PPSA") apply to all transactions made under these Trading Terms.

(b) You acknowledge and agree that You will:

(i) grant a security interest in all present and after acquired Goods as security for all amounts owing now and in the future by You to Us;

(ii) do all things and sign all documents as are necessary and reasonably required to enable Us to acquire a perfected security interest in all Goods supplied;

(iii) provide such information as is required to enable registration of a 'Purchase Money Security Interest' (as that term is defined in the PPSA) ("PMSI");

(iv) not, without obtaining Our prior written consent, change Your name or initiate any change to any registered documentation, or act in any manner which would impact on Our registered security interest; and

(v) waive or exclude the application of such sections of the PPSA as We may require, subject to those sections being capable of exclusion.

(c) You further acknowledge that a PMSI is granted by You, in priority to all other

Continued >

TERMS AND CONDITIONS (continued)

creditors, in favour of Us and in respect of all Goods We supply to You from time to time, as security for Your payment obligations to Us. You agree to indemnify Us for any liability for all costs (including legal costs on a full indemnity basis) incurred by Us in relation to any security interest granted by You (including, but not limited to, registration, maintenance, enforcement or discharge of any security interest).

(d) We reserve the right at any time to make such amendments, alterations to this 'Security Interest' clause as We may, in Our absolute discretion, determine are necessary to protect Our security interests.

9. Title and Risk

(a) Title to and ownership of the Goods shall not pass to You until We have received full payment for the Goods and for any other amounts owing by You in relation to any other matter (including payments in respect of other goods or services provided to You from time to time) and You shall hold the Goods (including where such Goods have been converted or changed by any process) as fiduciary bailee and agent for Us.

(b) Risk in the Goods shall pass to You upon completion of delivery in accordance with these Trading Terms.

(c) You acknowledge that We hold a PMSI (as defined in clause 8) in respect of any Goods supplied to You until We have received full payment in respect of such Goods. You must not pledge, or in any way charge by way of security or indebtedness, any of the Goods until We have received full payment.

(d) Upon taking delivery of the Goods and until We receive full payment for the Goods and for any other amounts owing by You in relation to any other matter, until the Goods are sold by You in the ordinary course of your business, You must:

(i) keep the Goods in Your control and custody and not permit any other person to have possession, custody or control of the Goods;

(ii) keep the Goods separate from any other items or goods in Your possession and mark the Goods to clearly show that the Goods belong to Us;

(iii) not pledge, or in any way charge by way of security or indebtedness, any of the Goods;

(iv) permit Our nominated representative to attend Your premises on prior notice to inspect the Goods; and

(v) deposit all proceeds from the sale of the Goods into a separate and identifiable account, not mix such sale proceeds with any other money and account to Us for such sale proceeds;

and We may trace all such sale proceeds received by You through the relevant account or any other account maintained by You. In addition, You irrevocably appoint Us as Your attorney to recover any such sale proceeds from any purchaser to whom You have on-sold the Goods and to exercise Your rights under any agreement with such purchaser (including rights of repossession and resale of the Goods) provided that We undertake not to exercise such rights as Your attorney unless You have failed to comply with Your payment obligations to Us under these Trading Terms.

(e) Without prejudice to any of Our other rights, if You fail to comply with these Trading Terms, if You cease to be able to pay Your debts as they become due or if You become subject to any form of insolvency administration:

(i) all amounts owing by You to Us shall immediately become due and payable;

(ii) We have the right to immediate possession of the Goods and You irrevocably authorise Us to enter any premises occupied by You at the time upon reasonable notice to You, without liability for trespass or any resulting damage, and take possession of the Goods. You agree to indemnify Us and hold Us harmless from all claims arising out of or in connection with Us taking possession of the Goods in accordance with this clause;

(iii) We may retain all amounts paid to us on account of the Goods and suspend or cancel any further production and delivery of Goods for You;

(iv) We shall be entitled, but not obligated, to resell any Goods repossessed by Us in accordance with this clause; and

(v) We may recover from You all reasonable costs incurred by Us in connection with any Goods repossessed under this clause (including legal costs on a full indemnity basis) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

(f) If, at the time We seek to take possession of the Goods in accordance with this clause, the Goods have been incorporated by You in any other item or goods, We will be treated as owners of such other items or goods together with You, as tenants in common in proportion to our respective contributions.

10. Delivery

(a) The delivery dates and completion times contained in any quotation, offer or price list provided to You are estimates only, unless expressly stated to be an essential term and may be varied at any time by Us depending upon the availability of Goods, materials, labour and other contingencies. All prices are quoted ex-warehouse Auckland.

11. Force Majeure

We will not be liable for any failure to perform, or delay in performance of, any obligation where such failure or delay is due to anything beyond Our reasonable control including, but not limited to, adverse weather or terrain, strikes, lockouts and other industrial action, material shortages, failure of any of Our suppliers to supply, accidents, power or data transmission failure, breakdowns of plant or machinery, war, changes of government, import or export regulations or embargoes.

12. Inspection and Return of Goods

(a) You will be deemed to have accepted the Goods, free from any defect or other non-conformity, unless We receive a substantiated claim from You within 7 days from the date of delivery and/or installation of the Goods in accordance with these Trading Terms.

(b) Except where Goods supplied by Us are defective and subject to any warranty:

(i) Goods will only be accepted for return if You have given prior written notice to Us (confirming Your reasons for returning the Goods and stating the applicable invoice number) of Your intention to return the Goods and We have notified You in writing with a completed GRN form that We will accept such return, and that a copy of the GRN Form

supplied by us accompanies the goods being returned;

(ii) We may refuse to accept Goods where they are used, no longer in their original packaging or are returned more than 2 weeks after delivery to You;

(iii) We will refuse to accept the return of any Goods which are non-standard manufacture or non-stock items where such Goods have been correctly delivered by Us;

(iv) delivery of all Goods returned by You must be arranged with Your carrier and is at Your expense and risk; and

(v) in the event that We agree to accept the return of any Goods, You will be required to agree to pay a minimum 15% restocking fee, such fee to be subject to amendment from time to time by Us in Our absolute discretion.

(c) We will only accept the return of Goods from You if the Goods are in the same condition as when the Goods were originally delivered to You, provided that Our acceptance of Goods returned by You is not an acceptance of or granting of credit to You.

13. Limitation of Liability and Warranties

(a) The Competition and Consumer Act 2010 (Cth) may imply certain conditions and warranties into these Trading Terms that cannot be excluded or modified. These Trading Terms do not exclude or modify any of those conditions if to do so would contravene that law or make any part of these Trading Terms void.

(b) Where our products are used in a Commercial environment, Subject to the provisions of this clause 13, We will repair or replace any Goods which are manufactured or imported by Us where We, in Our absolute discretion, determine that such Goods, having regard to the materials, workmanship and the reasonable and recommended conditions of use and maintenance, are defective within the period of Warranty (as specified below):

All products within 13 months (Parts & Labour), from the date of delivery to the original Purchaser with the exception of the following:

Acqualine Tapware - Two Year on-site warranty - excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

Bonn Ovens / Microwaves:

Bonn Models CM-1042T, CM-1051T - Back to Base 24 months parts and 13 months labour warranty.

Bonn Models CM-902T - Back to Base 13 months parts and 13 months labour warranty.

Bonn Models CM-1901T and CM-1401T - On Site 24 months parts and 13 months labour.

Yellow Induction - Back to Base Warranty models: All Countertop.

Subject to the following conditions:

(i) this warranty will cover parts and labour unless specified otherwise, subject to the following limitations:

(A) damage to cutting blades, toaster elements, light globes, infrared tubes, quartz tubes or any glass items;

(B) where FSM is not responsible for installation - damage caused by improper installation or improper connection to incorrect gas, voltage, incorrect pressure or poor quality water;

(C) damage caused during transit or by accident;

(D) damage caused by negligence, abuse, unauthorised repair or the use of unauthorised spare parts;

(E) damage caused by improper cleaning, maintenance or operation;

(F) damage caused by voltage or gas conversion, pilot light adjustments, thermostat calibrations or any unauthorized alteration or modification;

(G) FSM's liability under this warranty is limited to the repair or replacement of defective Goods and all other costs (including, without limitation, any travel costs, labour costs, overtime rates, installation costs, freight and delivery costs to and from FSM premises to the premises of an authorised repairer, or similar surcharges, fees and costs arising out of a warranty claim are excluded;

(ii) all warranty repair work will be performed between the hours of 8.30 am and 4.30 pm on normal working days;

On site warranty services are limited to sites within 50km from the nearest FSM authorised service agent.

With respect to "Back to Base" warranties, FSM can sell or dispose of any goods:

(i) Not collected by customer or

(ii) Where customer refuses to accept delivery of those goods within 60 days of FSM notifying customer goods are available for collection and/or delivery.

(iii) the warranty period in respect of any spare parts or replacement parts provided under this warranty is limited to 3 months from the delivery of such spare parts or the installation of such replacement parts;

(iv) where the payment terms under these Trading Terms have not been complied with, warranty claims will not be accepted in respect of such Goods;

(v) Risk in any Goods shall remain with You while such Goods are in Our possession for the purposes of assessing a warranty claim and FSM, its servants and agents will not be responsible for any damage caused to the Goods while in Our possession.

(vi) To obtain the benefit of this warranty, You must notify Us in writing immediately upon becoming aware of the alleged defect and in any event within 13 months (or other period as stipulated under item 13) of delivery of the Goods to You (3 months from the delivery of any spare parts or the installation of replacement parts under this warranty).

To the extent that any Goods are not covered under the warranty described in this clause 13(b) but are subject to the original manufacturer's or the original supplier's warranty, FSM will pass on the benefit of such warranty to the extent permitted by law.

(c) Subject to (a) and (b) of this clause 13 and without limiting the terms of any written warranty given separately by Us, all warranties and conditions that may be implied into these Trading Terms are excluded and Our liability for breach of any implied condition or warranty that cannot be excluded is limited (at Our option) to:

(i) in respect of Goods: the repair or replacement of those Goods or reimbursement

Continued >

TERMS AND CONDITIONS (continued)

of the cost of having those Goods repaired or replaced or refunding to You any payments made in respect of the Goods; and

(ii) in respect of Services: the re-supply of the Services or reimbursement of the cost of supplying the Services again or refunding to You any payments made in respect of the Services.

(d) Despite any other provision of these Trading Terms, to the extent permitted by law, We have no liability to You nor will You be entitled to claim against Us in respect of:

(i) any loss or damage caused by delay in delivery of the Goods or supply of the Services;

(ii) any death or injury arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity;

(iii) any consequential loss or damage (including, but not limited to, loss of profit, loss of revenue, loss of expected savings and opportunity costs) arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity; and

(iv) (if applicable) any loss or damage to Your property or any premises occupied by You arising out of or in connection with Our reasonable installation of the Goods and it is Your responsibility to provide adequate facilities to Us during such installation and to arrange the removal of all waste and hazardous material in connection with the installation process.

(e) You acknowledge that You have not relied on any representation made by Us which is not expressly stated in these Trading Terms.

(f) You acknowledge that You must ensure that the Goods are used and installed (if applicable) in a prudent and professional manner and in accordance with any specifications or instructions which were supplied with the Goods. You indemnify Us against all loss, liability, cost (including legal costs on a full indemnity basis) and expense incurred by Us as a result of any claim made or action brought in connection with the Goods or their use, other than a claim or action brought by You under these Trading Terms or a condition or warranty implied by law which is not excluded by these Trading Terms.

(g) You acknowledge that the exclusions and limitations in this clause are customary for suppliers of goods and services equivalent to the Goods and Services and are fair and reasonable given the nature of the Goods and Services and the applicable Prices.

(h) This clause shall survive termination of these Trading Terms

14. Consent to credit check and Privacy Act

(a) By signing the Account Application form, You acknowledge and agree that the Privacy Act 1988 (Cth) allows Us to give a credit reporting agency certain personal information about You at any time after signing such form for the purpose of assessing Your credit worthiness.

(b) You further acknowledge and agree that We may contact any trade reference provided by You or any credit provider and We may acquire information from them or provide information to them in relation to Your credit worthiness.

15. Guarantee and Indemnity

(a) The Guarantor hereby guarantees the due and punctual payment by signature of all monies that becomes due and payable by You to Us under these Trading Terms and also the due and punctual performance by You of Your obligations pursuant to these Trading Terms (the "Guarantee").

(b) In consideration for Us entering into these Trading Terms with You, the Guarantor hereby charges in Our favour the whole of the Guarantor's estate and interest, legal and equitable, in the Guarantor's personal and real property to secure the Guarantor's obligations pursuant to these Trading Terms.

(c) Without limiting Our rights under these Trading Terms, the Guarantor acknowledges and agrees that the charge on the Guarantor's property shall provide a caveatable interest in Our favour and the Guarantor consents to Us registering Our interest in the Guarantor's property, including by way of a caveat.

(d) The Guarantee is a continuing guarantee and shall not be discharged in whole or in part by the payment at any time of any part of the money payable by You pursuant to these Trading Terms or by settlement of account, intervening payment, or other matter or thing whatsoever.

(e) The Guarantee shall not be affected or prejudiced by any variation or modification at any time to these Trading Terms.

(f) The Guarantee shall at all times be valid and enforceable against the Guarantor notwithstanding:

(i) that no demand for payment has been made to You; and
(ii) that You were prohibited (whether expressly or by implication) by law, contract or otherwise from entering into these Trading Terms or lacked capacity, power or authority to enter into these Trading Terms.

(g) The Guarantee is irrevocable and shall not be affected by the death, bankruptcy or incapacity of any of the Guarantors.

(h) If any payment made by You to Us is subsequently avoided or set aside by reason of any statutory provision or otherwise, such payment shall not prejudice or otherwise affect the Guarantee, or Our rights pursuant to this clause 15, to the intent that We shall, with respect to its rights recover pursuant to this clause 15 any monies secured, be restored to the same position in which We would have been had such payment not been made.

(i) In addition, the Guarantor agrees to indemnify Us in respect of all costs, charges and expenses whatsoever, which We may incur by reason of any default by You under or in relation to these Trading Terms.

(j) The Guarantor is liable to pay, and indemnify Us for, Our reasonable expenses incurred in enforcing the Guarantee.

(k) If more than one party signs as Guarantor, in this clause 15 each reference to "Guarantor" is a reference to them jointly and each of the individually.

16. General

(a) We may sub-contract the production, manufacture, supply or delivery of all or some of the Goods and Services.

(b) Any failure by Us to insist on strict compliance with these Trading Terms or any delay by Us in exercising Our rights under these Trading Terms will not constitute a variation or

waiver of any provision of these Trading Terms or of any right available to us.

(c) If part of all of any provision of these Trading Terms or its application to any person or circumstance is held to be illegal or unenforceable, the provision will be interpreted so as to ensure it is not illegal or unenforceable. If any provision or part of it cannot be so interpreted, the provision or relevant part of it will be severed from these Trading Terms and the remaining provisions of these Trading Terms will continue in force.

(d) Where You are comprised of 2 or more persons, an agreement or obligation to be performed or observed by You binds those persons jointly and each of them severally.

(e) Any notice or document required to be served under these Trading Terms will be sufficiently served if delivered or posted by pre-paid post to the address of that party as notified by that party from time to time in writing. If the notice or document is posted, service will be deemed to have been effected 3 days after the date on which the document or notice was posted.

17. Governing Law

These Trading Terms are governed by the laws of New Zealand. All parties submit to the non-exclusive jurisdiction of the Courts of Auckland, New Zealand.

Continued >

The Acqualine range of quality tapware and pre-rinse units heralds a new era of reliable, quality tapware to the New Zealand market with an industry leading TWO YEAR on-site parts and labour warranty – designed by professionals with the features you would expect for your kitchen.

Features like 300mm swing faucet on full height pre-rinse models, six star Wels rated spray gun and quality construction with 100mm levers with a choice of 100 or 200mm flick mixers and more.

Watermark approved and Wels rated to comply with all Australian & New Zealand regulations, and supplied with our exclusive TWO YEAR* on-site parts and labour warranty for real peace of mind.

All units come packed with full instructions, fittings and hose connections (model dependant).

DECK MOUNT PRE RINSE MODELS

AQD1500 DECK MOUNT


Deck Mount Pre Rinse, complete with wall bracket, 300mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and 6 Star rated spray gun, 4 Star rated pot filler as shown. Single hole mount. Overall height: 1073mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$1035

6 BUY PRICE EA. \$1010

12 BUY PRICE EA. \$980



AQD1500LH DECK MOUNT *LOW HEIGHT*


Deck Mount Pre Rinse, Low Height Model, complete with wall bracket, 1/4 turn 100mm lever operated ceramic disc taps and 6 Star rated spray gun, Single hole mount. Overall height: 600mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$820

6 BUY PRICE EA. \$800

12 BUY PRICE EA. \$770



(Deck Mount units continued...)

* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

DECK MOUNT PRE RINSE MODELS (cont.)

AQD1200 DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 200mm swing faucet, single lever flow and temperature control, and 6 Star rated spray gun, 4 Star rated pot filler. Single hole mount. Overall height: 960-1030mm.

Hose length 845mm.


Operating water pressure Min 50kPA, Max 350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$920

6 BUY PRICE EA. \$900

12 BUY PRICE EA. \$870



WALL MOUNT PRE RINSE MODELS

AQW1500 WALL MOUNT EXPOSED BREECH


Wall Mount Pre Rinse, complete with wall bracket, 300mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and 6 Star rated spray gun, 4 Star rated pot filler as shown. Two hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. Overall height: 1023mm.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$1210

6 BUY PRICE EA. \$1190

12 BUY PRICE EA. \$1170



AQW1500CB WALL MOUNT CONCEALED BREECH


Wall Mount Pre Rinse, complete with wall bracket, 300mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps 6 Star rated spray gun, 4 Star rated pot filler as shown. Three hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others). Overall height: 713mm.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$975

6 BUY PRICE EA. \$955


12 BUY PRICE EA. \$930



DECK MOUNT FLICK MIXER MODELS

AQD5200 DECK MOUNT FLICK MIXER 200mm swing spout

Deck Mount Flick Mixer, complete with 200mm Swing Spout, 4 Star rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia. Operating water pressure Min 50kPA, Max 350kPA.



**TWO YEAR
ON-SITE WARRANTY***


LIST PRICE EA. \$220

6 BUY PRICE EA. \$215

12 BUY PRICE EA. \$210

AQD5100 DECK MOUNT FLICK MIXER 100mm spout

Deck Mount Flick Mixer, complete with 100mm Fixed Spout, 4 Star rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia. Operating water pressure Min 50kPA, Max 350kPA.



**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$205

6 BUY PRICE EA. \$195

12 BUY PRICE EA. \$180

AQ6000 THERMOSTATIC MIXING VALVE 15/20mm

Critical for supplying safe/desirable water temperatures to a Hands Free or Time Flow tapset. Output temperature range 35-50°C. Operating water pressure Min 20kPA, Max 350kPA.



**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$350

6 BUY PRICE EA. \$340

12 BUY PRICE EA. \$330

ELECTRONIC HANDS FREE & TIME FLOW MODELS

AQD4002 DECK MOUNT HANDS-FREE SENSOR TAP


Modern Deck Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kPA, Max 350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$810

6 BUY PRICE EA. \$790

12 BUY PRICE EA. \$770



AQW4003 WALL MOUNT HANDS-FREE SENSOR TAP


Modern Wall Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kPA, Max 350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$815

6 BUY PRICE EA. \$800

12 BUY PRICE EA. \$780



AQD745 DECK MOUNT TIME FLOW TAP

Deck mounted Time Flow Tap. 7 Seconds. Single hole mount, 6 Star rating. Includes one connection tail and hardware.


Supplied with Blue Red and Yellow button. Operating water pressure Min 50kPA, Max 350kPA. Optimum 250-350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$245

6 BUY PRICE EA. \$230

12 BUY PRICE EA. \$220





AQD780 KNEE OPERATED TIMER BASIN TAP SET

Includes deck mount fixed gooseneck outlet, 325mm lever / knee operated time-flow and connections. Six Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$460




AQW1836 CLEANERS SINK FAUCET SET with wall bracket support

Quality Wall mounted Cleaners Sink model with cable supported Spout and Bucket Hook. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$1550



DECK MOUNT FAUCET/SINK SETS

AQD3150 DECK MOUNT FAUCET WITH 180MM SPOUT


Deck Mounted 180mm Swing Faucet, with 100mm Lever operation, one hole mount, complete with flexible fittings. Ceramic cartridges, 1/4 turn levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$470**

6 BUY PRICE EA. **\$460**

12 BUY PRICE EA. **\$430**



AQD3300CB DECK MOUNT WITH 300MM SPOUT


Deck Mounted 300mm Swing Faucet, with Lever operation, concealed breach, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$490**

6 BUY PRICE EA. **\$480**

12 BUY PRICE EA. **\$450**



(Tap detail common to all Concealed Breach models, see next page for drawing).

AQD3180CB DECK MOUNT WITH 180MM SPOUT


Deck Mounted 180mm Swing Faucet with Lever operation, concealed breach, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$465**

6 BUY PRICE EA. **\$450**

12 BUY PRICE EA. **\$430**



WALL MOUNT FAUCET/SINK SETS

AQW3300CB WALL MOUNT WITH 300MM SPOUT


Wall Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$470

6 BUY PRICE EA. \$460

12 BUY PRICE EA. \$440



AQW3180CB WALL MOUNT WITH 180MM SPOUT


Wall Mounted 180mm Swing Faucet with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

**TWO YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$460

6 BUY PRICE EA. \$450

12 BUY PRICE EA. \$430



Tap detail common to all
Concealed Breech models.



HIGH PERFORMANCE SERIES MICROWAVES with **microsave™**

The Bonn High Performance Series offer a choice of cooking power output, and market leading speed. Heavy Duty construction, high power, 200 programs and Bonn's unique *MicroSave* protection option makes these models the most advanced High Performance Commercial Microwave Oven and the number one choice amongst professionals. Utilising *Dual Magnetron* technology to reduce the operating temperature of each magnetron by up to 50% when compared to single magnetron ovens means a longer life span with greater reliability. This oven also comes with an On-Site 24 Months Parts / 13 Month Labour Warranty*.

The unique removable *MicroSave* Cavity Liner reduces service costs by up to 80% and extends the life of the oven and significantly improves hygiene by collecting all spills/spatters for easy cleaning. This patented *MicroSave* Cavity Liner is available as an optional extra, dishwasher safe and is a must for all professional users.

Bonn CM-1901T

- ▶ 1900W Microwave Output, 5 Power Levels
- ▶ 15 Amp plug single phase (Max. Draw 14.9A)
- ▶ 26 Litre Internal capacity
- ▶ Fully programmable Touch Pad with 200 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass,
- ▶ Commercial quality Hinges and handle
- ▶ External Dimensions 464W x 365H x 580Dmm
- ▶ Internal Dimensions 370W x 190H x 370Dmm ▶ Weight: 32Kgs
- ▶ Optional *MicroSave* Cavity Liner for easy cleaning /maintenance.

LIST PRICE EA. **WITHOUT MICROSAVE** \$2690
LIST PRICE EA. **WITH MICROSAVE** \$2970



CPS3A MicroSave Dishwasher Safe Cavity Liner - purchased separately :

LIST PRICE EA. \$300
(Save \$20.00 when purchased with oven)



Shown with *MicroSave* Cavity Liner

Bonn CM-1401T

- ▶ 1400W Microwave Output, 5 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 9.9A)
- ▶ 26 Litre Internal capacity
- ▶ Fully programmable Touch Pad with 200 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 464W x 365H x 580Dmm
- ▶ Internal Dimensions 370W x 190H x 370Dmm
- ▶ Weight: 32Kgs
- ▶ *MicroSave* Cavity Liner for easy cleaning /maintenance.

**ONLY
REQUIRES
10A POWER**

LIST PRICE EA. **WITHOUT MICROSAVE** \$2260
LIST PRICE EA. **WITH MICROSAVE** \$2540



PERFORMANCE SERIES MICROWAVES

The Bonn Performance Series Microwaves offer users preset programming, ceramic base, full stainless steel construction, generous 21 litre capacity and a choice of output power.

Incorporating the latest generation high efficiency Magnetron, these models incorporate many of the design features from the Bonn High Performance Range of ovens, including Direct Ducted Magnetron cooling, motorised stirrer fan for even heating along with all the safety features such as toughened inner door glass, heavy duty door safety latches and double-strengthened door hinges - all part of Bonn's stringent total safety philosophy.

Get commercial quality and speed with ease of operation and superior Bonn quality.

Supplied with 24 Month Parts / 13 Month Labour Back to Base Warranty*

Bonn CM-1042T

- ▶ 1200W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 8.5A)
- ▶ 21 Litre Internal capacity
- ▶ 20 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 490W x 325H x 450Dmm
- ▶ Internal Dimensions 310W x 209H x 325Dmm
- ▶ Weight: 19.5Kgs

LIST PRICE EA.

\$1210



Bonn CM-1051T

- ▶ 1000W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 7.6A)
- ▶ 21 Litre Internal capacity
- ▶ 20 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 490W x 325H x 450Dmm
- ▶ Internal Dimensions 310W x 209H x 325Dmm
- ▶ Weight: 19.5Kgs

LIST PRICE EA.

\$890



LIGHT DUTY SERIES MICROWAVES

The Bonn Light Duty Microwave Series offers the smaller users preset programming (10 presets), ceramic base, stainless steel exterior, large 25 litre capacity and 900 Watt output.

Incorporating several of the design features from the Bonn Performance Range of ovens, including motorised stirrer fan for even heating and ceramic base.

This entry level commercial oven offers ease of operation and Bonn quality.

Supplied with our exclusive 13 month Back to Base labour and parts warranty*.

Bonn CM-902T

- ▶ 900W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 6.5A)
- ▶ 25 Litre Internal capacity
- ▶ 10 Preset Memories, Digital Display
- ▶ Programmable 1 to 3 stage cooking
- ▶ Rugged hinges and door handle
- ▶ Stainless Steel Exterior
- ▶ Stainless Steel Interior with Ceramic base
- ▶ External Dimensions 510W x 380Dmm x 335H
- ▶ Internal Dimensions 330W x 330Dmm x 212H
- ▶ Weight: 15 Kgs

LIST PRICE EA.

\$535





MANUAL & ELECTRIC CAN OPENERS

Edlund are the industry leaders in quality, reliable can opening solutions and produce a wide range to suit any work load. Made tough with quality components, yet easy and safe to operate.

► **Quality manufactured in USA** ► **Parts remove easily for replacement and cleaning** ► **Edlund blades are reversible for longer life** ► **Knife edges are intentionally dull and rounded to fold metal not cut it, thereby providing a smooth rim edge for greater safety.**

MODEL 1

Nickel plated opener and sturdy base with standard length bar, suitable for cans up to 280mm tall.

4 cans per minute.

Recommended daily use up to 15 cans.

Overall Height: 530mm

Weight packed: 8.1Kgs

LIST PRICE EA. \$380

MEDIUM USAGE



ELECTRIC CAN OPENERS

► **Effortless electric operation to eliminate fatigue** ► **Spring-loaded mechanism opens even dented cans** ► **Replaceable knife and gear provide long life** ► **Sleek stainless steel construction provides durable operation and easy cleaning.**

266

Single Speed Electric Can Opener

4-7 cans per minute.

Recommended daily use up to 75 cans.

Most suitable for size #10 cans.

Dimensions: 111Wmm x 178Dmm x 305Hmm

Weight: 5.57Kgs

Electrical: 120W 0.5A Supplied with 10 amp plug.

LIST PRICE EA. \$2100

EFFORTLESS
MEDIUM TO HIGH
USAGE



CROWN PUNCH CAN OPENERS – PNEUMATIC

610

Unit complete with knife and guard ring locator for one standard size #10 round can.

All stainless steel including mechanism.

8-12 cans per minute.

Recommended daily use up to 400 cans.

(Note: Compressor not included).

LIST PRICE EA. \$14100

HIGH
PRODUCTION



HIGHER CAPACITY CAN-OPENERS AVAILABLE ON REQUEST



From one of Italy's leading design and manufacturing facilities comes this remarkable quality range of equipment with excellent performance, leading edge style and design.



ELEGANCE DROP-IN REFRIGERATED WELLS

Standard features include refrigerated cross-flow cold air wells with adjustable air flow velocity to suit even delicate foods, and height adjustable between 30 to 150mm deep.

Convenient lift-up evaporator for easy cleaning. Digital control system for adjusting temperature and automatic defrosting. Well Temperature +2°C to +5°C. Constructed from AISI 304 stainless steel and accommodates 1/1GN containers.



All Drop-in units can be fitted with optional gantries, in light or heat models with single or two-sided glass.

FULLY INTEGRATED MODELS

MODEL	SIZE	WELL SIZE	No PANS	AMPS	WATTS	\$
8046500	800mmL x 700mmD	650L x 510D x 30/150mmH	2GN1/1	2	500	7350
8046501	1125mmL x 700mmD	980L x 510D x 30/150mmH	3GN1/1	3	700	7700
8046502	1455mmL x 700mmD	1310L x 510D x 30/150mmH	4GN1/1	4	900	8600
8046503	1780mmL x 700mmD	1630L x 510D x 30/150mmH	5GN 1/1	5	1100	9500
8046580	2105mmL x 700mmD	1960L x 510D x 30/150mmH	6GN 1/1	6	1300	12800

REMOTE MODELS AVAILABLE - Contact your representative

All the above supplied with 10amp plug. Units require a drain/tundish/heated evaporator tray.

DROP-IN HEATED CERAMIC GLASS HOTPLATE

These Italian Hotplates are engineered to keep warm food at the correct temperature in trays, pans or earthenware dishes.

The range consists of 3 models in 800mm, 1125mm and 1455mm lengths, all 700mm deep.

The Ceran hotplate is flush-mounted into the stainless steel top for durability and easier cleaning.

Maximum operating surface temperature of 120°C is adjustable and controlled via a mechanical thermostat. Careful design and placement of the silicon heating blanket gives even heat across the ceramic glass hot plate, with faster warm up and better economy.



All Drop-in units can be fitted with optional gantries, in light or heat models with single or two-sided glass.

MODEL	DIMENSIONS	TOP	No PANS	AMPS	WATTS	\$
8046428	800mmL x 700mmD	650Lx510D	2GN 1/1	5	1200	3600
8046429	1125mmL x 700mmD	960Lx510D	3GN 1/1	8	1800	3900
8046430	1455mmL x 700mmD	1300Lx510D	4GN 1/1	10	2400	4900



From one of Italy's leading design and manufacturing facilities comes this remarkable quality range of equipment for excellent performance, leading edge style and design.



GANTRIES FOR DROP-IN UNITS

Beautiful Italian designed Gantries are for installation on the Emainox Drop-in Range as one or two-sided glass units to protect food and can be equipped with heating elements (for hot units) or lighting (for cold units).

Available in 5 models, with lengths to suit the 800mm, 1125mm, 1455mm, 1780mm and 2090mm drop-ins.



GANTRY ONLY WITH SINGLE GLASS

MODEL	DIMENSION x 360W	No PANS	\$
8046250	785mmL x 400mmH	2GN 1/1	1040
8046251	1110mmL x 400mmH	3GN 1/1	1070
8046252	1440mmL x 400mmH	4GN 1/1	1120
8046253	1765mmL x 400mmH	5GN 1/1	1387
8046254	2090mmL x 400mmH	6GN 1/1	1780

GANTRY ONLY WITH DOUBLE GLASS

MODEL	DIMENSION x 510W	No PANS	\$
8046185	785mmL x 400mmH	2GN 1/1	1060
8046186	1110mmL x 400mmH	3GN 1/1	1100
8046187	1440mmL x 400mmH	4GN 1/1	1140
8046188	1765mmL x 400mmH	5GN 1/1	1420
8046189	2090mmL x 400mmH	6GN 1/1	1810



LIGHT FOR COLD UNIT GANTRIES

MODEL	LENGTH	No PANS	WATTS	\$
8046190	685mm	2GN 1/1	8	720
8046191	1010mm	3GN 1/1	13	760
8046192	1340mm	4GN 1/1	21	810
8046193	1665mm	5GN 1/1	35	990
8046225	1990mm	6GN 1/1	53	1260

HEAT FOR HOT UNIT GANTRIES

MODEL	LENGTH	No PANS	AMPS	WATTS	\$
8046194	685mm	2GN 1/1	1.8	400	870
8046195	1010mm	3GN 1/1	3.5	800	910
8046196	1340mm	4GN 1/1	3.5	800	940
8046197	1665mm	5GN 1/1	5	1200	1150
8046227	1990mm	6GN 1/1	6.7	1600	1470



From one of Italy's leading design and manufacturing facilities comes this remarkable quality range of equipment for excellent performance, leading edge style and design.



REFRIGERATED OR HEATED OPEN FRONTED GRAB 'n GO UNITS

Contemporary timeless Italian designed Drop-In Refrigerated Units and Heated units available in a choice of sizes:

All feature quality stainless steel construction, two rear sliding doors and open fronted glass cabinet for optimum display and convenience. Superior Italian design and quality construction for the ultimate way to display your food products.

DROP-IN *REFRIGERATED* DISPLAY UNITS

with Night Air Curtain

Excellent Drop-In cold display cabinet complete with air curtain. The base of the refrigerated well has adjustable depth to suit varying requirements such as bottles /food merchandising. Choose the size that best suit your venue.

MODEL	DIMENSION W D H	No PANS	\$
8046900	800 x 700 x 1170mm	2GN 1/1	11200
8046901	1125 x 700 x 1170mm	3GN 1/1	12200
8046902	1455 x 700 x 1170mm	4GN 1/1	13400
8046903	1780 x 700 x 1170mm	5GN 1/1	14800



DROP-IN *HEATED* OPEN FRONTED DISPLAY UNITS

These elegant open fronted hot display cabinets will showcase your product beautifully. Available in two or three heated shelf models in sizes from 800-1780mm.

These units also feature:

- Halogen lamp illumination for excellent product display
- Blanket heater technology for superior even heating
- Temperature on each shelf is individually controlled for maximum flexibility and product shelf life.

DUAL SHELF MODELS

MODEL	DIMENSION W D H	\$
8046726A	800 x 700 x 730mm	8890
8046727A	1125 x 700 x 730mm	10250
8046728A	1455 x 700 x 730mm	11100
8046729A	1780 x 700 x 730mm	13100



THREE SHELF MODELS

MODEL	DIMENSION W D H	\$
8046750A	800 x 700 x 940mm	11980
8046751A	1125 x 700 x 940mm	13780
8046752A	1455 x 700 x 940mm	14960
8046753A	1780 x 700 x 940mm	16500





People who serve, products that solve.™



Acknowledged world leaders in food holding and warming solutions, Hatco offer a breadth of products and solutions that answer almost any heating/warming/holding requirement.

And Hatco lead the way in merchandising solutions with high quality - high visibility products. Call to discuss your special requirements or project needs - Hatco has a quality solution and Hatco products are covered by our exclusive 13 month warranty on parts and labour.


GLO RAY FOOD WARMER GRAH **Heat only**

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern (See schematic below). Safety wire guards, mounting brackets and 1800mm cord with 10A plug standard. All units 150mmW x 64mmH

MODEL	LENGTH	WATTAGE	\$	MODEL-IC	LENGTH	\$
GRAH-18	460mm	350W	526	GRAH-18-IC	460mm	700
GRAH-24	610mm	500W	543	GRAH-24-IC	610mm	717
GRAH-30	760mm	660W	599	GRAH-30-IC	760mm	773
GRAH-36	910mm	800W	622	GRAH-36-IC	910mm	801
GRAH-42	1070mm	950W	655	GRAH-42-IC	1070mm	823
GRAH-48	1220mm	1100W	678	GRAH-48-IC	1220mm	846
GRAH-54	1370mm	1250W	745	GRAH-54-IC	1370mm	918
GRAH-60	1520mm	1400W	823	GRAH-60-IC	1520mm	997
GRAH-66	1680mm	1560W	885	GRAH-66-IC	1680mm	1064
GRAH-72	1830mm	1725W	969	GRAH-72-IC	1830mm	1148
GRAH-84	2130mm	1900W	1126	GRAH-84-IC	2130mm	1299
GRAH-96	2440mm	2400W	1266	GRAH-96-IC	2440mm	1439



FOR INFINITE
CONTROL
MODELS SEE
"IC" COLUMN
←



Typical Glo Ray
installation shown
above stainless
steel benchtop.

GLO RAY FOOD WARMER GRAHL **Heat & Light**

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern. Includes Incandescent lighting, safety wire guards, mounting brackets and 1800mm cord with 10A or 15A* plug standard. All units 230mmW x 64mmH

MODEL	LENGTH	WATTAGE	\$	MODEL-IC	LENGTH	\$
GRAHL-18	460mm	470W	762	GRAHL-18-IC	460mm	918
GRAHL-24	610mm	620W	790	GRAHL-24-IC	610mm	930
GRAHL-30	760mm	780W	885	GRAHL-30-IC	760mm	1014
GRAHL-36	910mm	980W	997	GRAHL-36-IC	910mm	1170
GRAHL-42	1070mm	1130W	1047	GRAHL-42-IC	1070mm	1232
GRAHL-48	1220mm	1340W	1193	GRAHL-48-IC	1220mm	1366
GRAHL-54	1370mm	1490W	1282	GRAHL-54-IC	1370mm	1456
GRAHL-60	1520mm	1700W	1439	GRAHL-60-IC	1520mm	1602
GRAHL-66	1680mm	1860W	1568	GRAHL-66-IC	1680mm	1742
GRAHL-72	1830mm	2085W	1803	GRAHL-72-IC	1830mm	1971
GRAHL-84	2130mm	2470W* 15A	2083	GRAHL-84-IC	2130mm	2324
GRAHL-96	2440mm	2880W* 15A	2324	GRAHL-96-IC	2440mm	2498

FOR INFINITE
CONTROL
MODELS SEE
"IC" COLUMN
←

REMOTE CONTROLS & IC UNITS

Use 1 Infinite Control per Glo Ray element

MODEL	DESCRIPTION	\$
RMB-3CE	Remote Control Enclosure with 1 Infinite Control	347
RMB-7CE	Remote Control Enclosure with 2 Infinite Controls	493




RMB-3CE



Dual Remote Control RMB-7CE



People who serve, products that solve.™



Hatco, the world's leaders in food warming and holding technology, continue to lead the way with high quality, reliable and aesthetically correct **Decorative Heat Lamps**. With **14 shade styles, 24 colour and finish options, plus a choice** of 10 mounting and switch locations, there will be a model to suit your project or restaurant perfectly. Hatco Decorative Heat Lamps are perfect for enhancing your food pass/servery. Choose the lamps that the experts choose.

DECORATIVE HEAT LAMPS - IN STOCK - **all others to order**

DL-600-CL/BCOPPER

Hatco Decorative Heat Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm. (Longer length available on application).
Black cord standard.
Switch on lamp housing
Bright Copper plated finish.
Supplied unplugged

LIST PRICE EA. \$980



DL-400-CL/BOLDBLACK

Hatco Decorative Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm (Longer length available on application).
Black cord standard.
Switch on lamp housing.
Bold Black finish.
Supplied unplugged

LIST PRICE EA. \$695



DL-500-RL-CH/BK

Hatco **Retractable** Decorative Heat Lamp
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.
Black cord is standard.
Switch on lamp housing.
Glossy grey finish.
Supplied unplugged


LIST PRICE EA. \$1120



DL-775-RPL-BN/BK

Hatco **Retractable** Decorative Heat Lamp
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.
Black cord is standard.
Switch on lamp housing.
Bright Nickel finish.
Supplied unplugged

LIST PRICE EA. \$1210



DL-500-CL-CH/BK

Hatco Decorative Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm (Longer length available on application).
Black cord standard.
Switch on lamp housing.
Glossy grey finish.
Supplied unplugged

LIST PRICE EA. \$720



STOCK LAMP MODELS:



All lamps supplied with 250watt Food Grade Teflon-coated heat lamp to meet New Zealand Food Standard regulations.




People who serve, products that solve.™



HOW TO ORDER NON STOCK LAMPS - Call for a quote

1 SELECT SHADE STYLE (all 216mm Height except 1400/1500)



2 SELECT COLOUR/FINISH

DESIGNER COLORS



GLOSS FINISHES [extra cost]



PLATED FINISHES [extra cost]





*Note: Certain Gloss and Plated finishes apply to the shade only.

Exception: DL-1500 in these color options only

Gloss Bold Black/Plated Bright Nickel/Gloss Bold Black (shown)
 Gloss Bold Black/Plated Antique Nickel/Gloss Bold Black
 Gloss Bold Black/Plated Bright Copper/Gloss Bold Black
 Designer Finishes Black/Antique Copper/Black
 Gloss Finishes Bold Black/Radiant Red/Bold Black (shown)




3 SELECT MOUNTING TYPE & SWITCH LOCATION





People who serve, products that solve.™



Hatco heated shelves are the benchmark for quality, reliability and style when it comes to holding food at serving temperatures.

Choose from portable table-top models, drop-in or **flush mount models to suit any project or venue** requirement, and serve with style and practicality.



HEATED BLACK GLASS **PORTABLE** SHELVES 400mm DEEP

HGSM-4060

Hatco's Heated Glass Shelf Modular units feature black ceramic glass to create uniform heat across the entire surface to hold hot food at safe-serving temperatures for longer without affecting product quality. Modular design allows for multiple units to be placed side-by-side and for easy cleaning and maintenance.


Includes thermostatic controls with five temperature settings of 55°C, 65°C, 75°C, 85°C and 95°C. Touch Panel Control.

Constructed with a durable stainless steel housing.

Weight: 7.5Kgs Dimensions: 400W X 600D X 56Hmm

Electrical: 300 Watts, 1.3 amp. supplied with corded 10amp plug.

LIST PRICE EA. \$1120




GLO-RAY® GRS **PORTABLE** HEATED SHELF 495mm DEEP

Convenient portable heated shelf units 495mm 'deep', that offer the flexibility of use when and where needed. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times.

Temperature Range: 27-82°C. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-18-I	457 mm long x 495 mm wide	272	8Kg	1518
GRS-24-I	610 mm long x 495 mm wide	380	10Kg	1590
GRS-30-I	762 mm long x 495 mm wide	490	12Kg	1753
GRS-36-I	914 mm long x 495 mm wide	598	13Kg	1870
GRS-42-I	1067 mm long x 495 mm wide	652	15Kg	2106
GRS-48-I	1219 mm long x 495 mm wide	760	17Kg	2223
GRS-54-I	1372 mm long x 495 mm wide	870	20Kg	2341
GRS-60-I	1524 mm long x 495 mm wide	980	20Kg	2470
GRS-66-I	1676 mm long x 495 mm wide	1088	23Kg	2587
GRS-72-I	1829 mm long x 495 mm wide	1196	26Kg	2727



All models supplied corded with 10amp plug.



Shown with optional pan guards.

GLO-RAY® GRS-D **PORTABLE** HEATED SHELF 305mm DEEP

Convenient portable heated shelf units 305mm 'deep' models, perfect for burger or product make-up and holding on the one bench space. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-60-D	1524 mm long x 305 mm wide	600	16Kg	2005
GRS-72-D	1829 mm long x 305 mm wide	700	17Kg	2117



All the above supplied corded with 10amp plug.



People who serve, products that solve.™



GLO-RAY® GRSBF DROP-IN FLUSH TOP HEATED SHELF

Satin Black hard coated aluminium finish with flush mount, for a smooth professional finish, includes remote temperature control and ON/OFF switch.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. They feature a thermostatically-controlled blanket-type foil element heated surface to help hold your food hot and delicious with consistent temperatures across the shelf. Adjustable thermostat controls allow surface temperature for the GRSBF to range from 27° to 82°C.

CODE	DIMENSIONS (all 60mm height)	WATTS	WEIGHT	\$
GRSBF-24-I	648mm long x 533 mm wide	550	13Kg	2665
GRSBF-30-I	800 mm long x 533 mm wide	665	14Kg	2930
GRSBF-36-I	953 mm long x 533 mm wide	780	14Kg	2950
GRSBF-42-I	1105 mm long x 533 mm wide	885	15Kg	3100
GRSBF-48-I	1257 mm long x 533 mm wide	1000	18Kg	3230
GRSBF-60-I	1562 mm long x 533 mm wide	1220	22Kg	3600
GRSBF-72-I	1867 mm long x 533 mm wide	1440	24Kg	3900



All the above supplied corded with 10amp plug.

Please note: depths/widths other than 533mm available on request: 432, 648, 800mm.

GLO-RAY® HBGB DROP-IN HEATED BLACK CERAMIC GLASS SHELF

For a dramatic and professional food serving area, the Hatco Heated Black Glass Shelf has a heated ceramic glass surface to create uniform heat across the entire surface and display food perfectly.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. Surface colour is black ceramic glass and they feature a thermostatically-controlled heated ceramic glass surface to help hold your food hot and delicious. Food can be placed directly on the glass surface. Supplied with an attached stainless steel trim mounting ring for drop in installations.

Adjustable thermostat controls allow surface temperature for the HBGB to range from 38° to 82°C. Recommended for installation in metallic surfaces.

CODE	DIMENSIONS* (all 55mm Height)	WATTS	WEIGHT	\$
HBGB-2418	651 mm long x 498 mm wide	425	15Kg	4226
HBGB-3018	803 mm long x 498 mm wide	525	17Kg	4451
HBGB-3618	955 mm long x 498 mm wide	630	19Kg	4589
HBGB-4818	1260 mm long x 498 mm wide	850	23Kg	5003
HBGB-6018	1565 mm long x mm 498 wide	1050	29Kg	5457
HBGB-7218	1870 mm long x 498 mm wide	1260	34Kg	5756



* Outer dimensions of the stainless steel trim. All the above supplied corded with 10amp plug. Controller dimensions 178 x 76mm. Note: HBGB Units over 955 mm are constructed of two equal size pieces of glass. Recommended for use in a metallic countertop. For other surfaces, verify that the material is suitable for temperatures up to 94°C.





People who serve, products that solve.™



Serve your food with maximum impact using these Hatco Heated Stone Shelves that co-ordinate beautifully into your bench tops, or use the table top models.

Hatco GRSS models hold food at optimum serving temperatures whilst adding class to your servery in a range of stone colours.

GLO-RAY® GRSS HEATED STONE SHELVES

These Portable or Drop-In Rectangular Heated Stone Shelf have a blanket-type element to create uniform heat across the entire Swanstone® surface, an approved food-safe material, making it ideal for use on buffet lines and hors d'oeuvre displays. Features a thermostatically-controlled heated base to hold food at safe-serving temperatures and a lighted rocker switch. Available in all Swanstone® Decorative Stone colors to match your décor. Maximum temperature 82°C.

PORTABLE MODELS

CODE	DESCRIPTION	DIMENSIONS	WATTS	WEIGHT	\$
GRSS-2418	Portable Heated Stone Shelf	610W x 457D x 64 mmH	635	13Kg	2795
GRSS-3018	Portable Heated Stone Shelf	762W x 457D x 64 mmH	780	14Kg	2927
GRSS-3618	Portable Heated Stone Shelf	914W x 457D x 64 mmH	930	16Kg	3065
GRSS-4818	Portable Heated Stone Shelf	1220W x 457D x 64 mmH	1270	21Kg	3473

All the above supplied corded with 10amp plug
Please specify colour when ordering.



DROP-IN MODELS

CODE	DESCRIPTION	DIMENSIONS	WATTS	WEIGHT	\$
GRSSB-2418	Built-In Heated Stone Shelf	610W x 457D x 64 mmH	635	14Kg	3103
GRSSB-3018	Built-In Heated Stone Shelf	762W x 457D x 64 mmH	780	16Kg	3231
GRSSB-3618	Built-In Heated Stone Shelf	914W x 457D x 64 mmH	930	19Kg	3352
GRSSB-4818	Built-In Heated Stone Shelf	1220W x 457D x 64 mmH	1270	24Kg	3787
GRSSB-6018	Built-In Heated Stone Shelf	1524W x 457D x 64 mmH	1560	29Kg	4037
GRSSB-7218	Built-In Heated Stone Shelf	1829W x 457D x 64 mmH	1860	32Kg	4344

All the above supplied corded with 10amp plug
Please specify colour when ordering.



CHOOSE FROM THIS RANGE OF COLOUR STONE FINISHES






People who serve, products that solve.™

HOT or COLD in one shelf

Serve hot buffet or cool salads/sweets on the same shelf space easily and quickly with flexibility to suit your venue. These units come in traditional Hardcoat finish or Swanstone® Simulated Stone Finish to match any decor, available as a Drop-In Flush mount. Save space and maximise the space you already have.

From the world-wide leaders in food holding solutions this versatile shelf satisfies your differing serving needs at the touch of a button. Patent-pending thermal break technology and renowned Hatco reliability - Hot OR Cold and now available Cold Only.

- ▶ Easily change between Hot or Cold in under an hour (approx) to suit your needs
- ▶ **Temperature Range:** -12°C to 82°C
- ▶ Control Box can be remotely mounted up to 1229mm from centre of the shelf
- ▶ Maximise the usage of your available space for hot or cold servings
- ▶ Durable Hardcoat Aluminium Finish Drop-In Flush Mount or...
- ▶ *Swanstone®* food safe simulated stone colours available to match your decor and other Hatco Heated Shelves
- ▶ Famous Hatco performance and reliability
- ▶ Patent-pending thermal break reduces condensation and temperature transfer.
- ▶ Includes a remote-mountable control enclosure, with a three position power switch and two digital temperature controllers.



Traditional hard coat aluminium drop-in Flush Mount Hot or Cold with remote control



Swanstone® Granite Gray simulated stone drop-in Flush Mount Hot or Cold with remote control



Hot or Cold Remote control with three position switch and two electronic temperature controls

Stone Colours



Gray Granite



Bermuda Sand



Night Sky

*Swanstone Colour must be specified at time of order.

Now also available as a Cold Only shelf.

Hatco's CSBF Cold Shelf Built-In Flush Top is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving. Features patent-pending thermal break that reduces condensation. Includes a power On/Off switch and digital temperature controller. Has a hardcoat aluminum surface and is designed to be top mounted.



Traditional hard coat aluminium drop-in Flush Mount Cold only with remote control

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
HCSBF-24-I	Drop-In Hot / Cold Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	804 / 3.5	1/4HP	58Kg	12584
HCSBF-36-I	Drop-In Hot / Cold Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	1044 / 4.5	1/3HP	68Kg	13058
HCSBF-48-I	Drop-In Hot / Cold Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	1044 / 4.5	1/3HP	84Kg	14601
HCSSBF-24-I	Drop-In Hot / Cold Shelf - Swanstone*	610W x 495mmD	804 / 3.5	1/4HP	67Kg	13129
HCSSBF-36-I	Drop-In Hot / Cold Shelf - Swanstone*	914W x 495mmD	1044 / 4.5	1/3HP	76Kg	13467
HCSSBF-48-I	Drop-In Hot / Cold Shelf - Swanstone*	1219W x 495mmD	1044 / 4.5	1/3HP	92Kg	14955
CSBF-24-I	Drop-In Cold Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	816/3.5	1/3HP	53KG	11227
CSBF-36-I	Drop-In Cold Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	816/3.5	1/3HP	62Kg	11467
CSBF-48-I	Drop-In Cold Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	816/3.5	1/3HP	71Kg	12808



People who serve, products that solve.™



GLO-RAY® HEATED DISPLAY WARMERS

Boost impulse sales by showcasing your hot foods in the Hatco Glo-Ray merchandising warmers. Designed specifically for displaying wrapped or boxed product, these warmers hold hot food safely at proper serving temperatures and are seen in many of the best known venues around the world.

- ▶ Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- ▶ Convenient for self-serve or quick-serve areas
- ▶ Available in two-tier models with horizontal or slanted shelves
- ▶ Adjustable product divider rods sort food displays for convenience and product appeal
- ▶ Thermostatically controlled hard-coated heated base extends holding times
- ▶ Food grade Teflon coated incandescent lights illuminate the holding areas and product for maximum visibility.

GRSDS *Slant* Model - all 617 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GRSDS-24D	Dual Shelf - 610 mmW	1.34kw	5.6 amp	52Kg	7873
GRSDS-30D	Dual Shelf - 760 mmW	1.53kw	6.4 amp	64Kg	8348
GRSDS-36D	Dual Shelf - 910 mmW	1.81kw	7.6 amp	73Kg	8888
GRSDS-41D	Dual Shelf - 1040 mmW	2.12kw	8.8 amp	82Kg	9558
GRSDS-52D*	Dual Shelf- 1320 mmW	2.73kw	11.4 amp	98Kg	11124
GRSDS-60D*	Dual Shelf - 1520 mmW	3.34kw	14 amp	108Kg	11826

Units 24D - 41D supplied corded with 10A plug.

*Units 52D - 60D supplied corded with 15A plug.




GR2SDS *Slant* Model DESIGNER SERIES - All 677 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GR2SDS-24D	Dual Shelf - 770 mmW	1.64kw	6.9 amp	73Kg	9429
GR2SDS-30D	Dual Shelf - 920 mmW	2.04kw	8.5 amp	84Kg	10551
GR2SDS-36D*	Dual Shelf - 1070 mmW	2.44kw	10.2 amp	91Kg	10878
GR2SDS-42D*	Dual Shelf - 1220 mmW	2.98kw	12.5 amp	99Kg	11859
GR2SDS-48D*	Dual Shelf - 1380 mmW	3.38kw	14.1 amp	116Kg	12808
GR2SDS-54D^	Dual Shelf- 1530 mmW	3.78kw	15.8 amp	120Kg	13789
GR2SDS-60D^	Dual Shelf - 1680 mmW	4.42kw	18.4 amp	135Kg	14671

Units 24D - 30D supplied corded with 10A plug.

*Units 36D - 48D supplied corded with 15A plug. ^Units 54D - 60D supplied unplugged.



Horizontal models also available to order. Please specify colour at time of ordering, otherwise colour inserts and cap ends will be supplied in black.



People who serve, products that solve.™



GLO-RAY® **PORTABLE** FOOD WARMERS/CHIP DUMPS

With heat from above, below or both, Hatco Glo Ray® food warmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows, and service areas that require frequent and easy access, these units keep product at serving temperature and optimum quality.

GR-FFB

This excellent Food Warmer/Chip Dump has a preset heated base that conducts heat from the bottom while an adjustable infrared element heats from above.

A swing-away top provides fast and easy access to food pans.

Weight: 12Kgs

Dimensions: 324 x 610 x 508mm

Electrical: 750 Watts, 3 amp. supplied with corded 10amp plug.

LIST PRICE EA. \$1580



GMFFL

Hatco's latest Portable Food Warmer has a sleek rounded design and its black colour finish fits into any decor. This portable Food Warmer has heat and light from above in powder-coat black and comes with a sign holder on the front lower panel (sign not included) to maximise sales potential.

Suits 1/1 Gastronorm pan 100mm deep (not included).

Weight: 9.2Kgs

Dimensions: 329 x 644 x 445mm

Electrical: 610 Watts, 2.5 amp supplied with corded 10amp plug.

LIST PRICE EA. \$620





People who serve, products that solve.™



GLO-RAY® PORTABLE FRY STATIONS & MULTI PRODUCT

Designed with ample handling space between the heat source and the holding area to empty baskets, Glo-Ray Fry Holding Stations maintain 'just made' food temperatures. Ceramic elements direct radiant heat from above, while a preset thermostatically controlled heated base (adjustable on the MPWS-36) maintains uniform holding temperature from below. The slotted holding bin allows the rising heat to envelop the food, preventing soggy product. A sectional divider permits holding of multiple products simultaneously.

A range of options are available to customise each model to suit your own operation. Call your FSM representative.

GRFHS-21

Glo-Ray Portable Fry Station
Dimensions 540 x 700 x 550mm
Weight: 30Kgs
Electrical: 1200watts, 5 amp.
Supplied corded with a 10amp plug.

LIST PRICE EA. \$4775



Shown With Optional Fry Ribbon

GRFHS-PT26

Glo-Ray Portable Fry Station –
Pass Through Model.
Dimensions: 750 x 580 x 630mm
Weight: 29Kgs
Electrical: 1440watts, 6 amp.
Supplied corded with 10amp plug.

LIST PRICE EA. \$4775



Shown With Optional Fry Ribbon,
Scoop Holders And Dual Handled Scoops

MPWS-36 with MPWS-36 BIN

Glo-Ray Multi-Product Warming Station – the ultimate in hot fried food holding with six thermostatically controlled high power overhead ceramic heating elements and base element complemented by food grade teflon coated incandescent lamps for enhanced product display.

Choose from a wide range of optional extras including pleated ribbons, angled risers, bag and tong holders and fry bin inserts to customise the warming station for your operation. Unit comes standard with MPWS-36BIN accessory (Full Fry Bin insert; drip tray, perforated insert, three dividers) and detachable side panel insert for left or right installations.

Dimensions: 947 x 626 x 832mm
Weight: 79Kgs
Electrical: 3075watts, 13 amp.
Supplied corded with 15amp plug.

LIST PRICE EA. \$8300



Shown With Optional Scoop Holder



People who serve, products that solve.™



TQ SERIES HIGH WATT **CONVEYOR** TOASTERS

The Hatco High Watt Conveyor toasters toast high moisture content bread product to a rich golden colour. Sheathed heating elements are featured in all models. Toast-Qwik models have a conveyor feed guide and front or rear discharge with toast tray.

This provides the flexibility and performance to perfectly toast bread products. The exclusive ColorGuard® sensing system monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.

Power save mode conserves energy and saves money and the insulation and interior fan provide cooler surface temperatures.

TQ3-500H TOAST-QWIK

up to 500 toast slices/hour

Touch screen controller - easy to see and use

Twelve programmable settings

USB port for software updates. Black finish standard.

Programmable power save function.

Unique toast delivery rack moves toast to the storage tray each and every time.

Suitable for front discharge with tray extended.

Exclusive Colorguard system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 2.22 kW, 9.3A. Supplied corded with 10 amp plug.

Dimensions: 373W x 524D x 435H mm

Delivery tray extends to 591 mm total depth

Weight: 25Kgs

LIST PRICE EA. \$4560

NEW DIGITAL PROGRAMMABLE MODEL
With Touch Screen control and Exclusive Colorguard technology maintains toast colour



TQ Series Conveyor Toasters provide total control of the toasting of bread products. Individual controls are provided for top heat, bottom heat, conveyor speed and a stand-by switch to maximise quality and throughput. Colorgard sensing technology maintains toast quality through quiet or busy serving times. For those situations where you need to avoid patrons adjusting these controls unnecessarily, choose the TQ2 Security Cover for the TQ-805 Model (below).

TQ-805 TOAST-QWIK

up to 600 toast slices/Hour

Suitable for front or rear discharge.

Exclusive Colorgard system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 3.6 kW, 15A. Supplied corded with 15 amp plug.

Dimensions: 368W x 578D x 422H mm

Weight: 28Kgs

Includes tray extensions.

Rear tray extends 165 mm.

LIST PRICE EA. \$4720

Exclusive Colorguard technology maintains toast colour



TQ2-SECURITY COVER

Hinged Control Cover to suit TQ-805 units, can be retro fitted.

LIST PRICE EA. \$200



Optional TQ2-Security Cover for TQ805 Model Toaster



People who serve, products that solve.™



TQ & TM SERIES HIGH WATT **CONVEYOR** TOASTERS

TQ-1800H TOAST-QWIK

up to 1200 toast slices/hour

- ▶ Suitable for front or rear discharge.
 - ▶ Exclusive **Colorgard®** system controls toast quality by constantly monitoring toasting chamber temperatures and adjusting conveyor speed automatically.
 - ▶ Toasts bread, buns, muffins and sandwiches.
 - ▶ Adjustable Upper & Lower Heating Elements,
 - ▶ Power-Save Mode,
 - ▶ 367mm WIDE throat
- Electrical: 4.65 kW, 20 amp. Supplied unplugged.
 Dimensions - 470 x 578 x 422mm
 Includes tray extensions.
 Rear tray extends 165 mm
 Shipping Weight 33Kg

LIST PRICE EA. \$6200

MASSIVE
PERFORMANCE
with Exclusive
Colorguard technology
that maintains
toast colour



TOAST-MAX **CONVEYOR** TOASTER

The Hatco Toast-Max entry-level conveyor toaster offers the flexibility and performance to perfectly toast bread and buns fast. Utilising conveyor speed, not temperature, to determine toasting colour, this allows for instant adjustment of toasting time to maintain quality.

TM-10H **up to 6 slices/minute**

- ▶ 4 position toast selector switch:
 - ▶ off / toast / buns / standby mode.
 - ▶ 89mm clearance to accommodate high profile bread products.
 - ▶ easy-to-load rack with front or rear discharging.
 - ▶ V-shaped reflectors help capture and redirect heat.
 - ▶ Long lasting serpentine metal sheathed heating elements.
 - ▶ 102mm adjustable legs.
 - ▶ Pilot light signals unit is in operation.
- Discharge & crumb trays are removable.
 Electrical: 1900watts, 8 amps. Supplied with 10amp plug.
 Dimensions: 368 x 387 x 419 mm
 Shipping weight: 19Kgs

LIST PRICE EA. \$1950





People who serve, products that solve.™



HIGH WATT 4 SLOT **POP-UP** TOASTER 1 OR 2 SIDED TOASTING!

TPT-230-4-10 up to 160 toast slices per hour
Perfect for self-serve areas, care facilities and light-medium volume applications.

The Hatco Pop-Up Toaster provides even golden toasting of a variety of bread products.

- ▶ Durable stainless steel housing
- ▶ Four self-centering slots (32mmW)
- ▶ Two toasting controls with bagel/bun button for **one-sided** toasting
- ▶ Removable crumb tray.
- ▶ Two separate toasting controls

This productive and versatile unit enables the toasting of two lots of two slices of bread individually or together.

Electrical: 2.25Kw, 9.5 amps. Supplied with 10amp plug.

Dimensions: 378 x 330 x 235 mm

Weight: 8Kgs

LIST PRICE EA. \$920

**NEW 10A
MODEL**



PopUp Toaster with either two lots of two or four slices toasted simultaneously.



People who serve, products that solve.™



GLO-RAY® DECORATIVE CARVING STATIONS

The Glo-Ray Decorative Carving Stations are the ideal way to display, hold and serve food and to extend food holding times during serving periods. With a wide range of options and styles, Hatco have a unit that will complement your servery and decor perfectly with reliable quality.

DCS400-1-BN

Freestanding overhead height adjustable heat lamp supported by a sturdy 203mm square base.

527D x Variable Height 864-1168Hmm

Shown in Bright Nickel.

Also available in *Bright Brass and Antique Bronze*.

Weight: 15Kg

Supplied corded with 10amp plug. 250watts 1 Amp.

LIST PRICE EA. \$2980



DCSB400-2420-1-NSBN

Overhead height adjustable heat lamp supported by a rectangular Swanstone heated base with sneeze guard.

608W x 506D x Height 864 - 1168Hmm.

Shown in Night Sky Base with Bright Nickel posts and lamp.

Also available in *Bright Brass/Antique Bronze post and lamp and Gray Granite/Bermuda Sand decorative base stone colours.*

Weight: 48Kg

Supplied corded with 10 amp plug. 750watts / 3.2 Amp.

LIST PRICE EA. \$6715



DCSB400-3624-2-GGBN

Dual overhead heat lamps - height adjustable, supported by a rectangular Swanstone heated base with sneeze guard.

911W x 610D x Height 864 - 1168Hmm.

Shown in Bright Nickel post and lamp and Gray Granite base.

Also available in *Antique Bronze/Bright Brass post and lamp and Bermuda Sand/Night Sky decorative base stone colours.*

Weight: 70Kg

Supplied corded with 10 amp plug. 1300watts / 5.5Amp.

LIST PRICE EA. \$9650



COLOUR SWATCHES



Plated Colours:

Bright Nickel, Bright Brass and Antique Bronze




Stone Colours:

Gray Granite, Bermuda Sand and Night Sky



People who serve, products that solve.™

NEW DIGITAL
TEMPERATURE CONTROL
AND DISPLAY ON
ALL MODELS



HATCO FREE STANDING DRAWER WARMERS

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers, 12-gauge stainless steel slides and heavy-duty hardware in Standard or Narrow model to suit your kitchen space. *Unique features include:*

- ▶ ALL drawers have an **individual on/off switch**, **digital** thermostatic control, **digital** temperature monitor and adjustable sliding vents for humidity control providing superior quality control and versatility.
- ▶ Each drawer has the capacity to accept a pan 1/1x150mm deep or 2x1/2 or 3x1/3. (Pans not included).
- ▶ Supplied with **102mm legs**, 1829mm cord and 10A plug. Castor option available on ALL models.

HDW-1

1-drawer model with Digital Control
749W x 575D x 279Hmm (excluding legs)
Supplied with cord and 10 amp plug.
450watts / 2 Amp. Weight: 44Kg
LIST PRICE EA. \$4300



HDW-2

2-drawer model with Digital Control
749W x 575D x 537Hmm (excluding legs)
Supplied with cord and 10 amp plug.
900watts 3.8 Amp. Weight: 76Kg
LIST PRICE EA. \$7200



HDW-3

3-drawer model with Digital Control
749W x 575D x 794Hmm (excluding legs)
Supplied with cord and 10 amp plug.
1350watts / 5.7 Amp. Weight: 106Kg
LIST PRICE EA. \$9990



HDW-CASTER-2

Option All Models

Hatco Heavy Duty Castor kit,
51mm Diameter
Add mobility to your drawer
warmer with the Hatco
HDW-CASTER-2 option.

These castors easily change-over
with the standard legs, enabling
moving for routine cleaning/
maintenance etc. (PACK OF 4)

LIST PRICE EA. \$380



HATCO FREE STANDING NARROW DRAWER WARMERS

HDW-1N Digital Control

1-drawer Narrow model
530W x 686D x 279Hmm (excluding legs)
Supplied corded with 10 amp plug.
450watts / 2 Amp. Weight: 44Kg

LIST PRICE EA. \$4300



HDW-2N Digital Control

2-drawer Narrow model
530W x 686D x 537Hmm (excluding legs)
Supplied corded with 10 amp plug.
900watts / 3.8 Amp Weight: 76Kg

LIST PRICE EA. \$7200



NOW WITH
DIGITAL
TEMPERATURE
CONTROL



People who serve, products that solve.™



HATCO PASTA COOKER

BOIL, STEAM, WARM

The new multi-purpose HEAT-MAX well offers the flexibility of a food warmer, soup kettle, bain marie heater, steamer and pasta cooker all in one!

With a range of temperature settings, HEAT-MAX can boil pasta and soup noodles, steam dim sum, keep food warm, hold soups, curry, gravies and toppings at safe serving temperatures.

RCTHW-1E

Heat-Max Rectangular Single Heated Well to take 1/1 Gastronorm pan (not supplied).
Touch panel for three temperature set points:
HOLD: 50-70°C SIMMER: 70-90°C BOIL: 90-100°C
Energy saving Low Power mode
Convenient Drain control
Also available in Built-in Model with remote.
Electrical: 3Kw, 12.5 amps.
Supplied corded with 15amp plug.

LIST PRICE EA. \$1490



SPECIFICATIONS

MODEL	TYPE OF WELL	OUTER DIMENSION MM	WELL DIMENSION MM	Kw	SHIP WEIGHT
RCTHW-1E	RECTANGULAR SINGLE WELL	368W X 583L x 283H	305W x510L x 160D	3.0	9.6KG



RCTHW-1E shown with optional Pasta Cooker Tray & Noodle Baskets.



People who serve, products that solve.™

ACCESSORIES

RCTHW-BASKET

RCTHW Stainless Steel Noodle Basket
125mm diameter
(six required per unit)

LIST PRICE EA. \$65



RCTHW-PC

Pasta Cooker Tray


LIST PRICE EA. \$526



RCTHW-SP

Steamer Plate to accept bamboo
steamer baskets (not supplied).

LIST PRICE EA. \$300



RCTHW-1E shown with
optional RCTHW-SP Steam
Adaptor Plate.





People who serve, products that solve.™

HATCO **BUILT-IN** HEATED WELLS

Hatco Built-In Heated Wells hold heated foods at safe serving temperatures. Compared to other models, these Hatco units offer larger drains with flat drain screens, more consistent holding temperatures through superior element design, heavier stainless steel construction, easier-to-service design for quick-change of components, and a remote thermostat with separate power switch. Suitable for wet or dry operation.

All units are supplied with a control panel and connected with a 918mm flexible conduit for remote mounting and include a 3/4"NPT drain fitting.

BUILT-IN **RECTANGULAR** HEATED WELL - FULL SIZE

HWB-FULD

Heated Well with drain – 1/1 Gastronorm.

Dimensions: 348W x 553D x 218Hmm

Controller dimensions: 161W x 92D x 196Hmm

Electrical: 1.2kw, 5 amp, supplied corded with 10 amp plug

Weight: 10Kg

Drain: 3/4"NPT fitting

LIST PRICE EA.

\$1470



Remote control with 918mm conduit for convenient fitting



(Pictured with accessory food pan).

BUILT-IN **ROUND** HEATED WELLS with drain fitting

CODE	DESCRIPTION	KW	AMP	WT	\$
HWB-4QTD	3.8Litre (4 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1320
HWB-7QTD	6.6Litre (7 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1340
HWB-11QTD	10.1Litre (11 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1380

All wells supplied corded with 10 amp plug and come with 3/4"NPT drain fitting.



(Pictured with accessory pans see below).

OPTIONAL PAN INSERTS & LIDS

CODE	DESCRIPTION	\$
4QT-PAN&LID	4 Quart (3.8L) Round Well and Notched Lid.	255
7QT-PAN&LID	7 Quart (6.65L) Round Well and Notched Lid.	285
11QT-PAN&LID	11 Quart (10.41L) Round Well and Notched Lid.	320





People who serve, products that solve.™



HATCO **PORTABLE** ROUND HEATED WELLS

HEAT-MAX ROUND HEATED WELLS MODELS RHW1 & RHW2 from Hatco are multi-purpose, insulated, dry wells that offer the flexibility of being a foodwarmer, soup kettle, Bain-Marie heater, steamer and pasta cooker all in one.

Heat is distributed evenly throughout the unit to maintain desired temperatures. Three temperature setpoints from 50°C-100°C are available for warming, steaming and boiling. Supplied with 10Litre holding pot(s) and hinged lid(s). Includes a low-power mode for increased energy efficiencies.

RHW-1

Multi purpose Heated Well

Capacity 10 Litre

Includes 1 Holding Pot & 1 Hinged lid

Three temperature Set Points **50°C-100°C**

Alarm function for overheating due to lack of product

Dimensions: 359W x 330D x 343Hmm

Electrical: 1.3kw, 5.5 amp, supplied with 10 amp plug

Weight: 10Kg

LIST PRICE EA. \$1390



RHW-2

Multi purpose Heated Well

Capacity 2 x 10 Litre

Includes 2 Holding Pots & 2 Hinged lids

Three temperature Set Points **50°C-100°C**

Alarm function for overheating due to lack of product

Dimensions: 630W x 330D x 343Hmm

Electrical: 2.5kw, 10.4 amp, supplied with 15 amp plug

Weight: 17Kg

LIST PRICE EA. \$2100



RHW-2 Shown without lids in place





People who serve, products that solve.™



HATCO SALAMANDERS

Hatco's Salamander range is specially designed for versatility in the kitchen with the capabilities to cook, grill, and reheat food. With the patented movable heat unit housing, maximum thermal transfer is achieved and maximum power is only consumed whilst actually in cook mode. The unparalleled start-up speed is a result of Hatco's "INSTANT ON" heating elements located in the upper housing. Hatco® Salamanders offer unrivalled energy efficiency and easy operation to suit the most demanding requirements - of fine dining restaurants to fast food outlets.

TMS-1H THERMAX SALAMANDER

Movable upper housing to reduce the heat loss to food areas.

- ▶ The high powered heating elements are ready for use within 10 seconds.
- ▶ Two sets of independently controlled heating element sections give the benefits of flexibility and energy conservation.
- ▶ Cook mode selection switch controls left, right or both locations.
- ▶ Includes a hold mode switch that reduces power to 25% and keeps food at proper serving temperatures.
- ▶ Unit can be placed on a counter-top or mounted to any non-combustible wall with appropriate rigidity.
- ▶ Unit comes standard with grill, drip pan and wall mounting bracket.

Weight: 70Kgs. Dimensions: 600W x 503D x 515Hmm.

Electrical: 4Kw 17.4 amp. Supplied with cord but no plug.

LIST PRICE EA. \$5700



3CS-9B SANITISING SINK HEATER Balanced three phase

Maintaining a continuous supply of sanitising rinse water without taking up valuable space, the 3CS makes manual ware-washing faster and more convenient. Designed to fit under the sink, the 3CS is perfect for three or four compartment sinks, pot and pan sinks and bar sinks. Drain may be plumbed to open-sight waste drain.

3CS-9B SANITISING SINK HEATER

Weight: 15Kgs. Electrical: 9 Kw, 3 phase. Supplied uncoded and unplugged.

Dimensions: 203W x 435D x 321Hmm

LIST PRICE EA. \$4880



Pictured: 3CS-9 with optional temperature monitor



People who serve, products that solve.™

Flav-R-Savor Holding Cabinets with thermostatically controlled heat and humidity hold hot food at optimum serving temperatures longer than other units that only supply heat.

Extend your holding times considerably and improve the food quality that you ultimately serve as well. Food can be prepared well in advance of peak serving periods.

FLAV-R-SAVOR® HOLDING CABINETS with **HEAT & HUMIDITY** control

PORTABLE MODELS

Convenient and versatile food holding where it's needed. The combination of heat and humidity control ensures longer holding times and better food quality. Features a large digital readout and convenient controls for operator ease. These units are also stackable where space is limited for added versatility. Comes with high visibility tempered glass door for operator convenience and built to last with Hatco quality construction.

FSHC-6W1

Flav-R-Savor Portable Holding Cabinet – Single Door.

Six Adjustable Angle Runners on each side accommodate 6 x Gastronorm 2/1 pans 65 mm deep. (Pans not included).

Low profile – fits under normal kitchen counters.

Dimensions: 645W x 749D x 816H mm

Weight: 79Kg

Electrical: 1.7kw, 7 amp supplied corded with 10amp plug.

LIST PRICE EA. \$9990





SINGLE BURNER GRILL

At last the answer to every chef and operator's dream - superb quality cooking, with less cleaning, no charcoal and less emissions - all using less gas! Up to 59% less.

This is SYNERGY, the patented answer to so many traditional cooking problems. With unique fat atomising technology and low energy consumption you can prepare brilliant food quality with less shrinkage, at approximately half your previous energy cost, and use less of your staff's time cleaning up.

With no fat residue, there's no fat/drip tray to clean.

The secret is the ceramic heat bed and patented vortex gas/air mixture that combine to create a whole new era in grilled food, and no thermo-couples required. A range of models and accessories are available and all models come with the Synergy Lifting and Scraper Tools.

ST630

Single Burner Synergy Grill

Energy Consumption:

Natural Gas: 20.52MJ

LPG: 27.36MJ

Gas Connection: 3/4" BSP

Cooking Area: 530 x 500mm (2650cm²)

On/Off Switch & variable heat control

Electrical: 50W, supplied with 10A plug

Dimensions: 644 x 646 x 380mm (WxDxH)

Packed Dimensions: 1000 x 1000 x 710 (WxDxH)

Nett weight: 80 Kg

Synergy Lifting Tool & Synergy Scraping Tool included.

Comes with slow cook shelf and Garnish Rail as standard.

LIST PRICE EA. \$11960



ST630 Shown with the optional Resting Shelf

CODE	SYNERGY GRILL Option	Description	\$
SG630GR	Synergy ST630 Garnish Rail	Includes 2x1/9 65mm GN pans	Included
GRIDDLE200	Griddle Plate	Size: 200W x 495D x 15Hmm	770
GRIDDLE300	Griddle Plate	Size: 300W x 495D x 15Hmm	870
SG630SCS	Synergy ST630 Slow Cook Shelf	Size: 644 x 300mm	Included
SG630RS	Synergy ST630 Resting Shelf	Size: 644 x 300mm	1120
SG600ST	Synergy ST630 S/S Stand (adj. feet)	Size: 644W x 740D x 570Hmm	1080
SG600MT	Synergy ST630 S/S Stand & Castors	Size: 644W x 740D x 570Hmm	1080



SYNERGY
Grill Scraper and
Lifter Tools included



DUAL BURNER GRILL

ST900

Dual Burner Synergy Grill

Energy Consumption:

Natural Gas: 41MJ

LPG: 54.72MJ

Gas Connection: 3/4" BSP

Cooking Area: 800 x 500mm (4000cm²)

On/Off Switch & variable heat control

Electrical: 100W, supplied with 10A plug

Dimensions: 900 x 646 x 380mm (WxDxH)

Packed Dimensions: 1200 x 1000 x 710mm (WxDxH)

Nett weight: 117 Kg

Synergy Lifting Tool and Synergy Scraping Tool included.

Comes with slow cook shelf and Garnish Rail as standard.

LIST PRICE EA. \$16900



ST900 Shown with the optional Resting Shelf

SYNERGY SG900 GRILL Options		Description	\$
SG900GR	Synergy ST900 Garnish Rail	Includes 3x1/9 65mm GN pans	Included
GRIDDLE200	Griddle Plate	Size: 200W x 495D x 15Hmm	770
GRIDDLE300	Griddle Plate	Size: 300W x 495D x 15Hmm	870
SG900SCS	Synergy ST900 Slow Cook Shelf	Size: 905 x 200mm	Included
SG900RS	Synergy ST900 Resting Shelf	Size: 905 x 300mm	1295
SG900ST	Synergy ST900 S/S Stand (adj. feet)	Size: 900W x 740D x 570Hmm	1245
SG900MT	Synergy ST900 S/S Stand & Castors	Size: 900W x 740D x 570Hmm	1910



SYNERGY
Grill Scraper and
Lifter Tools included



TRIPLE BURNER GRILL

ST1300

Triple Burner Synergy Grill

Energy Consumption:

Natural Gas: 61.5MJ

LPG: 82MJ

Gas Connection: 3/4" BSP

Cooking Area: 1200 x 554mm (6600cm²)

On/Off Switch & variable heat control

Electrical: 150W, supplied with 10A plug

Dimensions: 1300 x 705 x 380mm (WxDxH)

Packed Dimensions: 1550 x 1000 x 710mm (WxDxH)

Nett weight: 155 Kg

Synergy Lifting Tool and Synergy Scraping Tool included.

Comes with slow cook shelf and Garnish Rail as standard.

LIST PRICE EA. \$23900



ST1300 Shown with the optional Resting Shelf

SYNERGY SG1300 GRILL Options		Description	\$
SG1300GR	Synergy ST1300 Garnish Rail	Includes 5x1/9 65mm GN pans	Included
GRIDDLE200L	Griddle Plate	Size: 200W x 550D x 15Hmm	870
GRIDDLE300L	Griddle Plate	Size: 300W x 550D x 15Hmm	960
SG1300SCS	Synergy ST1300 Slow Cook Shelf	Size: 1304 x 200mm	Included
SG1300RS	Synergy ST1300 Resting Shelf	Size: 1304 x 300mm	1720
SG1300ST	Synergy ST1300 S/S Stand (Adj. feet)	Size: 1300W x 800D x 570Hmm	1450
SG1300MT	Synergy ST1300 S/S Stand & Castors	Size: 1300W x 800D x 570Hmm	2100



SYNERGY
Grill Scraper and
Lifter Tools included



FOUR BURNER GRILL

ST1700

Four Burner Synergy Grill

Energy Consumption:

Natural Gas: 82.08MJ

LPG: 100.8MJ

Gas Connection: 3/4" BSP

Cooking Area: 1600 x 554mm (8864cm²)

On/Off Switch & variable heat control

Electrical: 200W, supplied with 10A plug

Dimensions: 1700 x 705 x 380mm (WxDxH)

Packed Dimensions: 1800 x 1000 x 700mm (WxDxH)

Nett weight: 260 Kg

Synergy Lifting Tool and Synergy Scraping Tool Included.

Comes with slow cook shelf and Garnish Rail as standard.

LIST PRICE EA. \$ 32350



ST1700 Shown with the optional Resting Shelf

SYNERGY SG1700 GRILL Options		Description	\$
SG1700GR	Synergy ST1700 Garnish Rail	Includes 8x1/9 65mm GN pans	Included
GRIDDLE200L	Giddle Plate	Size: 200W x 550D x 15Hmm	870
GRIDDLE300L	Giddle Plate	Size: 300W x 550D x 15Hmm	960
SG1700SCS	Synergy ST1700 Slow Cook Shelf	Size: 1700 x 200mm	Included
SG1700RS	Synergy ST1700 Resting Shelf	Size: 1700 x 300mm	2970
SG1700ST	Synergy ST1700 S/S Stand (Adj. feet)	Size: 1700W x 800D x 570Hmm	1750
SG1700MT	Synergy ST1700 S/S Stand & Castors	Size: 1700W x 800D x 570Hmm	2520



SYNERGY
Grill Scraper and
Lifter Tools included

See Options page →



SYNERGY OPTIONS

SYNERGY GARNISH RAIL



..... SYNERGY GRIDDLE PLATE



..... SYNERGY RESTING SHELF

..... SYNERGY SLOW COOKING SHELF

SYNERGY STAND WITH CASTORS



SYNERGY900 Stand Shown
Measures: 900W x 570H x 740D

Yellow Brand Induction Units, one of the leaders in induction technology to the Australian market, now established and recognised as a highly efficient and safe cooking technology. Yellow Induction units are made to last and offer superior performance and quality compared to lesser units. And each Yellow Induction model comes with our exclusive 13 month warranty for absolute peace of mind when you next specify for that important project.

YELLOW INDUCTION HOBS

SINGLE PORTABLE COUNTER-TOP HOBS

Y2500TT Counter Top Unit

Powerful 2500W portable table top unit plug-in self contained for use in kitchen / buffets.

Dimensions: 328 x 422 x 100mm

Ceramic glass dimension: 273 x 273 x 4mm (thick).

2500 watts. 15 amp plug.

LIST PRICE EA. \$1830



Y3500TT Counter Top Unit

High Power 3500W portable table top unit plug-in self contained for use in kitchen / buffets.

Dimensions: 385 x 520 x 177mm

Ceramic glass dimension: 300 x 300 x 6mm (thick).

3500 watts. 15 amp plug.

LIST PRICE EA. \$3430



Y1000WCS

Free Standing Unit mounted in attractive chrome stand with on-board controls and rear chafer support.

Dimensions: 385 x 385 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

1000 watts. 10 amp plug.

LIST PRICE EA. \$1980



All Yellow Induction units offer Automatic Safety Shut-Off, Material Compatibility and small object Detector, Overheating Protection Device and Automatic Resetting. All these In-built/drop-in induction units have the same cut-out and require ventilation for optimum performance. Consult your FSM representative for more information.

SINGLE DROP-IN HOB UNITS

Y1000NT Drop In Unit

Perfect drop-in unit for buffet warming.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

1000 watts. 10 amp plug.

LIST PRICE EA. \$1420



Y2000D Drop In Unit

Powerful 2000 Watts of power in a drop-in unit, ideal for buffet/kitchen/holding with remote control.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2000 watts. 10 amp plug.

LIST PRICE EA. \$1750



Y2500AD Drop In Unit

High output 2500W drop-in unit for kitchen or buffet use.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2500 watts. 15 amp plug.

LIST PRICE EA. \$2030



Note: all these drop-In units have the same cutout dimensions



Yellow Induction built-in cooktops offer the rugged performance demanded of every commercial kitchen. Framed with stainless steel, these Dual Hob models have the capacity and versatility in one unit.

BUILT-IN COOKTOPS

Y3500DDSS

Built in Dual Hob Unit with remote controller for maximum performance and power, this dual unit offers versatility in a compact built-in unit.

Dimensions: 450 x 700 x 208mm

Comprises two 2 X 3500 watt cooking/warming surfaces.

Electrical: 7.2kw, 30 amp, Single phase. Unit supplied unplugged.

LIST PRICE EA. \$6995



2 x
3500
WATTS
POWER



The new era of warming, **MULTI-ZONE Induction technology** that heats all points on the ceramic glass top. Newly developed technology can suit any shape and size of induction compatible display chafer, saucer, small utensils, pots and pans. Unlike normal Induction Units, these Yellow Multi-Zone units allow almost unlimited flexibility in pan size and placement and look fabulous in any setting.

MULTI-ZONE BUFFET INDUCTION

YMC-2-2500

Versatile Multi Zone unit with two x 2500W units for warming/holding flexibility. Complete with remote generator rack and two (2) remote controller panels (as below).
Dimension: 800W x 380D x 66mmH
Ceramic Glass Dimension: 800W x 380D x 6mm (thick).

LIST PRICE EA. \$8730



Two Remote controller panels supplied

**5000
WATTS
POWER**



YMC-3-2500

Versatile Multi Zone unit with three x 2500W units for warming/holding flexibility. Complete with remote generator rack and three (3) remote controller panels (as below).
Dimension: 1180W x 380D x 66mmH
Ceramic Glass Dimension: 1180W x 380D x 6mm (thick).

LIST PRICE EA. \$12950



Three Remote controller panels supplied

**7500
WATTS
POWER**



REMOTE GENERATOR CONTROL & RACK (included with above)

Compact and remote type generator with easy access for maintenance and less interruption to daily operation. These units are supplied with the cooktops above and can be located within 3m of the cooking surface.

MODEL	DIMENSIONS	CABLE LENGTH	TOTAL POWER
YMC-2-2500	385W x 450D x 275mmH	3m*	5kw, 30 amp.
YMC-3-2500	385W x 450D x 387.5mmH	3m*	7.5kw, 45 amp.

*Max 3m remote cable between hob and generator.
Each Generator is supplied with its own 15A plug.
YMC-2-2500 = 2 power cords and 15A plugs.
YMC-3-2500 = 3 power cords and 15A plugs.

All Multi-zone Induction generator units require adequate ventilation for maximum performance.

YMC-2-2500
GENERATOR RACK
SHOWN
MOUNTED REMOTELY



Maximise the potential of your Induction Units with these quality accessories, from modern high quality chafers to porcelain or stainless inserts.

INDUCTION ACCESSORIES

CHAFING DISHES

Round Induction chafer, beautifully polished stainless steel with glass hinge lid, soft close hinges. Two capacities.

CODE	SHAPE	DESCRIPTION	\$
HA4-503	Round	Round chafer, soft close lid, capacity 4.5 Litres	960
HA6-507	Round	Round chafer, soft close lid, capacity 6.5 Litres	1265



Square Induction chafer, beautifully polished stainless steel with glass hinge lid, soft close hinges. 5.5 Litre capacity.

CODE	SHAPE	DESCRIPTION	\$
HA5-601	Square	Square chafer, soft close lid, capacity 5.5 Litres	1280



PORCELAIN INSERTS

CODE	SHAPE	DESCRIPTION	\$
HA4-509	Round	Porcelain Insert for use with HA4-503	175
HA6-510	Round	Porcelain Insert for use with HA6-507	215
HA5-209	Square	Porcelain Insert for use with HA5-601	175



DIVIDED PORCELAIN INSERTS

CODE	SHAPE	DESCRIPTION	\$
HA4-515	Round	Divided Porcelain insert for use with HA4-503	195
HA6-511	Round	Divided Porcelain insert for use with HA6-507	225



STAINLESS STEEL INSERTS

CODE	SHAPE	DESCRIPTION	\$
HA4-520	Round	Stainless steel insert for use with HA4-503	100
HA6-521	Round	Stainless steel insert for use with HA6-507	115



DIVIDED STAINLESS STEEL INSERTS

CODE	SHAPE	DESCRIPTION	\$
HA6-522	Round	Stainless Steel Divided Insert for use with HA6-507	200





GRANITIME GRANITA MACHINES

European design and built, fast to freeze, simple to operate and built to last.



GRANITIME Granita Machines

- ▶ Enlarged refrigeration capacity.
- ▶ Highest level of performance in the most challenging environments.
- ▶ New push and pull taps preventing product pour issues.
- ▶ Thorough and continuous product mixing.
- ▶ 12lt per bowl capacity.
- ▶ Brushed stainless steel body .
- ▶ Simple operation.
- ▶ Built strong yet simple to clean.

CODE	W X D X Hmm	KG	POWER REQUIREMENTS	WATTS	CAPACITY	\$
GRANITIME 1	200 x 480 x 820	30	10amp	800	1 x 12ltr bowl	2990
GRANITIME 2	400 x 480 x 820	55	10amp	1000	2 x 12ltr bowl	4490
GRANITIME 3	600 x 480 x 820	70	10amp	1200	3 x 12ltr bowl	6150



Carlisle is the leading platform for light equipment and supplies, offering professional-grade product solutions to the food service industry around the globe. Carlisle has wide range of solutions for all your needs from food service and storage to maintenance and cleaning.

FOODSERVICE PRODUCTS



ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
554007	VERSAPOUR™ POLYCARBONATE PITCHER 1.77L Capacity Lip design allows easy pour of ice from front or either side; Sure Grip handle; Break resistant polycarbonate; 210Hmm	19.7	6	118
553807	POLYCARBONATE CLEAR PITCHER 1.5L Capacity; Ice trap retains ice or beer foam; 195Hmm x base dia 85mm	16.5	6	99
580807	LOUIS™ SAN TUMBLER 240mL Capacity; Stackable design; 86Hmm x top dia 76mm	4.8	24	114
581007	LOUIS™ SAN TUMBLER 300mL Capacity; Stackable design; 116Hmm x top dia 73mm	4.9	24	117
OP30500	POUR FREE ECONOMICAL FREE FLOW POURER Red Colour; BPA free; 25.4L x 25.4W x 76Hmm	0.8	12	10
WPM8538	TAPERED METAL POURERS Medium flow; Sturdy metal construction; Choice of three flow rates; Chrome plated; 25.4L x 25.4W x 76Hmm	6.6	12	79
4314207	CLEAR POLYCARBONATE MEASURING CUP 500mL max capacity; NSF approved and dish washer safe; 130L x 121W x 107Hmm	20.9	6	125
4314107	CLEAR POLYCARBONATE MEASURING CUP 250ml max capacity; NSF approved and dish washer safe; 102L x 111W x 84Hmm	11.8	12	142



FOODSERVICE PRODUCTS

ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
4314307	CLEAR POLYCARBONATE MEASURING CUP 1000mL max capacity; NSF approved and dishwasher safe; 146L x 160W x 135Hmm	23.1	6	139
1400GL004	GRIPLITE® ROUND POLYPROPYLENE TRAY 370mm Dia; Black Colour; Moulded in rubber liner to prevent slipping and sliding	20.3	12	244
1600GL004	GRIPLITE® ROUND POLYPROPYLENE TRAY 410mm Dia; Black Colour; Moulded in rubber liner to prevent slipping and sliding	26.9	12	323
1100GR2004	GRIPTITE™ 2- ROUND NON-SKID TRAY 300mm Dia; Black Colour; Specially designed stain & odour resistant non-skid surface that is more durable and better looking	31.6	12	379
1400GR2004	GRIPTITE™ 2- ROUND NON-SKID TRAY 350mm Dia; Black Colour; Specially designed stain & odour resistant non-skid surface that is more durable and better looking	39.8	12	478
1600GR2004	GRIPTITE™ 2- ROUND NON-SKID TRAY 400mm Dia; Black Colour; Specially designed stain & odour resistant non-skid surface that is more durable and better looking	55.1	12	661
DXSMC1520NSQ44	NON SKID TRAY 381 x 508mm; Stain, scratch and odour resistant; Sturdy fiberglass construction with reinforced edges; Quarry print design; Dishwasher safe	70.6	12	848
DXSMC1520NSM23	NON SKID TRAY 381 x 508mm; Stain, scratch and odour resistant; Sturdy fiberglass construction with reinforced edges; Marble print design; Dishwasher safe	70.6	12	848
DX1089M23	GLASTEEL™ FLAT TRAY 381 x 508mm Grey Colour; Strong top-of-the-line Glasteel construction; Dishwasher safe	43.29	12	519





FOODSERVICE PRODUCTS




ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
2015FG017	GLASTEEL™ FLAT TRAY 381 x 514mm; Red Colour; Strong top-of-the-line Glasteel construction; Dishwasher safe	40.0	12	480
430607	POLYCARBONATE SCOOP 180mL capacity; Colour - Clear; Total length 276mm	7.4	12	89
PS601N00	STORE 'N POUR BAR SERVICE KIT 950mL capacity; Dishwasher safe; Colour co-ordinated spouts and caps for easy product identification; 334Hmm x 89mm dia	17.5	12	209
PS701B00	STORE 'N POUR BAR SERVICE KIT – 1900mL Dishwasher safe; Colour co-ordinated spouts and caps for easy product identification; 353Hmm x 124mm dia	19.0	6	114
DXSB607	SAN CLEAR SQUARE BOWL 175ml capacity; Look and feel of glass with the durability of plastic; Break resistant; Dishwasher safe; 102L x 102W x 32Hmm	3.1	96	301
DXSQD1007	SAN CLEAR SQUARE BOWL 290ml capacity; Look and feel of glass with the durability of plastic; Break resistant; Dishwasher safe; 100L x 100W x 45Hmm	4.4	48	212
DXSB1203	SAN BLACK SQUARE BOWL 350ml Capacity; Look and feel of china with the durability of plastic; Break resistant; Dishwasher safe; 102L x 102W x 64Hmm	6.7	48	323
CM1100C1402	COLDMASTER® COOLCHECK FOOD PAN 1/1 Size; Once charged overnight, keeps food cold for up to 8 hrs; Dimensions: 323W x 525L x 163Hmm	285	1	285
CM1101C1402	COLDMASTER® COOLCHECK FOOD PAN 1/2 Size; Once charged overnight, keeps food cold for up to 8 hrs; Dimensions: 263W x 323L x 153Hmm	225	1	225








FOODSERVICE PRODUCTS

ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
CM1102C1402	COLDMASTER® COOLCHECK FOOD PAN 1/3 Size; Once charged overnight, keeps food cold for up to 8 hrs; Dimensions: 175W x 323L x 153Hmm	114	1	114
CM1104C1402	COLDMASTER® COOLCHECK FOOD PAN 1/6 Size; Once charged overnight, keeps food cold for up to 8 hrs; Dimensions: 159W x 174L x 150Hmm	98	1	98
4039302	GALAXY™ FLAT PASTRY BRUSH White Colour; 100mm wide; Nylon bristles with high fluid retaining capacity	30.1	12	361
4039002	GALAXY™ FLAT PASTRY BRUSH White Colour; 38mm wide; Nylon bristles with high fluid retaining capacity	18.7	12	225
S31202	HEAVYWEIGHT MELAMINE OVAL RAMEKIN; White Colour; 90mL Capacity; Dimensions: 67W x 87L x 67Hmm	4.0	48	192
4053200	UNIVERSAL ONION CUTTER CLEANING BRUSH Bristle length – 108mm; Superior, high grade stiff nylon bristle, long enough to reach crevices; All parts FDA compliant	14.1	8	113
4037400	SPARTA® FLAT BOAR BRISTLE BASTING BRUSH 50mm wide; Double-boiled, bleached, and sterilized premium Boar bristles; Can withstand temperatures up to 180°C	21.7	12	260
4037800	SPARTA® METEOR® BOAR BRISTLE BASTING BRUSH 50mm wide; Moulded plastic handle with projecting hook to allow brush to rest on container rim	22.3	12	268
4071100	SPARTA® GRILL POLISHING PADS; Apply with cooking oil to protect the grill cure and remove excess cooked-on foods; 102W x 127Lmm; 64mm thickness	20.82	6	125






FOODSERVICE PRODUCTS

    	ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
	4067100	SPARTA® SCRATCH BRUSH AND SCRAPER Carbon Steel Bristles; Bristle length 32mm; Brush size 140mm; Total length 291mm	15.6	12	187
	4071000	SPARTA® GRILL BRICK Apply with oil to protect the grill, cure and remove excess cooked on foods; Dimensions: 203L x 102W x 89Hmm	7.7	12	92
	4029300	PIZZA OVEN BRUSH WITH SCRAPER Crimped Brass wire bristles and a full length Aluminum Scraper; 89mm wide; Bristle length 32mm	50.7	12	608
	4546300	SPARTA® UTILITY SCRUB BRUSH Stiff Palmyra bristles for woks and electric griddles and high heat cleaning; Head: 216Lx102Wmm; Bristle length 42mm	9.6	12	116
	4029000	SPARTA® BROILER MASTER Stainless steel wire bristles and scrapers; Excellent for removing heavy carbon deposits, rust and burned on food build up; One side of the brush has semi stiff and the other with coarse bristles; Head 216W x 127H x 775Lmm; Bristle length 25mm	79.2	6	475



FOOD STORAGE SOLUTIONS

ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
10720AF07	STORPLUS™ CLEAR POLYCARBONATE SQUARE FOOD STORAGE CONTAINER Capacity 2L; Writing Surface to record date; Handles with drain holes; 181L x 181W x 97Hmm	12.2	6	73
1072107	STORPLUS™ CLEAR POLYCARBONATE SQUARE FOOD STORAGE CONTAINER Capacity 4L; Writing Surface to record date; Handles with drain holes; 181L x 181W x 185Hmm	18.4	6	111
1072207	STORPLUS™ CLEAR POLYCARBONATE SQUARE FOOD STORAGE CONTAINER Capacity 6L; Writing Surface to record date; Handles with drain holes; 222L x 222W x 186Hmm	23.4	6	141
1072307	STORPLUS™ CLEAR POLYCARBONATE SQUARE FOOD STORAGE CONTAINER Capacity 8L; Writing Surface to record date; Handles with drain holes; 222L x 222W x 229Hmm	27.4	6	164
1072407	STORPLUS™ CLEAR POLYCARBONATE SQUARE FOOD STORAGE CONTAINER Capacity 12L; Writing Surface to record date; Handles with drain holes; 282L x 282W x 209Hmm	37.4	6	224
1072507	STORPLUS™ CLEAR POLYCARBONATE SQUARE FOOD STORAGE CONTAINER Capacity 18L; Writing Surface to record date; Handles with drain holes; 282L x 282W x 320Hmm	55.7	6	334
1072607	STORPLUS™ CLEAR POLYCARBONATE SQUARE FOOD STORAGE CONTAINER Capacity 22L; Writing Surface to record date; Handles with drain holes; 282L x 282W x 399Hmm	68.4	6	411





FOOD STORAGE SOLUTIONS

ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
1074008	STORPLUS™ SQUARE CONTAINER LID To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 2L, 4L; 186W x 186L x 16Hmm	5.8	6	35
1074105	STORPLUS™ SQUARE CONTAINER LID To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 6L, 8L; 229W x 229L x 16Hmm	6.7	6	40
1074260	STORPLUS™ SQUARE CONTAINER LID To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 12L, 18L, 22L; 289L x 289W x 16Hmm	9.8	6	59
BIN2702	INGREDIENT BIN Capacity 102 Litre; Colour White; Heavy duty non-marking castors; Lids slide for easy opening; 724L x 322W x 708Hmm	603	1	603
BIN3602	INGREDIENT BIN Capacity 136 Litre; Colour White; Heavy duty non-marking castors; Lids slide for easy opening; 750L x 390W x 718Hmm	669	1	669
34102002	BRONCO™ WHITE ROUND BIN Capacity 75L; Heavy duty construction, double reinforced stress ribs; NSF2 approved for food storage; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	65.0	6	390
34102102	BRONCO™ ROUND WASTE BIN LID Suits 75 Litre Bronco™ Round Waste Bin; Colour White; Dimensions: 508mm dia x 32Hmm	18.6	6	111
3691103	BRONCO™ ROUND WASTE CONTAINER DOLLY Suits Bronco™ Round Waste Bins; Simple twist-to-lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm	98	2	196





WASTE MANAGEMENT

ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
342941REC14	RECTANGLE RECYCLE OFFICE WASTEBASKET Capacity 39 Litre; Colour Blue; Bag hook for liner and slim design; Polypropylene construction; 384L x 280W x 499Hmm	35.1	12	422
34294103	RECTANGLE OFFICE WASTEBASKET Capacity 39 Litre; Colour Black; Bag hook for liner and slim design; Polypropylene construction; 387L x 286W x 495Hmm	32.0	12	384
34292803	RECTANGLE OFFICE WASTEBASKET Capacity 26 Litre; Colour Black; Bag hook for liner and slim design; Polypropylene construction; 368L x 267W x 381Hmm	19.7	12	237
34291303	RECTANGLE OFFICE WASTEBASKET Capacity 10 Litre; Colour Black; Bag hook for liner and slim design; Polypropylene construction; 292L x 201W x 305Hmm	16.2	12	195
34201523	TRIMLINE™ RECTANGLE WASTE CONTAINER Capacity 57L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 508L x 267W x 629Hmm	83.5	4	334
34202323	TRIMLINE™ RECTANGLE WASTE CONTAINER Capacity 87L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	98.9	4	396
34202303	TRIMLINE™ RECTANGLE WASTE CONTAINER Capacity 87L; Colour Black; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	98.9	4	396





WASTE MANAGEMENT



ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
36921003	TRIMLINE™ DOLLY Colour Black; Suits 34202303 / 34201523; 330W x 560Lmm with 76mm castors	140	1	140
34202503	TRIMLINE™ RECTANGLE HANDLED WASTE CONTAINER LID Colour Black; 521L x 294W x 76Hmm	82.7	4	331
34202403	TRIMLINE™ RECTANGLE SWING TOP WASTE CONTAINER LID Colour Black; 513L x 294W x 114Hmm	72.4	4	290
34103203	BRONCO™ BLACK ROUND WASTE BIN Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm	88.2	4	353
34103223	BRONCO™ GREY ROUND WASTE BIN Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm	88.2	4	353
34103303	BRONCO™ ROUND WASTE BIN LID Colour- Black; Suits 121L Bronco™ Round Waste Bin; 571mm dia x 54Hmm	23.2	4	93
34103323	BRONCO™ ROUND WASTE BIN LID Colour- Grey; Suits 121L Bronco™ Round Waste Bin; 571mm dia x 54Hmm	23.2	4	93



WASTE MANAGEMENT

ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
34102003	BRONCO™ BLACK ROUND BIN Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	65.0	6	390
34102023	BRONCO™ GREY ROUND BIN Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	65.0	6	390
34102103	BRONCO™ ROUND WASTE BIN LID Suits 75 Litre Bronco™ Round Waste Bin; Colour Black; Dimensions: 508mm dia x 32Hmm	18.6	6	111
34102123	BRONCO™ ROUND WASTE BIN LID Suits 75 Litre Bronco™ Round Waste Bin; Colour Grey; Dimensions: 508mm dia x 32Hmm	18.6	6	111
3691103	BRONCO™ ROUND WASTE CONTAINER DOLLY Suits Bronco™ Round Waste Bins; Simple twist-to-lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm	97.4	2	195





CATERAIDE™ INSULATED CONTAINERS



ITEM CODE	DESCRIPTION	PACK SIZE	PACK \$
XT500003	CATERAIDE™ INSULATED BEVERAGE SERVER Capacity 19L; Colour Black; Stain & scratch resistant polyethylene exterior; Temperature retention for 6-8 Hr; Max temp 82.2°C; Spout clearance 127mm; 430L x 267W x 654Hmm	1	394
IT40003	CATERAIDE™ IT END LOADING INSULATED FOOD PAN CARRIER Colour Black; 676L x 460W x 740Hmm; Temperature retention for 6+ Hr; Capacity: 6 x Full size 65mm pans (12 x half size) OR 4 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pans	1	835
IT41003	CATERAIDE™ DOLLY Suits IT40003 Pan Carrier; Colour Black; 76mm non-marking wheels; 676L x 473W x 245Hmm	1	406
PC300N03	CATERAIDE™ INSULATED FRONT LOADING FOOD PAN CARRIER Colour Black; 616L x 432W x 641Hmm Temperature retention for 6+ Hr; Nylex Latches; Capacity: 5 x Full size 65mm pans (10 x half size) OR 3 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pan	1	777
PC600N03	CATERAIDE™ 2-DOOR INSULATED FOOD PAN CARRIER Colour Black; 616L x 432W x 1270Hmm Temperature retention for 6+ Hr; 127mm non-marking castors; Capacity: 10 x Full size 65mm pans (20 x half size) OR 6 x Full size 100mm pans (12 x half size) OR 4 x Full size 150mm pans (8 x half size) OR 1 x Full size 200mm pan	1	1856



CATERAIDE™ INSULATED CONTAINERS

ITEM CODE	DESCRIPTION	PACK SIZE	PACK \$
IC225003	CATERAIDE™ ICE CADDY ON CASTORS 56kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 711L x 565W x 730Hmm	1	1566
IC222003	CATERAIDE™ ICE CADDY ON CASTORS 90kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 781L x 559W x 927Hmm	1	1855
IT16003	CATERAIDE™ IT TOP LOADING INSULATED FOOD PAN CARRIER; Colour Black; 676L x 460W x 740Hmm; Temperature retention for up to 6 Hr; Capacity: 1 x Full size pan OR 2 x half size pans OR 3 x third size pans	1	638
XDL3000H03	CATERAIDE™ DOLLY WITH HANDLE Colour Black; 100mm heavy duty non-marking castors; Holds up to 2 XT3000R Pan Carriers when stacked; Holds all Cateraide™ Top Loader Pan Carriers except PC180N and PC188N. Dimensions 730L x 570W x 994Hmm	1	564
LD250N03	CATERAIDE™ LD INSULATED BEVERAGE SERVER Colour Black; Capacity 9.5L; Keeps beverages hot or cold for up to 4-6 hours; Nylex II Latches; Dimensions 419L x 229 x 457Hmm	1	378





MATERIAL HANDLING



ITEM CODE	DESCRIPTION	PACK SIZE	PACK \$
UC452523	LARGE BIN TOP UTILITY CART Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Wt capacity per shelf 113kg; 1143L x 685W x 838Hmm; 76mm high "lip" prevents objects from falling during transit.	1	516
UC194023	FLAT SHELF UTILITY CART Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Wt capacity per shelf 113kg; 1026 L x 483W x 830Hmm	1	510
SBC203103	LARGE FOLD 'N GO® CART Colour Black; Unfolded dimensions 520W x 1016L x 1099Hmm; Collapses to 267W x 1016Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Wt capacity per shelf 53kg;	1	1369
SBC152103	SMALL FOLD 'N GO® CART Colour Black; Unfolded dimensions 406W x 749L x 908Hmm; Collapses to 229W x 749Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Wt capacity per shelf 53kg;	1	1141
SBC23003	SERVICE CART ON CASTORS Colour Black; 854L x 515W x 870Hmm; Wt capacity per shelf 75kg; One-piece design; Polyethylene exterior and polyurethane foam core for added strength; 127mm non-marking castors, 2 fixed and 2 swivel, 1 with brake.	1	1241
SBC11TC03	RUBBISH CONTAINER TO SUIT SBC23003 Colour Black; 409L x 238W x 555Hmm	1	162
SBC11SH03	SILVERWARE HOLDER TO SUIT SBC23003 Colour Black; 390L x 157W x 274Hmm	1	148



MATERIAL HANDLING

ITEM CODE	DESCRIPTION	PACK SIZE	PACK \$
TTLD58003	BLACK LIGHT DUTY UTILITY TILT TRUCK Capacity 204kg; Constructed from 70% post-consumer recycled material; Powder coated steel wheel frame; 250mm rear wheels and 100mm front castors; Dimensions 1370L x 660W x 965Hmm	1	1682
TTS58003	BLACK STANDARD DUTY UTILITY TILT TRUCK Capacity 385kg; Constructed from 70% post-consumer recycled material; Powder coated steel wheel frame; 250mm rear wheels and 100mm front castors; Dimensions 1727L x 825W x 1086Hmm	1	1763
TTL58003	BLACK LID TO SUIT LIGHT DUTY AND STANDARD DUTY UTILITY TILT TRUCK;	1	493
ADS403	OPTIMIZER™ ADJUSTABLE SMALL DISH DOLLY 4 dividers and 4 swivel wheels; Dimensions 737W x 737L x 806Hmm	1	1697





WAREWASHING



ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
RP14	OPTICLEAN™ ALL-PURPOSE PEG DISH RACK Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 63mm; Space between pegs 45mm	55.7	6	334
RB14	OPTICLEAN™ OPEN BOWL RACK Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm;	31.0	6	186
RF14	OPTICLEAN™ FLATWARE RACK Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; 464mm compartment; Tight enough to keep small items contained	31.0	6	186
ROP14	OPTICLEAN™ OPEN SIDE ALL-PURPOSE PEG DISH RACK Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm	51.5	6	309
RTP14	OPTICLEAN™ ALL-PURPOSE PEG DISH RACK Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm	32.5	6	195
RC20-114	OPTICLEAN™ 20 COMPARTMENT DIVIDED RACK WITH ONE OPEN EXTENDER Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 110L x 87Wmm	43.6	4	174
RG25-114	OPTICLEAN™ 25 COMPARTMENT DIVIDED RACK WITH ONE 25 COMPARTMENT DIVIDED EXTENDER Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 90L x 90Wmm	60.3	4	241
RG36-114	OPTICLEAN™ 36 COMPARTMENT DIVIDED RACK WITH ONE 36 COMPARTMENT DIVIDED EXTENDER Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 74L x 74Wmm	60.3	4	241
RG49-114	OPTICLEAN™ 49 COMPARTMENT DIVIDED RACK WITH ONE 49 COMPARTMENT DIVIDED EXTENDER Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 60L x 60Wmm	63.80	4	255



WAREWASHING

ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
C32P214	PERMA-SIL™ 8-COMPARTMENT DISHWASH CUTLERY STORAGE BASKET Colour Blue; Open weave basket design for optimum air and water flow for efficient washing & drying; 433L x 197W x 175Hmm; Compartment 90L x 90Wmm	60.3	6	362
RE2514	OPTICLEAN™ 25-COMPARTMENT DIVIDED RACK EXTENDER Colour Blue; 500L x 500W x 45Hmm; Compartment 90L x 90Wmm	20.9	6	125
RE3614	OPTICLEAN™ 36-COMPARTMENT DIVIDED RACK EXTENDER Colour Blue; 500L x 500W x 45Hmm; Compartment 74L x 74Wmm	20.9	6	125
C223614	E-Z GLIDE™ WAREWASHING RACK DOLLY WITHOUT HANDLE Wt Capacity 150 kg; Holds any std 500mm racks; Colour Blue; 572L x 572W x 203Hmm	248	1	248
C223703	E-Z GLIDE™ HANDLE FOR C223614 Colour Black; Material Steel	135	1	135





JANITORIAL



ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
JC1945L23	LONG PLATFORM GREY JANITORIAL CART; Platform base can hold 25L side press mop bucket or 57L TrimLine™ waste container; Convenient handle with broom holders and hooks; 94L Nylon rubbish bag; 1245L x 533W x 991Hmm	351	1	351
JC1945CB23	3-COMPARTMENT TOOL CADDY FOR JANITORIAL CART Durable polypropylene construction; Dimensions: 384L x 334W x 216Hmm Compartments: 2 smaller (175Lx127Wmm) & 1 bigger (419Lx152Wmm);	27.1	6	163
36141503	DUO-PAN™ LOBBY PAN WITH BROOM Colour Black; Pivoting design for clean transportation of contents without messy spills; 292L x 300W x 914Hmm	46	1	46
36141203	DUO-PAN™ BROOM HANDLE CLIP FOR 36141503 Colour Black;	2.7	12	33
36141003	DUO-PAN™ UPRIGHT PLASTIC LOBBY PAN WITH METAL HANDLE Colour Black; Overall length 914mm	34.8	6	209
3686100	DUO-SWEEP® LOBBY ANGLE BROOM Flare Polypropylene Bristles; Bristle length 102mm to 114mm; Overall length 914mm	21.9	12	262



JANITORIAL

ITEM CODE	DESCRIPTION	EA \$	PACK SIZE	PACK \$
3694104	CAUTION CONE Colour Yellow; Portable and lightweight; Height 915mm; Base width 317mm	91.0	3	273
3694204	POP-UP CAUTION CONE Colour Yellow with grey cone casing; Portable and lightweight; Height 510mm;	63.5	12	761
3623900	SPARTA® HAND & NAIL BRUSH Colour White; Polypropylene Bristles; Bristle length 11mm to 14mm; Block size 38W x 89Lmm	3.1	24	75
4042302	SPARTA® HI-LO™ FLOOR SCRUB BRUSH Colour White; Self-locking flex tip for greater flexibility; Bristle length 38mm to 44mm; Block size 254L x 114W x 89Hmm	28.8	12	346
4526700	METAL TIP THREADED WOODEN HANDLE Length 1524mm; Dia 24mm	11.7	12	141
4022502	SPARTA® FIBERGLASS HANDLE Self-Locking Flex-Tip; Length 1524mm; Dia 25mm	33.4	12	401

