



NEW GENERATION TAPWARE



RICE COOKERS



WIRE & PLASTIC MATT SHELVING



COMMERCIAL MICROWAVES



FOODSERVICE PRODUCTS



CREATORS OF THE BLENDER



CAN OPENERS



HOT & COLD FOOD SERVING SYSTEMS



QUALITY PERFORMANCE RANGE



DRINK & GRANITA MACHINES



MICROWAVES & MIXERS



LEADERS IN FOOD WARMING & HOLDING



WASTE DISPOSAL/PEELERS



SPACE SAVING PLATE STACKERS



FOOD PROCESSING & HOLDING



FOOD SERVICE, SAFETY & DISPENSING



REFRIGERATION/SERVING SOLUTIONS



NEW ERA GRILLING TECHNOLOGY



COMMERCIAL TAPWARE



QUALITY INDUCTION COOKING



MIXERS - COMMERCIAL



THE ONLY IN-FRYER FILTER SYSTEM



Welcome to our Catalogue / Price List

KEY CONTACT LIST

VICTORIA - HEAD OFFICE

Sales & Administration

21-23 Agosta Drive, Laverton North, Victoria 3026

Tel: (03) 9368 2300

sales@fsm-pl.com.au www.fsm-pl.com.au

NEW SOUTH WALES BRANCH

Unit 15, 7-9 Progress Circuit, Prestons, NSW 2170

Tel: (02) 9608 8620

sales@fsm-pl.com.au

QUEENSLAND BRANCH

4/40 Rivergate Place,
Murarrie, QLD 4172

Tel: (07) 3390 4185

sales@fsm-pl.com.au

WESTERN AUSTRALIA BRANCH

Tel: 0413 893 311

sales@fsm-pl.com.au

FOR SERVICE / WARRANTY REQUIREMENTS

Book a SERVICE CALL at

www.fsm-pl.com.au

FOR ALL SPARE PARTS REQUIREMENTS

Email us: spares@fsm-pl.com.au

or Tel: (03) 9368 2300

Visit our web site

www.fsm-pl.com.au

for updates, the latest products, downloads and news.

CONTENTS

ACQUALINE	9-16
Deck Mount Pre Rinse Models	9-10
Wall Mount Pre Rinse Models	11
Deck Mount Flick Mixers, Thermostatic Mixing Valve	12
Hands Free & Time Flow Models	13
Knee Operated Tap & Cleaners Sink Models	14
Deck Mount Swing Faucet / Sink Sets	15
Wall Mount Swing Faucet / Sink Sets	16
ASAHI	17
Rice Cookers	17
ATLAS	18-24
Wire 4 Tier Shelving Bays & Add-On Kits	18-19
Wire 5 Tier Shelving Bays & Add-On Kits	20
Wire Single Shelves	21
Plastic Mat 4 Tier Shelving Bays & Add-On Kits	22
Plastic Mat 5 Tier Shelving Bays & Add-On Kits	23
Plastic Mat Single Shelves	24
BONN MICROWAVE OVENS	25-28
Speed Oven	25
Heavy Duty	26
Medium Duty	27
Light Duty	28
DYNAMIC	29-36
Dynamix Range	29
Junior Series	30
Senior Series	31
Master Series	32-33
SMX Series	34
Mixer Support Brackets & Salad Spinners	35
Gigamix	36
EDLUND CAN OPENERS	37
EMAINOX	38
Drop In Refrigerated Wells	38
Drop In Heated Ceramic Glass Hotplate	38

FSM REFRIGERATORS	39-43
Under Counter Refrigeration - Stainless & Glass Door	39
Dual Under Counter Chiller & Freezer	40
Upright Chiller & Freezer	41
Sandwich Cabinets	42
Preparation Cabinets	43
GBG GRANITA MACHINE	44
GENERAL FOOD EQUIPMENT	45
HATCO	46-
Decorative Heat Lamps	46-47
Glo Max Strip Heaters	48
Glo Max Display Lights	49
Glo Ray Strip Heaters GRAH & GRAHL	50
Portable Heated Shelves	51
Drop-In Heated Shelves	52
Drop-in Hot / Cold and Cold Shelves	53
Drop-in Frost Top	54
Heated Chutes	55
Portable Food Warmers / Chip Dumps	56
Fry Stations & Multi Product Warmers	57
Conveyor, Pop Up and Programmable Toasters	58-60
Decorative Carving Stations	61
Free Standing Drawer Warmers	62-63
Pasta Cooker & Accessories	64-65
Built-in Heated Wells (Rectangular & Round)	66
Salamanders & Sink Heater - Sanitising	67
IMC	68-71
Peelers - MF Multi Function	68
Waste Station	69
Waste Food Disposal Unit	70
Mini Compactor Series	71
JACKSTACK	72
Mobile Plate Racks & Covers	72

Continued >

CONTENTS

PRINCE CASTLE	73-77
Bun Toasters	73
Dedicated Holding Bins	74
Condiment Dispensers	75
Tomato Saber, Core-It, Wedge & Dice Witch	76
Grill Brushes, Maintenance Tools, Fry Scoops	77
SAN JAMAR	
Ez-Fit Cup & Lid Dispensers	78
WireWorks Cup & Lid Dispensers	79
Wall Mount Foam Cup Dispensers	80
Napkin, Straw & Lid Dispensers / Organisers	81
Pump Systems, Bar Supplies & Safety Wrap	82
Kleen-Pail & Allergen Safe-T-Zone System	83
Docket Holder & Hand Washing Station Combo's	84
SILVER KING	85
Drop-In Ice Cream Freezer & Dipperwell	85
SYNERGY GRILLS	86-90
SYNERGY Single Burner Grill	86
SYNERGY Dual Burner Grill	87
SYNERGY Triple Burner Grill	88
SYNERGY Four Burner Grill	89
SYNERGY Accessories	90
VITO	91-92
Portable Oil Filter Systems & Oil Tester	91
Mobile Oil Filter System	92
YELLOW TAPWARE	93-97
Deck Mount Pre-Rinse Units	93
Wall Mount Pre-Rinse Unit, Add-On Faucet & Gun	94
Wall Mount Faucets & Pot & Kettle Filler	95
Deck Mount Faucets & Sink Sets	96
Heavy Duty Hose Reels	97

YELLOW INDUCTION	98-102
Portable Counter Top Hobs & New Drop-In	98
Drop-In Single Hob Units	99
Built-In Cooktops & Warmer	100
Multi-Zone Buffet Induction & Remote Generators	101
Induction Accessories	102
YELLOW MIXER	103
Planetary Mixer	103
CARLISLE	104-129
Foodservices Products	104-129

Please note that due to our policy of continual improvement, all details and specifications are subject to change without notice.

PRICES: Prices shown in this price list are recommended Retail prices only. **RISE & FALL:** Prices are subject to variation at any time without notice and goods will be invoiced at the price current on the date of despatch. **GST:** All prices exclude GST.

TERMS AND CONDITIONS Effective 1 July 2020

The following Trading Terms supersede all previously terms and condition issued by Us.

1. Interpretation

In these Trading Terms and in any quotation, offer, current catalogue, website, price list produced by Us or other agreement with Us, the following definitions apply:

"Account Application Form" means the application form completed and provided by You for the purposes of opening a credit account with Us.

"Goods" means goods supplied by Us to You (and, where the context so permits, shall include any supply of Services) and described in any quotation, offer, current catalogue, website or price list produced by Us.

"Guarantor" means the guarantor(s) described in the Account Application Form, subject to acceptance by Us.

"GST" means the goods and services tax that applies in accordance with A New Tax System (Goods & Services) Act 1999 (Cth).

"Order" means any written, verbal or electronic purchase order made by You for Goods and/or Services.

"Prices" means the prices attributable to the Goods and Services as advised by Us in any quotation, offer, current catalogue, website or price list produced by Us and "Price" shall have a corresponding meaning.

"Services" means all services supplied by Us to You and includes any advice or recommendations (and where the context so permits shall include the supply and installation of any Goods).

"Trading Terms" means these terms and conditions of trade and includes any amendment or variation.

"We" and "Us" means F.S.M. [Food Service Machinery] Pty. Ltd. (ABN 9057185 4991) and includes any Related Bodies Corporate (as defined in the Corporations Act 2001 (Cth)) which supplies Goods and/or Services to You (whether or not the fact is disclosed to You) and "Our" means belonging or pertaining to Us.

"You" means the person, firm or company placing an order with Us for the Goods and "Your" means belonging or pertaining to You.

2. Application of Trading Terms

(a) These Trading Terms apply to every sale of Goods and/or supply of Services by Us to You. Each Order made by You and accepted by Us will be an individual contract for those Goods and/or Services in accordance with these Trading Terms.

(b) Subject to any special trading terms agreed to between You and Us and recorded in Your Account Application Form or separately in writing, these Trading Terms (together with any quotation, offer, current catalogue, or price list produced by Us) shall comprise in entirety Our terms and conditions of trade.

(c) In the event of any inconsistency between these Trading Terms and any other document, these Trading Terms shall prevail and any trading terms nominated by You are expressly excluded. Any warranty, representation or guarantee not included or provided for in these Trading Terms is of no effect.

(d) If any part of these Trading Terms, or the application of these Trading Terms to any person or circumstance, is or becomes invalid or enforceable, the remaining provisions of these Trading Terms are not affected and are valid and enforceable to the fullest extent permitted by law.

(e) We may amend these Trading Terms from time to time without notice to You and You will be deemed to have had knowledge of such amendments and have accepted these Trading Terms as amended if You continue to purchase Goods and/or Services from Us after such amendment. Each subsequent supply of Goods and/or Services by Us to You will be in accordance with these Trading Terms as amended.

3. Agreement

(a) Any quotation or offer produced by Us is subject to review, amendment or withdrawal at any time prior to acceptance by You or the expiry of the quotation or offer (whichever occurs first).

(b) Subject to (c) of this clause, Our quotation or offer will be deemed to have been accepted by You and a binding agreement entered into with You on the date We receive Your Order. Any Order which has been accepted by Us may not be cancelled by You without Our written consent (which We may withhold in Our absolute discretion) and then only on the basis that You will indemnify Us in full against all loss (including loss of profit), costs (including the cost of labour and materials used), damages, charges and expenses (including legal costs on a full indemnity basis) incurred by Us as a result of such cancellation. Cancellation of any Orders for Goods which are non-standard manufacture or non-stock items will not be accepted.

(c) We reserve the right to decline, in whole or in part, any Order received from You in Our absolute discretion.

(d) You are solely responsible for determining whether the Goods and Services are suitable for Your intended purposes and meet Your requirements and You acknowledge that no oral or written information, representation or advice given by Us (other than as contained in these Trading Terms) creates a warranty from Us or in any way increases the scope of these Trading Terms.

(e) You agree to notify Us in writing of any change in the ownership or control of Your business structure not less than 7 days prior to such change taking effect and You indemnify Us against any loss or damage We may incur as a result of Your failure to provide such notification.

4. Documents

Any clerical or typing errors, misprints or other similar errors in any document produced by Us in respect of Goods and/or Services are subject to correction by Us by either amending or re-issuing the affected document (as the case requires). We shall not be liable for any cost, expense or damage incurred by You as a result of any correction of any document produced by Us.

5. Intellectual Property

You acknowledge and agree that:

(a) any intellectual property rights in respect of the Goods and Services (including, but not limited to, rights to design, copyright, patents or trademarks in respect of all drawings, designs, specifications and other information provided by Us in connection with any quotation, offer, current catalogue, website, price list produced by Us) remain Our sole and exclusive property and must remain confidential and You will not attempt to claim any such intellectual property rights in respect of either the Goods and Services or any modification or improvement of the Goods and Services;

(b) You must not attempt to modify or reverse engineer the Goods and Services; and

(c) in all cases where You have provided the design for any Goods and Services, We will not accept any responsibility for any infringement of any design, copyright, patents or trademarks or other intellectual property in connection with the execution of Your Order and You agree to indemnify Us against claims for infringement or unauthorised use of such intellectual property arising out of the manufacture or use of such Goods and Services.

6. Prices and Charges

(a) You agree to buy and We agree to sell the Goods and Services for the Prices.

(b) All Prices and all amounts payable to Us are exclusive of GST or any other applicable government tax or duty, unless otherwise indicated. You must pay all such taxes and duties in connection with those amounts.

(c) The Prices include the cost of Our standard packaging for the Goods. The cost of any special packaging materials or techniques requested by You in connection with the Goods must be paid for by You in addition to the Prices.

(d) We reserve the right, from time to time but prior to issuing any invoice to You, to increase the Prices:

(i) to take account of increases in the cost of supplying the Goods and/or Services to You (which may include, but are not limited to, increases in the cost of energy, materials, labour, equipment or delivery) which are due to any factor beyond Our reasonable control or are due to Your failure to provide adequate information or instructions; or

(ii) to correct, without any liability on Our part, any errors or omissions quotation, offer, current catalogue, website or price list produced by Us.

7. Payment

(a) We reserve the right to pass on to You any additional costs (including merchant fees) incurred by Us where You pay Us by credit card (if applicable).

(b) If We have not provided credit terms to You, You must pay for the Goods prior to delivery.

(c) If We have provided credit terms to You, You must pay for any Goods and/or Services provided to You within the time period stated in Our invoice or statement for such Goods and/or Services. If We have not stated a time period for payment, You must pay for the Goods and/or Services within 30 days of the end of the month in which we issued Our invoice or statement for the Goods and/or Services.

(d) We may set, alter or withdraw credit limits and terms in Our absolute discretion and without giving prior notice to You or providing reasons.

(e) Payments due to Us must be made without any deduction or set-off. We may apply the amounts paid to Us in payment of any amount owed by You. If You dispute Our invoice or statement, You must still pay the entire amount. We will refund any agreed amount following resolution of the dispute.

(f) If You fail to pay Our invoice or statement (whether in whole or in part) by the due date, without limiting any other provision in these Trading Terms, We may (in Our absolute discretion):

(i) suspend or cancel any further production and/or delivery of any Goods or supply of any Services (whether under an existing or new Order) until full payment of all outstanding amounts owed to Us (including accrued interest if applicable) has been made;

(ii) charge interest on any amount outstanding in respect of Our invoices, at the rate of 1.5% per month, such interest to be calculated daily and compounded monthly, until full payment has been made (such interest rate to be subject to amendment from time to time by Us in Our absolute discretion);

(iii) exercise a general lien on any of Your property within Our possession or control to cover the outstanding amount for the Goods and/or Services;

(iv) withdraw (in full or in part) any discount, concession, allowance or benefit which was previously offered to You; and

(v) recover from You, in addition to the outstanding amount, all costs incurred by Us arising out of or in connection with collecting the outstanding amount (including, but not limited to, expenses and fees associated with or paid to or on account of solicitors, legal advisers, mercantile agents and other agents acting on Our behalf) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

Continued >

TERMS AND CONDITIONS (continued)

8. Security Interest and the Personal Property Securities Act 2009 ("PPSA")

If you have a current credit facility in place with Us, You acknowledge and agree that the following terms apply:

(a) We may require You to provide security for any Order placed by You as a condition of accepting Your Order and the terms of the Personal Property Securities Act 2009 (Cth) ("PPSA") apply to all transactions made under these Trading Terms.

(b) You acknowledge and agree that You will:

(i) grant a security interest in all present and after acquired Goods as security for all amounts owing now and in the future by You to Us;

(ii) do all things and sign all documents as are necessary and reasonably required to enable Us to acquire a perfected security interest in all Goods supplied;

(iii) provide such information as is required to enable registration of a 'Purchase Money Security Interest' (as that term is defined in the PPSA) ("PMSI");

(iv) not, without obtaining Our prior written consent, change Your name or initiate any change to any registered documentation, or act in any manner which would impact on Our registered security interest; and

(v) waive or exclude the application of such sections of the PPSA as We may require, subject to those sections being capable of exclusion.

(c) You further acknowledge that a PMSI is granted by You, in priority to all other creditors, in favour of Us and in respect of all Goods We supply to You from time to time, as security for Your payment obligations to Us. You agree to indemnify Us for any liability for all costs (including legal costs on a full indemnity basis) incurred by Us in relation to any security interest granted by You (including, but not limited to, registration, maintenance, enforcement or discharge of any security interest).

(d) We reserve the right at any time to make such amendments, alterations to this 'Security Interest' clause as We may, in Our absolute discretion, determine are necessary to protect Our security interests.

9. Title and Risk

(a) Title to and ownership of the Goods shall not pass to You until We have received full payment for the Goods and for any other amounts owing by You in relation to any other matter (including payments in respect of other goods or services provided to You from time to time) and You shall hold the Goods (including where such Goods have been converted or changed by any process) as fiduciary bailee and agent for Us.

(b) Risk in the Goods shall pass to You upon completion of delivery in accordance with these Trading Terms.

(c) You acknowledge that We hold a PMSI (as defined in clause 8) in respect of any Goods supplied to You until We have received full payment in respect of such Goods. You must not pledge, or in any way charge by way of security or indebtedness, any of the Goods until We have received full payment.

(d) Upon taking delivery of the Goods and until We receive full payment for the Goods and for any other amounts owing by You in relation to any other matter, until the Goods are sold by You in the ordinary course of your business, You must:

(i) keep the Goods in Your control and custody and not permit any other person to have possession, custody or control of the Goods;

(ii) keep the Goods separate from any other items or goods in Your possession and mark the Goods to clearly show that the Goods belong to Us;

(iii) not pledge, or in any way charge by way of security or indebtedness, any of the Goods;

(iv) permit Our nominated representative to attend Your premises on prior notice to inspect the Goods; and

(v) deposit all proceeds from the sale of the Goods into a separate and identifiable account, not mix such sale proceeds with any other money and account to Us for such sale proceeds;

and We may trace all such sale proceeds received by You through the relevant account or any other account maintained by You. In addition, You irrevocably appoint Us as Your attorney to recover any such sale proceeds from any purchaser to whom You have on-sold the Goods and to exercise Your rights under any agreement with such purchaser (including rights of repossession and resale of the Goods) provided that We undertake not to exercise such rights as Your attorney unless You have failed to comply with Your payment obligations to Us under these Trading Terms.

(e) Without prejudice to any of Our other rights, if You fail to comply with these Trading Terms, if You cease to be able to pay Your debts as they become due or if You become subject to any form of insolvency administration:

(i) all amounts owing by You to Us shall immediately become due and payable;

(ii) We have the right to immediate possession of the Goods and You irrevocably authorise Us to enter any premises occupied by You at the time upon reasonable notice to You, without liability for trespass or any resulting damage, and take possession of the Goods. You agree to indemnify Us and hold Us harmless from all claims arising out of or in connection with Us taking possession of the Goods in accordance with this clause;

(iii) We may retain all amounts paid to us on account of the Goods and suspend or cancel any further production and delivery of Goods for You;

(iv) We shall be entitled, but not obligated, to resell any Goods repossessed by Us in accordance with this clause; and

(v) We may recover from You all reasonable costs incurred by Us in connection with any Goods repossessed under this clause (including legal costs on a full indemnity basis) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

(f) If, at the time We seek to take possession of the Goods in accordance with this clause, the Goods have been incorporated by You in any other item or goods, We will

be treated as owners of such other items or goods together with You, as tenants in common in proportion to our respective contributions.

10. Delivery

(a) The delivery dates and completion times contained in any quotation, offer or price list provided to You are estimates only, unless expressly stated to be an essential term and may be varied at any time by Us depending upon the availability of Goods, materials, labour and other contingencies. All backorders will be delivered to You freight free as quickly as Goods become available. All Britannia Goods are quoted ex-factory Sydney.

(b) In circumstances where the Goods are being shipped to a region where You are arranging collection and unless expressly agreed otherwise in writing by Us, the following terms apply:

(i) the method and date of delivery of all Goods shall be on the terms stated in the quotation, offer or price list provided to You (as applicable) and shall be at Your cost and expense (ex Warehouse from Our Premises) and You agree that in the event that any freight or delivery charges are paid by Us, You must reimburse Us the full amount of such charges on demand;

(ii) delivery of such Goods by Us is complete when the Goods are collected by You or Your nominated agent or carrier; and

(iii) delivery of such Goods is at all time at Your risk.

(c) In circumstances where we have agreed to deliver the Goods to your nominated address for delivery, the following terms shall apply:

(i) If you have a current credit facility in place with Us, and your nominated address for delivery is located in Victoria, NSW, ACT, Queensland, or metropolitan areas of Adelaide or Perth, and Your Order is valued at \$700 or more (excl. GST and delivery charges), the Prices quoted for your Order will include delivery costs (FIS);

(ii) all other Orders will be dispatched "freight collect" to your nominated freight account or otherwise by our choice of carrier and a minimum delivery fee of \$25 (excl. GST) will apply where Orders are delivered by our choice of carrier (\$35 (excl. GST) minimum delivery fee to NT and Tasmania), such delivery fees to be subject to amendment from time to time by Us in Our absolute discretion; and

(iii) deliveries will only be made at the ground floor level to a kerbside drop or goods receiving area where it then becomes Your responsibility and expense to supply such labour and equipment as may be necessary to unload Your Order.

11. Force Majeure

We will not be liable for any failure to perform, or delay in performance of, any obligation where such failure or delay is due to anything beyond Our reasonable control including, but not limited to, adverse weather or terrain, strikes, lockouts and other industrial action, material shortages, failure of any of Our suppliers to supply, accidents, power or data transmission failure, breakdowns of plant or machinery, war, changes of government, import or export regulations or embargoes.

12. Inspection and Return of Goods

(a) You will be deemed to have accepted the Goods, free from any defect or other non-conformity, unless We receive a substantiated claim from You within 7 days from the date of delivery and/or installation of the Goods in accordance with these Trading Terms.

(b) Except where Goods supplied by Us are defective and subject to any warranty:

(i) Goods will only be accepted for return if You have given prior written notice to Us (confirming Your reasons for returning the Goods and stating the applicable invoice number) of Your intention to return the Goods and We have notified You in writing with a completed GRN form that We will accept such return, and that a copy of the GRN Form supplied by us accompanies the goods being returned;

(ii) We may refuse to accept Goods where they are used, no longer in their original packaging or are returned more than 2 months after delivery to You;

(iii) We will refuse to accept the return of any Goods which are non-standard manufacture or non-stock items where such Goods have been correctly delivered by Us;

(iv) delivery of all Goods returned by You must be arranged with Your carrier and is at Your expense and risk; and

(v) in the event that We agree to accept the return of any Goods, You may be required to agree to pay a 15% restocking fee, such fee to be subject to amendment from time to time by Us in Our absolute discretion.

(c) We will only accept the return of Goods from You if the Goods are in the same condition as when the Goods were originally delivered to You, provided that Our acceptance of Goods returned by You is not an acceptance of or granting of credit to You.

Continued >

TERMS AND CONDITIONS (continued)

13. Limitation of Liability and Warranties

(a) The Competition and Consumer Act 2010 (Cth) may imply certain conditions and warranties into these Trading Terms that cannot be excluded or modified. These Trading Terms do not exclude or modify any of those conditions if to do so would contravene that law or make any part of these Trading Terms void.

(b) Where our products are used in a Commercial environment, Subject to the provisions of this clause 13, We will repair or replace any Goods which are manufactured or imported by Us where We, in Our absolute discretion, determine that such Goods, having regard to the materials, workmanship and the reasonable and recommended conditions of use and maintenance, are defective within the period of Warranty (as specified below):

All products within 13 months (Parts & Labour), from the date of delivery to the original Purchaser with the exception of the following:

Acqualine Tapware (excluding hose reels) - Five Year on-site warranty - excludes faulty installation, sensitivity adjustments on electronic models, failure to install pressure limiting devices where required.

Asahi Rice Cookers - Back to Base 13 months parts and 13 months labour warranty.

Atlas Shelving - 10 year warranty against rust and corrosion (components only).

Bonn Ovens / Microwaves:

Bonn Models CM-1042T, CM-1051T - Back to Base 24 months parts and 13 months labour warranty.

Bonn Models CM-902T - Back to Base 13 months parts and 13 months labour warranty.

Bonn Models CM-1901T and CM-1401T - On Site 24 months parts and 13 months labour.

Dynamic Mixers - All Back to Base 24 months parts and 24 months labour warranty except: GIGAMIX - on-site 24 months parts and 24 months labour warranty.

Edlund - All models except Crown Punch machines.

ROTOR - all Back to Base 13 months parts and 13 months labour warranty. 2 year

Motor only warranty on Juice extractors, 5 year Motor only warranty on blenders.

General Microwaves - Back to Base 13 months parts and 13 months labour warranty.

Hatco - Back to Base Warranty models: GR-FFB, GMFFL, TPT-230-4-10, RCTHW-1E.

Rowlett Rutland - Back to Base Warranty models: Premier Toasters.

Vito - Back to Base Warranty models: ALL

Yellow Induction - Back to Base Warranty models: All Countertop.

Subject to the following conditions:

(i) **this warranty will cover parts and labour unless specified otherwise, subject to the following limitations:**

(A) damage to cutting blades, toaster elements, light globes, infrared tubes, quartz tubes or any glass items;

(B) where FSM is not responsible for installation - damage caused by improper installation or improper connection to incorrect gas, voltage, incorrect pressure or poor quality water;

(C) damage caused during transit or by accident;

(D) damage caused by negligence, abuse, unauthorised repair or the use of unauthorised spare parts;

(E) damage caused by improper cleaning, maintenance or operation;

(F) damage caused by voltage or gas conversion, pilot light adjustments, thermostat calibrations or any unauthorised alteration or modification;

(G) FSM's liability under this warranty is limited to the repair or replacement of defective Goods and all other costs (including, without limitation, any travel costs, labour costs, overtime rates, installation costs, freight and delivery costs to and from FSM premises to the premises of an authorised repairer, or similar surcharges, fees and costs arising out of a warranty claim are excluded;

(ii) all warranty repair work will be performed between the hours of 8.30 am and 4.30 pm on normal working days;

On site warranty services are limited to sites within 50km from the nearest FSM authorised service agent.

With respect to "Back to Base" warranties, FSM can sell or dispose of any goods:

(i) Not collected by customer or

(ii) Where customer refuses to accept delivery of those goods within 60 days of FSM notifying customer goods are available for collection and/or delivery.

(iii) the warranty period in respect of any spare parts or replacement parts provided under this warranty is limited to 3 months from the delivery of such spare parts or the installation of such replacement parts;

(iv) where the payment terms under these Trading Terms have not been complied with, warranty claims will not be accepted in respect of such Goods;

(v) Risk in any Goods shall remain with You while such Goods are in Our possession for the purposes of assessing a warranty claim and FSM, its servants and agents will not be responsible for any damage caused to the Goods while in Our possession.

(vi) **To obtain the benefit of this warranty, You must notify Us in writing immediately upon becoming aware of the alleged defect and in any event within 13 months (or other period as stipulated under item 13) of delivery of the Goods to You (3 months from the delivery of any spare parts or the installation of replacement parts under this warranty).**

To the extent that any Goods are not covered under the warranty described in this clause 13(b) but are subject to the original manufacturer's or the original supplier's warranty, **FSM will pass on the benefit of such warranty to the extent permitted by law.**

(c) Subject to (a) and (b) of this clause 13 and without limiting the terms of any written warranty given separately by Us, all warranties and conditions that may be implied

into these Trading Terms are excluded and Our liability for breach of any implied condition or warranty that cannot be excluded is limited (at Our option) to:

(i) in respect of Goods: the repair or replacement of those Goods or reimbursement of the cost of having those Goods repaired or replaced or refunding to You any payments made in respect of the Goods; and

(ii) in respect of Services: the re-supply of the Services or reimbursement of the cost of supplying the Services again or refunding to You any payments made in respect of the Services.

(d) Despite any other provision of these Trading Terms, to the extent permitted by law, We have no liability to You nor will You be entitled to claim against Us in respect of:

(i) any loss or damage caused by delay in delivery of the Goods or supply of the Services;

(ii) any death or injury arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity;

(iii) **any consequential loss or damage (including, but not limited to, loss of profit, loss of revenue, loss of expected savings and opportunity costs) arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity; and**

(iv) (if applicable) any loss or damage to Your property or any premises occupied by You arising out of or in connection with Our reasonable installation of the Goods and it is Your responsibility to provide adequate facilities to Us during such installation and to arrange the removal of all waste and hazardous material in connection with the installation process.

(e) You acknowledge that You have not relied on any representation made by Us which is not expressly stated in these Trading Terms.

(f) You acknowledge that You must ensure that the Goods are used and installed (if applicable) in a prudent and professional manner and in accordance with any specifications or instructions which were supplied with the Goods. You indemnify Us against all loss, liability, cost (including legal costs on a full indemnity basis) and expense incurred by Us as a result of any claim made or action brought in connection with the Goods or their use, other than a claim or action brought by You under these Trading Terms or a condition or warranty implied by law which is not excluded by these Trading Terms.

(g) You acknowledge that the exclusions and limitations in this clause are customary for suppliers of goods and services equivalent to the Goods and Services and are fair and reasonable given the nature of the Goods and Services and the applicable Prices.

(h) This clause shall survive termination of these Trading Terms

14. Consent to credit check and Privacy Act

(a) By signing the Account Application form, You acknowledge and agree that the Privacy Act 1988 (Cth) allows Us to give a credit reporting agency certain personal information about You at any time after signing such form for the purpose of assessing Your credit worthiness.

(b) You further acknowledge and agree that We may contact any trade reference provided by You or any credit provider and We may acquire information from them or provide information to them in relation to Your credit worthiness.

15. Guarantee and Indemnity

(a) The Guarantor hereby guarantees the due and punctual payment by signature of all monies that becomes due and payable by You to Us under these Trading Terms and also the due and punctual performance by You of Your obligations pursuant to these Trading Terms (the "Guarantee").

(b) In consideration for Us entering into these Trading Terms with You, the Guarantor hereby charges in Our favour the whole of the Guarantor's estate and interest, legal and equitable, in the Guarantor's personal and real property to secure the Guarantor's obligations pursuant to these Trading Terms.

(c) Without limiting Our rights under these Trading Terms, the Guarantor acknowledges and agrees that the charge on the Guarantor's property shall provide a caveatable interest in Our favour and the Guarantor consents to Us registering Our interest in the Guarantor's property, including by way of a caveat.

(d) The Guarantee is a continuing guarantee and shall not be discharged in whole or in part by the payment at any time of any part of the money payable by You pursuant to these Trading Terms or by settlement of account, intervening payment, or other matter or thing whatsoever.

(e) **The Guarantee shall not be affected or prejudiced by any variation or modification at any time to these Trading Terms.**

(f) The Guarantee shall at all times be valid and enforceable against the Guarantor notwithstanding:

(i) that no demand for payment has been made to You; and

(ii) that You were prohibited (whether expressly or by implication) by law, contract or otherwise from entering into these Trading Terms or lacked capacity, power or authority to enter into these Trading Terms.

(g) The Guarantee is irrevocable and shall not be affected by the death, bankruptcy or incapacity of any of the Guarantors.

Continued >

TERMS AND CONDITIONS (continued)

(h) If any payment made by You to Us is subsequently avoided or set aside by reason of any statutory provision or otherwise, such payment shall not prejudice or otherwise affect the Guarantee, or Our rights pursuant to this clause 15, to the intent that We shall, with respect to its rights recover pursuant to this clause 15 any monies secured, be restored to the same position in which We would have been had such payment not been made.

(i) In addition, the Guarantor agrees to indemnify Us in respect of all costs, charges and expenses whatsoever, which We may incur by reason of any default by You under or in relation to these Trading Terms.

(j) The Guarantor is liable to pay, and indemnify Us for, Our reasonable expenses incurred in enforcing the Guarantee.

(k) If more than one party signs as Guarantor, in this clause 15 each reference to "Guarantor" is a reference to them jointly and each of the individually.

16. General

(a) We may sub-contract the production, manufacture, supply or delivery of all or some of the Goods and Services.

(b) Any failure by Us to insist on strict compliance with these Trading Terms or any delay by Us in exercising Our rights under these Trading Terms will not constitute a variation or waiver of any provision of these Trading Terms or of any right available to us.

(c) If part of all of any provision of these Trading Terms or its application to any person or circumstance is held to be illegal or unenforceable, the provision will be interpreted so as to ensure it is not illegal or unenforceable. If any provision or part of it cannot be so interpreted, the provision or relevant part of it will be severed from these Trading Terms and the remaining provisions of these Trading Terms will continue in force.

(d) Where You are comprised of 2 or more persons, an agreement or obligation to be performed or observed by You binds those persons jointly and each of them severally.

(e) Any notice or document required to be served under these Trading Terms will be sufficiently served if delivered or posted by pre-paid post to the address of that party as notified by that party from time to time in writing. If the notice or document is posted, service will be deemed to have been effected 3 days after the date on which the document or notice was posted.

17. Governing Law

These Trading Terms are governed by the laws of Victoria. All parties submit to the non-exclusive jurisdiction of the Courts of Victoria, Australia. All parties submit to the non-exclusive jurisdiction of the Courts of Victoria, Australia.

There's more than five good reasons to choose Acqualine.

The Acqualine range of quality tapware and pre-rinse units heralds a new era of reliable, quality tapware to the Australian market with an industry leading FIVE YEAR on-site parts and labour warranty – designed by professionals with the features you would expect for your kitchen.

Features like 256mm swing faucet on full height pre-rinse models, six star Wels rated spray gun and quality construction with 100mm levers with a choice of 100 or 200mm flick mixers and more.

Watermark approved and Wels rated to comply with all Australian regulations, and supplied with our exclusive FIVE YEAR* on-site parts and labour warranty for real peace of mind.

All units come packed with full instructions, fittings and hose connections (model dependant).

DECK MOUNT PRE RINSE MODELS

AQD1500 DECK MOUNT


Deck Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and 6 Star rated spray gun, 4 Star rated pot filler as shown. Single hole mount. Overall height: 1073mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$895**

6 BUY PRICE EA. **\$885**

12 BUY PRICE EA. **\$875**



AQD1500LH DECK MOUNT LOW HEIGHT


Deck Mount Pre Rinse, Low Height Model, complete with wall bracket, 1/4 turn 100mm lever operated ceramic disc taps and 6 Star rated spray gun, Single hole mount. Overall height: 600mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$700**

6 BUY PRICE EA. **\$690**

12 BUY PRICE EA. **\$680**



(Deck Mount units continued...)

* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

DECK MOUNT PRE RINSE MODELS (cont.)

AQD1200 DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 256mm swing faucet, single lever flow and temperature control, and 6 Star rated spray gun, 4 Star rated pot filler. Single hole mount. Overall height: 960-1030mm.

Hose length 845mm.


Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$790

6 BUY PRICE EA. \$770

12 BUY PRICE EA. \$750



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

WALL MOUNT PRE RINSE MODELS

AQW1500 WALL MOUNT EXPOSED BREECH


Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and 6 Star rated spray gun, 4 Star rated pot filler as shown. Two hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. Overall height: 1023mm.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$1040**

6 BUY PRICE EA. **\$1030**

12 BUY PRICE EA. **\$1020**



AQW1500CB WALL MOUNT CONCEALED BREECH


Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps 6 Star rated spray gun, 4 Star rated pot filler as shown. Three hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others). Overall height: 713mm.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$875**

6 BUY PRICE EA. **\$860**

12 BUY PRICE EA. **\$845**



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.


There's more than five good reasons to choose Acqualine.

DECK MOUNT FLICK MIXER MODELS

AQD5200 DECK MOUNT FLICK MIXER 200mm swing spout

Deck Mount Flick Mixer, complete with 200mm Swing Spout, 4 Star rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia.

Operating water pressure Min 50kPA, Max 350kPA.



**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$190


6 BUY PRICE EA. \$180

12 BUY PRICE EA. \$170

AQD5100 DECK MOUNT FLICK MIXER 100mm spout

Deck Mount Flick Mixer, complete with 100mm Fixed Spout, 4 Star rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia.

Operating water pressure Min 50kPA, Max 350kPA.



**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$180

6 BUY PRICE EA. \$170

12 BUY PRICE EA. \$160

AQ6000 THERMOSTATIC MIXING VALVE 15/20mm

Critical for supplying safe/desirable water temperatures to a Hands Free or Time Flow tapset.

Output temperature range 35-50°C.

Operating water pressure Min 20kPA, Max 350kPA.



**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$330

6 BUY PRICE EA. \$320

12 BUY PRICE EA. \$310

* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

ELECTRONIC HANDS FREE & TIME FLOW MODELS

AQD4002 DECK MOUNT HANDS-FREE SENSOR TAP


Modern Deck Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$725**

6 BUY PRICE EA. **\$715**

12 BUY PRICE EA. **\$700**



AQW4003 WALL MOUNT HANDS-FREE SENSOR TAP


Modern Wall Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$675**

6 BUY PRICE EA. **\$665**

12 BUY PRICE EA. **\$655**



AQD745 DECK MOUNT TIME FLOW TAP

Deck mounted Time Flow Tap. 7 Seconds. Single hole mount, 6 Star rating. Includes one connection tail and hardware.


Supplied with Blue Red and Yellow button. Operating water pressure Min 50kPA, Max 350kPA. Optimum 250-350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$200**

6 BUY PRICE EA. **\$190**

12 BUY PRICE EA. **\$180**



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



There's more than five good reasons to choose Acqualine.

AQD780 KNEE OPERATED TIMER BASIN TAP SET

Includes deck mount fixed gooseneck outlet, 325mm lever / knee operated time-flow and connections. Six Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$410




AQW1836 CLEANERS SINK FAUCET SET with wall bracket support

Quality Wall mounted Cleaners Sink model with cable supported Spout and Bucket Hook. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. \$1290



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

AQD3150 DECK MOUNT FAUCET WITH 180MM SPOUT


Deck Mounted 180mm Swing Faucet, with 100mm Lever operation, one hole mount, complete with flexible fittings. Ceramic cartridges, 1/4 turn levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$430**

6 BUY PRICE EA. **\$425**

12 BUY PRICE EA. **\$420**



AQD3300CB DECK MOUNT WITH 300MM SPOUT


Deck Mounted 300mm Swing Faucet, with Lever operation, concealed breach, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$410**

6 BUY PRICE EA. **\$405**

12 BUY PRICE EA. **\$400**



(Tap detail common to all Concealed Breach models, see next page for drawing).

AQD3180CB DECK MOUNT WITH 180MM SPOUT


Deck Mounted 180mm Swing Faucet with Lever operation, concealed breach, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$390**

6 BUY PRICE EA. **\$385**

12 BUY PRICE EA. **\$380**



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

WALL MOUNT FAUCET/SINK SETS

AQW3300CB WALL MOUNT WITH 300MM SPOUT


Wall Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others).

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$405**

6 BUY PRICE EA. **\$400**

12 BUY PRICE EA. **\$395**



AQW3180CB WALL MOUNT WITH 180MM SPOUT


Wall Mounted 180mm Swing Faucet with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others).

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$385**

6 BUY PRICE EA. **\$375**

12 BUY PRICE EA. **\$365**



Tap detail common to all
Concealed Breech models.



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



3D HEATING TECHNOLOGY

Multiple heating elements delivering uniform temperature for perfect rice every time.



No more dried out or burnt rice with Asahi 3D heating technology. Carefully positioned elements in the base and lid of the CRC-S5000 minimises temperature differences in the cooking chamber.

This uniform temperature creates the ideal environment to cook and hold rice without moisture loss, drying out or burning.



The CRC-S5000 features electronically controlled temperature sensing for perfect rice every time compared to mechanically controlled rice cookers.

CRC-S5000

- Stainless steel finish
- Capacity 30 cups [5 litres]
- Non-stick easy clean bowl
- Fully automatic one touch operation
- Auto shut-off feature
- Indicator light when cooked
- Multiple heating elements; standard bottom element with additional top elements - provides greater temperature consistency in the bowl.
- Digital temperature sensing for accuracy and reliability
- Cooking and rice warming feature
- Supplied with measuring cup and spoon
- Electrical: 1590 watts, 7A, supplied with 10 amp plug
- Dimensions 450 mm Dia. x 350H;
- Weight: 8.6 kg

LIST PRICE EA. \$610



CRC-S600

- One touch operation
- Capacity up to 33 cups [6 Litres]
- Automatic keep warm function & shut off
- Non stick bowl
- Electrical: 1950 watts, 8A, supplied with 10 amp plug
- Dimensions 310mm Dia. x360H;
- Weight:6kg

LIST PRICE EA. \$365

6 BUY PRICE EA. \$315





TEN YEAR WARRANTY

ATLAS shelving features a true powder-epoxy over zinc-chromate electroplating that ensures a strong durable bright silver coloured finish as well as in-built anti-microbial properties to inhibit bacterial growth. This shelving handles high heat and coolroom/freezer/high moisture environments with ease.

All ATLAS wire shelving comes with a **TEN YEAR WARRANTY** against rust and corrosion.



All ATLAS wire shelving is manufactured under strict quality control procedures and manufactured with *anti-microbial protection*. The open wire truss reinforced shelves feature front to back welded surface ribs for added strength which increases free air circulation and visibility. Easily adjustable and expandable to change with your needs, shelves adjust on 25 mm (1") increments. Each shelf has a load bearing capacity up to 200 kg (spread evenly across the shelf). Shelving units are available in kit form with four or five shelves, in wire or removable plastic mat to suit any application. Individual shelves, posts and accessories are also available. A large stock inventory allows fast delivery Australia wide.

4 SHELF WIRE SHELVING KITS Includes 4 wire shelves, four posts 1880mm high

CODE	355 DEEP - 4 SHELVES	\$
14247EPL	610mm SHELVES (14X24")	230
14307EPL	760mm SHELVES (14X30")	235
14367EPL	915mm SHELVES (14X36")	238
14427EPL	1065mm SHELVES (14X42")	268
14487EPL	1220mm SHELVES (14X48")	268
14547EPL	1370mm SHELVES (14X54")	288
14607EPL	1520mm SHELVES (14X60")	290
14727EPL	1830mm SHELVES (14X72")	324

CODE	455 DEEP - 4 SHELVES	\$
18247EPL	610mm SHELVES (18X24")	240
18307EPL	760mm SHELVES (18X30")	242
18367EPL	915mm SHELVES (18X36")	258
18427EPL	1065mm SHELVES (18X42")	280
18487EPL	1220mm SHELVES (18X48")	286
18547EPL	1370mm SHELVES (18X54")	336
18607EPL	1520mm SHELVES (18X60")	338
18727EPL	1830mm SHELVES (18X72")	374

CODE	535 DEEP - 4 SHELVES	\$
21247EPL	610mm SHELVES (21X24")	272
21307EPL	760mm SHELVES (21X30")	278
21367EPL	915mm SHELVES (21X36")	284
21427EPL	1065mm SHELVES (21X42")	318
21487EPL	1220mm SHELVES (21X48")	320
21547EPL	1370mm SHELVES (21X54")	369
21607EPL	1520mm SHELVES (21X60")	374
21727EPL	1830mm SHELVES (21X72")	430

CODE	610 DEEP - 4 SHELVES	\$
24247EPL	610mm SHELVES (24X24")	266
24307EPL	760mm SHELVES (24X30")	268
24367EPL	915mm SHELVES (24X36")	270
24427EPL	1065mm SHELVES (24X42")	347
24487EPL	1220mm SHELVES (24X48")	348
24547EPL	1370mm SHELVES (24X54")	400
24607EPL	1520mm SHELVES (24X60")	402
24727EPL	1830mm SHELVES (24X72")	458

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	220



TEN YEAR
WARRANTY



4 SHELF WIRE **ADD-ON** SHELVING KITS Includes 4 wire shelves, two 1880mm posts & all hardware

CODE	455 DEEP - 4 SHELVES	\$
A18247EPL	610mm SHELVES (18X24")	235
A18307EPL	760mm SHELVES (18X30")	238
A18367EPL	915mm SHELVES (18X36")	252
A18427EPL	1065mm SHELVES (18X42")	275
A18487EPL	1220mm SHELVES (18X48")	280
A18547EPL	1370mm SHELVES (18X54")	330
A18607EPL	1520mm SHELVES (18X60")	332
A18727EPL	1830mm SHELVES (18X72")	370

CODE	535 DEEP - 4 SHELVES	\$
A21247EPL	610mm SHELVES (21X24")	268
A21307EPL	760mm SHELVES (21X30")	274
A21367EPL	915mm SHELVES (21X36")	280
A21427EPL	1065mm SHELVES (21X42")	315
A21487EPL	1220mm SHELVES (21X48")	318
A21547EPL	1370mm SHELVES (21X54")	368
A21607EPL	1520mm SHELVES (21X60")	374
A21727EPL	1830mm SHELVES (21X72")	425

CODE	610 DEEP - 4 SHELVES	\$
A24247EPL	610mm SHELVES (24X24")	262
A24307EPL	760mm SHELVES (24X30")	264
A24367EPL	915mm SHELVES (24X36")	266
A24427EPL	1065mm SHELVES (24X42")	340
A24487EPL	1220mm SHELVES (24X48")	342
A24547EPL	1370mm SHELVES (24X54")	395
A24607EPL	1520mm SHELVES (24X60")	396
A24727EPL	1830mm SHELVES (24X72")	455

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	220


TIP
to create much more usable shelving in the corner, use the Add-On Kit to eliminate the front corner post.



Add-On units maximise corner space usage and accessibility by eliminating the corner pole.



**TEN YEAR
WARRANTY**



5 SHELF WIRE SHELVING KITS Includes 5 wire shelves, four 1880mm posts & all hardware

CODE	455 DEEP - 5 SHELVES	\$
18247EPL5	610mm SHELVES (18X24")	296
18307EPL5	760mm SHELVES (18X30")	298
18367EPL5	915mm SHELVES (18X36")	298
18427EPL5	1065mm SHELVES (18X42")	347
18487EPL5	1220mm SHELVES (18X48")	349
18547EPL5	1370mm SHELVES (18X54")	398
18607EPL5	1520mm SHELVES (18X60")	398
18727EPL5	1830mm SHELVES (18X72")	448

CODE	610 DEEP - 5 SHELVES	\$
24247EPL5	610mm SHELVES (24X24")	346
24307EPL5	760mm SHELVES (24X30")	348
24367EPL5	915mm SHELVES (24X36")	350
24427EPL5	1065mm SHELVES (24X42")	414
24487EPL5	1220mm SHELVES (24X48")	415
24547EPL5	1370mm SHELVES (24X54")	480
24607EPL5	1520mm SHELVES (24X60")	485
24727EPL5	1830mm SHELVES (24X72")	550

CODE	535 DEEP - 5 SHELVES	\$
21247EPL5	610mm SHELVES (21X24")	334
21307EPL5	760mm SHELVES (21X30")	336
21367EPL5	915mm SHELVES (21X36")	338
21427EPL5	1065mm SHELVES (21X42")	383
21487EPL5	1220mm SHELVES (21X48")	385
21547EPL5	1370mm SHELVES (21X54")	440
21607EPL5	1520mm SHELVES (21X60")	441
21727EPL5	1830mm SHELVES (21X72")	520

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	220

TIP
to create much more usable shelving in the corner, use the Add-On Kit to eliminate the front corner post.

5 SHELF WIRE **ADD-ON** SHELVING KITS Includes 5 wire shelves, two 1880mm posts & all hardware

CODE	455 DEEP - 5 SHELVES	\$
A18247EPL5	610mm SHELVES (18X24")	294
A18307EPL5	760mm SHELVES (18X30")	296
A18367EPL5	915mm SHELVES (18X36")	296
A18427EPL5	1065mm SHELVES (18X42")	345
A18487EPL5	1220mm SHELVES (18X48")	347
A18547EPL5	1370mm SHELVES (18X54")	395
A18607EPL5	1520mm SHELVES (18X60")	395
A18727EPL5	1830mm SHELVES (18X72")	445

CODE	610 DEEP - 5 SHELVES	\$
A24247EPL5	610mm SHELVES (24X24")	343
A24307EPL5	760mm SHELVES (24X30")	345
A24367EPL5	915mm SHELVES (24X36")	348
A24427EPL5	1065mm SHELVES (24X42")	410
A24487EPL5	1220mm SHELVES (24X48")	413
A24547EPL5	1370mm SHELVES (24X54")	478
A24607EPL5	1520mm SHELVES (24X60")	481
A24727EPL5	1830mm SHELVES (24X72")	547

CODE	535 DEEP - 5 SHELVES	\$
A21247EPL5	610mm SHELVES (21X24")	332
A21307EPL5	760mm SHELVES (21X30")	334
A21367EPL5	915mm SHELVES (21X36")	336
A21427EPL5	1065mm SHELVES (21X42")	380
A21487EPL5	1220mm SHELVES (21X48")	382
A21547EPL5	1370mm SHELVES (21X54")	446
A21607EPL5	1520mm SHELVES (21X60")	448
A21727EPL5	1830mm SHELVES (21X72")	520

NOTE:

All ATLAS shelving kits come complete with shelves, clips, adjustable feet, caps for post tops, and 'S' hooks for add-on units.

Anti-microbial coating is standard.

Full installation instructions included and a full **TEN YEAR** anti-corrosion warranty.



**TEN YEAR
WARRANTY**

SINGLE WIRE SHELVES

CODE	355 DEEP	\$
S1424EPL	610mm SHELVES (14X24")	53
S1430EPL	760mm SHELVES (14X30")	54
S1436EPL	915mm SHELVES (14X36")	56
S1442EPL	1065mm SHELVES (14X42")	59
S1448EPL	1220mm SHELVES (14X48")	62
S1454EPL	1370mm SHELVES (14X54")	66
S1460EPL	1520mm SHELVES (14X60")	70
S1472EPL	1830mm SHELVES (14X72")	79

CODE	535 DEEP	\$
S2124EPL	610mm SHELVES (21X24")	66
S2130EPL	760mm SHELVES (21X30")	66
S2136EPL	915mm SHELVES (21X36")	68
S2142EPL	1065mm SHELVES (21X42")	81
S2148EPL	1220mm SHELVES (21X48")	87
S2154EPL	1370mm SHELVES (21X54")	91
S2160EPL	1520mm SHELVES (21X60")	91
S2172EPL	1830mm SHELVES (21X72")	105

CODE	455 DEEP	\$
S1824EPL	610mm SHELVES (18X24")	53
S1830EPL	760mm SHELVES (18X30")	56
S1836EPL	915mm SHELVES (18X36")	59
S1842EPL	1065mm SHELVES (18X42")	65
S1848EPL	1220mm SHELVES (18X48")	75
S1854EPL	1370mm SHELVES (18X54")	78
S1860EPL	1520mm SHELVES (18X60")	86
S1872EPL	1830mm SHELVES (18X72")	89

CODE	610 DEEP	\$
S2424EPL	610mm SHELVES (24X24")	67
S2430EPL	760mm SHELVES (24X30")	67
S2436EPL	915mm SHELVES (24X36")	67
S2442EPL	1065mm SHELVES (24X42")	77
S2448EPL	1220mm SHELVES (24X48")	81
S2454EPL	1370mm SHELVES (24X54")	91
S2460EPL	1520mm SHELVES (24X60")	93
S2472EPL	1830mm SHELVES (24X72")	105

**Why not use our FREE
shelf quoting service?**

**Send us your plans and we'll send
you an accurate quote to suit each
location, in wire or plastic mat options.**

**Once ordered, the quote is converted
to an invoice/packing ticket, so that
each bay is identified on the cartons
to make on-site assembly so much
easier and faster.**

**Just another innovative service
from FSM Atlas.**

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	220
P74EPL	POST 1880mm high, inc. adj. foot, plastic cap. (per each)	23
AS	"S" Hooks for add-on shelves (per each)	6
AM	CLIPS (BLACK) Pk of 4 for shelves (1 pack per shelf)	16
AX	ADJUSTABLE FEET for posts per each	12



ATLAS Plastic Mat shelving features removable polymer composite mats over a sturdy zinc chromate epoxy coated frame for the best in storage for coolrooms and freezers. Anti-microbial protection is built right into the mat and wire/posts for life-long protection. Easily removed and cleaned, these mats provide a hygienic solution to food storage without having to dismantle shelf units. All ATLAS shelving comes with a 10 Year Warranty against corrosion.

4 SHELF PLASTIC MAT SHELVING KITS

Includes 4 plastic mat shelves, four posts 1880mm high & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 4 SHELVES	\$
PM18307EPL	760mm SHELVES (18X30")	345
PM18367EPL	915mm SHELVES (18X36")	357
PM18427EPL	1065mm SHELVES (18X42")	405
PM18487EPL	1220mm SHELVES (18X48")	465
PM18547EPL	1370mm SHELVES (18X54")	475
PM18607EPL	1520mm SHELVES (18X60")	490
PM18727EPL	1830mm SHELVES (18X72")	580

CODE	610 DEEP - 4 SHELVES	\$
PM24307EPL	760mm SHELVES (24X30")	410
PM24367EPL	915mm SHELVES (24X36")	425
PM24427EPL	1065mm SHELVES (24X42")	490
PM24487EPL	1220mm SHELVES (24X48")	515
PM24547EPL	1370mm SHELVES (24X54")	580
PM24607EPL	1520mm SHELVES (24X60")	606
PM24727EPL	1830mm SHELVES (24X72")	715

CODE	535 DEEP - 4 SHELVES	\$
PM21307EPL	760mm SHELVES (21X30")	378
PM21367EPL	915mm SHELVES (21X36")	390
PM21427EPL	1065mm SHELVES (21X42")	450
PM21487EPL	1220mm SHELVES (21X48")	470
PM21547EPL	1370mm SHELVES (21X54")	531
PM21607EPL	1520mm SHELVES (21X60")	550
PM21727EPL	1830mm SHELVES (21X72")	645



TIP

to create much more usable shelving in the corner, use the Add-On Kit to eliminate the front corner post.

4 SHELF PLASTIC MAT **ADD-ON** SHELVING KITS

Includes 4 plastic mat shelves, two posts 1880mm high, S clips & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 4 SHELVES	\$
APM18307EPL	760mm SHELVES (18X30")	345
APM18367EPL	915mm SHELVES (18X36")	357
APM18427EPL	1065mm SHELVES (18X42")	405
APM18487EPL	1220mm SHELVES (18X48")	465
APM18547EPL	1370mm SHELVES (18X54")	475
APM18607EPL	1520mm SHELVES (18X60")	490
APM18727EPL	1830mm SHELVES (18X72")	580

CODE	610 DEEP - 4 SHELVES	\$
APM24307EPL	760mm SHELVES (24X30")	410
APM24367EPL	915mm SHELVES (24X36")	425
APM24427EPL	1065mm SHELVES (24X42")	461
APM24487EPL	1220mm SHELVES (24X48")	515
APM24547EPL	1370mm SHELVES (24X54")	580
APM24607EPL	1520mm SHELVES (24X60")	610
APM24727EPL	1830mm SHELVES (24X72")	715

CODE	535 DEEP - 4 SHELVES	\$
APM21307EPL	760mm SHELVES (21X30")	378
APM21367EPL	915mm SHELVES (21X36")	390
APM21427EPL	1065mm SHELVES (21X42")	450
APM21487EPL	1220mm SHELVES (21X48")	479
APM21547EPL	1370mm SHELVES (21X54")	535
APM21607EPL	1520mm SHELVES (21X60")	550
APM21727EPL	1830mm SHELVES (21X72")	645



Removable plastic mat shelving shown with optional castor kit.



TEN YEAR WARRANTY

5 SHELF PLASTIC MAT SHELVING KITS

Includes 5 plastic mat shelves, four posts 1880mm high & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 5 SHELVES	\$
PM18307EPL5	760mm SHELVES (18X30")	407
PM18367EPL5	915mm SHELVES (18X36")	425
PM18427EPL5	1065mm SHELVES (18X42")	480
PM18487EPL5	1220mm SHELVES (18X48")	505
PM18547EPL5	1370mm SHELVES (18X54")	560
PM18607EPL5	1520mm SHELVES (18X60")	590
PM18727EPL5	1830mm SHELVES (18X72")	695

CODE	610 DEEP - 5 SHELVES	\$
PM24307EPL5	760mm SHELVES (24X30")	470
PM24367EPL5	915mm SHELVES (24X36")	495
PM24427EPL5	1065mm SHELVES (24X42")	560
PM24487EPL5	1220mm SHELVES (24X48")	600
PM24547EPL5	1370mm SHELVES (24X54")	666
PM24607EPL5	1520mm SHELVES (24X60")	705
PM24727EPL5	1830mm SHELVES (24X72")	837

CODE	535 DEEP - 5 SHELVES	\$
PM21307EPL5	760mm SHELVES (21X30")	440
PM21367EPL5	915mm SHELVES (21X36")	460
PM21427EPL5	1065mm SHELVES (21X42")	520
PM21487EPL5	1220mm SHELVES (21X48")	556
PM21547EPL5	1370mm SHELVES (21X54")	615
PM21607EPL5	1520mm SHELVES (21X60")	650
PM21727EPL5	1830mm SHELVES (21X72")	765

TIP
to create a versatile mobile shelving unit, add the castor kit '4CAST' to your shelves - great for periodic cleaning too.

5 SHELF PLASTIC MAT **ADD-ON** SHELVING KITS

Includes 5 plastic mat shelves, two posts 1880mm high, S clips & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 5 SHELVES	\$
APM18307EPL5	760mm SHELVES (18X30")	417
APM18367EPL5	915mm SHELVES (18X36")	436
APM18427EPL5	1065mm SHELVES (18X42")	488
APM18487EPL5	1220mm SHELVES (18X48")	515
APM18547EPL5	1370mm SHELVES (18X54")	571
APM18607EPL5	1520mm SHELVES (18X60")	597
APM18727EPL5	1830mm SHELVES (18X72")	705

CODE	610 DEEP - 5 SHELVES	\$
APM24307EPL5	760mm SHELVES (24X30")	480
APM24367EPL5	915mm SHELVES (24X36")	505
APM24427EPL5	1065mm SHELVES (24X42")	571
APM24487EPL5	1220mm SHELVES (24X48")	610
APM24547EPL5	1370mm SHELVES (24X54")	677
APM24607EPL5	1520mm SHELVES (24X60")	715
APM24727EPL5	1830mm SHELVES (24X72")	850

CODE	535 DEEP - 5 SHELVES	\$
APM21307EPL5	760mm SHELVES (21X30")	450
APM21367EPL5	915mm SHELVES (21X36")	470
APM21427EPL5	1065mm SHELVES (21X42")	530
APM21487EPL5	1220mm SHELVES (21X48")	570
APM21547EPL5	1370mm SHELVES (21X54")	626
APM21607EPL5	1520mm SHELVES (21X60")	660
APM21727EPL5	1830mm SHELVES (21X72")	775

SINGLE PLASTIC MAT SHELVES

CODE	455 DEEP	\$
PM1830EPL	760mm SHELVES (18X30")	71
PM1836EPL	915mm SHELVES (18X36")	74
PM1842EPL	1065mm SHELVES (18X42")	86
PM1848EPL	1220mm SHELVES (18X48")	95
PM1854EPL	1370mm SHELVES (18X54")	101
PM1860EPL	1520mm SHELVES (18X60")	110
PM1872EPL	1830mm SHELVES (18X72")	133

CODE	535 DEEP	\$
PM2130EPL	760mm SHELVES (21X30")	76
PM2136EPL	915mm SHELVES (21X36")	79
PM2142EPL	1065mm SHELVES (21X42")	96
PM2148EPL	1220mm SHELVES (21X48")	102
PM2154EPL	1370mm SHELVES (21X54")	116
PM2160EPL	1520mm SHELVES (21X60")	124
PM2172EPL	1830mm SHELVES (21X72")	152

CODE	610 DEEP	\$
PM2430EPL	760mm SHELVES (24X30")	85
PM2436EPL	915mm SHELVES (24X36")	89
PM2442EPL	1065mm SHELVES (24X42")	106
PM2448EPL	1220mm SHELVES (24X48")	112
PM2454EPL	1370mm SHELVES (24X54")	131
PM2460EPL	1520mm SHELVES (24X60")	140
PM2472EPL	1830mm SHELVES (24X72")	167

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	220
PM74EPL	POST 1880mm high, inc. adj. foot, plastic cap. (per each)	23
PMAS	"S" Hooks for add-on shelves (per each)	12
AM	CLIPS (BLACK) Pk of 4 for shelves (1 pack per shelf)	16
AX	ADJUSTABLE FEET for posts per each	12



DID YOU KNOW?

ATLAS shelving has epoxy-coated / electroplated shelving, posts and frames now with anti-microbial protection!



HIGH-SPEED ACCELERATED COOKING OVEN

The Bonn Speedichef high-speed accelerated cooking oven utilizes a combination of forced convection, high speed tuned impinged air, top launched microwave to shorten the cook times significantly. It can bake, roast, toast, brown, and crisp foods up to 10 times faster than conventional methods while cooking evenly and consistently.

10 times faster than a conventional oven

Quiet – AVG 48 dB in standby mode

Uses less energy AVG 2.0kw/h

Bonn iQ Speedichef SCIQ2


- ▶ Top & Bottom impinged air
- ▶ Touch mode interface with smart menu system, controls are intuitive and simple to use
- ▶ Three "Set TEMP" modes to meet different temperature requirement.
- ▶ Temperature setting: 0-280°C
- ▶ Total 432 recipes with multi-stage programming (Up to 6 stages for each recipe)
- ▶ Variable-speed, vertically-recirculated air convection and impingement, can heat, brown, and crisp powerfully and intelligently with low noise.
- ▶ Stirrer to help ensure even distribution of air and microwave.
- ▶ Edit recipe and image on both oven and PC
- ▶ USB port to load recipes and photos
- ▶ Built-in catalytic converter breaks down grease-laden vapors, allowing for ventless operation.
- ▶ Allows the use of the metal trays, pans, screens, simplifies cooking.
- ▶ Built-in self-diagnostics.
- ▶ Infra-red elements tilt-up for cleaning
- ▶ Warranty: 13 months parts and labour (onsite).

LIST PRICE EA. **\$11,990**



ACCESSORIES - included

- ▶ Teflon Basket
- ▶ Rack
- ▶ Baking Stone
- ▶ Non-stick baking pad
- ▶ Paddle



Fully programmable touchscreen controls

HIGH PERFORMANCE SERIES MICROWAVES with **microSave™**

The Bonn High Performance Series offer a choice of cooking power output, and market leading speed. Heavy Duty construction, high power, 200 programs and Bonn's unique **MicroSave** protection option makes these models the most advanced High Performance Commercial Microwave Oven and the number one choice amongst professionals. Utilising Dual Magnetron technology to reduce the operating temperature of each magnetron by up to 50% when compared to single magnetron ovens means a longer life span with greater reliability. This oven also comes with an On-Site 24 Months Parts / 13 Month Labour Warranty*.

The unique removable **MicroSave** Cavity Liner reduces service costs by up to 80% and extends the life of the oven and significantly improves hygiene by collecting all spills/spatters for easy cleaning. This patented **MicroSave** Cavity Liner is available as an optional extra, dishwasher safe and is a must for all professional users.

Bonn CM-1901T

- ▶ 1900W Microwave Output, 5 Power Levels
- ▶ 15 Amp plug single phase (Max. Draw 14.9A)
- ▶ 26 Litre Internal capacity
- ▶ Fully programmable Touch Pad with 200 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass,
- ▶ Commercial quality Hinges and handle
- ▶ External Dimensions 464W x 365H x 580Dmm
- ▶ Internal Dimensions 370W x 190H x 370Dmm ▶ Weight: 32Kgs
- ▶ Optional **MicroSave** Cavity Liner for easy cleaning /maintenance.

LIST PRICE EA. **WITHOUT MICROSAVE** \$2760
LIST PRICE EA. **WITH MICROSAVE** \$3060



Shown with **MicroSave** Cavity Liner

CPS3A **MicroSave** Dishwasher Safe Cavity Liner - purchased separately :

LIST PRICE EA. \$320
(Save \$20.00 when purchased with oven)

Bonn CM-1401T

- ▶ 1400W Microwave Output, 5 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 9.9A)
- ▶ 26 Litre Internal capacity
- ▶ Fully programmable Touch Pad with 200 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 464W x 365H x 580Dmm
- ▶ Internal Dimensions 370W x 190H x 370Dmm
- ▶ Weight: 32Kgs
- ▶ **MicroSave** Cavity Liner for easy cleaning /maintenance.

LIST PRICE EA. **WITHOUT MICROSAVE** \$2370
LIST PRICE EA. **WITH MICROSAVE** \$2670

**ONLY
REQUIRES
10A POWER**



PERFORMANCE SERIES MICROWAVES

The Bonn Performance Series Microwaves offer users preset programming, ceramic base, full stainless steel construction, generous 21 litre capacity and a choice of output power.

Incorporating the latest generation high efficiency Magnetron, these models incorporate many of the design features from the Bonn High Performance Range of ovens, including Direct Ducted Magnetron cooling, motorised stirrer fan for even heating along with all the safety features such as toughened inner door glass, heavy duty door safety latches and double-strengthened door hinges - all part of Bonn's stringent total safety philosophy.

Get commercial quality and speed with ease of operation and superior Bonn quality.

Supplied with 24 Month Parts / 13 Month Labour Back to Base Warranty*

Bonn CM-1042T

- ▶ 1200W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 8.5A)
- ▶ 21 Litre Internal capacity
- ▶ 20 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 490W x 325H x 450Dmm
- ▶ Internal Dimensions 310W x 209H x 325Dmm
- ▶ Weight: 19.5Kgs

LIST PRICE EA.

\$1350



Bonn CM-1051T

- ▶ 1000W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 7.6A)
- ▶ 21 Litre Internal capacity
- ▶ 20 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 490W x 325H x 450Dmm
- ▶ Internal Dimensions 310W x 209H x 325Dmm
- ▶ Weight: 19.5Kgs

LIST PRICE EA.

\$995



LIGHT DUTY SERIES MICROWAVES

The Bonn Light Duty Microwave Series offers the smaller users preset programming (10 presets), ceramic base, stainless steel exterior, large 25 litre capacity and 900 Watt output.

Incorporating several of the design features from the Bonn Performance Range of ovens, including motorised stirrer fan for even heating and ceramic base.

This entry level commercial oven offers ease of operation and Bonn quality.

Supplied with our exclusive 13 month Back to Base labour and parts warranty*.

Bonn CM-902T

- ▶ 900W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 6.5A)
- ▶ 25 Litre Internal capacity
- ▶ 10 Preset Memories, Digital Display
- ▶ Programmable 1 to 3 stage cooking
- ▶ Rugged hinges and door handle
- ▶ Stainless Steel Exterior
- ▶ Stainless Steel Interior with Ceramic base
- ▶ External Dimensions 510W x 380Dmm x 335H
- ▶ Internal Dimensions 330W x 330Dmm x 212H
- ▶ Weight: 15 Kgs

LIST PRICE EA.

\$565





Dynamic has led the world in the design and production of stick blenders since 1964.

Designed and manufactured in France since 1964, Dynamic offers the most comprehensive range of stick blenders and attachments in the world today.

Dynamic is a true manufacturer with all components including motors, shafts, blades, electronic boards and plastic mouldings all manufactured in house at Dynamic in France. This emphasis on quality enables Dynamic to offer a **24 Months Parts & Labour** back to base warranty on all mixers (Gigamix on site)*. Dynamic - the Inventor of the Power Mixer/ Stick Blender and Salad Spinner. Insist on the original and best. Choose the model that best suits your production requirements and customise with the right attachments.

DYNAMIX RANGE - Suits 1-8 Litres

WALL HANGER INCORPORATED IN TOP OF GRIP - BOTH MODELS

MX050 (WAS DMX 160)
Knife: 4 blades
Total length: 395mm
Shaft length: 160mm
Diameter of bell: 55mm
Diameter: 70mm
Actual shipping weight: 1Kg/1.2Kg
Output max: 220W
Speed: 0-13,000rpm
Volume: 1-4 litres
Supplied with 10amp plug
LIST PRICE EA \$460



MX090 (WAS DMX 190)
Knife: 2 blades
Total length: 425mm
Shaft length: 190mm
Diameter of bell: 66mm
Diameter: 70mm
Actual shipping weight: 1.4Kg/1.5Kg
Output max: 250W
Speed: 0-13,000rpm
Volume: 1-8 litres
Supplied with 10amp plug
LIST PRICE EA \$595



DYNAMIX OPTIONS Choose the attachment that suits your operation:

AC518 Cutter Bowl

0.8 Litre

Ideal for sauces, cutting up small amounts of food product, mixing.

LIST PRICE EA \$460




AC517 Ricer/Masher

1-5KGS

For ricing/mashing soft vegetables like potato, cauliflower etc.

LIST PRICE EA \$490




DYNAMIC EXCLUSIVE

AC516 Whisk

1-4 Litres

For whisking eggs and liquids etc.

LIST PRICE EA \$320



AC560 Emulsifier/Blender

1-4 Litres

Exclusive emulsifier attachment for emulsions, soups, purees etc.

LIST PRICE EA \$350

smooth puree

DYNAMIC EXCLUSIVE





Dynamic created the world's first stick blender since 1964.

JUNIOR SERIES - Suits 5-25 Litres


THE LIGHTEST MIXER ON THE MARKET IN ITS CATEGORY!

MX020 (WAS MX225)
Diameter: 94mm
Total length: 505mm
Shaft length: 225mm
Weight: 1.7Kg
Output max: 270W
Speed: 12,000rpm
Volume: 5-25 litres
Supplied with 10amp plug
LIST PRICE EA \$795

MONOBLOCK



MX021 (WAS DMX225)
Diameter: 94mm
Total length: 505mm
Shaft length: 225mm
Weight: 1.75Kg
REMOVABLE SHAFT
Output max: 270W
Speed: 0-12,000rpm
Volume: 5-25 litres
Supplied with 10amp plug
LIST PRICE EA \$990



225 mm

MX024 (WAS DMX300)
Diameter: 94mm
Total length: 580mm
Shaft length: 300mm
Weight: 1.9Kg
REMOVABLE SHAFT
Output max: 270W
Speed: 0-12,000rpm
Volume: 5-25 litres
Supplied with 10amp plug
LIST PRICE EA \$1120



300 mm

JUNIOR SERIES DMX225 & DMX300 OPTIONS Choose the attachment that suits your operation:

AC104 Cutter Bowl

0.8 litre

Ideal for sauces, cutting up small amounts of food product, mixing.

LIST PRICE EA \$495




AC103 Ricer/Masher

1-10KGS

For ricing/mashing soft vegetables like potato, cauliflower etc

LIST PRICE EA \$545



200mm


DYNAMIC EXCLUSIVE

AC102 Whisk

1-5 Litres

For whisking eggs and liquids etc.

LIST PRICE EA \$530



185mm

AC066 Emulsifier/Blender

1-5 Litres

Exclusive emulsifier attachment for emulsions, soups, purees etc.

LIST PRICE EA \$420

smooth puree

DYNAMIC EXCLUSIVE



225mm





Dynamic created the world's first stick blender since 1964.

SENIOR SERIES - Suits 20-40 Litres

MX016 (WAS DMX400)
Diameter: 97mm
Total length: 740mm
Shaft length: 400mm
Weight: 2.5Kg
Output max: 350W
Speed: 0 - 9,500 rpm
Volume: 20-40 litres
Supplied with 10amp plug
LIST PRICE EA \$1360

089959 Wall
Support
Bracket
included




SENIOR SERIES OPTIONS Choose the attachment that suits your operation:

AC004 Ricer/Masher

10-15 Litres

For ricing/mashing soft vegetables like potato, cauliflower etc

LIST PRICE EA \$1130




**DYNAMIC
EXCLUSIVE**

AC007 Whisk

5-20 Litres

For whisking eggs and liquids etc.

LIST PRICE EA \$595



AC055 Cutter Bowl

5 Litres

Ideal for sauces, cutting up small amounts of food product, mixing.

LIST PRICE EA \$1220






Dynamic has led the world in the design and production of stick blenders since 1964.

MASTER SERIES - Suits 40-100 Litres

MX003.HC (WAS DMX410C)
Diameter: 122mm
Total length: 720mm
Shaft length: 410mm
Weight: 3.7Kg
Output max: 600W
Speed: 3,000-9,500rpm
Volume: 40-100 litres
INCLUDES EASY CLEAN CLIP
Supplied with 10amp plug
LIST PRICE EA \$1550




0881 Wall Support Bracket included all models

NEW BRATT PAN MODEL

MX160 (WAS DMX300CC)
Diameter: 122mm
Total length: 628mm
Shaft length: 300mm
Weight: 3.6Kg
Output max: 600W
Speed: 3,000-9,500rpm
Volume: 40-100 litres
INCLUDES WALL SUPPORT
INCLUDES EASY CLEAN CLIP
Supplied with 10amp plug
LIST PRICE EA \$1500



MX005.V (WAS MX91-410)
Diameter: 110mm
Total length: 715mm
Shaft length: 410mm
Weight: 3.4Kg
Output max: 600W
Speed: 3,000-9,500rpm
Volume: 40-100 litres
Supplied with 10amp plug
LIST PRICE EA \$1480



MX012 (WAS DMX500)
Diameter: 122mm
Total length: 810mm
Shaft length: 500mm
Weight: 3.9Kg
Output max: 600W
Speed: 3,000-9,500rpm
Volume: 40-100 litres
Supplied with 10amp plug
LIST PRICE EA \$1590




MASTER SERIES OPTIONS FOR DETACHABLE SHAFT MODELS See next page



Dynamic has led the world in the design and production of stick blenders since 1964.

MASTER SERIES - Suits 40-100 Litres

MASTER SERIES OPTIONS For Detachable Shaft models



AC004 Ricer/Masher

10-30KGS

For ricing/mashing soft vegetables like potato, cauliflower etc

LIST PRICE EA \$1130



AC202, AC200, AC201

Beater Whisk

20-200 litres

LIST PRICES EA

\$1135, \$1170, \$1200



AC055

Cutter Bowl

5 litres

Ideal for sauces, cutting up small amounts of food product, mixing

LIST PRICE

EA \$1220



AC003 Whisk

5-20 litres

For whisking eggs and liquids etc.

LIST PRICE

EA \$630

AC070 Emulsifier/Blender

For 5-40 Litres

Emulsifier attachment for emulsions, soups, purees etc

LIST PRICE

EA \$815



DYNAMIC EXCLUSIVE





Dynamic created the world's first stick blender since 1964.

SMX TURBO SERIES Suits 75-300 Litres

MX002T (WAS SMX600T)
Diameter 125mm
Total length 800mm
Shaft length 530mm
Weight 6.1Kg
Power 850W
Speed 11,000rpm
Volume 75-200 litres
Detachable shaft No
Supplied with 10amp plug
LIST PRICE EA \$2290




MONOBLOCK

MX040T (WAS SMX700T)
Diameter 125mm
Total length 870mm
Shaft length 600mm
Weight 6.5Kg
Power 925W
Speed 11,000rpm
Volume 75-250 litres
Detachable shaft Yes
Supplied with 10amp plug
LIST PRICE EA \$2850



DETACHABLE

089959 Wall Support Bracket included all models



SMX700T & SMX800T MODELS ONLY OPTION:

AC072T Emulsifier/Blender

75-300 Litres
(Dependant on model)
Exclusive emulsifier attachment for emulsions, soups, purees etc.

LIST PRICE EA \$950



smooth puree

430mm

MX155T (WAS SMX300CC)
Diameter 236mm
Total length 609mm
Shaft length 300mm
Weight 5.9Kg
Power 1000W
Speed 11,000rpm
Volume 75-300 litres
Detachable shaft Yes
Supplied with 10amp plug
Supplied with Mixer Hook Support Bracket (below)
LIST PRICE EA \$3460



DETACHABLE

NEW BRATT PAN MODEL

MX001T (WAS SMX800T)
Diameter 125mm
Total length 960mm
Shaft length 680mm
Weight 6.7Kg
Power 1000W
Speed 11,000rpm
Volume 75-300 litres
Detachable shaft Yes
Supplied with 10amp plug
LIST PRICE EA \$3150



DETACHABLE



SM020 Mixer Hook Support Bracket also included with SMX300CC Model



Dynamic has led the world in the design and production of stick blenders since 1964.

MIXER SUPPORT BRACKETS

Dynamic offers high quality support brackets to fit tubs up to 120cm wide. Each bracket is adjustable to suit each size application. The ideal solution for mixing large capacities.

SM001 SM 4 Support Bracket
(400mm, Top Mounted) EA \$600

SM002 SM 6 Support Bracket
(600mm, Top Mounted) EA \$640

SM003 SM 8 Support Bracket
(800mm, Top Mounted) EA \$650

SM004 SM 10 Support Bracket
(1000mm, Top Mounted) EA \$660

SM005 SM 12 Support Bracket
(1200mm, Top Mounted) EA \$680



SM006 SA Support Bracket EA \$335
(55mm max, Side Mounted)



PROFESSIONAL SALAD SPINNERS FROM THE INVENTORS

Invented by Dynamic and manufactured in France.

The **E20SC** (sealed cover) model salad spinner is designed with a sealed lid.

Unlike all other hand operated salad spinners the SC model can be fully submerged in water to be washed and cleaned and is the only HACCP approved salad spinner globally.

The **E20SC** also features a socket drive fitting to the spinner basket minimising wear & tear to the gears. Gears can still be removed and replaced when necessary.



**Optional
Stabilising
Base**

Suits models::
E20, E20SC & EM98
AC019 \$130



All Dynamic Salad Spinners are manufactured with built in anti-bacterial properties.

2 to 3 lettuce
heads



E10
10 Litre
E001 - \$280

3 to 5 lettuce
heads



E20
20 Litre
E002 - \$315

3 to 5 lettuce
heads

**Sealed
Cover**



E20SC
20 Litre
E004 - \$390

3 to 5 lettuce
heads



EM98
20 Litre
Electric
E003 - \$1195

GIGAMIX - 100-400L Capacity

The Super Mixer for large capacity applications. The Gigamix is designed for high volume, heavy duty mixing duties. Stainless steel construction offers many years of hygienic, uninterrupted food preparation. Constructed with heavy duty locking casters and tilting mechanism that allows for easy transport, safe and secure operation and convenient space saving storage.

- ▶ Distance between frame and mixer tube assembly: 800mm
- ▶ Distance between bottom of mixer head and floor: minimum 500mm & maximum 790mm

TB002 GIGAMIX VARIABLE SPEED

Technical Specifications:

Variable Speed (4000rpm loaded)
 Diameter of mixer head: 270mm
 Overall dimensions: 950 x 600 x 1700mm
 Extended: 1700 x 600 x 1200mm
 Standard Mixer attachment only: 570mm
 Weight: 79Kg
 Minimum working height: 500mm
 Maximum height extended: 790mm = amplitude height: 290mm
Electrical:
 Voltage: 230/400V, 3 phase, 50Hz Power: 2.1kW
 Thermal magnetic circuit breaker.

LIST PRICE EA. \$23990


Fixed speed model available to order only.

TILTING
MECHANISM
ENHANCES
OPERATIONAL EASE
AND PROVIDES A
SMALL STORAGE
FOOTPRINT

Gigamix shown with included Standard Mixer 9351 attachment.



Safe secure locking mechanism and castors



ATTACHMENTS/ACCESSORIES

Choose from the following options to tailor the Gigamix to your operation:

TB004 EMULSIFIER / BLENDER ATTACHMENT

The patented Dynamic Blender is the ultimate solution for super smooth blending. The unique "crushing hammer" process enables superior smoothness and finer textures. Processed product has a longer shelf life with reduced separation. **LIST PRICE \$4300**

TB030 DYNA PUMP PUMP-OUT ACCESSORY

This exclusive attachment allows for fast, easy transfer of product directly to packaging or other containers. Fits easily to the blender attachment for a seamless processing solution. **LIST PRICE \$3200**





MANUAL & ELECTRIC CAN OPENERS

Edlund are the industry leaders in quality, reliable can opening solutions and produce a wide range to suit any work load. Made tough with quality components, yet easy and safe to operate.

► **Quality manufactured in USA** ► **Parts remove easily for replacement and cleaning** ► **Edlund blades are reversible for longer life** ► **Knife edges are intentionally dull and rounded to fold metal not cut it, thereby providing a smooth rim edge for greater safety.**

MODEL 1

Nickel plated opener and sturdy base with standard length bar, suitable for cans up to 280mm tall.

4 cans per minute.

Recommended daily use up to 15 cans.

Overall Height: 530mm

Weight packed: 8.1Kgs

LIST PRICE EA. \$425

MEDIUM USAGE



ELECTRIC CAN OPENERS

► **Effortless electric operation to eliminate fatigue** ► **Spring-loaded mechanism opens even dented cans** ► **Replaceable knife and gear provide long life** ► **Sleek stainless steel construction provides durable operation and easy cleaning.**

266

Single Speed Electric Can Opener

4-7 cans per minute.

Recommended daily use up to 75 cans.

Most suitable for size #10 cans.

Dimensions: 111Wmm x 178Dmm x 305Hmm

Weight: 5.57Kgs

Electrical: 120W 0.5A Supplied with 10 amp plug.

LIST PRICE EA. \$2390

EFFORTLESS
MEDIUM to HIGH
USAGE



CROWN PUNCH CAN OPENERS – PNEUMATIC

610

Unit complete with knife and guard ring locator for one standard size #10 round can.

All stainless steel including mechanism.

8-12 cans per minute.

Recommended daily use up to 400 cans.

(Note: Compressor not included).

LIST PRICE EA. \$15990

HIGH
PRODUCTION






From one of Italy's leading design and manufacturing facilities comes this remarkable quality range of equipment with excellent performance, leading edge style and design.



ELEGANCE DROP-IN REFRIGERATED WELLS

Standard features include refrigerated cross-flow cold air wells with adjustable air flow velocity to suit even delicate foods, and height adjustable between 30 to 150mm deep.

Convenient lift-up evaporator for easy cleaning. Digital control system for adjusting temperature and automatic defrosting. Well Temperature +2°C to +5°C. Constructed from AISI 304 stainless steel and accommodates 1/1GN containers.



All Drop-in units can be fitted with optional gantries, in light or heat models with single or two-sided glass.

FULLY INTEGRATED MODELS

MODEL	SIZE	WELL SIZE	No PANS	AMPS	WATTS	\$
8046500	800mmL x 700mmD	650L x 510D x 30/150mmH	2GN1/1	2	500	6850
8046501	1125mmL x 700mmD	980L x 510D x 30/150mmH	3GN1/1	3	700	7350
8046502	1455mmL x 700mmD	1310L x 510D x 30/150mmH	4GN1/1	4	900	7995
8046503	1780mmL x 700mmD	1630L x 510D x 30/150mmH	5GN 1/1	5	1100	9280
8046580	2105mmL x 700mmD	1960L x 510D x 30/150mmH	6GN 1/1	6	1300	13150

REMOTE MODELS AVAILABLE - Contact your representative

All the above supplied with 10amp plug. Units require a drain/tundish/heated evaporator tray.

DROP-IN HEATED CERAMIC GLASS HOTPLATE

These Italian Hotplates are engineered to keep warm food at the correct temperature in trays, pans or earthenware dishes.

The range consists of 3 models in 800mm, 1125mm and 1455mm lengths, all 700mm deep.

The Ceran hotplate is flush-mounted into the stainless steel top for durability and easier cleaning.

Maximum operating surface temperature of 120°C is adjustable and controlled via a mechanical thermostat. Careful design and placement of the silicon heating blanket gives even heat across the ceramic glass hot plate, with faster warm up and better economy.



All Drop-in units can be fitted with optional gantries, in light or heat models with single or two-sided glass.

MODEL	DIMENSIONS	TOP	No PANS	AMPS	WATTS	\$
8046428	800mmL x 700mmD	650Lx510D	2GN 1/1	5	1200	3120
8046429	1125mmL x 700mmD	960Lx510D	3GN 1/1	8	1800	3695
8046430	1455mmL x 700mmD	1300Lx510D	4GN 1/1	10	2400	4050

FSM U Series Under Counter refrigeration units combine high performance with convenience. All units come with quality refrigeration components, easy clean interiors, easy to use digital controller, castors, magnetic door closure and large handles.

UNDER COUNTER REFRIGERATION - Stainless steel door

Features include:

- ▶ High density polyurethane foam insulation.
- ▶ Stainless Steel exterior and interior.
- ▶ Magnetic closing doors with large ergonomic handles
- ▶ Fan cooling system.
- ▶ Auto-defrosting and digital controller.
- ▶ Self-evaporating drainage system.
- ▶ Door gaskets are easily replaceable.
- ▶ Unit comes with PVC coated shelves.
- ▶ Internal round corner edges for easy cleaning.
- ▶ GD Models are equipped with interior lighting and heated mullions.
- ▶ Chiller temp range: +2°C to +5°C. 404A Refrigerant.
- ▶ Ambient temperature rated 36°C (32°C for glass doors).
- ▶ Supplied on 100mm dia. castors.
- ▶ Corded with 10amp plug.



Due to continuous product development, specifications and appearance may differ slightly

MODEL	DIMENSIONS EXTERNAL (mm)	DIMENSIONS INTERNAL (mm)	GROSS VOLUME (L)	REFRIGERANT	TEMP RANGE °C	COMPRESSOR	VOLTAGE/ AMPS	NET WT (Kgs)	GROSS WT (Kgs)	TEMP CONTROL	No. SHELVES	\$
UCB1260SD	1200 x 600 x 840	740 x 419 x 584	278	R404A 330g	+1 to +5	1/6HP	240V 3A	86	116	DIGITAL	4	2900
UCB1575SD	1500 x 760 x 840	1045 x 635 x 584	385	R404A 340g	+1 to +5	1/6HP	240V 3.5A	98	128	DIGITAL	4	3200
UCB1875SD	1800 x 760 x 840	1350 x 635 x 584	500	R404A 360g	+1 to +5	1/4HP	240V 4A	112	142	DIGITAL	4	3600

UNDER COUNTER REFRIGERATION - Glass door



Due to continuous product development, specifications and appearance may differ slightly

MODEL	DIMENSIONS EXTERNAL	DIMENSIONS INTERNAL	GROSS VOLUME (L)	REFRIGERANT	TEMP RANGE °C	COMPRESSOR	VOLTAGE/ AMPS	NET WT (Kgs)	GROSS WT (Kgs)	TEMP CONTROL	No. SHELVES	\$
BFB1260GD	1200 x 600+50 x 840	740 x 419 x 584	278	R404A 330g	+1 to +5	1/6HP	240V 4A	92	122	DIGITAL	4	3350
BFB1560GD	1500 x 600+50 x 840	987 x 419 x 584	335	R404A 340g	+1 to +5	1/4HP	240V 4A	107	137	DIGITAL	4	3490
BFB1860GD	1800 x 600+50 x 840	1292 x 419 x 584	435	R404A 360g	+1 to +5	1/4HP	240V 4A	117	147	DIGITAL	4	3890

FSM U Series Under Counter models offer versatile dual function with one door chiller and one door freezer compartments in the one unit. Ideal where space is at a premium, with convenient digital controls, magnetic door closers and proven high performance.

DUAL UNDER COUNTER CHILLER & FREEZER

Features include:

- ▶ High density polyurethane foam insulation.
- ▶ Stainless Steel exterior and interior.
- ▶ Magnetic closing doors with large ergonomic handles
- ▶ Insulated partition between left freezer and right chiller for temperature integrity
- ▶ High output fan cooling system.
- ▶ Auto-defrosting and digital controller.
- ▶ Self-evaporating drainage system.
- ▶ Door gaskets are easily replaceable.
- ▶ Durable PVC coated shelves and internal round corner edges for easy cleaning.
- ▶ Chiller temp range: +2°C to +5°C.
- ▶ Freezer temp range: -10°C to -18°C.
- ▶ Ambient temperature rated 36°C.
- ▶ Supplied with 100mm dia. castors and 10amp plug.



Due to continuous product development, specifications and appearance may differ slightly

MODEL	DIMENSIONS EXTERNAL (mm)	DIMENSIONS INTERNAL (mm)	GROSS VOLUME	REFRIGERANT	TEMP RANGE °C	COMPRESSOR	VOLTAGE/ AMPS	NET WEIGHT	GROSS WEIGHT	TEMP CONTROL	No. SHELVES	\$
DCF1200SD	1200 x 760 x 840	324 x 635 x 584 CHILLER 324 x 635 x 584 FREEZER	120L 120L	R404A 440g R404A 440g	+1to+5 -10 to -18	1/4HP	240V 4A	88 Kg	120 Kg	DIGITAL	4	3750

UNDER COUNTER FREEZER

Features include:

- ▶ High density polyurethane foam insulation.
- ▶ Stainless Steel exterior and interior.
- ▶ Magnetic closing doors with large ergonomic handles
- ▶ High output fan cooling system.
- ▶ Auto-defrosting and digital controller.
- ▶ Self-evaporating drainage system.
- ▶ Door gaskets are easily replaceable.
- ▶ Durable PVC coated shelves and internal round corner edges for easy cleaning.
- ▶ Freezer temp range: -10°C to -18°C.
- ▶ 404A Refrigerant.
- ▶ Ambient temperature rated 36°C.
- ▶ Supplied with 100mm dia. castors and 10amp plug.



Due to continuous product development, specifications and appearance may differ slightly

MODEL	DIMENSIONS EXTERNAL (mm)	DIMENSIONS INTERNAL (mm)	GROSS VOLUME	REFRIGERANT	TEMP RANGE °C	COMPRESSOR	WATTS/ AMPS	NET WEIGHT	GROSS WEIGHT	TEMP CONTROL	No. SHELVES	\$
CF1200SD	1200 x 760 x 840	750x 635 x 584	278L	R404A 440g	-10 to -18	1/4HP	600W 4A	88 Kg	120 Kg	DIGITAL	4	3300

FSM U Series upright cabinets offer a choice of door configurations, and are manufactured with high quality components for long life and reliability with easy to use digital controllers, in a choice of Chiller or Freezer.

UPRIGHT CHILLER

Features include:

- ▶ High density polyurethane foam insulation.
- ▶ Stainless Steel exterior and interior.
- ▶ Magnetic closing doors with large ergonomic handles
- ▶ High output fan cooling system.
- ▶ Auto-defrosting and digital controller.
- ▶ Self-evaporating drainage system.
- ▶ Door gaskets are easily replaceable.
- ▶ Durable PVC coated shelves and internal round corner edges for easy cleaning.
- ▶ Chiller temp range: +2°C to +5°C.
- ▶ Freezer temp range: -10°C to -18°C.
- ▶ Ambient temperature rated 36°C.
- ▶ Supplied with 100mm dia. castors and 10amp plug.



Available in two or four door models,
Chiller or Freezer (see below)

Due to continuous product development, specifications and appearance may differ slightly

MODEL	DIMENSIONS EXTERNAL	DIMENSIONS INTERNAL	INTERNAL VOLUME	REFRIGERANT	TEMP RANGE oC	COMPRESSOR	VOLTAGE/ AMPS	NET WEIGHT (Kgs)	GROSS WEIGHT (Kgs)	TEMP CONTROL	No. SHELVES	\$
UC2D660	660 x 760 x 2060	540 x 640 x 1460	505L	R134A 380g	+1 to +4	1/4HP	240V 4.3A	97	130	DIGITAL	4	3250
UC4D1300	1300 x 760 x 2060	1180 x 640 x 1460	1103L	R134A 460g	+1 to +4	2/5HP	240V 6.2A	168	200	DIGITAL	8	4500

UPRIGHT FREEZER

MODEL	DIMENSIONS EXTERNAL	DIMENSIONS INTERNAL	INTERNAL VOLUME	REFRIGERANT	TEMP RANGE oC	COMPRESSOR	VOLTAGE/ AMPS	NET WEIGHT (Kgs)	GROSS WEIGHT (Kgs)	TEMP CONTROL	No. SHELVES	\$
UF2D660	660 x 760 x 2060	540 x 640 x 1460	505L	R404A 520g	-10 to -18	1/2HP	240V 4A	102	135	DIGITAL	4	3660
UF4D1300	1300 x 760 x 2060	1180 x 640 x 1460	1103L	R404A 750g	-10 to -18	1HP	240V 5A	165	200	DIGITAL	8	4480

FSM P Series Preparation and Sandwich units are high quality solutions for your food preparation and sandwich areas, featuring convenient pan storage with fan-forced **airflow and easy to use digital controllers.**

SANDWICH CABINETS

P SERIES Single and Two Door Sandwich Counter Units with stainless steel doors.

Features include:

- ▶ Fan-forced airflow over ingredient containers.
- ▶ Designed for gastronorm pans to 100mm deep.
- ▶ Supplied with stainless steel 1/3-100 pans
- ▶ Thick polyurethane foam insulation.
- ▶ High volume fan cooling with self-evaporating drainage system.
- ▶ Rounded internal corner edges and drain plug for easy cleaning.
- ▶ Easy to use digital control panel.
- ▶ Chiller temperature range +2°C to +5°C with auto-defrost cycle.
- ▶ 100mm castors for easy positioning/cleaning.
- ▶ Supplied with 10 amp plug.



SC1200SD Sandwich Counter unit shown. Supplied with 5 pans.



SC1800SD Sandwich Counter unit shown. Supplied with 8 pans.

Due to continuous product development, specifications and appearance may differ slightly

MODEL	DIMENSIONS EXTERNAL	DIMENSIONS INTERNAL	INTERNAL VOLUME	REFRIGERANT	TEMP RANGE °C	COMPRESSOR	VOLTAGE/ AMPS	NET WEIGHT (Kgs)	GROSS WEIGHT (Kgs)	TEMP CONTROL	No. SHELVES	\$
SC1200SD	1200 x 760 x 840	690 x 584 x 440	177L	R404A 330g	+2 to +5	1/3HP	240V 2.5A	109	148	DIGITAL	2	3900
SC1800SD	1800 x 760 x 840	1292 x 584 x 440	331L	R404A 360g	+2 to +5	2/5HP	240V 3.5A	143	190	DIGITAL	4	4700

FSM P Series Preparation units are high quality solutions for your food preparation and sandwich areas, featuring convenient pan storage with **fan-forced airflow and easy to use digital controllers.**

PREPARATION CABINETS

P SERIES 2 Door Refrigerated Preparation Unit with stainless steel doors.

Features include:


- ▶ **Stainless steel hinged insulated top cover with fan-forced airflow over ingredient containers.**
- ▶ **Designed for gastronorm pans to 150mm deep.**
- ▶ **Supplied with eight (8) Stainless 1/3-150 pans**
- ▶ **Thick polyurethane foam insulation.**
- ▶ **High volume fan cooling system with self-evaporating drainage system.**
- ▶ **Rounded internal corner edges and drain plug for easy cleaning.**
- ▶ **Suitable for pizza and/or food preparation.**
- ▶ **Easy to use digital control panel.**
- ▶ **Chiller temperature range +2°C to +5°C with auto-defrost cycle.**
- ▶ **Tested to ambient temperature of 29°C.**
- ▶ **100mm castors for easy positioning/cleaning.**
- ▶ **Supplied with 10 amp plug.**



PB1875P Preparation unit shown supplied with 8 x 1/3-150 Stainless Steel pans

Due to continuous product development, specifications and appearance may differ slightly

MODEL	DIMENSIONS EXTERNAL	DIMENSIONS INTERNAL	INTERNAL VOLUME	REFRIGERANT	TEMP RANGE °C	COMPRESSOR	VOLTAGE/ AMPS	NET WEIGHT (Kgs)	GROSS WEIGHT (Kgs)	TEMP CONTROL	No. SHELVES	\$
PB1875P	1800 x 760 x 1080	1292 x 584 x 440	354L	R404A 500g	+2 to +5	1/2HP	240V 3.6A	156	190	DIGITAL	4	5300



GRANITIME GRANITA MACHINES

European design and built, fast to freeze, simple to operate and built to last.



GRANITIME Granita Machines

- ▶ Enlarged refrigeration capacity.
- ▶ Highest level of performance in the most challenging environments.
- ▶ New push and pull taps preventing product pour issues.
- ▶ Thorough and continuous product mixing.
- ▶ 12lt per bowl capacity.
- ▶ Brushed stainless steel body .
- ▶ Simple operation.
- ▶ Built strong yet simple to clean.

CODE	W X D X Hmm	KG	POWER REQUIREMENTS	WATTS	CAPACITY	\$
GRANITIME 1	200 x 480 x 820	30	10amp	800	1 x 12ltr bowl	2990
GRANITIME 2	400 x 480 x 820	55	10amp	1000	2 x 12ltr bowl	4490
GRANITIME 3	600 x 480 x 820	70	10amp	1200	3 x 12ltr bowl	6190



GENERAL FOOD EQUIPMENT – MICROWAVE

Designed for light to medium duty use in coffee shops, pizzerias, sandwich shops, self service areas, lunch break rooms, student lounges and more. Complete cooking and reheating of foods utilising up to 1000 watts of power with programmable 2 stage cooking.

GEW1050E


- ▶ 1000 Watts Cooking Power
- ▶ All Stainless steel exterior and interior
- ▶ 10 Power Levels
- ▶ Audible alarm when timed cycle is complete
- ▶ Large easy grip polished handle
- ▶ Reinforced flexible door latches to reduce breakage
- ▶ Electronic touch sensitive pad for programming, **2 stage cooking** and digital time display, Double or Triple quantity Function
- ▶ 28.3 Litres Internal Capacity
- ▶ 10 programs, ½ GN size
- ▶ 508W x 356D x 305Hmm External Dimensions
- ▶ 327W x 330D x 195Hmm Internal Dimensions
- ▶ 17Kg net/ 19Kg packed
- ▶ 6.3A (1500W). Supplied with 10A plug

LIST PRICE EA. \$640





People who serve, products that solve.™



Hatco, the world's leaders in food warming and holding technology, continue to lead the way with high quality, reliable and aesthetically correct **Decorative Heat Lamps**. **With 14 shade styles, 24 colour and finish options, plus a choice** of 10 mounting and switch locations, there will be a model to suit your project or restaurant perfectly. Hatco Decorative Heat Lamps are perfect for enhancing your food pass/servery. Choose the lamps that the experts choose.

DECORATIVE HEAT LAMPS - IN STOCK - **all others to order**

DL-600-CL/BCOPPER

Hatco Decorative Heat Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm. (Longer length available on application).
Black cord standard.
Switch on lamp housing.
Bright Copper plated finish.
Supplied unplugged

LIST PRICE EA. \$980



DL-400-CL/BOLDBLACK

Hatco Decorative Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm (Longer length available on application).
Black cord standard.
Switch on lamp housing.
Bold Black finish.
Supplied unplugged

LIST PRICE EA. \$710



DL-500-RL-CH/BK

Hatco Retractable Decorative Heat Lamp
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.
Black cord is standard.
Switch on lamp housing.
Glossy grey finish.
Supplied unplugged

LIST PRICE EA. \$1190



DL-775-RPL-BN/BK

Hatco Retractable Decorative Heat Lamp
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.
Black cord is standard.
Switch on lamp housing.
Bright Nickel finish.
Supplied unplugged

LIST PRICE EA. \$1440



DL-500-CL-CH/BK

Hatco Decorative Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm (Longer length available on application).
Black cord standard.
Switch on lamp housing.
Glossy grey finish.
Supplied unplugged

LIST PRICE EA. \$710



DL-750-RL/BOLDBLACK

Hatco Retractable Decorative Heat Lamp
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.
Black cord is standard.
Switch on lamp housing.
Bold Black finish.
Supplied unplugged

LIST PRICE EA. \$1250



All lamps supplied with 250watt Food Grade Teflon-coated heat lamp to meet Australian Food Standard regulations.




People who serve, products that solve.™



HOW TO ORDER NON STOCK LAMPS - Call for a quote

1 SELECT SHADE STYLE (all 216mm Height except 1400/1500)



2 SELECT COLOUR/FINISH

DESIGNER COLORS



GLOSS FINISHES [extra cost]



PLATED FINISHES [extra cost]





*Note: Certain Gloss and Plated finishes apply to the shade only.

Exception: DL-1500 in these color options only

Gloss Bold Black/Plated Bright Nickel/Gloss Bold Black (shown)
 Gloss Bold Black/Plated Antique Nickel/Gloss Bold Black
 Gloss Bold Black/Plated Bright Copper/Gloss Bold Black
 Designer Finishes Black/Antique Copper/Black
 Gloss Finishes Bold Black/Radiant Red/Bold Black (shown)



3 SELECT MOUNTING TYPE & SWITCH LOCATION





People who serve, products that solve.™



GLO-MAX® GM5AH CURVED INFRARED STRIP HEATERS




This stylish, patented design, based on our signature Glo-Max® strip heaters, is the perfect solution for your front-of-the-house applications. Superb for buffet and serving lines, the sleek curved design minimizes its size while accenting and warming the products below. GM5AHL, with versatile LED lighting options, provides perfect coloring and coverage while lowering energy costs.

CODE	VOLTAGE	WATTS	AMPS	DIMENSIONS	WEIGHT	\$
GM5AH-30	230 ~ 240	606 ~ 660	2.8	762W x 150D x 50Hmm	5Kg	655
GM5AHL-30	230 ~ 240	606 ~ 660	2.8		6Kg	1040
GM5AH-36	230 ~ 240	735 ~ 800	3.3	915W x 150D x 50Hmm	6Kg	700
GM5AHL-36	230 ~ 240	756 ~ 812	3.4		6Kg	1140
GM5AH-42	230 ~ 240	872 ~ 950	4.0	1067W x 150D x 50Hmm	7Kg	735
GM5AHL-42	230 ~ 240	885 ~ 964	4.0		7Kg	1240
GM5AH-48	230 ~ 240	1010 ~ 1100	4.6	1220W x 150D x 50Hmm	7Kg	780
GM5AHL-48	230 ~ 240	1025 ~ 1116	4.7		8Kg	1355
GM5AH-54	230 ~ 240	1148 ~ 1250	5.2	1372W x 150D x 50Hmm	8Kg	820
GM5AHL-54	230 ~ 240	1163 ~ 1267	5.3		8Kg	1470
GM5AH-66	230 ~ 240	1433 ~ 1560	6.5	1675W x 150D x 50Hmm	9Kg	955
GM5AHL-66	230 ~ 240	1450 ~ 1579	6.6		10Kg	1535
GM5AH-78	230 ~ 240	1736 ~ 1890	7.9	1981W x 150D x 50Hmm	10Kg	1115
GM5AHL-78	230 ~ 240	1754 ~ 1910	8.0		11Kg	2055

Clear anodized is the standard housing color, black anodized is an option
 Angle brackets are standard, non-adjustable tubular stands, 406 mm (16"), are an option
 Warm LED light (3000K)
 Power wire lead length is 1524 mm



Sleek Curved Design





People who serve, products that solve.™



GLO-MAX® HLC5 LED CURVED DISPLAY LIGHTS

A stylish choice for illuminating your serving area. The HLC5 LED Display Light offers the highest light output that is ideal for illuminating food products with a cool white light (4000K). The sleek, curved design is patented and the LED lighting delivers significant savings with lower energy consumption and greater reliability.

CODE	VOLTAGE	WATTS	AMPS	WEIGHT	DIMENSIONS	\$
HLC5-30	220 ~ 240	11	0.05	4kg	762 x 150 x 50 mm	750
HLC5-36	220 ~ 240	14	0.06	4kg	915 x 150 x 50 mm	780
HLC5-42	220 ~ 240	15~16	0.07	5kg	1067 x 150 x 50 mm	820
HLC5-48	220 ~ 240	17	0.08	6kg	1220 x 150 x 50 mm	850
HLC5-54	220 ~ 240	19	0.08	7kg	1372 x 150 x 50 mm	930
HLC5-66	220 ~ 240	22	0.09~0.1	8kg	1675 x 150 x 50 mm	1020
HLC5-78	220 ~ 240	24	0.1~0.11	8kg	1981 x 150 x 50 mm	1150



Housing color: standard clear anodized or optional black anodized

LED light color: cool white (4000K)

Mounting options: standard angle brackets or optional 406 mm non-adjustable tubular stands

Rocker Switch, location: under unit on power side

Power wire lead length: 1524 mm





People who serve, products that solve.™



Acknowledged world leaders in food holding and warming solutions, Hatco offer a breadth of products and solutions that answer almost any heating/warming/holding requirement. And Hatco lead the way in merchandising solutions with high quality - high visibility products. Call to discuss your special requirements or project needs - Hatco has a quality solution and Hatco products are covered by our exclusive 13 month warranty on parts and labour.


GLO RAY FOOD WARMER GRAH **Heat only**

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern (See schematic below). Safety wire guards, mounting brackets and 1800mm cord with 10A plug standard. All units 150mmW x 64mmH

MODEL	LENGTH	WATTAGE	\$	MODEL-IC	LENGTH	\$
GRAH-18	460mm	350W	490	GRAH-18-IC	460mm	650
GRAH-24	610mm	500W	505	GRAH-24-IC	610mm	667
GRAH-30	760mm	660W	560	GRAH-30-IC	760mm	720
GRAH-36	910mm	800W	580	GRAH-36-IC	910mm	745
GRAH-42	1070mm	950W	610	GRAH-42-IC	1070mm	765
GRAH-48	1220mm	1100W	630	GRAH-48-IC	1220mm	785
GRAH-54	1370mm	1250W	695	GRAH-54-IC	1370mm	855
GRAH-60	1520mm	1400W	765	GRAH-60-IC	1520mm	925
GRAH-66	1680mm	1560W	825	GRAH-66-IC	1680mm	990
GRAH-72	1830mm	1725W	900	GRAH-72-IC	1830mm	1065
GRAH-84	2130mm	1900W	1050	GRAH-84-IC	2130mm	1210
GRAH-96	2440mm	2400W	1180	GRAH-96-IC	2440mm	1340



FOR INFINITE
CONTROL
MODELS SEE
"IC" COLUMN
←



Typical Glo Ray
installation shown
above stainless
steel benchtop.

GLO RAY FOOD WARMER GRAHL **Heat & Light**

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern. Includes Incandescent lighting, safety wire guards, mounting brackets and 1800mm cord with 10A or 15A* plug standard. All units 230mmW x 64mmH

MODEL	LENGTH	WATTAGE	\$	MODEL-IC	LENGTH	\$
GRAHL-18	460mm	470W	710	GRAHL-18-IC	460mm	855
GRAHL-24	610mm	620W	735	GRAHL-24-IC	610mm	865
GRAHL-30	760mm	780W	825	GRAHL-30-IC	760mm	945
GRAHL-36	910mm	980W	925	GRAHL-36-IC	910mm	1090
GRAHL-42	1070mm	1130W	975	GRAHL-42-IC	1070mm	1145
GRAHL-48	1220mm	1340W	1110	GRAHL-48-IC	1220mm	1270
GRAHL-54	1370mm	1490W	1190	GRAHL-54-IC	1370mm	1350
GRAHL-60	1520mm	1700W	1340	GRAHL-60-IC	1520mm	1490
GRAHL-66	1680mm	1860W	1455	GRAHL-66-IC	1680mm	1620
GRAHL-72	1830mm	2085W	1675	GRAHL-72-IC	1830mm	1830
GRAHL-84	2130mm	2470W* 15A	1935	GRAHL-84-IC	2130mm	2160
GRAHL-96	2440mm	2880W* 15A	2160	GRAHL-96-IC	2440mm	2320

FOR INFINITE
CONTROL
MODELS SEE
"IC" COLUMN
←

REMOTE CONTROLS & IC UNITS

Use 1 Infinite Control per Glo Ray element

MODEL	DESCRIPTION	\$
RMB-3CE	Remote Control Enclosure with 1 Infinite Control	325
RMB-7CE	Remote Control Enclosure with 2 Infinite Controls	460




RMB-3CE



Dual Remote Control RMB-7CE



People who serve, products that solve.™



Hatco heated shelves are the benchmark for quality, reliability and style when it comes to holding food at serving temperatures.

Choose from portable table-top models, drop-in or **flush mount models to suit any project or venue** requirement, and serve with style and practicality.



HEATED BLACK GLASS **PORTABLE** SHELVES 400mm DEEP

HGSM-4060

Hatco's Heated Glass Shelf Modular units feature black ceramic glass to create uniform heat across the entire surface to hold hot food at safe-serving temperatures for longer without affecting product quality. Modular design allows for multiple units to be placed side-by-side and for easy cleaning and maintenance.

Includes thermostatic controls with five temperature settings of 55°C, 65°C, 75°C, 85°C and 95°C. Touch Panel Control.

Constructed with a durable stainless steel housing.

Weight: 7.5Kgs Dimensions: 400W X 600D X 56Hmm

Electrical: 300 Watts, 1.3 amp. supplied with corded 10amp plug.


LIST PRICE EA. \$1190



GLO-RAY® GRS **PORTABLE** HEATED SHELF 495mm DEEP

Convenient portable heated shelf units 495mm 'deep', that offer the flexibility of use when and where needed. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times. Temperature Range: 27-82°C. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-24-I	610 mm long x 495 mm wide	380	10Kg	1630
GRS-30-I	762 mm long x 495 mm wide	490	12Kg	1770
GRS-36-I	914 mm long x 495 mm wide	598	13Kg	1880
GRS-42-I	1067 mm long x 495 mm wide	652	15Kg	2080
GRS-48-I	1219 mm long x 495 mm wide	760	17Kg	2200
GRS-54-I	1372 mm long x 495 mm wide	870	20Kg	2340



All models supplied corded with 10amp plug.



Shown with optional pan guards.

GLO-RAY® GRS-D **PORTABLE** HEATED SHELF 305mm DEEP

Convenient portable heated shelf units 305mm 'deep' models, perfect for burger or product make-up and holding on the one bench space. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-60-D	1524 mm long x 305 mm wide	600	16Kg	1900
GRS-72-D	1829 mm long x 305 mm wide	700	17Kg	2050



All the above supplied corded with 10amp plug.



People who serve, products that solve.™



GLO-RAY® GRSBF DROP-IN FLUSH TOP HEATED SHELF

Satin Black hard coated aluminium finish with flush mount, for a smooth professional finish, includes remote temperature control and ON/OFF switch.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. They feature a thermostatically-controlled blanket-type foil element heated surface to help hold your food hot and delicious with consistent temperatures across the shelf. Adjustable thermostat controls allow surface temperature for the GRSBF to range from 27° to 82°C.

CODE	DIMENSIONS (all 60mm height)	WATTS	WEIGHT	\$
GRSBF-24-I	648mm long x 533 mm wide	550	13Kg	2745
GRSBF-30-I	800 mm long x 533 mm wide	665	14Kg	2930
GRSBF-36-I	953 mm long x 533 mm wide	780	14Kg	3100
GRSBF-42-I	1105 mm long x 533 mm wide	885	15Kg	3250
GRSBF-48-I	1257 mm long x 533 mm wide	1000	18Kg	3425
GRSBF-60-I	1562 mm long x 533 mm wide	1220	22Kg	3780
GRSBF-72-I	1867 mm long x 533 mm wide	1440	24Kg	4080



All the above supplied corded with 10amp plug.

Please note: depths/widths other than 533mm available on request: 432, 648, 800mm.

GLO-RAY® HBGB DROP-IN HEATED BLACK CERAMIC GLASS SHELF

For a dramatic and professional food serving area, the Hatco Heated Black Glass Shelf has a heated ceramic glass surface to create uniform heat across the entire surface and display food perfectly.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. Surface colour is black ceramic glass and they feature a thermostatically-controlled heated ceramic glass surface to help hold your food hot and delicious. Food can be placed directly on the glass surface. Supplied with an attached stainless steel trim mounting ring for drop in installations.

Adjustable thermostat controls allow surface temperature for the HBGB to range from 38° to 82°C. Recommended for installation in metallic surfaces.

CODE	DIMENSIONS* (all 55mm Height)	WATTS	WEIGHT	\$
HBGB-2418	651 mm long x 498 mm wide	425	15Kg	4370
HBGB-3018	803 mm long x 498 mm wide	525	17Kg	4560
HBGB-3618	955 mm long x 498 mm wide	630	19Kg	4750
HBGB-4818	1260 mm long x 498 mm wide	850	23Kg	5215
HBGB-6018	1565 mm long x mm 498 wide	1050	29Kg	5590
HBGB-7218	1870 mm long x 498 mm wide	1260	34Kg	5960



* Outer dimensions of the stainless steel trim. All the above supplied corded with 10amp plug. Controller dimensions 178 x 76mm. Note: HBGB Units over 955 mm are constructed of two equal size pieces of glass. Recommended for use in a metallic countertop. For other surfaces, verify that the material is suitable for temperatures up to 94°C.



New option available -
White glass with stainless steel trim






People who serve, products that solve.™

HOT or COLD in one shelf

Serve hot buffet or cool salads/sweets on the same shelf space easily and quickly with flexibility to suit your venue. These units come in traditional Hardcoat finish or Swanstone® Simulated Stone Finish to match any decor, available as a Drop-In Flush mount. Save space and maximise the space you already have.

From the world-wide leaders in food holding solutions this versatile shelf satisfies your differing serving needs at the touch of a button. Patent-pending thermal break technology and renowned Hatco reliability - Hot OR Cold and now available Cold Only.

- Easily change between Hot or Cold in under an hour (approx) to suit your needs
- **Temperature Range:** -12°C to 82°C
- Control Box can be remotely mounted up to 1229mm from centre of the shelf
- Maximise the usage of your available space for hot or cold servings
- Durable Hardcoat Aluminium Finish Drop-In Flush Mount or...
- *Swanstone®* food safe simulated stone colours available to match your decor and other Hatco Heated Shelves
- Famous Hatco performance and reliability
- Patent-pending thermal break reduces condensation and temperature transfer.
- Includes a remote-mountable control enclosure, with a three position power switch and two digital temperature controllers.



Traditional hard coat aluminium drop-in Flush Mount Hot or Cold with remote control



Swanstone® Granite Gray simulated stone drop-in Flush Mount Hot or Cold with remote control



Hot or Cold Remote control with three position switch and two electronic temperature controls


Stone Colours



Gray Granite



Bermuda Sand



Night Sky

*Swanstone Colour must be specified at time of order.

Now also available as a Cold Only shelf.

Hatco's CSBF Cold Shelf Built-In Flush Top is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving. Features patent-pending thermal break that reduces condensation. Includes a power On/Off switch and digital temperature controller. Has a hardcoat aluminum surface and is designed to be top mounted.



Traditional hard coat aluminium drop-in Flush Mount Cold only with remote control

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
HCSBF-24-I	Drop-In Hot / Cold Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	804 / 3.5	1/4HP	58Kg	12270
HCSBF-36-I	Drop-In Hot / Cold Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	1044 / 4.5	1/3HP	68Kg	12600
HCSBF-48-I	Drop-In Hot / Cold Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	1044 / 4.5	1/3HP	84Kg	14050
HCSSBF-24-I	Drop-In Hot / Cold Shelf - Swanstone*	610W x 495mmD	804 / 3.5	1/4HP	67Kg	12630
HCSSBF-36-I	Drop-In Hot / Cold Shelf - Swanstone*	914W x 495mmD	1044 / 4.5	1/3HP	76Kg	12980
HCSSBF-48-I	Drop-In Hot / Cold Shelf - Swanstone*	1219W x 495mmD	1044 / 4.5	1/3HP	92Kg	14335
CSBF-24-I	Drop-In Cold Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	816/3.5	1/3HP	53KG	10600
CSBF-36-I	Drop-In Cold Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	816/3.5	1/3HP	62Kg	10800
CSBF-48-I	Drop-In Cold Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	816/3.5	1/3HP	71Kg	12080



People who serve, products that solve.™

Drop-In Slim FROST TOP

Convenience meets style with the Hatco Drop-In Slim Frost Tops. Perfect for quick turn products on self-serve buffets. Save space and maximise the space you already have. Hatco Drop-in Slim Frost Tops keep pre-chilled beverages, snacks, hors d'oeuvres and side dishes cool and ready to serve. Slim configuration provides wider access to your customers.

- ▶ Available in 2- and 3-pan slim configurations
- ▶ NSF 7 approved cold wall construction utilizes a refrigerant that keeps food product cold without drying it out
- ▶ Auto-defrost is activated through an advanced programmable electronic controller
- ▶ Matches the Hatco line of Heated Wells for an integrated look
- ▶ The condensing unit, mounted on the centre of the unit, rotates 180° (movable in some models)
- ▶ Long, flexible refrigerant line (ability to pull out condensing unit) for service
- ▶ Famous Hatco performance and reliability



FTB-S2 Drop-In Slim Frost Top

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
FTB-S2	Drop-In Slim Frost-Top	1395W x 535D x 437Hmm	804 / 6.7	1/4HP	83Kg	12300
FTB-S3	Drop-In Slim Frost-Top	2053W x 535D x 437Hmm	804 / 6.7	1/4HP	108Kg	13700



People who serve, products that solve.™



GLO-RAY® HEATED DISPLAY WARMERS

Boost impulse sales by showcasing your hot foods in the Hatco Glo-Ray merchandising warmers. Designed specifically for displaying wrapped or boxed product, these warmers hold hot food safely at proper serving temperatures and are seen in many of the best known venues around the world.

- ▶ Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- ▶ Convenient for self-serve or quick-serve areas
- ▶ Available in two-tier models with horizontal or slanted shelves
- ▶ Adjustable product divider rods sort food displays for convenience and product appeal
- ▶ Thermostatically controlled hard-coated heated base extends holding times
- ▶ Food grade Teflon coated incandescent lights illuminate the holding areas and product for maximum visibility.

GRSDS *Slant* Model - all 617 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GRSDS-24D	Dual Shelf - 610 mmW	1.34kw	5.6 amp	52Kg	8070
GRSDS-30D	Dual Shelf - 760 mmW	1.53kw	6.4 amp	64Kg	8560
GRSDS-36D	Dual Shelf - 910 mmW	1.81kw	7.6 amp	73Kg	9110
GRSDS-41D	Dual Shelf - 1040 mmW	2.12kw	8.8 amp	82Kg	9790
GRSDS-52D*	Dual Shelf - 1320 mmW	2.73kw	11.4 amp	98Kg	11365
GRSDS-60D*	Dual Shelf - 1520 mmW	3.34kw	14 amp	108Kg	12070

Units 24D - 41D supplied corded with 10A plug.

*Units 52D - 60D supplied corded with 15A plug.




GR2SDS *Slant* Model DESIGNER SERIES - All 677 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GR2SDS-24D	Dual Shelf - 770 mmW	1.64kw	6.9 amp	73Kg	9580
GR2SDS-30D	Dual Shelf - 920 mmW	2.04kw	8.5 amp	84Kg	10250
GR2SDS-36D*	Dual Shelf - 1070 mmW	2.44kw	10.2 amp	91Kg	10900
GR2SDS-42D*	Dual Shelf - 1220 mmW	2.98kw	12.5 amp	99Kg	11900
GR2SDS-48D*	Dual Shelf - 1380 mmW	3.38kw	14.1 amp	116Kg	12890
GR2SDS-54D^	Dual Shelf - 1530 mmW	3.78kw	15.8 amp	120Kg	13890
GR2SDS-60D^	Dual Shelf - 1680 mmW	4.42kw	18.4 amp	135Kg	14840

Units 24D - 30D supplied corded with 10A plug.

*Units 36D - 48D supplied corded with 15A plug. ^Units 54D - 60D supplied unplugged.



Horizontal models also available to order. Please specify colour at time of ordering, otherwise colour inserts and cap ends will be supplied in black.



People who serve, products that solve.™



GLO-RAY® **PORTABLE** FOOD WARMERS/CHIP DUMPS

With heat from above, below or both, Hatco Glo Ray® food warmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows, and service areas that require frequent and easy access, these units keep product at serving temperature and optimum quality.

GR-FFB

This excellent Food Warmer/Chip Dump has a preset heated base that conducts heat from the bottom while an adjustable infrared element heats from above.

A swing-away top provides fast and easy access to food pans.

Weight: 12Kgs

Dimensions: 324 x 610 x 508mm

Electrical: 750 Watts, 3 amp. supplied with corded 10amp plug.

LIST PRICE EA. \$1590



GMFFL

Hatco's latest Portable Food Warmer has a sleek rounded design and its black colour finish fits into any decor. This portable Food Warmer has heat and light from above in powder-coat black and comes with a sign holder on the front lower panel (sign not included) to maximise sales potential.

Suits 1/1 Gastronorm pan 100mm deep (not included).

Weight: 9.2Kgs

Dimensions: 329 x 644 x 445mm

Electrical: 610 Watts, 2.5 amp supplied with corded 10amp plug.

LIST PRICE EA. \$595





People who serve, products that solve.™



GLO-RAY® **PORTABLE** FRY STATIONS & MULTI PRODUCT

Designed with ample handling space between the heat source and the holding area to empty baskets, Glo-Ray Fry Holding Stations maintain 'just made' food temperatures. Ceramic elements direct radiant heat from above, while a preset thermostatically controlled heated base (adjustable on the MPWS-36) maintains uniform holding temperature from below. The slotted holding bin allows the rising heat to envelop the food, preventing soggy product. A sectional divider permits holding of multiple products simultaneously.

A range of options are available to customise each model to suit your own operation. Call your FSM representative.

GRFHS-21

Glo-Ray Portable Fry Station
Dimensions 540 x 700 x 550mm
Weight: 30Kgs
Electrical: 1200watts, 5 amp.
Supplied corded with a 10amp plug.

LIST PRICE EA. \$5200



Shown With Optional Fry Ribbon

MPWS-36 with MPWS-36 BIN

Glo-Ray Multi-Product Warming Station – the ultimate in hot fried food holding with six thermostatically controlled high power overhead ceramic heating elements and base element complemented by food grade teflon coated incandescent lamps for enhanced product display.

Choose from a wide range of optional extras including pleated ribbons, angled risers, bag and tong holders and fry bin inserts to customise the warming station for your operation. Unit comes standard with MPWS-36BIN accessory (Full Fry Bin insert; drip tray, perforated insert, three dividers) and detachable side panel insert for left or right installations.

Dimensions: 947 x 626 x 832mm

Weight: 79Kgs

Electrical: 3075watts, 13 amp.

Supplied corded with 15amp plug.

LIST PRICE EA. \$8250



Shown With Optional Scoop Holder



People who serve, products that solve.™



TQ SERIES HIGH WATT **CONVEYOR** TOASTERS

The Hatco High Watt Conveyor toasters toast high moisture content bread product to a rich golden colour. Sheathed heating elements are featured in all models. Toast-Qwik models have a conveyor feed guide and front or rear discharge with toast tray.

This provides the flexibility and performance to perfectly toast bread products. The exclusive *ColorGuard®* sensing system monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.

Power save mode conserves energy and saves money and the insulation and interior fan provide cooler surface temperatures.

TQ3-500H TOAST-QWIK

up to 500 toast slices/hour

Touch screen controller - easy to see and use

Twelve programmable settings

USB port for software updates. Black finish standard.

Programmable power save function.

Unique toast delivery rack moves toast to the storage tray each and every time.

Suitable for front discharge with tray extended.

Exclusive *Colorgard* system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 2.22 kW, 9.3A. Supplied corded with 10 amp plug.

Dimensions: 373W x 524D x 435H mm

Delivery tray extends to 591 mm total depth

Weight: 25Kgs

LIST PRICE EA. **\$4590**

NEW DIGITAL
PROGRAMMABLE
MODEL
With Touch
Screen control
and Exclusive
Colorguard
technology
maintains
toast colour



TQ Series Conveyor Toasters provide total control of the toasting of bread products. Individual controls are provided for top heat, bottom heat, conveyor speed and a stand-by switch to maximise quality and throughput. *Colorgard* sensing technology maintains toast quality through quiet or busy serving times. For those situations where you need to avoid patrons adjusting these controls unnecessarily, choose the TQ2 Security Cover for the TQ-805 Model (below).

TQ-805 TOAST-QWIK

up to 600 toast slices/Hour

Suitable for front or rear discharge.

Exclusive *Colorgard* system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 3.6 kW, 15A. Supplied corded with 15 amp plug.

Dimensions: 368W x 578D x 422H mm

Weight: 28Kgs

Includes tray extensions.

Rear tray extends 165 mm.

LIST PRICE EA. **\$5490**

Exclusive
Colorgard
technology
maintains
toast colour



TQ2-SECURITY COVER

Hinged Control Cover to suit TQ-805 units, can be retro fitted.

LIST PRICE EA. **\$190**



Optional TQ2-Security
Cover for TQ805
Model Toaster



People who serve, products that solve.™



TQ & TM SERIES HIGH WATT **CONVEYOR** TOASTERS

TQ-1800H TOAST-QWIK

up to 1200 toast slices/hour

- ▶ Suitable for front or rear discharge.
 - ▶ Exclusive **Colorgard**® system controls toast quality by constantly monitoring toasting chamber temperatures and adjusting conveyor speed automatically.
 - ▶ Toasts bread, buns, muffins and sandwiches.
 - ▶ Adjustable Upper & Lower Heating Elements,
 - ▶ Power-Save Mode,
 - ▶ 367mm WIDE throat
- Electrical: 4.65 kW, 20 amp. Supplied unplugged.
 Dimensions - 470 x 578 x 422mm
 Includes tray extensions.
 Rear tray extends 165 mm
 Shipping Weight 33Kg

LIST PRICE EA. \$6130

MASSIVE
PERFORMANCE
with Exclusive
Colorguard technology
that maintains
toast colour



TOAST-MAX **CONVEYOR** TOASTER

The Hatco Toast-Max entry-level conveyor toaster offers the flexibility and performance to perfectly toast bread and buns fast. Utilising conveyor speed, not temperature, to determine toasting colour, this allows for instant adjustment of toasting time to maintain quality.

TM-10H **up to 6 slices/minute**

- ▶ 4 position toast selector switch:
 - ▶ off / toast / buns / standby mode.
 - ▶ 89mm clearance to accommodate high profile bread products.
 - ▶ easy-to-load rack with front or rear discharging.
 - ▶ V-shaped reflectors help capture and redirect heat.
 - ▶ Long lasting serpentine metal sheathed heating elements.
 - ▶ 102mm adjustable legs.
 - ▶ Pilot light signals unit is in operation.
- Discharge & crumb trays are removable.
 Electrical: 1900watts, 8 amps. Supplied with 10amp plug.
 Dimensions: 368 x 387 x 419 mm
 Shipping weight: 19Kgs

LIST PRICE EA. \$1890





People who serve, products that solve.™



HIGH WATT 4 SLOT **POP-UP** TOASTER 1 OR 2 SIDED TOASTING!

TPT-230-4-10 up to 160 toast slices per hour
Perfect for self-serve areas, care facilities and light-medium volume applications.

The Hatco Pop-Up Toaster provides even golden toasting of a variety of bread products.

- ▶ Durable stainless steel housing
- ▶ Four self-centering slots (32mmW)
- ▶ Two toasting controls with bagel/bun button for **one-sided** toasting
- ▶ Removable crumb tray.
- ▶ Two separate toasting controls

This productive and versatile unit enables the toasting of two lots of two slices of bread individually or together.

Electrical: 2.25Kw, 9.5 amps. Supplied with 10amp plug.

Dimensions: 378 x 330 x 235 mm

Weight: 8Kgs

LIST PRICE EA. \$895

**NEW 10A
MODEL**



PopUp Toaster with either two lots of two or four slices toasted simultaneously.



People who serve, products that solve.™



GLO-RAY® DECORATIVE CARVING STATIONS

The Glo-Ray Decorative Carving Stations are the ideal way to display, hold and serve food and to extend food holding times during serving periods. With a wide range of options and styles, Hatco have a unit that will complement your servery and decor perfectly with reliable quality.

DCS400-1-BN

Freestanding overhead height adjustable heat lamp supported by a sturdy 203mm square base.

527D x Variable Height 864 - 1168Hmm

Shown in Bright Nickel.

Also available in *Bright Brass and Antique Bronze*.

Weight: 15Kg

Supplied corded with 10amp plug. 250watts 1 Amp.

LIST PRICE EA. \$2650



DCSB400-2420-1-NSBN

Overhead height adjustable heat lamp supported by a rectangular Swanstone heated base with sneeze guard.

608W x 506D x Height 864 - 1168Hmm.

Shown in Night Sky Base with Bright Nickel posts and lamp.

Also available in *Bright Brass/Antique Bronze post and lamp and Gray Granite/Bermuda Sand decorative base stone colours.*

Weight: 48Kg

Supplied corded with 10 amp plug. 750watts / 3.2 Amp.

LIST PRICE EA. \$6400



DCSB400-3624-2-GGBN

Dual overhead heat lamps - height adjustable, supported by a rectangular Swanstone heated base with sneeze guard.

911W x 610D x Height 864 - 1168Hmm.

Shown in Bright Nickel post and lamp and Gray Granite base.

Also available in *Antique Bronze/Bright Brass post and lamp and Bermuda Sand/Night Sky decorative base stone colours.*

Weight: 70Kg

Supplied corded with 10 amp plug. 1300watts / 5.5Amp.

LIST PRICE EA. \$9300



COLOUR SWATCHES



Plated Colours:

Bright Nickel, Bright Brass and Antique Bronze



Stone Colours:

Gray Granite, Bermuda Sand and Night Sky



People who serve, products that solve.™

NEW DIGITAL
TEMPERATURE CONTROL
AND DISPLAY ON
ALL MODELS



HATCO FREE STANDING DRAWER WARMERS

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers, 12-gauge stainless steel slides and heavy-duty hardware in **Standard** or **Narrow** model to suit your kitchen space. **Unique features include:**

- ▶ ALL drawers have an **individual on/off switch**, **digital** thermostatic control, **digital** temperature monitor and adjustable sliding vents for humidity control providing superior quality control and versatility.
- ▶ Each drawer has the capacity to accept a pan 1/1x150mm deep or 2x1/2 or 3x1/3. (Pans not included).
- ▶ Supplied with **102mm legs**, 1829mm cord and 10A plug. Castor option available on ALL models.

HDW-1

1-drawer model with Digital Control
749W x 575D x 279Hmm (excluding legs)
Supplied with cord and 10 amp plug.
450watts / 2 Amp. Weight: 44Kg
LIST PRICE EA. \$4400



HDW-2

2-drawer model with Digital Control
749W x 575D x 537Hmm (excluding legs)
Supplied with cord and 10 amp plug.
900watts 3.8 Amp. Weight: 76Kg
LIST PRICE EA. \$7480



HDW-3

3-drawer model with Digital Control
749W x 575D x 794Hmm (excluding legs)
Supplied with cord and 10 amp plug.
1350watts / 5.7 Amp. Weight: 106Kg
LIST PRICE EA. \$9985



HDW-CASTER-2

Option All Models

Hatco Heavy Duty Castor kit,
51mm Diameter
Add mobility to your drawer
warmer with the Hatco
HDW-CASTER-2 option.

These castors easily change-over
with the standard legs, enabling
moving for routine cleaning/
maintenance etc. (PACK OF 4)

LIST PRICE EA. \$390



HATCO FREE STANDING NARROW DRAWER WARMERS

HDW-1N Digital Control

1-drawer Narrow model
530W x 686D x 279Hmm (excluding legs)
Supplied corded with 10 amp plug.
450watts / 2 Amp. Weight: 44Kg

LIST PRICE EA. \$4400



HDW-2N Digital Control

2-drawer Narrow model
530W x 686D x 537Hmm (excluding legs)
Supplied corded with 10 amp plug.
900watts / 3.8 Amp Weight: 76Kg

LIST PRICE EA. \$7480



NOW WITH
DIGITAL
TEMPERATURE
CONTROL



People who serve, products that solve.™

HATCO DRAWERMAX® DRAWER WARMERS

2 drawer freestanding model built with rugged construction and heavy-duty hardware to keep variety of foods hot and fresh until served. *Unique features include:*

- ▶ ALL drawers have an **individual on/off switch and independent temperature control**, and adjustable vents for humidity control providing superior quality control and versatility.
- ▶ Includes two full-size stainless steel 150mm food pans
- ▶ Supplied with **102mm legs**, 1829mm cord and 10A plug. Castor option available.
- ▶ Easy to clean, black powdercoated exterior

HDM-2

2-drawer model

749W x 576D x 512Hmm (excluding legs)

Supplied with cord and 10 amp plug.

984watts / 2 Amp. Weight: 74Kg

LIST PRICE EA. \$4580





People who serve, products that solve.™



HATCO PASTA COOKER

BOIL, STEAM, WARM

The new multi-purpose HEAT-MAX well offers the flexibility of a food warmer, soup kettle, bain marie heater, steamer and pasta cooker all in one!

With a range of temperature settings, HEAT-MAX can boil pasta and soup noodles, steam dim sum, keep food warm, hold soups, curry, gravies and toppings at safe serving temperatures.

RCTHW-1E

Heat-Max Rectangular Single Heated Well
to take 1/1 Gastronorm pan (not supplied).
Touch panel for three temperature set points:
HOLD: 50-70°C SIMMER: 70-90°C BOIL: 90-100°C
Energy saving Low Power mode
Convenient Drain control
Also available in Built-in Model with remote.
Electrical: 3Kw, 12.5 amps.
Supplied corded with 15amp plug.

LIST PRICE EA. \$1520



SPECIFICATIONS

MODEL	TYPE OF WELL	OUTER DIMENSION MM	WELL DIMENSION MM	Kw	SHIP WEIGHT
RCTHW-1E	RECTANGULAR SINGLE WELL	368W X 583L x 283H	305W x 510L x 160D	3.0	9.6KG



RCTHW-1E shown with optional Pasta Cooker Tray & Noodle Baskets.



People who serve, products that solve.™

ACCESSORIES

RCTHW-BASKET

RCTHW Stainless Steel Noodle Basket
125mm diameter
(six required per unit)

LIST PRICE EA. \$68



RCTHW-PC

Pasta Cooker Tray

LIST PRICE EA. \$495



RCTHW-SP

Steamer Plate to accept bamboo
steamer baskets (not supplied).

LIST PRICE EA. \$260



RCTHW-1E shown with
optional RCTHW-SP Steam
Adaptor Plate.





People who serve, products that solve.™

HATCO **BUILT-IN** HEATED WELLS

Hatco Built-In Heated Wells hold heated foods at safe serving temperatures. Compared to other models, these Hatco units offer larger drains with flat drain screens, more consistent holding temperatures through superior element design, heavier stainless steel construction, easier-to-service design for quick-change of components, and a remote thermostat with separate power switch. Suitable for wet or dry operation.

All units are supplied with a control panel and connected with a 918mm flexible conduit for remote mounting and include a 3/4"NPT drain fitting.

BUILT-IN **RECTANGULAR** HEATED WELL - FULL SIZE

HWB-FULD

Heated Well with drain – 1/1 Gastronorm.

Dimensions: 348W x 553D x 218Hmm

Controller dimensions: 161W x 92D x 196Hmm

Electrical: 1.2kw, 5 amp

Weight: 10Kg

Drain: 3/4"NPT fitting

LIST PRICE EA. \$1350



Remote control with 918mm conduit for convenient fitting



(Pictured with accessory food pan).

BUILT-IN **ROUND** HEATED WELLS with drain fitting

CODE	DESCRIPTION	KW	AMP	WT	\$
HWB-4QTD	3.8Litre (4 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1270
HWB-7QTD	6.6Litre (7 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1290
HWB-11QTD	10.1Litre (11 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1310

All wells come with 3/4"NPT drain fitting.



(Pictured with accessory pans see below).

OPTIONAL PAN INSERTS & LIDS (not supplied with wells above)

CODE	DESCRIPTION	\$
4QT-PAN&LID	4 Quart (3.8L) Round Well and Notched Lid.	225
7QT-PAN&LID	7 Quart (6.65L) Round Well and Notched Lid.	260
11QT-PAN&LID	11 Quart (10.41L) Round Well and Notched Lid.	300





People who serve, products that solve.™



HATCO SALAMANDERS

Hatco's Salamander range is specially designed for versatility in the kitchen with the capabilities to cook, grill, and reheat food. With the patented movable heat unit housing, maximum thermal transfer is achieved and maximum power is only consumed whilst actually in cook mode. The unparalleled start-up speed is a result of Hatco's "INSTANT ON" heating elements located in the upper housing. Hatco® Salamanders offer unrivalled energy efficiency and easy operation to suit the most demanding requirements - of fine dining restaurants to fast food outlets.

TMS-1H THERMAX SALAMANDER

Movable upper housing to reduce the heat loss to food areas.

- ▶ The high powered heating elements are ready for use within 10 seconds.
 - ▶ Two sets of independently controlled heating element sections give the benefits of flexibility and energy conservation.
 - ▶ Cook mode selection switch controls left, right or both locations.
 - ▶ Includes a hold mode switch that reduces power to 25% and keeps food at proper serving temperatures.
 - ▶ Unit can be placed on a counter-top or mounted to any non-combustible wall with appropriate rigidity.
 - ▶ Unit comes standard with grill, drip pan and wall mounting bracket.
- Weight: 70Kgs. Dimensions: 600W x 503D x 515Hmm.
Electrical: 4Kw 17.4 amp. Supplied with cord but no plug.

LIST PRICE EA. **\$4995**



SAL-1 SALAMANDER - DIGITAL CONTROL

Movable upper housing to reduce the heat loss to food areas.

- ▶ Electronic touch control panel for ease of use and repeatability
 - ▶ The high powered heating elements are ready for use within 10 seconds.
 - ▶ Three sets of independently controlled heating elements give the benefits of flexibility and energy conservation.
 - ▶ Auto Plate detection switches elements on once a plate is detected
 - ▶ Eight position Hold Mode switch selectively reduces power down to 25% to keep food at proper serving temperatures.
 - ▶ Unit can be placed on a counter-top or mounted to any non-combustible wall with appropriate rigidity.
 - ▶ Unit comes standard with rack, drip pan and wall mounting bracket.
- Weight: 65Kgs Dimensions: 576W x 550D x 603Hmm.
Electrical: 4.5kw 18.8 amp. Supplied with cord but no plug.

LIST PRICE EA. **\$9995**



3CS-9B SANITISING SINK HEATER Balanced three phase

Maintaining a continuous supply of sanitising rinse water without taking up valuable space, the 3CS makes manual ware-washing faster and more convenient. Designed to fit under the sink, the 3CS is perfect for three or four compartment sinks, pot and pan sinks and bar sinks. Drain may be plumbed to open-sight waste drain.

3CS-9B SANITISING SINK HEATER

Weight: 15Kgs. Electrical: 9 Kw, 3 phase. Supplied uncorded and unplugged.

Dimensions: 203W x 435D x 321Hmm
LIST PRICE EA. **\$4300**



Pictured: 3CS-9 with optional temperature monitor



IMC MULTI FUNCTION PEELERS

Multi-Functional peelers will peel root vegetables, potatoes, onions and wash salads and shell fish. They are tough, reliable and easy to use.

MF5 (F59/500)

OUTPUT Up to 130 Kg/Hour

Bench mounted peeler, 5kg capacity with four minute timer.

Supplied with carborundum peeling plate.

10 amp plug, 1 phase 250W.

LIST PRICE EA. \$5890

MF5 ACCESSORIES

CODE	DESCRIPTION	\$
S59/167	Knife peeling plate	670
S59/169	Salad basket	630
S59/172	Vegetable washing plate	810
S59/174	Mussel washing plate	530



Model MF5 shown

MF10-1PH (F59/510)

OUTPUT Up to 280 Kg/Hour

Peeler mounted on stainless steel stand, incorporating filter basket and four minute timer.

10kg capacity. Supplied with carborundum peeling plate.

10 amp plug, 1 phase 370W

LIST PRICE EA. \$8990

MF15-1PH (F59/520)

OUTPUT Up to 400 Kg/H

Peeler mounted on stainless steel stand, incorporating filter basket and four minute timer.

15 kg capacity. Supplied with carborundum peeling plate.

10 amp plug, 1 phase 370W

Shipping Weight 70Kgs, Nett Weight 62Kgs.

LIST PRICE EA. \$10400

MF10/15 ACCESSORIES

CODE	DESCRIPTION	\$
S59/168	Knife peeling plate	990
S59/170	Salad basket	690
S59/173	Vegetable washing plate	950
S58/062	Inlet Hose Kit, (all models)	70



Model MF10-1PH shown



FOOD WASTE MACERATOR AND DE-WATERING UNIT

From the world leaders in waste management, comes the revolutionary, and self-contained WasteStation De-waterer and Macerator.

Food waste comprises of up to 80% liquid and can be extremely costly to dispose of. WasteStation grinds the food waste into fine particles, these particles feed directly into the built-in dewatering system. The WasteStation forces out the excess liquid from the macerated waste. The grey water is fed directly to drain, and the resulting solid fraction of the food waste is collected in small, easily managed, lidded bins, ready for onward processing. IMC's self-cleaning function and self-emptying auger saves valuable staff time and the self-contained unit means improved hygiene, less noise and easy operation.

F79/240

100kg per hour
895mmH x 600mmW x 700mmD
Weight – empty 156kg
Connection to drainage 51mm
Electrical: Voltage 380-415V 3 Phase -
4 wire supply, 2.4Kw
Amps (max) 8.6
Decibel during operation: running 62dB
Decibel during operation: in use with raw food 70dB

LIST PRICE EA. \$29990



F79/010

700kg per hour
900mmH x 1000mmW x 700mmD
Weight – empty 192kg
Connection to drainage 54mm
Electrical: Voltage 380-415V 3 Phase -
4 wire supply, 4.1Kw
Amps (max) 8.6
Decibel during operation: running 62dB
Decibel during operation: in use with raw food 70dB

LIST PRICE EA. \$POA



COMMERCIAL DUTY WASTE DISPOSAL UNITS

523 (F52/301)

IN SINK MOUNTING

Capacity - 200 covers per sitting. 100Kg of waste per hour.
 Reversible waste disposal unit with $\frac{3}{4}$ h.p. motor.
 89mm sink opening. Total Height: 406mm
 Unique rubber housing for quiet operation and ease of servicing.
 Supplied with reversing starter.
 Supplied with Remote Control Panel
 Weight: 19Kg
 240 volt, 10 amp plug, single phase.

LIST PRICE EA. \$4100



Pictured: Remote Control

HIGH CAPACITY WASTE DISPOSAL UNITS

A range of heavy duty stainless steel free-standing units which may be built into tabling and can be used in conjunction with WastePro II units, see previous page. All units feature a feed hopper baffle for operator protection from the grinding unit, auto reverse overload function, premium components for long life, automatic water control and industry leading motor capacities for real throughput.

904 (F54/120)

Capacity - 1000 covers per sitting. 500Kg of waste / hour
 3 Phase 1.1.kW (1.5 HP)
 Weight: 71Kg

LIST PRICE EA. \$16300

1204 (F54/220)

Capacity - 1450 covers per sitting. 700Kg of waste / hour
 3 Phase 2.2 kW (3 HP)
 Weight: 97Kg

LIST PRICE EA. \$21800

1604 (F54/320)

Capacity - 1850 covers per sitting. 900Kg of waste / hour
 3 Phase 4.0 kW (5.5 HP)
 Single and double trough units available on request.
 Weight: 100Kg

LIST PRICE EA. \$24000



MINI COMPACTOR SERIES

A unique range of Mini Compactors that solve the problem of commercial compacting in a compact design that also integrates easily into a commercial kitchen/bar thus maximising the recycling of waste all in one compact convenient unit saving time and costs.

IMC - leaders in waste disposal, compacting and recycling offer these models to suit different capacity requirements.

Compact all your recyclable plastics, food packaging waste, drinks cans, food tins, paper, card and glass – all in one convenient appliance. Optimised to encourage recycling by offering one-stop segregation of waste with ease and much more efficiency than traditional trash compactors.



F90/010 MC300 space required 300mm

Capacity: 39 Litres crushed storage
Equivalent un-crushed storage: 156 Litres
Compaction ratio: 4:1
Dimensions: 810-895mmH x 298mmW x 580mmD
Weight – empty 44kg
Electrical: 180W / 0.8A supplied corded with 10A plug
Near silent 6000Nm linear motor for 'hyper crush'
Stainless Steel Chassis for durability

LIST PRICE EA. \$4270



F90/020 MC400 space required 400mm

Capacity: 55 Litres crushed storage
Equivalent un-crushed storage: 219 Litres
Compaction ratio: 4:1
Dimensions: 810-895mmH x 398mmW x 580mmD
Weight – empty 47kg
Electrical: 180W / 0.8A supplied corded with 10A plug
Near silent 6000Nm linear motor for 'hyper crush'
Stainless Steel Chassis for durability

LIST PRICE EA. \$4860



Tight for space and storage of meals for peak periods?

JACKSTACK offers so many advantages in storage, preparation and serving, you'll wonder how you did without it.

JACKSTACK is the world leader in the efficient storage and transport of up to 104 plates in minimum time from kitchen to storage or banquet areas.

Generous 150mm diameter wheels allow for easy maneuverability of the Jackstack anywhere, and the plate racks are easily adjustable to suit all applications - even mixing plate sizes.

Models provide 50mm spacing between plate supports and they can be loaded and unloaded from four sides, and carry up to 400 empty plates to the dishwasher.



JACKSTACK Model JS104

Makes it possible to stack between 12 to 104 plates of any size.

Different size plates can be accommodated by adjusting the racks to suit. (For pizza applications, a special 'P' model longer arm unit is available at extra cost).

The unit comes with four castors (two with brakes), and easy to follow assembly instructions.

Assembled Dimensions: 600W x 600D x 1790Hmm

Shipping Dimensions: 800W x 620D x 300Hmm

Weight: 28Kg

CODE	CAPACITY	SPACING	DIMENSION	\$
JS104	104 plates	50mm	600x600x1790mmH	2730

JACKSTACK OPTIONS

Thermocover for JS104

Preserves 72-104 plates in transit with warm or cold food.

Made of industrial High Tenacity PES fabric, with polyester fibre centre layer.

Includes special arm extensions.

Complete with 4 horizontal and 4 vertical zippers.

Washable - hygienic in use.

Dimensions: 720 x 720 x 1590Hmm.

Shipping Dimensions: 430 x 310 x 260Hmm

Weight: 6Kg

MODEL	DESCRIPTION	\$
JS104TC	Thermal covers available on request (pictured)	1890
JS901PC	Non thermal covers for 90 plate unit	360



MODEL JS104TC Thermal Cover



297-SW16 VERTICAL CONTACT BUN TOASTER - *COMPACT SIZE*

When maximum throughput speed is essential, Prince Castle Vertical Bun Toasters offer up to 750 buns per hour capacity for venues that have high demand. The NEW 297-SW16 model is up to 20% smaller in footprint compared to previous models, and includes the 'Air Flapper' heat and energy saving device and new Front Safety Shield for operator safety and comfort.

297-SW-16

Slim-Line Vertical Bun Toaster – up to 750 Buns per hour.
New Air Flapper increases bun temperatures by up to 3°C and saves energy.
New operator heat shield provides greater operator safety.
Adjustable platen temperature up to 304°C.
Includes Teflon Kit, Air Flapper & Safety Shield.
Dimensions: 515W x 590H x 206Dmm
Weight: 32Kg
Electrical: 1890W, 8Amp. or 1910W with HLZ Option
Supplied with 10A plug.
LIST PRICE EA. \$4340



CTS-WCE SLIM-LINE VERTICAL TOASTER

Introducing Prince Castle's CTS-WCE Mini Slim-Line Vertical Contact Toaster. A revolutionary new design that increases toasting versatility, maximises space savings, and provides perfect caramelisation with the convenience of vertical contact toasting. The unique two-level platen design allows the operators to toast thicker bun crowns and thinner bun heels at the same time. The variable speed motor is adjustable to allow for toasting speeds up to 2200 buns per hour.

CTS-WCE

Sim-Line Vertical Bun Toaster – up to 2200 Buns per hour.
Small footprint of 514 x 184mm saves space
Adjustable toasting time from 9-40 seconds to customise product
Digital display and electronic controls make for precise and repeatable settings complete with wire belt
Simple to remove conveyor makes cleaning quick and easy
Dual compression adjustment knobs allow for maximum product flexibility
Accommodates all buns up to 1397mm in diameter
Heat Shield for cooler surfaces ensuring safer operation
Durable stainless steel construction makes the product easy-to-clean and maintain
Dimensions: 514W x 559H x 184Dmm
Weight: 30Kg
Electrical: 1500W, 6.25Amp.

LIST PRICE EA. \$7800



511-140

Top Mounting Bun Dresser – perfect solution to your buttering needs

Dimensions: 137W x 745H x 300Lmm
Weight: 2Kg
Electrical: 1500W, 6.25Amp.

LIST PRICE EA. \$920





PRINCE CASTLE DEDICATED HOLDING BINS - The benchmark WITH EXCLUSIVE *RELI-A-TEMP* HEATING TECHNOLOGY AND MENU TRAK TIMER SYSTEM.

DHB24ACE (WAS DHB2PT-33) - 8 Pans

Two Cavity, **Pass Through Model** – each cavity equipped with rack system which holds four pans (eight required in total), four individually controlled heaters.

Timer bars on both sides of unit.

Dimensions: 838 W x 282 H x 358 D mm.

Weight: 55Kg

Electrical: 2.6kw 11Amp Supplied with 15 amp plug.

Order Pans separately.

LIST PRICE EA. \$8250



Call for details on other
configurations to suit
your kitchen/plans.

DHB2SS-20 - 4 Pans

Two Cavity, **Single Sided Model** – each cavity equipped with rack system which holds two pans (four required in total), two individually controlled heaters.

Timer bar on front side of unit.

Dimensions: 500 W x 282 H x 358 D mm.

Weight: 24Kg

Electrical: 1550Watts 6.6 Amp, Supplied with 10 amp plug.

Order Pans separately.

LIST PRICE EA. \$6100



PANS FOR USE IN DHB CABINETS - save \$\$ with the 12 pack

CODE	DESCRIPTION	\$ each	\$ 12 pack
CLBK-7016	Double Handled Amber Pans, 1/3 size	81	880
CLBK-7015	Single Handled Amber Pans, 1/3 size	81	880



Double Handle Pan for
pass-through models



Prince Castle are innovators in food preparation and holding technologies, and offer quality solutions in many areas of the commercial kitchen. From Tomato/Citrus slicers to high speed vertical bun toasters to the industry standard Product Holding Units (PHUs) used in so many well known QSR outlets world-wide.

HEAVY SAUCE PORTION DISPENSERS - 580 SERIES

Commercial-duty sauce dispenser guns available in a choice of portion size/volume.

Suitable for most heavy sauces. Supplied without bottles.

Dispenser: 262 x 193mm. Weight 1.3Kg

CODE	PORTION SIZE	\$
580-NMCC	1/3 fl.oz (9.8ml)	380
581-NMCC	1/2 fl.oz (14.8 ml)	380
582-NMCC	2/3 fl.oz (19.5 ml)	380
583-NMCC	1 fl.oz (29.5 ml)	380



When ordering sauce dispensers, order #136-1 bottles if not using pre-packaged sauces.

ACCESSORIES FOR 580 SERIES HEAVY SAUCE DISPENSERS

Dispenser Bottles (case of 9) re-useable.

Each bottle is supplied with a nozzle for thinner sauces and a flexible valve for chunky sauces. Each bottle comes with end cap.

MODEL	DESCRIPTION	\$
136-1	DISPENSER BOTTLES (CASE OF 9) RE-USABLE	210

Bottle Storage Tray (Shown with bottles – supplied separately)

MODEL	DESCRIPTION	\$
155	BOTTLE STORAGE TRAY	160



SAUCE & MUSTARD DISPENSERS

Commercial-Duty Sauce and Mustard dispenser guns. Enjoy perfect dispensing with calibrated portion control.

- New slim/narrow design uses less prep table space
 - Capacity: 0.91 kg above refill line
 - Provides improved portion control (0.70ml)
 - Container Dimensions: 165 x 89mm Overall Height: 232mm Weight 1.40 Kg
 - Includes cover with tether attachment to reduce loss
 - Easy calibration – no tools required
- All internal parts are colored white or red, providing easy identification when mixed with mustard dispenser parts. Some assembly required.

CODE	DESCRIPTION	\$
398-CN	Mustard Dispenser Narrow	340
406-AN	Sauce Dispenser Narrow	410
417-ANP	Dual Holder for 398-CN and 406-AN	360



398-CN Narrow Mustard Dispenser SHOWN



417-ANP Dual Holder

PRINCE CASTLE POUCH MATE

404-26

Use with any Pouch-Pak condiment.
Saves money by recovering previously wasted product
Simple to use
Stainless steel construction

LIST PRICE EA. **\$115**






TOMATO SABER

Prince Castle's Tomato Saber is the world's leading tomato slicing system. The Perma-Tight® blade cartridge never requires blade tightening or adjusting. Blade replacement is fast and easy – simply snap the blade cartridge into position and the Saber is ready to use. A contoured pusher head holds the tomato in place for slicing, and permanently lubricated bearings ensure the slicing stroke is smooth and quick. The exclusive tomato catcher snaps onto the unit and catches the sliced tomato for easy handling.

Overall dimensions: 465W x 216D x 238Hmm

Weight: 6.4Kg.



CODE	DESCRIPTION	\$
943-A	Tomato Saber 4.7mm Slice (12 blades)	1250
943-B	Tomato Saber 6.3 mm Slice (9 blades)	1220

Replacement Blades can be purchased individually from our Spares/Parts Department, see chart.

SABER MODEL	CUT SIZE/ No of blades	PART CODE
943-A	4.7mm, 12 blade	943-038A
943-B	6.3mm, 9 blade	943-039A

TOMATO CORE-IT

The fastest, safest way to easily core the tomato prior to slicing/dicing/cutting. Available singly or in bulk.

CODE	DESCRIPTION	\$
953	TOMATO CORE IT	10
950-1	Bulk Pack (Box of 144)	690



WEDGE WITCH

Citrus wedge slicers for the busiest bar/kitchen. Rugged blade construction and simple to use, with the choice of the heavy duty 908 model or the economical CW-6 (Yellow body) for smaller operations.

MODEL	DESCRIPTION	\$
908-A8	WEDGE WITCH (8 SECTION) ALL METAL	570
CW-6	CITRUS SABER (8 SECTION) YELLOW POLYCARBONATE	300



DICE WITCH

The answer to heavy duty dicing, with sturdy frame, precision pusher head and cutter assembly.

MODEL	DESCRIPTION	\$
910-A	Dice Witch 3/8" (9.53mm) Square Cut	880





PRINCE CASTLE GRILL BRUSHES & MAINTENANCE TOOLS

Essential equipment for every venue involved in heavy grilling/char grilling. These heavy duty brushes are available in Medium or Coarse grade to suit most grills.

CODE	DESCRIPTION	\$
CC	Char-Brush (coarse)	145
CM	Char-Brush (medium)	140



Replacement brush heads (6 / Box) can be purchased individually from our Spares/Parts Department and come with replacement screws (see chart).

BRUSH MODEL	REPLACEMENT HEAD
CC	CC-1
CM	CM-1

REDI-GRILL GRILL MAINTENANCE TOOLS

Maintain food standards and quality with these professional grill tools. The heavy duty 161 Scraper makes light work of grill plate maintenance.

CODE	DESCRIPTION	\$
161	Redi-Grill Scraper	185



Replacement Scraper Blades can be purchased from our Spares/Parts Department (see chart).

SCRAPER BLADE CODE	DESCRIPTION
161-HD	Heavy Duty
161-6DP	Disposable (Pk6)

Quick cleanup of the grill plate surface during the day is made easy with this made-for-purpose heavy duty grill plate wiper.

CODE	DESCRIPTION	\$
233-71A	Grill wiper	245



Replacement Wiper Blades can be purchased from our Spares/Parts Department (see chart).

WIPER MODEL	REPLACEMENT WIPER
233-71A	233-86C (Pk4)

BUTTER SPREADER/MELTING PAN

50

Dress Up Butter Spreader

LIST PRICE EA. \$360



MOP & BROOM STATIONS

918-B

Mop and Broom Station
450mm long

LIST PRICE EA. \$165



FRY SCOOPS

252-DH

Sturdy Dual Handle Fry Scoop.

LIST PRICE EA. \$78



San Jamar have been the innovators in quality solutions for food safety, counter service and washroom products- innovation driven by real world experience directly gained from its customers. Products that are used throughout the world that make dispensing, food handling, transportation, safety and sanitation so vital to successful food and venue management. With an ever increasing product range, San Jamar offer a high quality, reliable answer to the many needs in any establishment.

EZ-FIT CUP & LID DISPENSERS

The most versatile and popular cup dispenser to accommodate cup sizes from 73-121mm diameter, with easy to change rubber gaskets. Easy to install, reliable and ideal for venues dispensing different size cups, or where the cup size requirements may change over time.

Comes with pack of 4 different size black gaskets (S, M, L, XL) and chrome finish ring.

C2410CBKFSM EZ-Fit One-Size-Fits-All Counter Mount CUP Dispenser

Metal finish trim ring, supplied with 4 pre-cut gaskets. Suits Rim Diameters: 73-121 mm
Tube Length: 597 mm, 146mm counter hole diameter.

[Companion Lid dispenser available - \(see L2400CFSM below\).](#)

LIST PRICE EA. \$170



L2400CFSM Ez-Fit In-Counter LID Dispenser

(Companion to C2410 model dispensers)

Suits 95-115mm diameter lids, with "metal finish" trim ring.

Tube length: 603mm. 146mm counter hole diameter.

LIST PRICE EA. \$175

Recommended
for Horizontal
mounting.



C2210CBKFSM EZ-Fit One-Size-Fits-All Counter Mount CUP Dispenser

Metal finish trim ring, supplied with 4 pre-cut gaskets. Suits Rim Diameters: 73-98 mm

Tube Length: 590 mm, 124mm counter hole diameter.

[Companion Lid dispenser available - \(see L2200CFSM below\).](#)

LIST PRICE EA. \$155



L2200CFSM Ez-Fit In-Counter LID Dispenser

(Companion to C2210 model dispensers)

Suits 70-95mm diameter lids, with "metal finish" trim ring.

Tube length: 603mm. 124mm counter hole diameter.

LIST PRICE EA. \$175

Recommended
for Horizontal
mounting.



C2410SM Surface Mount CUP Dispenser

One-Size-Fits-All EZ-Fit model for installations where counter mounting is impractical, comes with sturdy wire frame for mounting.

Rim Diameter 73-121 mm. Tube Length 597 mm.

Supplied with 4 pre-cut gaskets.

LIST PRICE EA. \$330





WIREWORKS CUP DISPENSER & LID ORGANISER

Cost effective option for dispensing paper, plastic or foam cups one-at-a-time. Coils adjust to fit cups ranging from 3 to 4.5mm rim diameter. Comes with side panels to prevent contamination.

CODE	DESCRIPTION	\$
C8503WFD	2 Cup dispensers, 1 lid organizer, 2 side panels.	485
C8504WFD	3 Cup dispensers, 1 lid organizer, 2 side panels.	590

ACCESSORIES

CODE	DESCRIPTION	\$
C8500S	Optional straw caddy to suit both of the above models, sold separately.	35
X101924	Optional spindle to suit both above models, sold separately.	21



C8503WFD shown with optional Straw Caddy and spindles



WALL MOUNT PULL TYPE FOAM CUP DISPENSERS

UNBREAKABLE POLYETHYLENE

San Jamar Foam Cup Dispensers in economical and unbreakable Polyethylene construction with an easy to install wall mount 'slide-on' system, in two sizes to suit a wide range of Foam Cups.

MODEL	CUP SIZE	RIM DIA.	\$
C4210PFSD	120-300 ml	70-85 mm	90
C4410PFSD	350-710 ml	82-98 mm	98

STAINLESS STEEL

San Jamar Foam Cup Dispensers in Stainless Steel construction with an easy to install wall mount 'slide-on' system, in three sizes to suit a wide range of Foam Cups.

MODEL	CUP SIZE	RIM DIA.	\$
C4200PF	120-300 ml	70-85 mm	125
C4400PF	350-710 ml	82-98 mm	140
C4500PF	950-1360 ml	98-123 mm	235



WALL MOUNT PULL TYPE PAPER CUP DISPENSERS

UNBREAKABLE POLYETHYLENE

San Jamar Paper Cup Dispensers in economical and unbreakable Red Polyethylene construction with an easy to install wall mount 'slide-on' system, in two sizes to suit a wide range of Paper Cups.

MODEL	CUP SIZE	RIM DIA.	\$
C4210PRD	120-350 ml	64-82 mm	90
C4410PRD	350-710 ml	85-98 mm	100



WALL MOUNT PULL TYPE STAINLESS STEEL CUP DISPENSERS

San Jamar's stainless steel dispensers offer the high-end image that only stainless steel can provide, with the utmost durability. Our pull-type cup dispensers have San Jamar's patented, time-tested design for dependable one-at-a-time dispensing. These dispensers include 'slide-on' wall mount brackets.

MODEL	CUP SIZE	RIM DIA.	\$
C3200P	180-300 ml	50-80 mm	140
C3400P	350-710 ml	70-98 mm	150
C3500P	950-1360 ml	101-123 mm	220





NAPKIN / LID and STRAW DISPENSERS

H2003CLSS IN-COUNTER NAPKIN DISPENSER


Napkins are readily available with this San Jamar Inter-fold In-Counter Napkin Dispenser - It holds 750+ interfold napkins without taking up valuable counter space, with the San Jamar Control clear faceplate to minimise wastage. Durable stainless steel trim and storage box.

Maximise your counter space with San Jamar.

Dimensions: 140mmD x 178mmW x 498mm H.

Cutout size 140mm x 195mm.

LIST PRICE EA. **\$620**




5003TBK COUNTER-TOP NAPKIN DISPENSER

San Jamar's Venue® line of napkin dispensers offer optimal dispensing for a variety of interfold napkin sizes. The stackable design is ideal for dispensing in tight spaces.

- ▶ Patented one-at-a-time dispensing reduces napkin waste
- ▶ 33% more capacity than competing full-fold dispensers
- ▶ Built-in overload protection allows for smooth dispensing down to the last napkin
- ▶ Stackable design doubles capacity in the same footprint
- ▶ Durable, break-resistant plastic construction.

Dimensions: 184H x 203W x 400Dmm

LIST PRICE EA. **\$150**




H5000STBK COUNTER-TOP with Stand NAPKIN DISPENSER

San Jamar's Venue® Napkin Dispenser with Stand is an ideal choice for full-fold countertop napkin dispensing. The Venue® Napkin dispenser provides smooth, precise dispensing—even at maximum capacity. The stand feature enhances image and offers high-volume dispensing in tight spaces.

- ▶ Patented one-at-a-time dispensing reduces napkin waste
- ▶ 33% more capacity than competing mini-fold and full-fold dispensers
- ▶ Stand model enhances image and saves counter space
- ▶ Smooth dispensing down to the last napkin
- ▶ Impact-resistant plastic construction

Dimensions: 45H x 203W x 330Dmm

LIST PRICE EA. **\$185**



Counter or Wall Mounted LID ORGANISER – 3 STACKS

L1014

Each compartment is adjustable to adapt to the lid size. Anti-slip feet ensure that unit will stay in place during counter-top use. Dimensions 165H x 362W x 133D

LIST PRICE EA. **\$260**



Counter Mounted STRAW DISPENSER

L320C

Organises straws or stirrers utilising a simple mounting ring to lock and secure the holder. Also doubles as a trash chute with removable bottom plate. Diameter: 136 mm Tube Length: 152 mm. Counter hole diameter 106mm.

LIST PRICE EA. **\$118**



ALSO AVAILABLE (not illustrated) L360C Large Trash Chute 168mm Diameter **\$88**



PUMP SYSTEMS / BAR SUPPLIES / SAFETY WRAP

FRONTLINE PUMP SYSTEMS

Perfect for self-service areas where portion control is critical.

Ultra pumps dispense in 1 x 28.34g portions.

2.36 litre jars are removable for easy cleaning and refilling.



CONDIMENT PUMP SERVICE CENTRES

MODEL	WELLS/PUMPS	\$
P9712	2 well with 2 pumps	555
P9713	3 well with 3 pumps	720
P9715	5 well with 5 pumps	1170

THE DOME GARNISH CENTRE

BD4006S

- ▶ The domed lid rotates back for easy access and increased capacity when closed.
- ▶ Uses six standard size trays supplied to keep food chilled (or optional deep trays for extra capacity).
- ▶ Complete unit is slanted towards the operator for convenience
- ▶ Integrated snap-on caddies store straws, stirrers and picks.
- ▶ Dimensions:
590mmW x 180mmH x 130mmD with Caddies
520mmW x 180mmH x 130mmD without Caddies

LIST PRICE EA. **\$160**



BD4006S shown with caddies installed

THE MINI DOME GARNISH CENTRE

BD2002

- ▶ Connectors provide modularity between Mini Dome, Dome and snap-on caddies.

LIST PRICE EA. **\$90**



SAF-T-WRAP DISPENSER

Makes proper food rotation faster and easier by combining wrapping and date labelling tools in one convenient location.

Saf-T-Wrap® Station holds film or foil, dating labels and includes storage areas for box cutters, pens and markers. Safer and more sanitary than dirty film and foil boxes, Saf-T-Wrap® Station's commercial-grade suction cup feet hold securely to countertops during use, minimising cut injuries.

SW1218SC

- ▶ Saves money by reducing labelling time and minimizing food waste by aiding in FIFO food rotation.
- ▶ Dispenses dating labels in multiple sizes and configurations.
- ▶ Comes with slider safety blade for film, foil and paper.

LIST PRICE EA. **\$235**





KLEEN-PAIL®

Kleen-Pail's meet HACCP dedicated use guidelines for cleaning and sanitising cloths used to wipe down surface areas. Kleen-Pails make it easy to separate containers used for food storage from those used for dangerous non-food purposes. They also eliminate potential confusion between cleaning and sanitising solution containers. Green Kleen-Pails are used for soap solutions and Red Kleen-Pails are used for sanitising solutions.

KP256RD Kleen-Pail® RED

KP256GN Kleen-Pail® GREEN

Each unit comes with volume indicators on the inside of the pail.

LIST PRICE EA. \$24



KP500

Kleen-Pail® Caddy System

Each unit comes complete with integrated spray bottle holder and cleaning solution pail as well as sanitiser spray bottle.

LIST PRICE EA. \$52



ALLERGEN SAFE-T-ZONE SYSTEM

ASZ121812SYS

- ▶ Protects guests with food allergies
- ▶ Special purple colour to alert all kitchen staff
- ▶ Handy case includes Saf-T-Grip 305x457mm cutting board, tongs, turner and chef's knife.
- ▶ Board and tools dishwasher safe
- ▶ Works to avoid allergen cross-contact/contamination
- ▶ Optional waterproof thermometer available (code ASZTHERMW)

LIST PRICE EA. \$310



ASZTHERMW Optional professional thermometer (waterproof and dishwasher safe) POA



DOCKET HOLDERS / SLIDE CHECK RAILS

Anodised Aluminium Docket Holders provide an easy-to-use system for check orders. Unique design allows for one handed check placement.

- ▶ **Aluminium slide check racks** available in various lengths.
- ▶ **Glass marbles** hold checks in place and will not melt even under the hottest of kitchen temperatures.



MODEL	CONSTRUCTION	LENGTH	\$
CK6524A	Slide Check Rack – Aluminium	610 mm	54
CK6536A	Slide Check Rack – Aluminium	915 mm	70
CK6548A	Slide Check Rack – Aluminium	1220 mm	95

HAND WASHING STATION COMBO - Hands Free & manual models

These Hand Washing Station Combo packs are the economical solution that ensures all the tools needed for employees to properly wash their hands are readily available. Controls towel usage per user and has completely hands free operation with the T1440TBK model with long-lasting battery power and manual override feature. Place these units wherever required to comply with regulations without the need for an electrician.

T1440TBK (Automatic Hands free)

- ▶ Smart System **Touchless** battery powered towel dispenser dispenses any quality of paper automatically with sensors, easy to use and reduces wastage. Adjustable length & interval time.
- ▶ Touchless Soap Dispenser battery-powered (up to 80,000 cycles/6 months)
- ▶ Dispense a wide variety of liquid, soaps, sanitisers (except pumice).
- ▶ Unique hybrid manual pump override when batteries run low
- ▶ Hand washing chart gives step-by-step instructions for proper hand washing.

LIST PRICE EA. **\$720**



Available in Black only.

T1430TBL (Touchless Towel Dispenser)

- ▶ Smart System Touchless battery powered towel dispenser Dispenses any quality of paper automatically with sensors, easy to use and reduces wastage.
- ▶ Bulk soap dispenser will dispense a wide variety of liquid and lotion, soaps (except pumice).
- ▶ Hand washing chart gives step-by-step instructions for proper hand washing.

LIST PRICE EA. **\$560**



Soap dispenser above available in Arctic Blue to match towel dispenser. Please advise when ordering.



DROP-IN ICE CREAM FREEZER

The Silver King Drop in Ice Cream Freezer is easily installed in any bar or bench top. Complete with stainless steel interior with curved corners for fast, easy cleaning.

There is an anti-condensation heater around the top opening to prevent moisture formation. Insulated with environmentally friendly polyurethane foamed-in-place for maximum efficiency, strength and durability. Digital controller is now standard.

SKDI

The refrigeration system is CFC-free, hermetically sealed, and self-contained with fan cooled condenser.

Cold wall evaporator provides optimum ice cream dipping temperature.

Comes with adjustable electronic temperature control.

Features heavy gauge, galvanised steel welded angle frame and base assembly.

Adjustable temperature: -4.4°C to -12°C

Electrical: 480 Watt, 2A, supplied with 10 amp plug.


Dimensions: (less lid): 413W x 413D x 625Hmm

Internal dimensions: 305W x 310D x 295Hmm

Weight: 36Kgs

LIST PRICE EA.

\$5995




K30-1010

Dipperwell Assembly

Stainless Steel Dipperwell complete with inner and outer shell, Stainless Steel drain, highly polished chrome plated faucet, chrome plated brass tailpiece. Suits 150mm cutout.

LIST PRICE EA.

\$395





SINGLE BURNER GRILL

At last the answer to every chef and operator's dream - superb quality cooking, with less cleaning, no charcoal and less emissions - all using less gas! Up to 59% less.

This is SYNERGY, the patented answer to so many traditional cooking problems. With unique fat atomising technology and low energy consumption you can prepare brilliant food quality with less shrinkage, at approximately half your previous energy cost, and use less of your staff's time cleaning up.

With no fat residue, there's no fat/drip tray to clean.

The secret is the ceramic heat bed and patented vortex gas/air mixture that combine to create a whole new era in grilled food, and no thermo-couples required. A range of models and accessories are available and all models come with the Synergy Lifting and Scraper Tools.

ST630

Single Burner Synergy Grill

Energy Consumption:

Natural Gas: 20.52MJ

LPG: 27.36MJ

Gas Connection: 3/4" BSP

Cooking Area: 530 x 500mm (2650cm²)

On/Off Switch & variable heat control

Electrical: 50W, supplied with 10A plug

Dimensions: 644 x 646 x 380mm (WxDxH)

Packed Dimensions: 1000 x 1000 x 710 (WxDxH)

Nett weight: 80 Kg

Synergy Lifting Tool & Synergy Scraping Tool included.

Comes with slow cook shelf and Garnish Rail as standard.

LIST PRICE EA. \$11590



ST630 Shown with the optional Resting Shelf

CODE	SYNERGY GRILL Option	Description	\$
SG630GR	Synergy ST630 Garnish Rail	Includes 2x1/9 65mm GN pans	Included
GRIDDLE400	Griddle Plate	Size: 400W x 495D x 15Hmm	945
SG630SCS	Synergy ST630 Slow Cook Shelf	Size: 644 x 300mm	Included
SG630RS	Synergy ST630 Resting Shelf	Size: 644 x 300mm	980
SG600ST	Synergy ST630 S/S Stand (adj. feet)	Size: 644W x 740D x 570Hmm	1360
SG600MT	Synergy ST630 S/S Stand & Castors	Size: 644W x 740D x 570Hmm	1630



SYNERGY
Grill Scraper and
Lifter Tools included



DUAL BURNER GRILL

ST900

Dual Burner Synergy Grill

Energy Consumption:

Natural Gas: 41MJ

LPG: 54.72MJ

Gas Connection: 3/4" BSP

Cooking Area: 800 x 500mm (4000cm²)

On/Off Switch & variable heat control

Electrical: 100W, supplied with 10A plug

Dimensions: 900 x 646 x 380mm (WxDxH)

Packed Dimensions: 1200 x 1000 x 710mm (WxDxH)

Nett weight: 117 Kg

Synergy Lifting Tool and Synergy Scraping Tool included.

Comes with slow cook shelf and Garnish Rail as standard.

LIST PRICE EA. \$15700



ST900 Shown with the optional Resting Shelf

SYNERGY SG900 GRILL Options		Description	\$
SG900GR	Synergy ST900 Garnish Rail	Includes 3x1/9 65mm GN pans	Included
GRIDDLE400	Griddle Plate	Size: 300W x 495D x 15Hmm	935
SG900SCS	Synergy ST900 Slow Cook Shelf	Size: 905 x 200mm	Included
SG900RS	Synergy ST900 Resting Shelf	Size: 905 x 300mm	1140
SG900ST	Synergy ST900 S/S Stand (adj. feet)	Size: 900W x 740D x 570Hmm	1380
SG900MT	Synergy ST900 S/S Stand & Castors	Size: 900W x 740D x 570Hmm	1825



SYNERGY
Grill Scraper and
Lifter Tools included



TRIPLE BURNER GRILL



ST1300 Shown with the optional Resting Shelf

ST1300

Triple Burner Synergy Grill

Energy Consumption:

Natural Gas: 61.5MJ

LPG: 82MJ

Gas Connection: 3/4" BSP

Cooking Area: 1200 x 554mm (6600cm²)

On/Off Switch & variable heat control

Electrical: 150W, supplied with 10A plug

Dimensions: 1300 x 705 x 380mm (WxDxH)

Packed Dimensions: 1550 x 1000 x 710mm (WxDxH)

Nett weight: 155 Kg

Synergy Lifting Tool and Synergy Scraping Tool included.

Comes with slow cook shelf and Garnish Rail as standard.

LIST PRICE EA. \$22600

SYNERGY SG1300 GRILL Options		Description	\$
SG1300GR	Synergy ST1300 Garnish Rail	Includes 5x1/9 65mm GN pans	Included
GRIDDLE400L	Griddle Plate	Size: 400W x 550D x 15Hmm	1050
SG1300SCS	Synergy ST1300 Slow Cook Shelf	Size: 1304 x 200mm	Included
SG1300RS	Synergy ST1300 Resting Shelf	Size: 1304 x 300mm	1500
SG1300ST	Synergy ST1300 S/S Stand (Adj. feet)	Size: 1300W x 800D x 570Hmm	1400
SG1300MT	Synergy ST1300 S/S Stand & Castors	Size: 1300W x 800D x 570Hmm	1990



SYNERGY
Grill Scraper and
Lifter Tools included



FOUR BURNER GRILL

ST1700

Four Burner Synergy Grill

Energy Consumption:

Natural Gas: 82.08MJ

LPG: 100.8MJ

Gas Connection: 3/4" BSP

Cooking Area: 1600 x 554mm (8864cm²)

On/Off Switch & variable heat control

Electrical: 200W, supplied with 10A plug

Dimensions: 1700 x 705 x 380mm (WxDxH)

Packed Dimensions: 1800 x 1000 x 700mm (WxDxH)

Nett weight: 260 Kg

Synergy Lifting Tool and Synergy Scraping Tool Included.

Comes with slow cook shelf and Garnish Rail as standard.

LIST PRICE EA. \$ 30200



ST1700 Shown with the optional Resting Shelf

SYNERGY SG1300 GRILL Options		Description	\$
SG1700GR	Synergy ST1700 Garnish Rail	Includes 8x1/9 65mm GN pans	Included
GRIDDLE400L	Griddle Plate	Size: 400W x 550D x 15Hmm	1050
SG1700SCS	Synergy ST1700 Slow Cook Shelf	Size: 1700 x 200mm	Included
SG1700RS	Synergy ST1700 Resting Shelf	Size: 1700 x 300mm	2500
SG1700ST	Synergy ST1700 S/S Stand (Adj. feet)	Size: 1700W x 800D x 570Hmm	1930
SG1700MT	Synergy ST1700 S/S Stand & Castors	Size: 1700W x 800D x 570Hmm	2680



SYNERGY
Grill Scraper and
Lifter Tools included

See Options page →



SYNERGY OPTIONS



□ **SYNERGY GRIDDLE PLATE**



□ **SYNERGY RESTING SHELF**

SYNERGY STAND WITH CASTORS □



Dimensions change to suit grill



The VITO® Portable Oil Filter System is available in three capacities to suit your workload and fryer capacity. Simple to use drop-in unit - no need to drain oil from the fryer.

VITO® is the ONLY simple to use pressure filtration system that removes contaminants down to 5 microns in size - more efficient than in-built filters, and VITO® can easily pay for itself inside twelve months. And it switches off automatically so you can get on with other work. Dishwasher safe designed and manufactured in Germany.

Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.

Add a VITO® FT 440 Oil Tester to determine *exactly* when to change the oil and save even more.

VITO® OIL FILTER SYSTEM

CODE	VITO MODEL	FILTER TIME (Approx)	CAPACITY & DESCRIPTION	WEIGHT	DIMS WHDmm	\$
101379	30	4.5 mins approx.	Suits fryers up to 12 Litres volume. 300W (10Amp plug) Includes 10 Filters	6.3Kg	116 x 356 x 176	2820
101380	50	4.5 mins approx.	Suits fryers up to 18 Litres volume. 300W (10Amp plug) Includes 10 Filters	7.7Kg	116 x 400 x 191	4275
102155	80	4.5 mins approx.	Suits fryers 20Litres volume upwards. 500W (10Amp plug) Includes 10 Filters	9.2Kg	116 x 487 x 185	4950



Exclusive In-Fryer Filtering
With Automatic Shut Off



VITO 30



VITO 50



VITO 80

VITO® REPLACEMENT CELLULOSE FILTERS

CODE	DESCRIPTION	\$
100112	V30 FILTERS Box of 100	310
100114	V50/80 FILTERS Box of 100	420

FT 440

VITO OIL TESTER

Food oil quality monitor and temperature measurement system, including probe, case & instructions. Easy to use "traffic light" warning system as well as digital display. Make sure you only change the oil when necessary and maintain perfect frying oil condition, whilst saving money.

LIST PRICE EA. \$1190



VITO FT 440
OIL TESTER



VITO FT 440
CASE &
INSTRUCTIONS



VITO X cleans the oil and stores it in its tank. It provides an easy and hygienic transport in the kitchen. **Because of its innovative vacuum-filtration technology, particles remain in the filter medium in a dry condition. Like every VITO oil filter system the X provides a microfiltration** ensuring the optimal quality of your oil is preserved. The unique design makes sure the X can handle temperatures up to 200°C and provides highest safety at work, due to avoiding **direct contact with hot oil. After filtration the oil can easily be pumped back into the fryer** automatically.

Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.

Add a VITO® FT 440 Oil Tester to determine *exactly* when to change the oil and save even more.

VITO® X VACUUM FILTRATION SYSTEM

CODE	DESCRIPTION	WEIGHT	DIMS WHDmm	\$
XS	Up to 30l/min filtration power and 40L tank	45Kg	553 x 843 x 883	9900
XM	Up to 30l/min filtration power and 75L tank	56Kg	553 x 1044 x 883	10800



Additional Features

- ▶ The VITO X can operate at frying temperatures
- ▶ Adjustable top handle
- ▶ Automatic off - Tank with built-in oillevel sensor
- ▶ Full stainless steel construction with cellulose filters (components used are food safe)
- ▶ Integrated heating for solid frying medium
- ▶ Big wheels with breaks
- ▶ Filter basket is dishwasher safe
- ▶ Easy off hose

VITO® REPLACEMENT CELLULOSE FILTERS

CODE	DESCRIPTION	\$
101441	FILTERS TO SUIT X SERIES Box of 50	410


YH041 DECK MOUNT

Premium Deck Mount Pre Rinse Assembly, complete with wall bracket and 6 Star rated Y729 gun as shown. Professional lever operated cartridge taps. Single hole mount. Overall height: 980mm. Operating water pressure Min 50kpa Max 500kpa.

LIST PRICE EA. \$1260

6 BUY PRICE EA. \$1220


12 LIST PRICE EA. \$1180



YHS021 DECK MOUNT

Premium Deck Mount Pre Rinse Assembly, complete with wall bracket and 6 Star rated Y729 gun as shown. Professional lever operated cartridge taps, Concealed mixer assy. Overall height: 960mm. Operating water pressure Min 50kpa Max 500kpa.

LIST PRICE EA. \$1280




All Yellow tapware is Australian Watermark approved and is WELS rated to deliver maximum performance. Yellow tapware is the premium quality choice for the most demanding of installations. And all Yellow tapware is covered by our exclusive on-site 13 month warranty on parts and labour.


YWS021 WALL MOUNT

Premium Wall Mount Pre Rinse Assembly, complete with wall bracket and 6 Star rated Y729 gun as shown. Professional lever operated cartridge taps. For concealed mixer (not supplied). Overall height: 960mm. Operating water pressure Min 50kpa Max 500kpa.

LIST PRICE EA. \$1390



COLOUR AND
TYPE OF HOSE
MAY DIFFER
FROM
ILLUSTRATED




Y063-Y182 ADD-ON FAUCET FOR ALL YELLOW PRE RINSE MODELS

Provides pot filling capability with 300mm Swing Spout, lever operation WELS 3 Star rated.

LIST PRICE EA. \$420

6 BUY PRICE EA. \$400

12 LIST PRICE EA. \$380



Y729 PRE-RINSE GUN

For all Yellow Pre Rinse units, WELS 6 Star rated for maximum economy / performance. Includes trigger ring for continuous operation. Simply the best and most comfortable gun available.

LIST PRICE EA. \$435



GUN ADAPTORS

Call for information on adaptors to upgrade your existing Pre-Rinse gun.




All Yellow tapware is Australian Watermark approved and is WELS rated to deliver maximum performance. Yellow tapware is the premium quality choice for the most demanding of installations. And all Yellow tapware is covered by our exclusive on-site 13 month warranty on parts and labour.

YX315 WALL MOUNT SINK SET 180 spout

Wall mount sink set, 180mm Swing Aerated spout, with 1/4 turn levers, ceramic disc. Operating water pressure Min 50kpa Max 500kpa.


LIST PRICE EA. **\$555**



YX315XYP112 WALL MOUNT SINK SET

300 spout Wall mount sink set, 300mm Swing Aerated spout, with 1/4 turn levers, ceramic disc. Operating water pressure Min 50kpa Max 800kpa.


LIST PRICE EA. **\$560**



YZ315 WALL MOUNT SINK SET 220 spout

Swing Aerated 220mm spout, jumper valve, concealed mixer, Four Arm Handles. Operating water pressure Min 50kpa Max 500kpa..


LIST PRICE EA. **\$560**



Y2047 WALL MOUNT POT & KETTLE FILLING FAUCET double jointed with spout on-off control

Premium Pot filler with 457mm swing arm, double jointed, includes convenient on/off control on spout. Operating water pressure Min 50kpa Max 500kpa.

LIST PRICE EA. **\$1080**






All Yellow tapware is Australian Watermark approved and is WELS rated to deliver maximum performance. Yellow tapware is the premium quality choice for the most demanding of installations. And all Yellow tapware is covered by our exclusive on-site 13 month warranty on parts and labour.

Y015-Y182 DECK MOUNT FAUCET

Double Pantry Faucet 300 Swing spout

Premium Deck Mount Faucet, 300mm Swing spout, with 1/4 turn levers. Water pressure Min 50kpa Max 500kpa. Includes 2 connection tails.

LIST PRICE EA. \$860




YX307XYP012 DECK MOUNT SINK SET

With 300 Swing spout

Premium Deck Sink Set, 300mm Aerated Swing spout, with 1/4 turn levers. Ceramic discs. Water pressure Min 50kpa Max 500kpa. Includes breach assembly.

LIST PRICE EA. \$530




YZ307XYP012 DECK MOUNT SINK SET

Four Arm Handles

Premium Deck Sink Set, 300mm Aerated Swing spout, with 4 Arm Handles, Jumper Valve, Concealed Mixer, Water pressure Min 50kpa Max 500kpa.

Includes breach assembly.

LIST PRICE EA. \$530





All Yellow tapware is Australian Watermark approved and is WELS rated to deliver maximum performance. Yellow tapware is the premium quality choice for the most demanding of installations. And all Yellow tapware is covered by our exclusive on-site 13 month warranty on parts and labour.

Yellow Heavy Duty Retractable Hose Reels are manufactured to commercial grade standards with heavy gauge steel construction and springs/latches for reliable operation. Available in various hose lengths as well as stainless steel option (KHR 1035 Models). Positive latch system holds hose at desired length. Wall, ceiling or floor mount. All hoses are suitable for up to 82°C and up to 500kpa.

HEAVY DUTY HOSE REELS

KHR-1035-OSS-Y722

11m HOSE

STAINLESS STEEL CONSTRUCTION

Open Hose Reel Assembly

11m (35') hose supplied with Y722 spray gun.

Shipping weight 17Kg

13 MONTH WARRANTY*

LIST PRICE EA. \$2450

KHR-1035-O-Y722

11m HOSE

GREY POWDER COATED

Open Hose Reel Assembly

11m (35') hose supplied with Y722 spray gun.

Shipping weight 17Kg

13 MONTH WARRANTY*

LIST PRICE EA. \$2080

KHR-1050-O-Y722

15.3m HOSE

GREY POWDER COATED

Open Hose Reel Assembly

15.3m (50') hose supplied with Y722 spray gun

Shipping weight 22Kg

13 MONTH WARRANTY*

LIST PRICE EA. \$3240



* 13 month parts and 13 month labour warranty covers manufacturing defects only.



Yellow Brand Induction Units, one of the leaders in induction technology to the Australian market, now established and recognised as a highly efficient and safe cooking technology. Yellow Induction units are made to last and offer superior performance and quality compared to lesser units. And each Yellow Induction model comes with our exclusive 13 month warranty for absolute peace of mind when you next specify for that important project.

YELLOW INDUCTION HOBS

SINGLE PORTABLE COUNTER-TOP HOBS

Y2500TT Counter Top Unit

Powerful 2500W portable table top unit plug-in self contained for use in kitchen / buffets.

Dimensions: 328 x 422 x 100mm

Ceramic glass dimension: 273 x 273 x 4mm (thick).

2500 watts. 15 amp plug.

LIST PRICE EA. \$1720



Y3500TT Counter Top Unit

High Power 3500W portable table top unit plug-in self contained for use in kitchen / buffets.

Dimensions: 385 x 520 x 177mm

Ceramic glass dimension: 300 x 300 x 6mm (thick).

3500 watts. 15 amp plug.

LIST PRICE EA. \$3150



Y1000WCS

Free Standing Unit mounted in attractive chrome stand with on-board controls and rear chafer support.

Dimensions: 385 x 385 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

1000 watts. 10 amp plug.

LIST PRICE EA. \$1820



Y300 Fanless Induction Warmer

300 watt drop-in buffet/warmer. Can daisy chain up to 4 units. No ventilation under required

Dimensions: 380 x 360 x 91.2mm

300 watts. 10 amp plug.

LIST PRICE EA. \$1180

Y300R Remote Controller

LIST PRICE EA. \$60



All Yellow Induction units offer Automatic Safety Shut-Off, Material Compatibility and small object Detector, Overheating Protection Device and Automatic Resetting. All these In-built/drop-in induction units have the same cut-out and require ventilation for optimum performance. Consult your FSM representative for more information.

SINGLE DROP-IN HOB UNITS

Y1000NT Drop In Unit

Perfect drop-in unit for buffet warming.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

1000 watts. 10 amp plug.

LIST PRICE EA. \$1450



Y2000D Drop In Unit

Powerful 2000 Watts of power in a drop-in unit, ideal for buffet/kitchen/holding with remote control.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2000 watts. 10 amp plug.

LIST PRICE EA. \$1640



Y2500AD Drop In Unit

High output 2500W drop-in unit for kitchen or buffet use.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2500 watts. 15 amp plug.

LIST PRICE EA. \$1920



Note: all these drop-In units have the same cutout dimensions



Yellow Induction built-in cooktops offer the rugged performance demanded of every commercial kitchen. Framed with stainless steel, these Dual Hob models have the capacity and versatility in one unit.

BUILT-IN COOKTOPS

Y3500DDSS

Built in Dual Hob Unit with remote controller for maximum performance and power, this dual unit offers versatility in a compact built-in unit.

Dimensions: 450 x 700 x 208mm

Comprises two 2 X 3500 watt cooking/warming surfaces.

Electrical: 7.2kw, 30 amp, Single phase. Unit supplied unplugged.

LIST PRICE EA. \$7250



**2 x
3500
WATTS
POWER**

MULTIZONE INDUCTION WARMER

YMC-2-1700

Versatile Multi Zone unit with two x 1700W units for warming/holding flexibility. Glass touch control panel and 10 hour timer.

Dimension: 806W x 386D x 111mmH

Vitro-Ceramic Plate Dimension:

800W x 380D x 4mm (thick).

LIST PRICE EA. \$4800



**2 x
1700
WATTS
POWER**



The new era of warming, **MULTI-ZONE Induction technology** that heats all points on the ceramic glass top. Newly developed technology can suit any shape and size of induction compatible display chafer, saucer, small utensils, pots and pans. Unlike normal Induction Units, these Yellow Multi-Zone units allow almost unlimited flexibility in pan size and placement and look fabulous in any setting.

MULTI-ZONE BUFFET INDUCTION

YMC-2-2500

Versatile Multi Zone unit with two x 2500W units for warming/holding flexibility. Complete with remote generator rack and two (2) remote controller panels (as below).
Dimension: 800W x 380D x 66mmH
Ceramic Glass Dimension: 800W x 380D x 6mm (thick).

LIST PRICE EA. \$8690



Two Remote controller panels supplied

**5000
WATTS
POWER**



YMC-3-2500

Versatile Multi Zone unit with three x 2500W units for warming/holding flexibility. Complete with remote generator rack and three (3) remote controller panels (as below).
Dimension: 1180W x 380D x 66mmH
Ceramic Glass Dimension: 1180W x 380D x 6mm (thick).

LIST PRICE EA. \$12200



Three Remote controller panels supplied

**7500
WATTS
POWER**



REMOTE GENERATOR CONTROL & RACK (included with above)

Compact and remote type generator with easy access for maintenance and less interruption to daily operation. These units are supplied with the cooktops above and can be located within 3m of the cooking surface.

MODEL	DIMENSIONS	CABLE LENGTH	TOTAL POWER
YMC-2-2500	385W x 450D x 275mmH	3m*	5kw, 30 amp.
YMC-3-2500	385W x 450D x 387.5mmH	3m*	7.5kw, 45 amp.

*Max 3m remote cable between hob and generator.
Each Generator is supplied with its own 15A plug.
YMC-2-2500 = 2 power cords and 15A plugs.
YMC-3-2500 = 3 power cords and 15A plugs.

All Multi-zone Induction generator units require adequate ventilation for maximum performance.

YMC-2-2500
GENERATOR RACK
SHOWN
MOUNTED REMOTELY



Maximise the potential of your Induction Units with these quality accessories, from modern high quality chafers to porcelain or stainless inserts.

INDUCTION ACCESSORIES

CHAFING DISHES

Round Induction chafer, beautifully polished stainless steel with glass hinge lid, soft close hinges. Two capacities.

CODE	SHAPE	DESCRIPTION	\$
HA4-503	Round	Round chafer, soft close lid, capacity 4.5 Litres	940
HA6-507	Round	Round chafer, soft close lid, capacity 6.5 Litres	1180



Square Induction chafer, beautifully polished stainless steel with glass hinge lid, soft close hinges. 5.5 Litre capacity.

CODE	SHAPE	DESCRIPTION	\$
HA5-601	Square	Square chafer, soft close lid, capacity 5.5 Litres	1190



YELLOW PLANETARY MIXER – STEPLESS VARIABLE DRIVE

Offering commercial quality at an affordable price is the Model B7C planetary mixer. With a wide range of accessories for flexibility and ease of use, including a wire whip, dough hook, flat beater, stainless bowl and integrated safety guard with unique dosing feeder. Plus the peace of mind of an Australia-wide 13 month parts and labour warranty.

B7C Commercial Planetary Mixer.

75-660 rpm variable speed.

Complete with wire whip, dough hook, flat beater, bowl and integrated safety guard with dosing feeder.

Specifications:

Power: 270W (0.36HP) 1.5A

Bowl Volume: 7L

Mixing Speed: 75~660rpm

Dosing Feeder integrated with safety guard

Dimensions: 410L x 230W x 420Hmm

Net Weight: 15kg

Supplied corded with 10A plug

Capacities:

Max. Flour: 1.5kg Max. Dough: 2.4kg-60% water

LIST PRICE EA. \$955

6 BUY PRICE EA. \$910



Accessories included



FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
49		554007	Versapour™ Polycarbonate Pitcher 1.77L Lip design allows easy pour of ice from front or either side; Sure Grip handle; Break resistant polycarbonate; 210Hmm	\$17.20	6	\$103.20
49		553807	Polycarbonate Clear Pitcher 1.5L Ice trap retains ice or beer foam. 195Hmm x base dia 85mm	\$16.00	6	\$96.00
41		580807	Louis™ SAN Tumbler 240mL Stackable design 86Hmm x top dia 76mm	\$4.90	24	\$117.60
41		581007	Louis™ SAN Tumbler 300mL Stackable design 116Hmm x top dia 73mm	\$5.00	24	\$120.00
42		400807	Crystalon® Stack-All® SAN Tumbler 250mL 102Hmm x top dia 71mm	\$2.70	48	\$129.60
32		190007	Clear Polycarbonate Plate Cover 238mmDia x 65Hmm	\$12.20	12	\$146.40
32		198907	Clear Polycarbonate Plate Cover 260mmDia x 76Hmm	\$15.00	12	\$180.00
144		OP30500	Pour Free Economical Free Flow Pourer – Red; BPA free; 25.4L x 25.4W x 76Hmm	\$0.80	12	\$9.60
145		WPM8538	Tapered Metal Pourers; Medium flow; Sturdy metal construction; Choice of three flow rates; Chrome plated; 25.4L x 25.4W x 76Hmm	\$6.50	12	\$78.00
204		4314107	Clear Polycarbonate Measuring Cup - 250ml; NSF approved and dish washer safe. 102L x 111W x 84Hmm	\$11.20	12	\$134.40

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
204		4314207	Clear Polycarbonate Measuring Cup - 500mL; NSF approved and dish washer safe.130L x 121W x 107Hmm	\$19.80	6	\$118.80
204		4314307	Clear Polycarbonate Measuring Cup 1000mL; NSF approved and dishwasher safe 146L x 160W x 135Hmm	\$22.90	6	\$137.40
163		1400GL004	GripLite® Round Polypropylene Tray 370mm – Black; Moulded in rubber liner to prevent slipping and sliding	\$17.50	12	\$210.00
163		1600GL004	GripLite® Round Polypropylene Tray 410mm – Black; Moulded in rubber liner to prevent slipping and sliding	\$28.00	12	\$336.00
162		1400GR2004	Griptite™ 2- Round Non-Skid Tray 350mm – Black; specially designed stain & odour resistant non-skid surface that is more durable and better looking	\$39.00	12	\$468.00
162		1600GR2004	Griptite™ 2- Round Non-Skid Tray 400mm – Black; specially designed stain & odour resistant non-skid surface that is more durable and better looking	\$53.00	12	\$636.00
-		DXSMC1520NSQ44	Non skid tray 381 x 508mm Stain, scratch and odour resistant; Sturdy fiberglass construction with reinforced edges; Quarry print design; Dishwasher safe	\$72.00	12	\$864.00
-		DXSMC1520NSM23	Non skid tray 381 x 508mm Stain, scratch and odour resistant; Sturdy fiberglass construction with reinforced edges; Marble print design; Dishwasher safe	\$72.00	12	\$864.00
-		DX1089M23	Glasteel™ flat tray 381 x 508mm – Grey Strong top-of-the-line Glasteel construction; Dishwasher safe	\$45.00	12	\$540.00
150		2015FG017	Glasteel™ flat tray 381 x 514mm – Red Strong top-of-the-line Glasteel construction; Dishwasher safe	\$39.00	12	\$468.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
145		430607	Polycarbonate Scoop - 180mL - Clear Total length 276mm	\$7.20	12	\$86.40
139		PS601N00	Store 'N Pour Bar Service Kit – 950mL Dishwasher safe; Colour co-ordinated spouts and caps for easy product identification; 334Hmm x 89mm dia	\$16.00	12	\$192.00
139		PS701B00	Store 'N Pour Bar Service Kit – 1900mL Dishwasher safe; Colour co-ordinated spouts and caps for easy product identification; 353Hmm x 124mm dia	\$18.00	6	\$108.00
-		DXSB607	SAN Clear Square bowl - 175ml capacity Look and feel of glass with the durability of plastic; Break resistant; Dishwasher safe; 102L x 102W x 32Hmm	\$3.00	96	\$288.00
-		DXSQD1007	SAN Clear Square bowl - 290ml capacity Look and feel of glass with the durability of plastic; Break resistant; Dishwasher safe; 100L x 100W x 45Hmm	\$4.25	48	\$204.00
-		DXSB1203	SAN Black Square bowl - 350ml Capacity Look and feel of china with the durability of plastic; Break resistant; Dishwasher safe; 102L x 102W x 64Hmm	\$6.50	48	\$312.00
-		DXSWC507	SAN Clear Tulip bowl - 150ml capacity Look and feel of glass with the durability of plastic; Break resistant; Dishwasher safe; Diameter: 95mm; Height: 45Hmm	\$3.00	96	\$288.00
-		DX11820174	Disposable clear dome lid to fit tulip cup DXSWC507	\$0.25	1000	\$250.00
111		CM1100C1402	Coldmaster® CoolCheck Food Pan 1/1 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 323W x 525L x 163Hmm	\$254.00	1	\$254.00
111		CM1101C1402	Coldmaster® CoolCheck Food Pan 1/2 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 263W x 323L x 153Hmm	\$197.00	1	\$197.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
111		CM1102C1402	Coldmaster® CoolCheck Food Pan 1/3 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 175W x 323L x 153Hmm	\$110.00	1	\$110.00
111		CM1103C1402	Coldmaster® CoolCheck® Divided Food Pan; 1/3 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 175W x 323L x 153Hmm	\$110.00	1	\$110.00
111		CM1104C1402	Coldmaster® CoolCheck Food Pan 1/6 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 159W x 174L x 150Hmm	\$95.00	1	\$95.00
113		CM104902	Coldmaster® Full-size Coldpan with Organizer Holds 9 ninth-size food pans (pans not included); Capacity (total): 23L; Colour: White; Dimensions (outside): 407W x 611L x 190Hmm	\$640.00	1	\$640.00
111		CM112507	Coldmaster® 1/1 Full-size Clear Lid Fits Coldmaster® standard food pan; Moulded in handle; Material - acrylic	\$43.00	2	\$86.00
223		30860HH13	StorPlus™ High Heat Food Pan Double handle; 1/3 Size; 65mm deep; Colour: Amber; 176W x 325Lmm; Handle length 95mm;	\$81.00	6	\$486.00
223		30860H13	StorPlus™ High Heat Food Pan Single handle; 1/3 Size; 65mm deep; Colour: Amber; 176W x 325Lmm; Handle length 95mm;	\$81.00	6	\$486.00
220		10200B07	StorPlus™ Full Size Clear Polycarbonate Food Pan Capacity: 6.6L 324W x 527Lmm; 65 mm deep	\$21.50	6	\$129.00
220		10201B07	StorPlus™ Full Size Clear Polycarbonate Food Pan Capacity: 13.3L 324W x 527Lmm; 100 mm deep	\$27.00	6	\$162.00
220		10202B07	StorPlus™ Full Size Clear Polycarbonate Food Pan Capacity: 24.1L 324W x 527Lmm; 150 mm deep	\$37.00	6	\$222.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
220		10220B07	StorPlus™ Half Size Clear Polycarbonate Food Pan Capacity: 3.12L 324W x 264Lmm; 65 mm deep	\$12.50	6	\$75.00
220		10221B07	StorPlus™ Half Size Clear Polycarbonate Food Pan Capacity: 5.7L 324W x 264Lmm; 100 mm deep	\$15.00	6	\$90.00
220		10222B07	StorPlus™ Half Size Clear Polycarbonate Food Pan Capacity: 8L 324W x 264Lmm; 150 mm deep	\$19.00	6	\$114.00
221		3066007	StorPlus™ 1/3 Size Clear Polycarbonate Food Pan Capacity: 2.6L 324W x 175Lmm; 65 mm deep	\$9.00	6	\$54.00
221		3066107	StorPlus™ 1/3 Size Clear Polycarbonate Food Pan Capacity: 3.6L 324W x 175Lmm; 100 mm deep	\$12.00	6	\$72.00
221		3066207	StorPlus™ 1/3 Size Clear Polycarbonate Food Pan Capacity: 5.3L 324W x 175Lmm; 150 mm deep	\$14.50	6	\$87.00
221		3068007	StorPlus™ 1/4 Size Clear Polycarbonate Food Pan Capacity: 1.8L 162W x 264Lmm; 65 mm deep	\$9.00	6	\$54.00
221		3068107	StorPlus™ 1/4 Size Clear Polycarbonate Food Pan Capacity: 2.7L 162W x 264Lmm; 100 mm deep	\$10.50	6	\$63.00
221		3068207	StorPlus™ 1/4 Size Clear Polycarbonate Food Pan Capacity: 4.3L 162W x 264Lmm; 150 mm deep	\$12.40	6	\$74.40
221		3068307	StorPlus™ 1/6 Size Clear Polycarbonate Food Pan Capacity: 0.95L 137W x 151Lmm; 65 mm deep	\$6.50	6	\$39.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
221		3068407	StorPlus™ 1/6 Size Clear Polycarbonate Food Pan Capacity: 1.9L 137W x 151Lmm; 100 mm deep	\$7.40	6	\$44.40
221		3068607	StorPlus™ 1/9 Size Clear Polycarbonate Food Pan Capacity: 0.68L 108W x 175Lmm; 65 mm deep	\$6.70	6	\$40.20
221		3068807	StorPlus™ Clear Food Pan 1/9 Size; Ideal for use in chilled/frozen storage; 108W x 176Lmm, 150mm Deep.	\$9.50	6	\$57.00
220		10200B03	StorPlus™ Full Size Black Polycarbonate Food Pan Capacity: 24.1L 324W x 527Lmm; 65 mm deep	\$21.50	6	\$129.00
220		10201B03	StorPlus™ Full Size Black Polycarbonate Food Pan Capacity: 24.1L 324W x 527Lmm; 100 mm deep	\$27.00	6	\$162.00
220		10202B03	StorPlus™ Full Size Black Polycarbonate Food Pan Capacity: 24.1L 324W x 527Lmm; 150 mm deep	\$37.00	6	\$222.00
220		10220B03	StorPlus™ Half Size Black Polycarbonate Food Pan Capacity: 3.12L 324W x 264Lmm; 65 mm deep	\$12.00	6	\$72.00
220		10221B03	StorPlus™ Half Size Black Polycarbonate Food Pan Capacity: 5.7L 324W x 264Lmm; 100 mm deep	\$15.00	6	\$90.00
220		10222B03	StorPlus™ Half Size Black Polycarbonate Food Pan Capacity: 8L 324W x 264Lmm; 150 mm deep	\$19.00	6	\$114.00
221		3066003	StorPlus™ 1/3 Size Black Polycarbonate Food Pan Capacity: 2.6L 324W x 175Lmm; 65 mm deep	\$9.00	6	\$54.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
221		3066103	StorPlus™ 1/3 Size Black Polycarbonate Food Pan Capacity: 3.6L 324W x 175Lmm; 100 mm deep	\$12.00	6	\$72.00
221		3066203	StorPlus™ 1/3 Size Black Polycarbonate Food Pan Capacity: 5.3L 324W x 175Lmm; 150 mm deep	\$14.00	6	\$84.00
221		3068003	StorPlus™ 1/4 Size Black Polycarbonate Food Pan Capacity: 1.8L 162W x 264Lmm; 65 mm deep	\$9.00	6	\$54.00
221		3068103	StorPlus™ 1/4 Size Black Polycarbonate Food Pan Capacity: 2.7L 162W x 264Lmm; 100 mm deep	\$10.50	6	\$63.00
221		3068203	StorPlus™ 1/4 Size Black Polycarbonate Food Pan Capacity: 4.3L 162W x 264Lmm; 150 mm deep	\$12.00	6	\$72.00
221		3068303	StorPlus™ 1/6 Size Black Polycarbonate Food Pan Capacity: 0.95L 137W x 151Lmm; 65 mm deep	\$6.50	6	\$39.00
221		3068403	StorPlus™ 1/6 Size Black Polycarbonate Food Pan Capacity: 1.9L 137W x 151Lmm; 100 mm deep	\$7.40	6	\$44.40
221		3068503	StorPlus™ 1/6 Size Black Polycarbonate Food Pan Capacity: 2.4L 137W x 151Lmm; 150 mm deep	\$10.00	6	\$60.00
221		3068603	StorPlus™ 1/9 Size Black Polycarbonate Food Pan Capacity: 0.68L 108W x 175Lmm; 65 mm deep	\$6.70	6	\$40.20
221		3068703	StorPlus™ 1/9 Size Black Polycarbonate Food Pan Capacity: 1.1L 108W x 175Lmm; 100 mm deep	\$8.00	6	\$48.00






FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
220		1021507	StorPlus™ 1/1 Size Clear Polycarbonate Drain Shelf 251W x 451L x 15Hmm	\$15.50	6	\$93.00
220		1023507	StorPlus™ 1/2 Size Clear Polycarbonate Drain Shelf 194W x 254L x 15Hmm	\$7.20	6	\$43.20
221		3067007	StorPlus™ 1/3 Size Clear Polycarbonate Drain Shelf 121W x 264L x 15Hmm	\$6.70	6	\$40.20
221		3069507	StorPlus™ 1/4 Size Clear Polycarbonate Drain Shelf 107W x 206L x 14Hmm	\$5.70	6	\$34.20
221		3068907	StorPlus™ 1/6 Size Clear Polycarbonate Drain Shelf 108W x 121L x 13Hmm	\$2.60	6	\$15.60
221		1033507	StorPlus™ 1/9 Size Clear Polycarbonate Drain Shelf 61W x 127L x 16Hmm	\$2.00	6	\$12.00
220		10210U07	StorPlus™ 1/1 Size Clear Polycarbonate Handled Lid, Unnotched 327W x 527L x 22Hmm	\$18.00	6	\$108.00
220		10230U07	StorPlus™ 1/2 Size Clear Polycarbonate Handled Lid, Unnotched 264W x 324L x 22Hmm	\$9.50	6	\$57.00
221		10279Z07	StorPlus™ EZ Access 1/3 Size Clear Polycarbonate Hinged Lid with Handle, Single Notched 178W x 324L x 28Hmm	\$17.00	6	\$102.00
221		10319Z07	StorPlus™ EZ Access 1/6 Size Clear Polycarbonate Hinged Lid with Handle, Single Notched 160W x 175L x 28Hmm	\$9.50	6	\$57.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
221		10339Z07	StorPlus™ EZ Access 1/9 Size Clear Polycarbonate Hinged Lid with Handle, Single Notched 110W x 175L x 28Hmm	\$10.00	6	\$60.00
202		4039302	Galaxy™ Flat Pastry Brush – white; 100mm wide; Nylon bristles with high fluid retaining capacity	\$30.00	12	\$360.00
202		4039002	Galaxy™ Flat Pastry Brush – white; 38mm wide; Nylon bristles with high fluid retaining capacity	\$18.50	12	\$222.00
56		S31202	Heavyweight Melamine Oval Ramekin; Colour – white; 90mL Capacity; Dimensions: 67W x 87L x 67Hmm	\$4.00	48	\$192.00
58		085242	Melamine Smooth Round Ramekin; Colour – “Bone”; 60mL Capacity; Dimensions: 67mmDia x 32Hmm	\$3.50	72	\$252.00
265		4053200	Universal Onion Cutter Cleaning Brush; Bristle length – 108mm; Superior, high grade stiff nylon bristle, long enough to reach crevices; All parts FDA compliant.	\$14.50	8	\$116.00
200		4037400	Sparta® Flat Boar Bristle Basting Brush; 50mm wide; Double-boiled, bleached, and sterilized premium Boar bristles; withstand temperatures up to 180°C	\$21.50	12	\$258.00
201		4037800	Sparta® Meteor® Boar Bristle Basting Brush; 50mm wide; Moulded plastic handle with projecting hook to allow brush to rest on container rim	\$22.00	12	\$264.00
269		4071100	Sparta® Grill Polishing Pads; Apply with cooking oil to protect the grill cure and remove excess cooked-on foods; 102W x 127Lmm; 64mm thickness	\$20.00	6	\$120.00
269		4067100	Sparta® Scratch Brush and Scraper; Carbon Steel Bristles; Bristle length 32mm; Brush size 140mm; Total length 291mm	\$15.50	12	\$186.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
269		4071000	Sparta® Grill Brick; Apply with oil to protect the grill, cure and remove excess cooked on foods. Dimensions: 203L x 102W x 89Hmm	\$7.60	12	\$91.20
268		4029300	Pizza Oven Brush with Scraper; Crimped Brass wire bristles and a full length Aluminum Scraper; 89mm wide; Bristle length 32mm	\$50.00	12	\$600.00
264		4546300	Sparta® Utility Scrub Brush; Stiff Palmyra bristles for woks and electric griddles; and high heat cleaning. Head: 216Lx102Wmm; Bristle length 42mm	\$9.20	12	\$110.40
268		4029000	Sparta® Broiler Master; Stainless steel wire bristles and scrapers; Excellent for removing heavy carbon deposits, rust and burned on food build up. One side of the brush has semi stiff and the other with coarse bristles; Head 216W x 127H x 775Lmm; Bristle length 25mm	\$79.00	6	\$474.00
253		107123	Save-All™ Stackable Silverware Tray Colour: Grey 292W x 540L x 95Hmm	\$26.00	6	\$156.00

KITCHEN ACCESSORIES

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
207		492104	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Yellow; Capacity: 30mL	\$9.00	12	\$108.00
207		492304	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Yellow; Capacity: 30mL	\$9.00	12	\$108.00
207		492201	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Brown; Capacity: 45mL	\$11.00	12	\$132.00
207		496101	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Brown; Capacity: 45mL	\$11.00	12	\$132.00
207		492405	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Red; Capacity: 60mL	\$13.00	12	\$156.00
207		496205	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Red; Capacity: 60mL	\$13.00	12	\$156.00
207		492602	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: White; Capacity: 90mL	\$13.80	12	\$165.60
207		492702	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: White; Capacity: 90mL	\$13.80	12	\$165.60
207		492808	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Forest Green; Capacity: 120mL	\$14.50	12	\$174.00
207		492908	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Forest Green; Capacity: 120mL	\$14.50	12	\$174.00











KITCHEN ACCESSORIES

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
207		493306	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Beige; Capacity: 150mL	\$15.20	12	\$182.40
207		496606	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Beige; Capacity: 150mL	\$15.20	12	\$182.40
207		493114	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Blue; Capacity: 240mL	\$18.50	12	\$222.00
207		496814	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Blue; Capacity: 240mL	\$18.50	12	\$222.00
207		395604	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Yellow; Capacity: 30mL	\$9.20	12	\$110.40
207		395704	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Yellow; Capacity: 30mL	\$9.20	12	\$110.40
207		396005	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Red; Capacity: 60mL	\$13.20	12	\$158.40
207		396105	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Red; Capacity: 60mL	\$13.20	12	\$158.40
207		397002	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: White; Capacity: 90mL	\$13.80	12	\$165.60
207		397102	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: White; Capacity: 90mL	\$13.80	12	\$165.60

KITCHEN ACCESSORIES

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
207		398008	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Forest Green; Capacity: 120mL	\$14.50	12	\$174.00
207		398108	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Forest Green; Capacity: 120mL	\$14.50	12	\$174.00
207		399003	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Black; Capacity: 180mL	\$16.50	12	\$198.00
207		399103	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Black; Capacity: 180mL	\$16.50	12	\$198.00
207		399214	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Blue; Capacity: 240mL	\$18.50	12	\$222.00
207		399314	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Blue; Capacity: 240mL	\$18.50	12	\$222.00




FOOD STORAGE SOLUTIONS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
228		10720AF07	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 2L ; Writing Surface to record date; Handles with drain holes; 181L x 181W x 97Hmm	\$13.00	6	\$78.00
228		1072107	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 4L ; Writing Surface to record date; Handles with drain holes; 181L x 181W x 185Hmm	\$20.00	6	\$120.00
228		1072207	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 6L ; Writing Surface to record date; Handles with drain holes; 222L x 222W x 186Hmm	\$25.00	6	\$150.00
228		1072307	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 8L ; Writing Surface to record date; Handles with drain holes; 222L x 222W x 229Hmm	\$29.50	6	\$177.00
228		1072407	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 12L ; Writing Surface to record date; Handles with drain holes; 282L x 282W x 209Hmm	\$40.00	6	\$240.00
228		1072507	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 18L ; Writing Surface to record date; Handles with drain holes; 282L x 282W x 320Hmm	\$59.00	6	\$354.00
228		1072607	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 22L ; Writing Surface to record date; Handles with drain holes; 282L x 282W x 399Hmm	\$74.00	6	\$444.00
228		1074008	StorPlus™ Square Container Lid; To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 2L, 4L; 186W x 186L x 16Hmm	\$5.40	6	\$32.40
228		1074105	StorPlus™ Square Container Lid; To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 6L, 8L; 229W x 229L x 16Hmm	\$6.50	6	\$39.00
228		1074260	StorPlus™ Square Container Lid; To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 12L, 18L, 22L; 289L x 289W x 16Hmm	\$9.50	6	\$57.00

FOOD STORAGE SOLUTIONS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
233		BIN2702	Ingredient Bin; Capacity 102 Litre; Colour White; Heavy duty non-marking castors. Lids slide for easy opening; 724L x 322W x 708Hmm	\$600.00	1	\$600.00
233		BIN3602	Ingredient Bin; Capacity 136 Litre; Colour White; Heavy duty non-marking castors. Lids slide for easy opening; 750 L x 390 W x 718Hmm	\$650.00	1	\$650.00
324		34102002	Bronco™ White Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; NSF2 approved for food storage; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	\$56.50	6	\$339.00
324		34102102	Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour White; Dimensions: 508mm dia x 32Hmm	\$16.20	6	\$97.20
325		3691103	Bronco™ Round Waste Container Dolly; Suits Bronco™ Round Waste Bins; Simple twist-to-lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm	\$95.00	2	\$190.00
252		N4401103	Comfort Curve™ Tote Box Colour: Black; BPA Free & NSF approved; 546W x 394L x 178Hmm	\$36.90	12	\$442.80
252		N4401102	Comfort Curve™ Tote Box Colour: White; BPA Free & NSF approved; 546W x 394L x 178Hmm	\$36.90	12	\$442.80
226		1062007	StorPlus™ Clear Polycarbonate Food Box Capacity: 19L; 457W x 660L x 89Hmm	\$52.50	6	\$315.00
226		1061007	StorPlus™ Clear Polycarbonate Food Box Capacity: 7L; 304W x 457L x 89Hmm	\$28.50	6	\$171.00
226		1061107	StorPlus™ Clear Polycarbonate Food Box Capacity: 13L; 304W x 457L x 152Hmm	\$36.50	6	\$219.00

FOOD STORAGE SOLUTIONS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
226		1061207	StorPlus™ Clear Polycarbonate Food Box Capacity: 19L; 304W x 457L x 228Hmm	\$48.80	6	\$292.80
226		1062107	StorPlus™ Clear Polycarbonate Food Box Capacity: 32L; 660W x 457L x 152Hmm	\$68.40	6	\$410.40
226		1062207	StorPlus™ Clear Polycarbonate Food Box Capacity: 47L; 660W x 457L x 228Hmm	\$89.90	4	\$359.60
226		1062307	StorPlus™ Clear Polycarbonate Food Box Capacity: 62L; 660W x 457L x 304Hmm	\$109.00	3	\$327.00
226		1062407	StorPlus™ Clear Polycarbonate Food Box Capacity: 81L; 660W x 457L x 381Hmm	\$129.00	3	\$387.00
226		1061707	StorPlus™ Clear Polycarbonate Lid Fits 304W x 457Lmm Food Boxes of various heights; Lid dimensions: 304W x 457L x 32Hmm	\$17.90	6	\$107.40
226		1062707	StorPlus™ Clear Polycarbonate Lid Fits 660W x 457Lmm Food Boxes of various heights; Lid dimensions: 660W x 457L x 32Hmm	\$35.80	6	\$214.80
226		1062807	StorPlus™ Clear Polycarbonate Colander for Food Box 660W x 457L x 127Hmm	\$52.00	6	\$312.00
226		1062907	StorPlus™ Clear Polycarbonate Drain Grate for 660W x 457Lmm Food Boxes Dimensions: 660W x 457L x 25Hmm	\$29.00	6	\$174.00

WASTE MANAGEMENT

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
331		342941REC14	Rectangle Recycle Office Wastebasket Capacity 39 Litre; Colour Blue; Bag hook for liner; Slim design; Polypropylene construction; 384L x 280W x 499Hmm	\$35.00	12	\$420.00
329		34294103	Rectangle Office Wastebasket Capacity 39 Litre; Colour Black; Bag hook for liner; Slim design; Polypropylene construction; 387L x 286W x 495Hmm	\$31.20	12	\$374.40
329		34292803	Rectangle Office Wastebasket Capacity 26 Litre; Colour Black; Bag hook for liner; Slim design; Polypropylene construction; 368L x 267W x 381Hmm	\$18.50	12	\$222.00
329		34291303	Rectangle Office Wastebasket Capacity 10 Litre; Colour Black; Bag hook for liner; Slim design; Polypropylene construction; 292L x 201W x 305Hmm	\$17.90	12	\$214.80
327		34201523	TrimLine™ Rectangle Waste Container Capacity 57L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 508L x 267W x 629Hmm	\$79.80	4	\$319.20
327		34202323	TrimLine™ Rectangle Waste Container Capacity 87L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	\$99.00	4	\$396.00
327		34202303	TrimLine™ Rectangle Waste Container Capacity 87L; Colour Black; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	\$99.00	4	\$396.00
327		36921003	TrimLine™ Dolly Colour Black; To suit 34202303 / 34201523; 330W x 560Lmm with 76mm castors	\$145.00	1	\$145.00
327		34202503	TrimLine™ Rectangle Handled Waste Container Lid; Colour Black; 521L x 294W x 76Hmm	\$82.00	4	\$328.00
327		34202403	TrimLine™ Rectangle Swing Top Waste Container Lid; Colour Black; 513L x 294W x 114Hmm	\$72.00	4	\$288.00





WASTE MANAGEMENT

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
324		34103203	Bronco™ Black Round Waste Bin; Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm	\$77.80	4	\$311.20
324		34103223	Bronco™ Grey Round Waste Bin; Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm	\$77.80	4	\$311.20
324		34103303	Bronco™ Round Waste Bin Lid - Black; Suits 121L Bronco™ Round Waste Bin; 571mm dia x 54Hmm	\$24.00	4	\$96.00
324		34103323	Bronco™ Round Waste Bin Lid - Grey; Suits 121L Bronco™ Round Waste Bin; 571mm dia x 54Hmm	\$24.00	4	\$96.00
324		34102003	Bronco™ Black Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	\$58.00	6	\$348.00
324		34102023	Bronco™ Grey Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	\$58.00	6	\$348.00
324		34102103	Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour Black; Dimensions: 508mm dia x 32Hmm	\$17.00	6	\$102.00
324		34102123	Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour Grey; Dimensions: 508mm dia x 32Hmm	\$17.00	6	\$102.00
325		3691103	Bronco™ Round Waste Container Dolly; Suits Bronco™ Round Waste Bins; Simple twist-to-lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm	\$99.00	2	\$198.00

CATERAIDE™ INSULATED CONTAINERS

Catalogue page no.	Image	Item number	Description	Pack size	Each price / Pack price
174		XT500003	Cateraide™ Insulated Beverage Server; Capacity 19L; Colour Black; Stain & scratch resistant polyethylene exterior; Temperature retention for 6-8 Hr; Max temp 82.2°C; Spout clearance 127mm; 430L x 267W x 654Hmm	1	\$390.00
171		IT40003	Cateraide™ IT End Loading Insulated Food Pan Carrier; Colour Black; 676L x 460W x 740Hmm; Temperature retention for 6+ Hr; Capacity: 6 x Full size 65mm pans (12 x half size) OR 4 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pans	1	\$830.00
171		IT41003	Cateraide™ Dolly to Suit IT40003 Pan Carrier; Colour Black; 76mm non-marking wheels; 676L x 473W x 245Hmm	1	\$360.00
176		PC300N03	Cateraide™ Insulated Front Loading Food Pan Carrier Colour Black; 616L x 432W x 641Hmm Temperature retention for 6+ Hr; Nylex Latches; Capacity: 5 x Full size 65mm pans (10 x half size) OR 3 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pan	1	\$750.00
176		PC600N03	Cateraide™ 2-Door Insulated Food Pan Carrier Colour Black; 616L x 432W x 1270Hmm Temperature retention for 6+ Hr; 127mm non-marking castors; Capacity: 10 x Full size 65mm pans (20 x half size) OR 6 x Full size 100mm pans (12 x half size) OR 4 x Full size 150mm pans (8 x half size) OR 1 x Full size 200mm pan	1	\$1800.00
176		PC66014	CaterCooler™ Exclusive CaterCooler; Colour: Blue; Designed to slide into a Cateraide™ Insulated Carriers (PC300N03, PC600N03) Once charged overnight, keeps food cold for up to 8 hrs	1	\$178.00
179		IC225003	Cateraide™ Ice Caddy on Castors; 56kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 711L x 565W x 730Hmm	1	\$1480.00




CATERAIDE™ INSULATED CONTAINERS

Catalogue page no.	Image	Item number	Description	Pack size	Each price / Pack price
179		IC222003	Cateraide™ Ice Caddy on Castors; 90kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 781L x 559W x 927Hmm	1	\$1790.00
171		IT16003	Cateraide™ IT Top Loading Insulated Food Pan Carrier; Colour Black; 676L x 460W x 740Hmm; Temperature retention for up to 6 Hr; Capacity: 1 x Full size pan OR 2 x half size pans OR 3 x third size pans	1	\$630.00
178		XDL3000H03	Cateraide™ Dolly with Handle; Colour Black; 100mm heavy duty non-marking castors; Holds up to 2 XT3000R Pan Carriers when stacked; Holds all Cateraide™ Top Loader Pan Carriers except PC180N and PC188N. Dimensions 730L x 570W x 994Hmm	1	\$550.00
175		LD250N03	Cateraide™ LD Insulated Beverage Server; Colour Black; Capacity 9.5L; Keeps beverages hot or cold for up to 4-6 hours; Nylex II Latches; Dimensions 419L x 229 x 457Hmm	1	\$365.00










MATERIAL HANDLING

Catalogue page no.	Image	Item number	Description	Pack size	Each price / Pack price
318		UC452523	Large Bin Top Utility Cart; Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Wt capacity per shelf 113kg; 1143L x 685W x 838Hmm; 76mm high "lip" prevents objects from falling during transit.	1	\$535.00
318		UC194023	Flat Shelf Utility Cart; Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Wt capacity per shelf 113kg; 1026L x 483W x 830Hmm	1	\$530.00
316		CC224303	Bussing Cart; Colour Black; Wt capacity 136kg; 1067L x 584W x 953Hmm	1	\$680.00
315		SBC203103	Large Fold 'N Go® Cart; Colour Black; Unfolded dimensions 520W x 1016L x 1099Hmm; Collapses to 267W x 1016Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Wt capacity per shelf 53kg;	1	\$1320.00
315		SBC152103	Small Fold 'N Go® Cart; Colour Black; Unfolded dimensions 406W x 749L x 908Hmm; Collapses to 229W x 749Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Wt capacity per shelf 53kg;	1	\$1090.00
317		SBC23003	Service Cart on Castors; Colour Black; 854L x 515W x 870Hmm; Wt capacity per shelf 75kg; One-piece design; Polyethylene exterior and polyurethane foam core for added strength; 127mm non-marking castors, 2 fixed and 2 swivel, 1 with brake.	1	\$1190.00
317		SBC11TC03	Rubbish Container to Suit SBC23003; Colour Black; 409L x 238W x 555Hmm	1	\$170.00
317		SBC11SH03	Silverware Holder to Suit SBC23003; Colour Black; 390L x 157W x 274Hmm	1	\$150.00








MATERIAL HANDLING

Catalogue page no.	Image	Item number	Description	Pack size	Each price / Pack price
333		TTL58003	Black Light Duty Utility Tilt Truck; Capacity 204kg; Constructed from 70% post-consumer recycled material; Powder coated steel wheel frame; 250mm rear wheels and 100mm front castors; Dimensions 1370L x 660W x 965Hmm	1	\$1490.00
333		TTS58003	Black Standard Duty Utility Tilt Truck; Capacity 385kg; Constructed from 70% post-consumer recycled material; Powder coated steel wheel frame; 250mm rear wheels and 100mm front castors; Dimensions 1727L x 825W x 1086Hmm	1	\$1600.00
319		ADS403	Optimizer™ Adjustable Small Dish Dolly; 4 dividers and 4 swivel wheels; Dimensions 737W x 737L x 806Hmm	1	\$1600.00










WAREWASHING

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
246		RP14	OptiClean™ All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 63mm; Space between pegs 45mm	\$48.00	6	\$288.00
246		RTP14	OptiClean™ All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm	\$49.00	6	\$294.00
246		ROP14	OptiClean™ Open Side All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm	\$31.50	6	\$189.00
246		RB14	OptiClean™ Open Bowl Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm;	\$30.00	6	\$180.00
246		RF14	OptiClean™ Flatware Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; 464mm compartment; Tight enough to keep small items contained	\$30.00	6	\$180.00
247		RFP14	OptiClean™ Food Pan or Insulated-Meal-Delivery-Tray Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm;	\$130.00	3	\$390.00
247		RC20-114	OptiClean™ 20 Compartment Divided Rack with one open extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 110L x 87Wmm; Open Tilted Design – Compartments hold cups in a tilted position, promoting even and thorough washing, drying and draining	\$41.00	4	\$164.00
244		RG25-114	OptiClean™ 25 Compartment Divided Rack with one 25 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 90L x 90Wmm	\$53.00	4	\$212.00
245		RG36-114	OptiClean™ 36 Compartment Divided Rack with one 36 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 74L x 74Wmm	\$53.00	4	\$212.00

WAREWASHING

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
245		RG49-114	OptiClean™ 49 Compartment Divided Rack with one 49 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 60L x 60Wmm	\$56.00	4	\$224.00
248		C32P214	Perma-Sil™ 8-Compartment Dishwash Cutlery Storage Basket; Colour Blue; Open weave basket design for optimum air and water flow for efficient washing & drying; 433L x 197W x 175Hmm; Compartment 90L x 90Wmm	\$52.00	6	\$312.00
244		RE2514	OptiClean™ 25-Compartment Divided Rack Extender Colour Blue; 500L x 500W x 45Hmm; Compartment 90L x 90Wmm	\$18.00	6	\$108.00
245		RE3614	OptiClean™ 36-Compartment Divided Rack Extender Colour Blue; 500L x 500W x 45Hmm; Compartment 74L x 74Wmm	\$18.00	6	\$108.00
249		C223614	E-Z Glide™ Warewashing Rack Dolly Without Handle; Wt Capacity 150 kg; Holds any std 500mm racks; Colour Blue; 572L x 572W x 203Hmm	\$280.00	1	\$280.00
249		C223703	E-Z Glide™ Handle for C223614; Colour Black; Material Steel	\$258.00	1	\$258.00
249		RDC07	OptiClean™ Dust Cover for ware washing racks Colour – Clear; 533L x 533W x 914Hmm	\$135.00	3	\$405.00

JANITORIAL

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
285		36141503	Duo-Pan™ Lobby Pan with Broom; Colour Black; Pivoting design for clean transportation of contents without messy spills; 292L x 300W x 914Hmm	\$46.00	1	\$46.00
285		36141203	Duo-Pan™ Broom Handle Clip for 36141503; Colour Black;	\$2.70	12	\$32.40
286		36141003	Duo-Pan™ Upright Plastic Lobby Pan with Metal Handle; Colour Black; Overall length 914mm	\$32.00	6	\$192.00
285		36141603	DuraPan™ Upright Dust Pan & Broom Colour Black; Overall length 914mm	\$52.00	4	\$208.00
278		3686100	Duo-Sweep® Lobby Angle Broom; Flare Polypropylene Bristles; Bristle length 102mm to 114mm; Overall length 914mm	\$21.00	12	\$252.00
307		3694104	Caution Cone; Colour Yellow; Portable and lightweight; Height 915mm; Base width 317mm	\$89.00	3	\$267.00
307		3694204	Pop-Up Caution Cone Colour Yellow with grey cone casing; Portable and lightweight; Height 510mm;	\$62.00	12	\$744.00
270		3623900	Sparta® Hand & Nail Brush; Colour White; Polypropylene Bristles; Bristle length 11mm to 14mm; Block size 38W x 89Lmm	\$3.00	24	\$72.00
287		4042302	Sparta® Hi-Lo™ Floor Scrub Brush; Colour White; Self-locking flex tip for greater flexibility; Bristle length 38mm to 44mm; Block size 254L x 114W x 89Hmm	\$28.00	12	\$336.00

JANITORIAL

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
295		4526700	Metal Tip Threaded Wooden Handle; Length 1524mm; Dia 24mm	\$11.20	12	\$134.40
293		4022502	Sparta® Fiberglass Handle; Self-Locking Flex-Tip; Length 1524mm; Dia 25mm	\$32.00	12	\$384.00