



Excellence since 1976



NEW GENERATION TAPWARE



RICE COOKERS



WIRE & PLASTIC MATT SHELVING



KITCHEN VENTILATION



COMMERCIAL MICROWAVES



FOODSERVICE PRODUCTS



CREATORS OF THE BLENDER



CAN OPENERS



HOT & COLD FOOD SERVING SYSTEMS



DRINK & GRANITA MACHINES



MICROWAVES



LEADERS IN FOOD WARMING & HOLDING



WASTE DISPOSAL/PEELERS



SPACE SAVING PLATE STACKERS



FOOD PROCESSING & HOLDING



FOOD SERVICE, SAFETY & DISPENSING



REFRIGERATION/SERVING SOLUTIONS



THE ONLY IN-FRYER FILTER SYSTEM



COMMERCIAL TAPWARE



QUALITY INDUCTION COOKING



MIXERS - COMMERCIAL



Excellence since 1976

Welcome to our Catalogue / Price List

KEY CONTACT LIST

VICTORIA - HEAD OFFICE

Sales & Administration

21-23 Agosta Drive, Laverton North, Victoria 3026

Tel: (03) 9368 2300

sales@fsm-pl.com.au www.fsm-pl.com.au

NEW SOUTH WALES BRANCH

Unit 9, 72 Canterbury Rd, Bankstown, NSW 2200

Tel: (02) 9608 8620

sales@fsm-pl.com.au

QUEENSLAND BRANCH

4/40 Rivergate Place,
Murarrie, QLD 4172

Tel: (07) 3390 4185

sales@fsm-pl.com.au

WESTERN AUSTRALIA BRANCH

Tel: 0413 893 311

sales@fsm-pl.com.au

FOR SERVICE / WARRANTY REQUIREMENTS

Book a SERVICE at

www.fsm-pl.com.au

FOR ALL SPARE PARTS REQUIREMENTS

Email us: spares@fsm-pl.com.au

or Tel: **(03) 9368 2300**

Visit our web site

www.fsm-pl.com.au

for updates, the latest products, downloads and news.

CONTENTS

ACQUALINE	9-16
Deck Mount Pre Rinse Models	9-10
Wall Mount Pre Rinse Models	11
Deck Mount Flick Mixers, Thermostatic Mixing Valve	12
Hands Free & Time Flow Models	13
Knee Operated Tap & Cleaners Sink Models	14
Deck Mount Swing Faucet / Sink Sets	15
Wall Mount Swing Faucet / Sink Sets	16
ASAHI	17
Rice Cookers	17
ATLAS	18-25
NEW Verde Box Kits	18
Wire 4 Tier Shelving Bays & Add-On Kits	19-20
Wire 5 Tier Shelving Bays & Add-On Kits	21
Wire Single Shelves	22
Plastic Mat 4 Tier Shelving Bays & Add-On Kits	23
Plastic Mat 5 Tier Shelving Bays & Add-On Kits	24
Plastic Mat Single Shelves	25
AUSTREAM	26-27
Kitchen Ventillation Systems	26-27
BONN MICROWAVE OVENS	28-31
Speed Oven	28
Heavy Duty	29
Medium Duty	30
Light Duty	31
DYNAMIC	32-39
Dynamix Range	32
Junior Series	33
Senior Series	34
Master Series	35-36
SMX Series	37
Mixer Support Brackets & Salad Spinners	38
Gigamix	39

EDLUND CAN OPENERS	40-41
Manual & Electric Can Openers	40
Sanitation & Storage	41
EMAINOX	42
Drop In Refrigerated Wells	42
Drop In Heated Ceramic Glass Hotplate	42
GBG MACHINES	43-44
GBG Granita Machines	43
GBG Frozen Drink Machines	44
GENERAL FOOD EQUIPMENT	45
HATCO	46-67
Decorative Heat Lamps	46-47
Glo Max Strip Heaters	48
Glo Max Display Lights	49
Glo Ray Strip Heaters GRAH & GRAHL	50
Portable Heated Shelves	51
Drop-In Heated Shelves	52
Drop-in Hot / Cold and Cold Shelves	53
Drop-in Frost Top	54
Heated Chutes	55
2-Go Heated Shelves	56
Portable Food Warmers / Chip Dumps	57
Fry Stations & Multi Product Warmers	58
Conveyor, Pop Up and Programmable Toasters	59-61
Decorative Carving Stations	62
Free Standing Drawer Warmers	63-64
Pasta Cooker & Accessories	56-66
Sanitising Sink Heater	66
Built-in Heated Wells (Rectangular & Round)	67
Salamanders	68

Continued >

CONTENTS

IMC	69-72
Peelers - MF Multi Function	69
Waste Station	70
Waste Food Disposal Unit	71
Mini Compactor Series	72
JACKSTACK	73
Mobile Plate Racks & Covers	73
PRINCE CASTLE	74-78
Bun Toasters	74
Dedicated Holding Bins	75
Condiment Dispensers	76
Tomato Saber, Core-It, Wedge & Dice Witch	77
Grill Brushes, Maintenance Tools, Fry Scoops	78
SAN JAMAR	79-89
Ez-Fit Cup & Lid Dispensers	79
C-Series & Ez-Fit	80
WireWorks Cup & Lid Dispensers & Scales	81
Wall Mount Foam Cup Dispensers	82
Napkin, Straw & Lid Dispensers / Organisers	83
Lid Dispensers & Timers/Thermometer	84
Oven Mitts	85
Pump Systems, Bar Supplies & Safety Wrap	86
Ice	87
Kleen-Pail & Allergen Safe-T-Zone System	88
Docket Holder & Hand Washing Station Combo's	89
SILVER KING	90
Drop-In Ice Cream Freezer & Dipperwell	90
VITO	91-93
Portable Oil Filter Systems & Oil Tester	91
Mobile Oil Filter System	92
Accessories	93

YELLOW TAPWARE	94-98
Deck Mount Pre-Rinse Units	94
Wall Mount Pre-Rinse Unit, Add-On Faucet & Gun	95
Wall Mount Faucets & Pot & Kettle Filler	96
Deck Mount Faucets & Sink Sets	97
Heavy Duty Hose Reels	98
YELLOW INDUCTION	99-102
Portable Counter Top Hobs & New Drop-In	99
Drop-In Single Hob Units	100
Built-In Cooktops & Warmer	101
Multi-Zone Buffet Induction & Remote Generators	102
YELLOW MIXER	103
Planetary Mixer	103
CARLISLE	104-123
Foodservices Products	104-123

Please note that due to our policy of continual improvement, all details and specifications are subject to change without notice.

PRICES: Prices shown in this price list are recommended Retail prices only. **RISE & FALL:** Prices are subject to variation at any time without notice and goods will be invoiced at the price current on the date of despatch. **GST:** All prices exclude GST.

TERMS AND CONDITIONS Effective 1 February 2022

The following Trading Terms supersede all previously terms and condition issued by Us.

1. Interpretation

In these Trading Terms and in any quotation, offer, current catalogue, website, price list produced by Us or other agreement with Us, the following definitions apply:

"Account Application Form" means the application form completed and provided by You for the purposes of opening a credit account with Us.

"Goods" means goods supplied by Us to You (and, where the context so permits, shall include any supply of Services) and described in any quotation, offer, current catalogue, website or price list produced by Us.

"Guarantor" means the guarantor(s) described in the Account Application Form, subject to acceptance by Us.

"GST" means the goods and services tax that applies in accordance with A New Tax System (Goods & Services) Act 1999 (Cth).

"Order" means any written, verbal or electronic purchase order made by You for Goods and/or Services.

"Prices" means the prices attributable to the Goods and Services as advised by Us in any quotation, offer, current catalogue, website or price list produced by Us and "Price" shall have a corresponding meaning.

"Services" means all services supplied by Us to You and includes any advice or recommendations (and where the context so permits shall include the supply and installation of any Goods).

"Trading Terms" means these terms and conditions of trade and includes any amendment or variation.

"We" and "Us" means F.S.M. [Food Service Machinery] Pty. Ltd. (ABN 9057185 4991) and includes any Related Bodies Corporate (as defined in the Corporations Act 2001 (Cth)) which supplies Goods and/or Services to You (whether or not the fact is disclosed to You) and "Our" means belonging or pertaining to Us.

"You" means the person, firm or company placing an order with Us for the Goods and "Your" means belonging or pertaining to You.

2. Application of Trading Terms

(a) These Trading Terms apply to every sale of Goods and/or supply of Services by Us to You. Each Order made by You and accepted by Us will be an individual contract for those Goods and/or Services in accordance with these Trading Terms.

(b) Subject to any special trading terms agreed to between You and Us and recorded in Your Account Application Form or separately in writing, these Trading Terms (together with any quotation, offer, current catalogue, or price list produced by Us) shall comprise in entirety Our terms and conditions of trade.

(c) In the event of any inconsistency between these Trading Terms and any other document, these Trading Terms shall prevail and any trading terms nominated by You are expressly excluded. Any warranty, representation or guarantee not included or provided for in these Trading Terms is of no effect.

(d) If any part of these Trading Terms, or the application of these Trading Terms to any person or circumstance, is or becomes invalid or enforceable, the remaining provisions of these Trading Terms are not affected and are valid and enforceable to the fullest extent permitted by law.

(e) We may amend these Trading Terms from time to time without notice to You and You will be deemed to have had knowledge of such amendments and have accepted these Trading Terms as amended if You continue to purchase Goods and/or Services from Us after such amendment. Each subsequent supply of Goods and/or Services by Us to You will be in accordance with these Trading Terms as amended.

3. Agreement

(a) Any quotation or offer produced by Us is subject to review, amendment or withdrawal at any time prior to acceptance by You or the expiry of the quotation or offer (whichever occurs first).

(b) Subject to (c) of this clause, Our quotation or offer will be deemed to have been accepted by You and a binding agreement entered into with You on the date We receive Your Order. Any Order which has been accepted by Us may not be cancelled by You without Our written consent (which We may withhold in Our absolute discretion) and then only on the basis that You will indemnify Us in full against all loss (including loss of profit), costs (including the cost of labour and materials used), damages, charges and expenses (including legal costs on a full indemnity basis) incurred by Us as a result of such cancellation. Cancellation of any Orders for Goods which are non-standard manufacture or non-stock items will not be accepted.

(c) We reserve the right to decline, in whole or in part, any Order received from You in Our absolute discretion.

(d) You are solely responsible for determining whether the Goods and Services are suitable for Your intended purposes and meet Your requirements and You acknowledge that no oral or written information, representation or advice given by Us (other than as contained in these Trading Terms) creates a warranty from Us or in any way increases the scope of these Trading Terms.

(e) You agree to notify Us in writing of any change in the ownership or control of Your business structure not less than 7 days prior to such change taking effect and You indemnify Us against any loss or damage We may incur as a result of Your failure to provide such notification.

4. Documents

Any clerical or typing errors, misprints or other similar errors in any document produced by Us in respect of Goods and/or Services are subject to correction by Us by either amending or re-issuing the affected document (as the case requires). We shall not be liable for any cost, expense or damage incurred by You as a result of any correction of any document produced by Us.

5. Intellectual Property

You acknowledge and agree that:

(a) any intellectual property rights in respect of the Goods and Services (including, but not limited to, rights to design, copyright, patents or trademarks in respect of all drawings, designs, specifications and other information provided by Us in connection with any quotation, offer, current catalogue, website, price list produced by Us) remain Our sole and exclusive property and must remain confidential and You will not attempt to claim any such intellectual property rights in respect of either the Goods and Services or any modification or improvement of the Goods and Services;

(b) You must not attempt to modify or reverse engineer the Goods and Services; and

(c) in all cases where You have provided the design for any Goods and Services, We will not accept any responsibility for any infringement of any design, copyright, patents or trademarks or other intellectual property in connection with the execution of Your Order and You agree to indemnify Us against claims for infringement or unauthorised use of such intellectual property arising out of the manufacture or use of such Goods and Services.

6. Prices and Charges

(a) You agree to buy and We agree to sell the Goods and Services for the Prices.

(b) All Prices and all amounts payable to Us are exclusive of GST or any other applicable government tax or duty, unless otherwise indicated. You must pay all such taxes and duties in connection with those amounts.

(c) The Prices include the cost of Our standard packaging for the Goods. The cost of any special packaging materials or techniques requested by You in connection with the Goods must be paid for by You in addition to the Prices.

(d) We reserve the right, from time to time but prior to issuing any invoice to You, to increase the Prices:

(i) to take account of increases in the cost of supplying the Goods and/or Services to You (which may include, but are not limited to, increases in the cost of energy, materials, labour, equipment or delivery) which are due to any factor beyond Our reasonable control or are due to Your failure to provide adequate information or instructions; or

(ii) to correct, without any liability on Our part, any errors or omissions quotation, offer, current catalogue, website or price list produced by Us.

7. Payment

(a) We reserve the right to pass on to You any additional costs (including merchant fees) incurred by Us where You pay Us by credit card (if applicable).

(b) If We have not provided credit terms to You, You must pay for the Goods prior to delivery.

(c) If We have provided credit terms to You, You must pay for any Goods and/or Services provided to You within the time period stated in Our invoice or statement for such Goods and/or Services. If We have not stated a time period for payment, You must pay for the Goods and/or Services within 30 days of the end of the month in which we issued Our invoice or statement for the Goods and/or Services.

(d) We may set, alter or withdraw credit limits and terms in Our absolute discretion and without giving prior notice to You or providing reasons.

(e) Payments due to Us must be made without any deduction or set-off. We may apply the amounts paid to Us in payment of any amount owed by You. If You dispute Our invoice or statement, You must still pay the entire amount. We will refund any agreed amount following resolution of the dispute.

(f) If You fail to pay Our invoice or statement (whether in whole or in part) by the due date, without limiting any other provision in these Trading Terms, We may (in Our absolute discretion):

(i) suspend or cancel any further production and/or delivery of any Goods or supply of any Services (whether under an existing or new Order) until full payment of all outstanding amounts owed to Us (including accrued interest if applicable) has been made;

(ii) charge interest on any amount outstanding in respect of Our invoices, at the rate of 1.5% per month, such interest to be calculated daily and compounded monthly, until full payment has been made (such interest rate to be subject to amendment from time to time by Us in Our absolute discretion);

(iii) exercise a general lien on any of Your property within Our possession or control to cover the outstanding amount for the Goods and/or Services;

(iv) withdraw (in full or in part) any discount, concession, allowance or benefit which was previously offered to You; and

(v) recover from You, in addition to the outstanding amount, all costs incurred by Us arising out of or in connection with collecting the outstanding amount (including, but not limited to, expenses and fees associated with or paid to or on account of solicitors, legal advisers, mercantile agents and other agents acting on Our behalf) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

Continued >

TERMS AND CONDITIONS (continued)

8. Security Interest and the Personal Property Securities Act 2009 ("PPSA")

If you have a current credit facility in place with Us, You acknowledge and agree that the following terms apply:

(a) We may require You to provide security for any Order placed by You as a condition of accepting Your Order and the terms of the Personal Property Securities Act 2009 (Cth) ("PPSA") apply to all transactions made under these Trading Terms.

(b) You acknowledge and agree that You will:

(i) grant a security interest in all present and after acquired Goods as security for all amounts owing now and in the future by You to Us;

(ii) do all things and sign all documents as are necessary and reasonably required to enable Us to acquire a perfected security interest in all Goods supplied;

(iii) provide such information as is required to enable registration of a 'Purchase Money Security Interest' (as that term is defined in the PPSA) ("PMSI");

(iv) not, without obtaining Our prior written consent, change Your name or initiate any change to any registered documentation, or act in any manner which would impact on Our registered security interest; and

(v) waive or exclude the application of such sections of the PPSA as We may require, subject to those sections being capable of exclusion.

(c) You further acknowledge that a PMSI is granted by You, in priority to all other creditors, in favour of Us and in respect of all Goods We supply to You from time to time, as security for Your payment obligations to Us. You agree to indemnify Us for any liability for all costs (including legal costs on a full indemnity basis) incurred by Us in relation to any security interest granted by You (including, but not limited to, registration, maintenance, enforcement or discharge of any security interest).

(d) We reserve the right at any time to make such amendments, alterations to this 'Security Interest' clause as We may, in Our absolute discretion, determine are necessary to protect Our security interests.

9. Title and Risk

(a) Title to and ownership of the Goods shall not pass to You until We have received full payment for the Goods and for any other amounts owing by You in relation to any other matter (including payments in respect of other goods or services provided to You from time to time) and You shall hold the Goods (including where such Goods have been converted or changed by any process) as fiduciary bailee and agent for Us.

(b) Risk in the Goods shall pass to You upon completion of delivery in accordance with these Trading Terms.

(c) You acknowledge that We hold a PMSI (as defined in clause 8) in respect of any Goods supplied to You until We have received full payment in respect of such Goods. You must not pledge, or in any way charge by way of security or indebtedness, any of the Goods until We have received full payment.

(d) Upon taking delivery of the Goods and until We receive full payment for the Goods and for any other amounts owing by You in relation to any other matter, until the Goods are sold by You in the ordinary course of your business, You must:

(i) keep the Goods in Your control and custody and not permit any other person to have possession, custody or control of the Goods;

(ii) keep the Goods separate from any other items or goods in Your possession and mark the Goods to clearly show that the Goods belong to Us;

(iii) not pledge, or in any way charge by way of security or indebtedness, any of the Goods;

(iv) permit Our nominated representative to attend Your premises on prior notice to inspect the Goods; and

(v) deposit all proceeds from the sale of the Goods into a separate and identifiable account, not mix such sale proceeds with any other money and account to Us for such sale proceeds;

and We may trace all such sale proceeds received by You through the relevant account or any other account maintained by You. In addition, You irrevocably appoint Us as Your attorney to recover any such sale proceeds from any purchaser to whom You have on-sold the Goods and to exercise Your rights under any agreement with such purchaser (including rights of repossession and resale of the Goods) provided that We undertake not to exercise such rights as Your attorney unless You have failed to comply with Your payment obligations to Us under these Trading Terms.

(e) Without prejudice to any of Our other rights, if You fail to comply with these Trading Terms, if You cease to be able to pay Your debts as they become due or if You become subject to any form of insolvency administration:

(i) all amounts owing by You to Us shall immediately become due and payable;

(ii) We have the right to immediate possession of the Goods and You irrevocably authorise Us to enter any premises occupied by You at the time upon reasonable notice to You, without liability for trespass or any resulting damage, and take possession of the Goods. You agree to indemnify Us and hold Us harmless from all claims arising out of or in connection with Us taking possession of the Goods in accordance with this clause;

(iii) We may retain all amounts paid to us on account of the Goods and suspend or cancel any further production and delivery of Goods for You;

(iv) We shall be entitled, but not obligated, to resell any Goods repossessed by Us in accordance with this clause; and

(v) We may recover from You all reasonable costs incurred by Us in connection with any Goods repossessed under this clause (including legal costs on a full indemnity basis) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

(f) If, at the time We seek to take possession of the Goods in accordance with this clause, the Goods have been incorporated by You in any other item or goods, We will

be treated as owners of such other items or goods together with You, as tenants in common in proportion to our respective contributions.

10. Delivery

(a) The delivery dates and completion times contained in any quotation, offer or price list provided to You are estimates only, unless expressly stated to be an essential term and may be varied at any time by Us depending upon the availability of Goods, materials, labour and other contingencies. All backorders will be delivered to You freight free as quickly as Goods become available. All Austream Goods are quoted ex-factory Melbourne or Perth.

(b) In circumstances where the Goods are being shipped to a region where You are arranging collection and unless expressly agreed otherwise in writing by Us, the following terms apply:

(i) the method and date of delivery of all Goods shall be on the terms stated in the quotation, offer or price list provided to You (as applicable) and shall be at Your cost and expense (ex Warehouse from Our Premises) and You agree that in the event that any freight or delivery charges are paid by Us, You must reimburse Us the full amount of such charges on demand;

(ii) delivery of such Goods by Us is complete when the Goods are collected by You or Your nominated agent or carrier; and

(iii) delivery of such Goods is at all time at Your risk.

(c) In circumstances where we have agreed to deliver the Goods to your nominated address for delivery, the following terms shall apply:

(i) If you have a current credit facility in place with Us, and your nominated address for delivery is located in Victoria, NSW, ACT, Queensland, or metropolitan areas of Adelaide or Perth, and Your Order is valued at \$1,000 or more (excl. GST and delivery charges), the Prices quoted for your Order will include delivery costs (FIS);

(ii) all other Orders will be dispatched "freight collect" to your nominated freight account or otherwise by our choice of carrier and a minimum delivery fee of \$30 (excl. GST) will apply where Orders are delivered by our choice of carrier (\$40 (excl. GST) minimum delivery fee to NT and Tasmania), such delivery fees to be subject to amendment from time to time by Us in Our absolute discretion; and

(iii) deliveries will only be made at the ground floor level to a kerbside drop or goods receiving area where it then becomes Your responsibility and expense to supply such labour and equipment as may be necessary to unload Your Order.

11. Force Majeure

We will not be liable for any failure to perform, or delay in performance of, any obligation where such failure or delay is due to anything beyond Our reasonable control including, but not limited to, adverse weather or terrain, strikes, lockouts and other industrial action, material shortages, failure of any of Our suppliers to supply, accidents, power or data transmission failure, breakdowns of plant or machinery, war, changes of government, import or export regulations or embargoes.

12. Inspection and Return of Goods

(a) You will be deemed to have accepted the Goods, free from any defect or other non-conformity, unless We receive a substantiated claim from You within 7 days from the date of delivery and/or installation of the Goods in accordance with these Trading Terms.

(b) Except where Goods supplied by Us are defective and subject to any warranty:

(i) Goods will only be accepted for return if You have given prior written notice to Us (confirming Your reasons for returning the Goods and stating the applicable invoice number) of Your intention to return the Goods and We have notified You in writing with a completed GRN form that We will accept such return, and that a copy of the GRN Form supplied by us accompanies the goods being returned;

(ii) We may refuse to accept Goods where they are used, no longer in their original packaging or are returned more than 2 months after delivery to You;

(iii) We will refuse to accept the return of any Goods which are non-standard manufacture or non-stock items where such Goods have been correctly delivered by Us;

(iv) delivery of all Goods returned by You must be arranged with Your carrier and is at Your expense and risk; and

(v) in the event that We agree to accept the return of any Goods, You may be required to agree to pay a 15% restocking fee, such fee to be subject to amendment from time to time by Us in Our absolute discretion.

(c) We will only accept the return of Goods from You if the Goods are in the same condition as when the Goods were originally delivered to You, provided that Our acceptance of Goods returned by You is not an acceptance of or granting of credit to You.

Continued >

TERMS AND CONDITIONS (continued)

13. Limitation of Liability and Warranties

(a) The Competition and Consumer Act 2010 (Cth) may imply certain conditions and warranties into these Trading Terms that cannot be excluded or modified. These Trading Terms do not exclude or modify any of those conditions if to do so would contravene that law or make any part of these Trading Terms void.

(b) Where our products are used in a Commercial environment, Subject to the provisions of this clause 13, We will repair or replace any Goods which are manufactured or imported by Us where We, in Our absolute discretion, determine that such Goods, having regard to the materials, workmanship and the reasonable and recommended conditions of use and maintenance, are defective within the period of Warranty (as specified below):

All products within 13 months (Parts & Labour), from the date of delivery to the original Purchaser with the exception of the following:

Acqualine Tapware (excluding hose reels) - Five Year on-site warranty - excludes faulty installation, sensitivity adjustments on electronic models, failure to install pressure limiting devices where required.

Asahi Rice Cookers - Back to Base 13 months parts and 13 months labour warranty.

Atlas Shelving - 15 year warranty against rust and corrosion (components only).

Bonn Ovens / Microwaves:

Bonn Models CM-1042T, CM-1051T - Back to Base 24 months parts and 13 months labour warranty.

Bonn Models CM-902T - Back to Base 13 months parts and 13 months labour warranty.

Bonn Models CM-1901T and CM-1401T - On Site 24 months parts and 13 months labour.

Dynamic Mixers - All Back to Base 24 months parts and 24 months labour warranty except: GIGAMIX - on-site 24 months parts and 24 months labour warranty.

Edlund - All models except Crown Punch machines.

ROTOR - all Back to Base 13 months parts and 13 months labour warranty. 2 year

Motor only warranty on Juice extractors, 5 year Motor only warranty on blenders.

General Microwaves - Back to Base 13 months parts and 13 months labour warranty.

Hatco - Back to Base Warranty models: GR-FFB, GMFFL, TPT-230-4-10, RCTHW-1E.

Rowlett Rutland - Back to Base Warranty models: Premier Toasters.

Vito - Back to Base Warranty models: ALL

Yellow Induction - Back to Base Warranty models: All Countertop.

Subject to the following conditions:

(i) this warranty will cover parts and labour unless specified otherwise, subject to the following limitations:

(A) damage to cutting blades, toaster elements, light globes, infrared tubes, quartz tubes or any glass items;

(B) where FSM is not responsible for installation - damage caused by improper installation or improper connection to incorrect gas, voltage, incorrect pressure or poor quality water;

(C) damage caused during transit or by accident;

(D) damage caused by negligence, abuse, unauthorised repair or the use of unauthorised spare parts;

(E) damage caused by improper cleaning, maintenance or operation;

(F) damage caused by voltage or gas conversion, pilot light adjustments, thermostat calibrations or any unauthorised alteration or modification;

(G) FSM's liability under this warranty is limited to the repair or replacement of defective Goods and all other costs (including, without limitation, any travel costs, labour costs, overtime rates, installation costs, freight and delivery costs to and from FSM premises to the premises of an authorised repairer, or similar surcharges, fees and costs arising out of a warranty claim are excluded;

(ii) all warranty repair work will be performed between the hours of 8.30 am and 4.30 pm on normal working days;

On site warranty services are limited to sites within 50km from the nearest FSM authorised service agent.

With respect to "Back to Base" warranties, FSM can sell or dispose of any goods:

(i) Not collected by customer or

(ii) Where customer refuses to accept delivery of those goods within 60 days of FSM notifying customer goods are available for collection and/or delivery.

(iii) the warranty period in respect of any spare parts or replacement parts provided under this warranty is limited to 3 months from the delivery of such spare parts or the installation of such replacement parts;

(iv) where the payment terms under these Trading Terms have not been complied with, warranty claims will not be accepted in respect of such Goods;

(v) Risk in any Goods shall remain with You while such Goods are in Our possession for the purposes of assessing a warranty claim and FSM, its servants and agents will not be responsible for any damage caused to the Goods while in Our possession.

(vi) To obtain the benefit of this warranty, You must notify Us in writing immediately upon becoming aware of the alleged defect and in any event within 13 months (or other period as stipulated under item 13) of delivery of the Goods to You (3 months from the delivery of any spare parts or the installation of replacement parts under this warranty).

To the extent that any Goods are not covered under the warranty described in this clause 13(b) but are subject to the original manufacturer's or the original supplier's warranty, FSM will pass on the benefit of such warranty to the extent permitted by law.

(c) Subject to (a) and (b) of this clause 13 and without limiting the terms of any written warranty given separately by Us, all warranties and conditions that may be implied

into these Trading Terms are excluded and Our liability for breach of any implied condition or warranty that cannot be excluded is limited (at Our option) to:

(i) in respect of Goods: the repair or replacement of those Goods or reimbursement of the cost of having those Goods repaired or replaced or refunding to You any payments made in respect of the Goods; and

(ii) in respect of Services: the re-supply of the Services or reimbursement of the cost of supplying the Services again or refunding to You any payments made in respect of the Services.

(d) Despite any other provision of these Trading Terms, to the extent permitted by law, We have no liability to You nor will You be entitled to claim against Us in respect of:

(i) any loss or damage caused by delay in delivery of the Goods or supply of the Services;

(ii) any death or injury arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity;

(iii) any consequential loss or damage (including, but not limited to, loss of profit, loss of revenue, loss of expected savings and opportunity costs) arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity; and

(iv) (if applicable) any loss or damage to Your property or any premises occupied by You arising out of or in connection with Our reasonable installation of the Goods and it is Your responsibility to provide adequate facilities to Us during such installation and to arrange the removal of all waste and hazardous material in connection with the installation process.

(e) You acknowledge that You have not relied on any representation made by Us which is not expressly stated in these Trading Terms.

(f) You acknowledge that You must ensure that the Goods are used and installed (if applicable) in a prudent and professional manner and in accordance with any specifications or instructions which were supplied with the Goods. You indemnify Us against all loss, liability, cost (including legal costs on a full indemnity basis) and expense incurred by Us as a result of any claim made or action brought in connection with the Goods or their use, other than a claim or action brought by You under these Trading Terms or a condition or warranty implied by law which is not excluded by these Trading Terms.

(g) You acknowledge that the exclusions and limitations in this clause are customary for suppliers of goods and services equivalent to the Goods and Services and are fair and reasonable given the nature of the Goods and Services and the applicable Prices.

(h) This clause shall survive termination of these Trading Terms

14. Consent to credit check and Privacy Act

(a) By signing the Account Application form, You acknowledge and agree that the Privacy Act 1988 (Cth) allows Us to give a credit reporting agency certain personal information about You at any time after signing such form for the purpose of assessing Your credit worthiness.

(b) You further acknowledge and agree that We may contact any trade reference provided by You or any credit provider and We may acquire information from them or provide information to them in relation to Your credit worthiness.

15. Guarantee and Indemnity

(a) The Guarantor hereby guarantees the due and punctual payment by signature of all monies that becomes due and payable by You to Us under these Trading Terms and also the due and punctual performance by You of Your obligations pursuant to these Trading Terms (the "Guarantee").

(b) In consideration for Us entering into these Trading Terms with You, the Guarantor hereby charges in Our favour the whole of the Guarantor's estate and interest, legal and equitable, in the Guarantor's personal and real property to secure the Guarantor's obligations pursuant to these Trading Terms.

(c) Without limiting Our rights under these Trading Terms, the Guarantor acknowledges and agrees that the charge on the Guarantor's property shall provide a caveatable interest in Our favour and the Guarantor consents to Us registering Our interest in the Guarantor's property, including by way of a caveat.

(d) The Guarantee is a continuing guarantee and shall not be discharged in whole or in part by the payment at any time of any part of the money payable by You pursuant to these Trading Terms or by settlement of account, intervening payment, or other matter or thing whatsoever.

(e) The Guarantee shall not be affected or prejudiced by any variation or modification at any time to these Trading Terms.

(f) The Guarantee shall at all times be valid and enforceable against the Guarantor notwithstanding:

(i) that no demand for payment has been made to You; and

(ii) that You were prohibited (whether expressly or by implication) by law, contract or otherwise from entering into these Trading Terms or lacked capacity, power or authority to enter into these Trading Terms.

(g) The Guarantee is irrevocable and shall not be affected by the death, bankruptcy or incapacity of any of the Guarantors.

Continued >

TERMS AND CONDITIONS (continued)

(h) If any payment made by You to Us is subsequently avoided or set aside by reason of any statutory provision or otherwise, such payment shall not prejudice or otherwise affect the Guarantee, or Our rights pursuant to this clause 15, to the intent that We shall, with respect to its rights recover pursuant to this clause 15 any monies secured, be restored to the same position in which We would have been had such payment not been made.

(i) In addition, the Guarantor agrees to indemnify Us in respect of all costs, charges and expenses whatsoever, which We may incur by reason of any default by You under or in relation to these Trading Terms.

(j) The Guarantor is liable to pay, and indemnify Us for, Our reasonable expenses incurred in enforcing the Guarantee.

(k) If more than one party signs as Guarantor, in this clause 15 each reference to "Guarantor" is a reference to them jointly and each of the individually.

16. General

(a) We may sub-contract the production, manufacture, supply or delivery of all or some of the Goods and Services.

(b) Any failure by Us to insist on strict compliance with these Trading Terms or any delay by Us in exercising Our rights under these Trading Terms will not constitute a variation or waiver of any provision of these Trading Terms or of any right available to us.

(c) If part of all of any provision of these Trading Terms or its application to any person or circumstance is held to be illegal or unenforceable, the provision will be interpreted so as to ensure it is not illegal or unenforceable. If any provision or part of it cannot be so interpreted, the provision or relevant part of it will be severed from these Trading Terms and the remaining provisions of these Trading Terms will continue in force.

(d) Where You are comprised of 2 or more persons, an agreement or obligation to be performed or observed by You binds those persons jointly and each of them severally.

(e) Any notice or document required to be served under these Trading Terms will be sufficiently served if delivered or posted by pre-paid post to the address of that party as notified by that party from time to time in writing. If the notice or document is posted, service will be deemed to have been effected 3 days after the date on which the document or notice was posted.

17. Governing Law

These Trading Terms are governed by the laws of Victoria. All parties submit to the non-exclusive jurisdiction of the Courts of Victoria, Australia. All parties submit to the non-exclusive jurisdiction of the Courts of Victoria, Australia.

There's more than five good reasons to choose Acqualine.

The Acqualine range of quality tapware and pre-rinse units heralds a new era of reliable, quality tapware to the Australian market with an industry leading FIVE YEAR on-site parts and labour warranty – designed by professionals with the features you would expect for your kitchen.

Features like 256mm swing faucet on full height pre-rinse models, six star Wels rated spray gun and quality construction with 100mm levers with a choice of 100 or 200mm flick mixers and more.

Watermark approved and Wels rated to comply with all Australian regulations, and supplied with our exclusive FIVE YEAR* on-site parts and labour warranty for real peace of mind.

All units come packed with full instructions, fittings and hose connections (model dependant).

DECK MOUNT PRE RINSE MODELS

AQD1500 DECK MOUNT


Deck Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Single hole mount. Overall height: 1073mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$960**

6 BUY PRICE EA. \$950

12 BUY PRICE EA. \$935



AQD1500LH DECK MOUNT LOW HEIGHT


Deck Mount Pre Rinse, Low Height Model, complete with wall bracket, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, Single hole mount. Overall height: 600mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$780**

6 BUY PRICE EA. \$770

12 BUY PRICE EA. \$755



(Deck Mount units continued...)

* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

DECK MOUNT PRE RINSE MODELS (cont.)

AQD1200 DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 256mm swing faucet, single lever flow and temperature control, and **6 Star** rated spray gun, 4 Star rated pot filler. Single hole mount. Overall height: 960-1030mm.

Hose length 845mm.


Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$870**

6 BUY PRICE EA. **\$855**

12 BUY PRICE EA. **\$830**



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

WALL MOUNT PRE RINSE MODELS

AQW1500 WALL MOUNT EXPOSED BREECH


Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Two hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. Overall height: 1023mm.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$1140**

6 BUY PRICE EA. **\$1130**

12 BUY PRICE EA. **\$1120**



AQW1500CB WALL MOUNT CONCEALED BREECH


Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps **6 Star** rated spray gun, 4 Star rated pot filler as shown. Three hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others). Overall height: 713mm.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$995**

6 BUY PRICE EA. **\$980**

12 BUY PRICE EA. **\$970**



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.


There's more than five good reasons to choose Acqualine.

DECK MOUNT FLICK MIXER MODELS

AQD5200 DECK MOUNT FLICK MIXER 200mm swing spout

Deck Mount Flick Mixer, complete with 200mm Swing Spout, **4 Star** rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia.

Operating water pressure Min 50kPA, Max 350kPA.



**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$215**


6 BUY PRICE EA. \$210

12 BUY PRICE EA. \$200

AQD5100 DECK MOUNT FLICK MIXER 100mm spout

Deck Mount Flick Mixer, complete with 100mm Fixed Spout, **4 Star** rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia.

Operating water pressure Min 50kPA, Max 350kPA.



**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$210**

6 BUY PRICE EA. \$205

12 BUY PRICE EA. \$195

AQ6000 THERMOSTATIC MIXING VALVE 15/20mm

Critical for supplying safe/desirable water temperatures to a Hands Free or Time Flow tapset.

Output temperature range 35-50°C.

Operating water pressure Min 20kPA, Max 350kPA.



**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$350**

6 BUY PRICE EA. \$340

12 BUY PRICE EA. \$330

* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

ELECTRONIC HANDS FREE & TIME FLOW MODELS

AQD4002 DECK MOUNT HANDS-FREE SENSOR TAP


Modern Deck Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$790**

6 BUY PRICE EA. **\$780**

12 BUY PRICE EA. **\$765**



AQW4003 WALL MOUNT HANDS-FREE SENSOR TAP


Modern Wall Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$800**

6 BUY PRICE EA. **\$790**

12 BUY PRICE EA. **\$780**



AQD745 DECK MOUNT TIME FLOW TAP

Deck mounted Time Flow Tap. 7 Seconds. Single hole mount, 6 Star rating. Includes one connection tail and hardware.


Supplied with Blue Red and Yellow button. Operating water pressure Min 50kPA, Max 350kPA. Optimum 250-350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$225**

6 BUY PRICE EA. **\$215**

12 BUY PRICE EA. **\$205**



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



There's more than five good reasons to choose Acqualine.

AQD780 KNEE OPERATED TIMER BASIN TAP SET

Includes deck mount fixed gooseneck outlet, 325mm lever / knee operated time-flow and connections. Six Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$410**




AQW1836 CLEANERS SINK FAUCET SET with wall bracket support

Quality Wall mounted Cleaners Sink model with cable supported Spout and Bucket Hook. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$1320**



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

AQD3150 DECK MOUNT FAUCET WITH 180MM SPOUT


Deck Mounted 180mm Swing Faucet, with 100mm Lever operation, one hole mount, complete with flexible fittings. Ceramic cartridges, 1/4 turn levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA.

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$490**

6 BUY PRICE EA. **\$480**

12 BUY PRICE EA. **\$470**



AQD3300CB DECK MOUNT WITH 300MM SPOUT

Deck Mounted 300mm Swing Faucet, with Lever operation, concealed breach, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$460**

6 BUY PRICE EA. **\$455**

12 BUY PRICE EA. **\$445**



(Tap detail common to all Concealed Breach models, see next page for drawing).

AQD3180CB DECK MOUNT WITH 180MM SPOUT

Deck Mounted 180mm Swing Faucet with Lever operation, concealed breach, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$435**

6 BUY PRICE EA. **\$430**

12 BUY PRICE EA. **\$420**



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine.

WALL MOUNT FAUCET/SINK SETS

AQW3300CB WALL MOUNT WITH 300MM SPOUT


Wall Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others).

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$445**

6 BUY PRICE EA. **\$435**

12 BUY PRICE EA. **\$425**



AQW3180CB WALL MOUNT WITH 180MM SPOUT


Wall Mounted 180mm Swing Faucet with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others).

**FIVE YEAR
ON-SITE WARRANTY***

LIST PRICE EA. **\$415**

6 BUY PRICE EA. **\$410**

12 BUY PRICE EA. **\$400**



Tap detail common to all
Concealed Breech models.



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



3D HEATING TECHNOLOGY

Multiple heating elements delivering uniform temperature for perfect rice every time.



No more dried out or burnt rice with Asahi 3D heating technology. Carefully positioned elements in the base and lid of the CRC-S5000 minimises temperature differences in the cooking chamber.

This uniform temperature creates the ideal environment to cook and hold rice without moisture loss, drying out or burning.



The CRC-S5000 features electronically controlled temperature sensing for perfect rice every time compared to mechanically controlled rice cookers.

CRC-S5000

- Stainless steel finish
- Capacity 30 cups [5 litres]
- Non-stick easy clean bowl
- Fully automatic one touch operation
- Auto shut-off feature
- Indicator light when cooked
- Multiple heating elements; standard bottom element with additional top elements - provides greater temperature consistency in the bowl.
- Digital temperature sensing for accuracy and reliability
- Cooking and rice warming feature
- Supplied with measuring cup and spoon
- Electrical: 1590 watts, 7A, supplied with 10 amp plug
- Dimensions 450 mm Dia. x 350H;
- Weight: 8.6 kg

LIST PRICE EA.

\$610



CRC-S600

- One touch operation
- Capacity up to 33 cups [6 Litres]
- Automatic keep warm function & shut off
- Non stick bowl
- Electrical: 1950 watts, 8A, supplied with 10 amp plug
- Dimensions 310mm Dia. x360H;
- Weight: 6kg

LIST PRICE EA.

\$365

6 BUY PRICE EA.

\$315



4 SHELF WIRE SHELVING BOX KITS



WHAT'S IN THE BOX:

4 x POSTS

4 x WIRE SHELVES

4 x PACKS OF SPLIT SLEEVES

4-SHELF EPOXY WIRE SHELVING UNIT

- Wire design allows for air circulation and minimal dust buildup
- Shelves easily adjust to your exact needs
- 544kg load capacity per unit (136kg per shelf)
- Ideal storage solution for any commercial, food service, medical setting, or home application
- Shelves and posts manufactured with antimicrobial green epoxy finish
- Includes posts, shelves, and all needed hardware
- No tools required for super easy assembly



ASSEMBLES IN MINUTES

CODE	455 DEEP - 4 SHELF BOX KITS	\$
V18307SET	760mm SHELVES (18X30") x1830mmH	190
V18367SET	915mm SHELVES (18X36") x1830mmH	205
V18427SET	1065mm SHELVES (18X42") x1830mmH	220
V18487SET	1220mm SHELVES (18X48") x1830mmH	250

NEW FEATURE

Posts are now half size for easier shipping!



15 YEAR WARRANTY

ATLAS shelving features a true powder-epoxy over zinc-chromate electroplating that ensures a strong durable bright silver coloured finish as well as in-built anti-microbial properties to inhibit bacterial growth. This shelving handles high heat and coolroom/freezer/high moisture environments with ease. All ATLAS wire shelving **NOW comes with a 15 YEAR WARRANTY** against rust and corrosion.

All ATLAS wire shelving is manufactured under strict quality control procedures and manufactured with *anti-microbial protection*. The open wire truss reinforced shelves feature front to back welded surface ribs for added strength which increases free air circulation and visibility. Easily adjustable and expandable to change with your needs, shelves adjust on 25 mm (1") increments. Each shelf has a load bearing capacity up to 270 kg (spread evenly across the shelf). Shelving units are available in kit form with four or five shelves, in wire or removable plastic mat to suit any application. Individual shelves, posts and accessories are also available. A large stock inventory allows fast delivery Australia wide.

4 SHELF WIRE SHELVING KITS Includes 4 wire shelves, four posts 1830mm high

CODE	355 DEEP - 4 SHELVES	\$
14247EPL	610mm SHELVES (14X24")	258
14307EPL	760mm SHELVES (14X30")	260
14367EPL	915mm SHELVES (14X36")	275
14427EPL	1065mm SHELVES (14X42")	285
14487EPL	1220mm SHELVES (14X48")	290
14547EPL	1370mm SHELVES (14X54")	315
14607EPL	1520mm SHELVES (14X60")	318
14727EPL	1830mm SHELVES (14X72")	356

CODE	455 DEEP - 4 SHELVES	\$
18247EPL	610mm SHELVES (18X24")	278
18307EPL	760mm SHELVES (18X30")	280
18367EPL	915mm SHELVES (18X36")	285
18427EPL	1065mm SHELVES (18X42")	320
18487EPL	1220mm SHELVES (18X48")	325
18547EPL	1370mm SHELVES (18X54")	368
18607EPL	1520mm SHELVES (18X60")	370
18727EPL	1830mm SHELVES (18X72")	415

CODE	535 DEEP - 4 SHELVES	\$
21247EPL	610mm SHELVES (21X24")	300
21307EPL	760mm SHELVES (21X30")	305
21367EPL	915mm SHELVES (21X36")	310
21427EPL	1065mm SHELVES (21X42")	355
21487EPL	1220mm SHELVES (21X48")	355
21547EPL	1370mm SHELVES (21X54")	400
21607EPL	1520mm SHELVES (21X60")	400
21727EPL	1830mm SHELVES (21X72")	465

CODE	610 DEEP - 4 SHELVES	\$
24247EPL	610mm SHELVES (24X24")	305
24307EPL	760mm SHELVES (24X30")	305
24367EPL	915mm SHELVES (24X36")	310
24427EPL	1065mm SHELVES (24X42")	378
24487EPL	1220mm SHELVES (24X48")	380
24547EPL	1370mm SHELVES (24X54")	435
24607EPL	1520mm SHELVES (24X60")	436
24727EPL	1830mm SHELVES (24X72")	500

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	250

NEW FEATURE
Posts are now half size for
easier shipping!

4 SHELF WIRE ADD-ON SHELVING KITS Includes 4 wire shelves, two 1830mm posts & all hardware

CODE	455 DEEP - 4 SHELVES	\$
A18247EPL	610mm SHELVES (18X24")	278
A18307EPL	760mm SHELVES (18X30")	280
A18367EPL	915mm SHELVES (18X36")	285
A18427EPL	1065mm SHELVES (18X42")	320
A18487EPL	1220mm SHELVES (18X48")	325
A18547EPL	1370mm SHELVES (18X54")	368
A18607EPL	1520mm SHELVES (18X60")	370
A18727EPL	1830mm SHELVES (18X72")	415

CODE	535 DEEP - 4 SHELVES	\$
A21247EPL	610mm SHELVES (21X24")	300
A21307EPL	760mm SHELVES (21X30")	305
A21367EPL	915mm SHELVES (21X36")	310
A21427EPL	1065mm SHELVES (21X42")	355
A21487EPL	1220mm SHELVES (21X48")	355
A21547EPL	1370mm SHELVES (21X54")	400
A21607EPL	1520mm SHELVES (21X60")	400
A21727EPL	1830mm SHELVES (21X72")	465

CODE	610 DEEP - 4 SHELVES	\$
A24247EPL	610mm SHELVES (24X24")	305
A24307EPL	760mm SHELVES (24X30")	305
A24367EPL	915mm SHELVES (24X36")	310
A24427EPL	1065mm SHELVES (24X42")	378
A24487EPL	1220mm SHELVES (24X48")	380
A24547EPL	1370mm SHELVES (24X54")	435
A24607EPL	1520mm SHELVES (24X60")	436
A24727EPL	1830mm SHELVES (24X72")	500

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	250

TIP
to create much more usable shelving in the corner, use the Add-On Kit to eliminate the front corner post.



Add-On units maximise corner space usage and accessibility by eliminating the corner pole.



15 YEAR WARRANTY

5 SHELF WIRE SHELVING KITS Includes 5 wire shelves, four 1830mm posts & all hardware

CODE	455 DEEP - 5 SHELVES	\$
18247EPL5	610mm SHELVES (18X24")	330
18307EPL5	760mm SHELVES (18X30")	333
18367EPL5	915mm SHELVES (18X36")	335
18427EPL5	1065mm SHELVES (18X42")	383
18487EPL5	1220mm SHELVES (18X48")	385
18547EPL5	1370mm SHELVES (18X54")	440
18607EPL5	1520mm SHELVES (18X60")	440
18727EPL5	1830mm SHELVES (18X72")	498

CODE	610 DEEP - 5 SHELVES	\$
24247EPL5	610mm SHELVES (24X24")	375
24307EPL5	760mm SHELVES (24X30")	380
24367EPL5	915mm SHELVES (24X36")	385
24427EPL5	1065mm SHELVES (24X42")	455
24487EPL5	1220mm SHELVES (24X48")	455
24547EPL5	1370mm SHELVES (24X54")	520
24607EPL5	1520mm SHELVES (24X60")	525
24727EPL5	1830mm SHELVES (24X72")	605

CODE	535 DEEP - 5 SHELVES	\$
21247EPL5	610mm SHELVES (21X24")	365
21307EPL5	760mm SHELVES (21X30")	365
21367EPL5	915mm SHELVES (21X36")	370
21427EPL5	1065mm SHELVES (21X42")	420
21487EPL5	1220mm SHELVES (21X48")	420
21547EPL5	1370mm SHELVES (21X54")	480
21607EPL5	1520mm SHELVES (21X60")	480
21727EPL5	1830mm SHELVES (21X72")	560

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	250



TIP

to create much more usable shelving in the corner, use the Add-On Kit to eliminate the front corner post.

5 SHELF WIRE ADD-ON SHELVING KITS Includes 5 wire shelves, two 1830mm posts & all hardware

CODE	455 DEEP - 5 SHELVES	\$
A18247EPL5	610mm SHELVES (18X24")	330
A18307EPL5	760mm SHELVES (18X30")	333
A18367EPL5	915mm SHELVES (18X36")	335
A18427EPL5	1065mm SHELVES (18X42")	383
A18487EPL5	1220mm SHELVES (18X48")	385
A18547EPL5	1370mm SHELVES (18X54")	440
A18607EPL5	1520mm SHELVES (18X60")	440
A18727EPL5	1830mm SHELVES (18X72")	498

CODE	610 DEEP - 5 SHELVES	\$
A24247EPL5	610mm SHELVES (24X24")	375
A24307EPL5	760mm SHELVES (24X30")	380
A24367EPL5	915mm SHELVES (24X36")	385
A24427EPL5	1065mm SHELVES (24X42")	455
A24487EPL5	1220mm SHELVES (24X48")	455
A24547EPL5	1370mm SHELVES (24X54")	520
A24607EPL5	1520mm SHELVES (24X60")	525
A24727EPL5	1830mm SHELVES (24X72")	605

CODE	535 DEEP - 5 SHELVES	\$
A21247EPL5	610mm SHELVES (21X24")	365
A21307EPL5	760mm SHELVES (21X30")	365
A21367EPL5	915mm SHELVES (21X36")	370
A21427EPL5	1065mm SHELVES (21X42")	420
A21487EPL5	1220mm SHELVES (21X48")	420
A21547EPL5	1370mm SHELVES (21X54")	480
A21607EPL5	1520mm SHELVES (21X60")	480
A21727EPL5	1830mm SHELVES (21X72")	560

NOTE:

All ATLAS shelving kits come complete with shelves, clips, adjustable feet, caps for post tops, and 'S' hooks for add-on units.

Anti-microbial coating is standard.

Full installation instructions included and a full **15 YEAR** anti-corrosion warranty.

SINGLE WIRE SHELVES

CODE	355 DEEP	\$
S1424EPL	610mm SHELVES (14X24")	55
S1430EPL	760mm SHELVES (14X30")	56
S1436EPL	915mm SHELVES (14X36")	58
S1442EPL	1065mm SHELVES (14X42")	61
S1448EPL	1220mm SHELVES (14X48")	64
S1454EPL	1370mm SHELVES (14X54")	68
S1460EPL	1520mm SHELVES (14X60")	72
S1472EPL	1830mm SHELVES (14X72")	82

CODE	535 DEEP	\$
S2124EPL	610mm SHELVES (21X24")	68
S2130EPL	760mm SHELVES (21X30")	68
S2136EPL	915mm SHELVES (21X36")	70
S2142EPL	1065mm SHELVES (21X42")	84
S2148EPL	1220mm SHELVES (21X48")	90
S2154EPL	1370mm SHELVES (21X54")	94
S2160EPL	1520mm SHELVES (21X60")	94
S2172EPL	1830mm SHELVES (21X72")	109

CODE	455 DEEP	\$
S1824EPL	610mm SHELVES (18X24")	55
S1830EPL	760mm SHELVES (18X30")	58
S1836EPL	915mm SHELVES (18X36")	61
S1842EPL	1065mm SHELVES (18X42")	67
S1848EPL	1220mm SHELVES (18X48")	78
S1854EPL	1370mm SHELVES (18X54")	81
S1860EPL	1520mm SHELVES (18X60")	89
S1872EPL	1830mm SHELVES (18X72")	92

CODE	610 DEEP	\$
S2424EPL	610mm SHELVES (24X24")	69
S2430EPL	760mm SHELVES (24X30")	69
S2436EPL	915mm SHELVES (24X36")	69
S2442EPL	1065mm SHELVES (24X42")	80
S2448EPL	1220mm SHELVES (24X48")	84
S2454EPL	1370mm SHELVES (24X54")	94
S2460EPL	1520mm SHELVES (24X60")	96
S2472EPL	1830mm SHELVES (24X72")	109

Why not use our FREE shelf quoting service?

Send us your plans and we'll send you an accurate quote to suit each location, in wire or plastic mat options.

Once ordered, the quote is converted to an invoice/packing ticket, so that each bay is identified on the cartons to make on-site assembly so much easier and faster.

Just another innovative service from FSM Atlas.

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	250
P72EPL	POST 1830mm high, 2 piece post (each)	32
AS	"S" Hooks for add-on shelves (per each)	7
AM	CLIPS (BLACK) Pk of 4 for shelves (1 pack per shelf)	18
AX	ADJUSTABLE FEET for posts per each	14



ATLAS Plastic Mat shelving features removable polymer composite mats over a sturdy zinc chromate epoxy coated frame for the best in storage for coolrooms and freezers. Anti-microbial protection is built right into the mat and wire/posts for life-long protection. Easily removed and cleaned, these mats provide a hygienic solution to food storage without having to dismantle shelf units. All ATLAS shelving comes with a 15 Year Warranty against corrosion.

4 SHELF PLASTIC MAT SHELVING KITS

Includes 4 plastic mat shelves, four posts 1830mm high & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 4 SHELVES	\$
PM18307EPL	760mm SHELVES (18X30")	395
PM18367EPL	915mm SHELVES (18X36")	400
PM18427EPL	1065mm SHELVES (18X42")	460
PM18487EPL	1220mm SHELVES (18X48")	490
PM18547EPL	1370mm SHELVES (18X54")	540
PM18607EPL	1520mm SHELVES (18X60")	545
PM18727EPL	1830mm SHELVES (18X72")	640

CODE	610 DEEP - 4 SHELVES	\$
PM24307EPL	760mm SHELVES (24X30")	480
PM24367EPL	915mm SHELVES (24X36")	485
PM24427EPL	1065mm SHELVES (24X42")	575
PM24487EPL	1220mm SHELVES (24X48")	580
PM24547EPL	1370mm SHELVES (24X54")	670
PM24607EPL	1520mm SHELVES (24X60")	675
PM24727EPL	1830mm SHELVES (24X72")	780

CODE	535 DEEP - 4 SHELVES	\$
PM21307EPL	760mm SHELVES (21X30")	445
PM21367EPL	915mm SHELVES (21X36")	445
PM21427EPL	1065mm SHELVES (21X42")	515
PM21487EPL	1220mm SHELVES (21X48")	525
PM21547EPL	1370mm SHELVES (21X54")	605
PM21607EPL	1520mm SHELVES (21X60")	610
PM21727EPL	1830mm SHELVES (21X72")	710

TIP
to create much more usable shelving in the corner, use the Add-On Kit to eliminate the front corner post.

4 SHELF PLASTIC MAT ADD-ON SHELVING KITS

Includes 4 plastic mat shelves, two posts 1830mm high, S clips & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 4 SHELVES	\$
APM18307EPL	760mm SHELVES (18X30")	395
APM18367EPL	915mm SHELVES (18X36")	400
APM18427EPL	1065mm SHELVES (18X42")	460
APM18487EPL	1220mm SHELVES (18X48")	490
APM18547EPL	1370mm SHELVES (18X54")	540
APM18607EPL	1520mm SHELVES (18X60")	545
APM18727EPL	1830mm SHELVES (18X72")	640

CODE	610 DEEP - 4 SHELVES	\$
APM24307EPL	760mm SHELVES (24X30")	480
APM24367EPL	915mm SHELVES (24X36")	485
APM24427EPL	1065mm SHELVES (24X42")	575
APM24487EPL	1220mm SHELVES (24X48")	580
APM24547EPL	1370mm SHELVES (24X54")	670
APM24607EPL	1520mm SHELVES (24X60")	675
APM24727EPL	1830mm SHELVES (24X72")	780

CODE	535 DEEP - 4 SHELVES	\$
APM21307EPL	760mm SHELVES (21X30")	445
APM21367EPL	915mm SHELVES (21X36")	445
APM21427EPL	1065mm SHELVES (21X42")	515
APM21487EPL	1220mm SHELVES (21X48")	525
APM21547EPL	1370mm SHELVES (21X54")	605
APM21607EPL	1520mm SHELVES (21X60")	610
APM21727EPL	1830mm SHELVES (21X72")	710



Removable plastic mat shelving

**15 YEAR
WARRANTY**

5 SHELF PLASTIC MAT SHELVING KITS

Includes 5 plastic mat shelves, four posts 1830mm high & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 5 SHELVES	\$
PM18307EPL5	760mm SHELVES (18X30")	464
PM18367EPL5	915mm SHELVES (18X36")	485
PM18427EPL5	1065mm SHELVES (18X42")	547
PM18487EPL5	1220mm SHELVES (18X48")	576
PM18547EPL5	1370mm SHELVES (18X54")	639
PM18607EPL5	1520mm SHELVES (18X60")	673
PM18727EPL5	1830mm SHELVES (18X72")	775

CODE	610 DEEP - 5 SHELVES	\$
PM24307EPL5	760mm SHELVES (24X30")	536
PM24367EPL5	915mm SHELVES (24X36")	565
PM24427EPL5	1065mm SHELVES (24X42")	639
PM24487EPL5	1220mm SHELVES (24X48")	684
PM24547EPL5	1370mm SHELVES (24X54")	759
PM24607EPL5	1520mm SHELVES (24X60")	804
PM24727EPL5	1830mm SHELVES (24X72")	954

CODE	535 DEEP - 5 SHELVES	\$
PM21307EPL5	760mm SHELVES (21X30")	502
PM21367EPL5	915mm SHELVES (21X36")	525
PM21427EPL5	1065mm SHELVES (21X42")	593
PM21487EPL5	1220mm SHELVES (21X48")	634
PM21547EPL5	1370mm SHELVES (21X54")	701
PM21607EPL5	1520mm SHELVES (21X60")	741
PM21727EPL5	1830mm SHELVES (21X72")	872



TIP

to create a versatile mobile shelving unit, add the castor kit '4CAST' to your shelves - great for periodic cleaning too.

5 SHELF PLASTIC MAT ADD-ON SHELVING KITS

Includes 5 plastic mat shelves, two posts 1830mm high, S clips & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 5 SHELVES	\$
APM18307EPL5	760mm SHELVES (18X30")	476
APM18367EPL5	915mm SHELVES (18X36")	497
APM18427EPL5	1065mm SHELVES (18X42")	556
APM18487EPL5	1220mm SHELVES (18X48")	587
APM18547EPL5	1370mm SHELVES (18X54")	651
APM18607EPL5	1520mm SHELVES (18X60")	681
APM18727EPL5	1830mm SHELVES (18X72")	804

CODE	610 DEEP - 5 SHELVES	\$
APM24307EPL5	760mm SHELVES (24X30")	547
APM24367EPL5	915mm SHELVES (24X36")	576
APM24427EPL5	1065mm SHELVES (24X42")	651
APM24487EPL5	1220mm SHELVES (24X48")	696
APM24547EPL5	1370mm SHELVES (24X54")	772
APM24607EPL5	1520mm SHELVES (24X60")	815
APM24727EPL5	1830mm SHELVES (24X72")	969

CODE	535 DEEP - 5 SHELVES	\$
APM21307EPL5	760mm SHELVES (21X30")	513
APM21367EPL5	915mm SHELVES (21X36")	536
APM21427EPL5	1065mm SHELVES (21X42")	604
APM21487EPL5	1220mm SHELVES (21X48")	650
APM21547EPL5	1370mm SHELVES (21X54")	714
APM21607EPL5	1520mm SHELVES (21X60")	753
APM21727EPL5	1830mm SHELVES (21X72")	884

SINGLE PLASTIC MAT SHELVES

CODE	455 DEEP	\$
PM1830EPL	760mm SHELVES (18X30")	74
PM1836EPL	915mm SHELVES (18X36")	77
PM1842EPL	1065mm SHELVES (18X42")	90
PM1848EPL	1220mm SHELVES (18X48")	99
PM1854EPL	1370mm SHELVES (18X54")	105
PM1860EPL	1520mm SHELVES (18X60")	115
PM1872EPL	1830mm SHELVES (18X72")	139

CODE	535 DEEP	\$
PM2130EPL	760mm SHELVES (21X30")	79
PM2136EPL	915mm SHELVES (21X36")	82
PM2142EPL	1065mm SHELVES (21X42")	100
PM2148EPL	1220mm SHELVES (21X48")	106
PM2154EPL	1370mm SHELVES (21X54")	121
PM2160EPL	1520mm SHELVES (21X60")	129
PM2172EPL	1830mm SHELVES (21X72")	158

CODE	610 DEEP	\$
PM2430EPL	760mm SHELVES (24X30")	89
PM2436EPL	915mm SHELVES (24X36")	93
PM2442EPL	1065mm SHELVES (24X42")	110
PM2448EPL	1220mm SHELVES (24X48")	117
PM2454EPL	1370mm SHELVES (24X54")	136
PM2460EPL	1520mm SHELVES (24X60")	146
PM2472EPL	1830mm SHELVES (24X72")	174

ACCESSORIES



CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	250
P72EPL	POST 1830mm high, inc. 2 Piece. (per each)	23
PMAS	"S" Hooks for add-on shelves (per each)	16
AM	CLIPS (BLACK) Pk of 4 for shelves (1 pack per shelf)	18
AX	ADJUSTABLE FEET for posts per each	14




DID YOU KNOW?

ATLAS shelving has epoxy-coated / electroplated shelving, posts and frames now with anti-microbial protection!

AS EASY AS 1 - 2 - 3




With a choice of ventilation systems and technologies to suit any application, Austream canopies can be custom built to your requirements.




I SERIES

Inspire with supply air




EO SERIES

Extract only




IR SERIES

Inspire with reduced front and supply air




EOR SERIES

Extract only reduced front



IEFB SERIES

Inspire with dual extract and supply air



EOFB SERIES

Extract only front & back

Add UV to your ventilation system.

Our High Energy Ozone UV lamps are specifically designed for maximum output in high heat airflows. They are installed in the exhaust plenum inside the hood itself.

Standard Lengths	Number of LED Lights	Size of Extract Spigots (mm)	Size of Supply Spigots (mm)	Weight (kg)
1200	2	(1x) 350 x 300	(1x) 350 x 300	85
1350	2	(1x) 350 x 300	(1x) 350 x 300	95
1550	2	(1x) 450 x 300	(1x) 450 x 300	110
1700	2	(1x) 450 x 300	(1x) 450 x 300	120
1900	3	(1x) 550 x 300	(1x) 550 x 300	125
2050	3	(1x) 550 x 300	(1x) 550 x 300	130
2250	3	(1x) 550 x 300	(1x) 550 x 300	135
2400	3	(1x) 550 x 300	(1x) 550 x 300	150
2650	4	(1x) 350 x 300 (1x) 450 x 300	(1x) 350 x 300 (1x) 450 x 300	175
2800	4	(1x) 350 x 300 (1x) 450 x 300	(1x) 350 x 300 (1x) 450 x 300	185
3000	4	(2x) 450 x 300	(2x) 450 x 300	190
3150	4	(2x) 450 x 300	(2x) 450 x 300	200
3350	5	(1x) 450 x 300 (1x) 550 x 300	(1x) 450 x 300 (1x) 550 x 300	210
3500	5	(1x) 450 x 300 (1x) 550 x 300	(1x) 450 x 300 (1x) 550 x 300	220
3700	6	(2x) 550 x 300	(2x) 550 x 300	225
3850	6	(2x) 550 x 300	(2x) 550 x 300	230
4050	6	(2x) 550 x 300	(2x) 550 x 300	235
4200	6	(2x) 550 x 300	(2x) 550 x 300	240
4400	6	(2x) 550 x 300	(2x) 550 x 300	260
4550	6	(2x) 550 x 300	(2x) 550 x 300	265
4800	7	(2x) 450 x 300 (1x) 550 x 300	(2x) 450 x 300 (1x) 550 x 300	290
4950	7	(2x) 450 x 300 (1x) 550 x 300	(2x) 450 x 300 (1x) 550 x 300	310
5150	8	(1x) 450 x 300 (2x) 550 x 300	(1x) 450 x 300 (2x) 550 x 300	315
5300	8	(1x) 450 x 300 (2x) 550 x 300	(1x) 450 x 300 (2x) 550 x 300	330
5500	9	(3x) 550 x 300	(3x) 550 x 300	335
5650	9	(3x) 550 x 300	(3x) 550 x 300	345
5850	9	(3x) 550 x 300	(3x) 550 x 300	350
6000	9	(3x) 550 x 300	(3x) 550 x 300	360
6200	9	(3x) 550 x 300	(3x) 550 x 300	365
6350	9	(3x) 550 x 300	(3x) 550 x 300	370
6550	9	(3x) 550 x 300	(3x) 550 x 300	375
6700	9	(3x) 550 x 300	(3x) 550 x 300	385

Standard depths 1300 and 1650. Standard sizes are available in a faster time frame and are more cost effective.
Custom sizes available on request

HIGH-SPEED ACCELERATED COOKING OVEN

The The Bonn Speedichef high-speed accelerated cooking oven utilizes a combination of forced convection, high speed tuned impinged air, top launched microwave to shorten the cook times significantly. It can bake, roast, toast, brown, and crisp foods up to 10 times faster than conventional methods while cooking evenly and consistently.

10 times faster than a conventional oven

Quiet – AVG 48 dB in standby mode

Uses less energy AVG 2.0kw/h

Bonn iQ Speedichef SCIQ2

- ▶ Top & Bottom impinged air
- ▶ Touch mode interface with smart menu system, controls are intuitive and simple to use
- ▶ Three "Set TEMP" modes to meet different temperature requirement.
- ▶ Temperature setting: 0-280°C
- ▶ Total 432 recipes with multi-stage programming (Up to 6 stages for each recipe)
- ▶ Variable-speed, vertically-recirculated air convection and impingement, can heat, brown, and crisp powerfully and intelligently with low noise.
- ▶ Stirrer to help ensure even distribution of air and microwave.
- ▶ Edit recipe and image on both oven and PC
- ▶ USB port to load recipes and photos
- ▶ Built-in catalytic converter breaks down grease-laden vapors, allowing for ventless operation.
- ▶ Allows the use of the metal trays, pans, screens, simplifies cooking.
- ▶ Built-in self-diagnostics.
- ▶ Infra-red elements tilt-up for cleaning
- ▶ Warranty: 13 months parts and labour (onsite).
- ▶ Supplied with 15 amp Cord + Plug

Dimensions: (WxDxH) 383mm x 693mm x 610mm

LIST PRICE EA. \$13,990



ACCESSORIES - included

- ▶ Teflon Basket
- ▶ Rack
- ▶ Baking Stone
- ▶ Non-stick baking pad
- ▶ Paddle



Fully programmable touchscreen controls

HIGH PERFORMANCE SERIES MICROWAVES with **microSave™**

The Bonn High Performance Series offer a choice of cooking power output, and market leading speed. Heavy Duty construction, high power, 200 programs and Bonn's unique **MicroSave** protection option makes these models the most advanced High Performance Commercial Microwave Oven and the number one choice amongst professionals. Utilising **Dual Magnetron** technology to reduce the operating temperature of each magnetron by up to 50% when compared to single magnetron ovens means a longer life span with greater reliability. This oven also comes with an On-Site 24 Months Parts / 13 Month Labour Warranty*.

The unique removable **MicroSave** Cavity Liner reduces service costs by up to 80% and extends the life of the oven and significantly improves hygiene by collecting all spills/spatters for easy cleaning. This patented **MicroSave** Cavity Liner is available as an optional extra, dishwasher safe and is a must for all professional users.

Bonn CM-1901T

- ▶ 1900W Microwave Output, 5 Power Levels
- ▶ 15 Amp plug single phase (Max. Draw 14.9A)
- ▶ 26 Litre Internal capacity
- ▶ Fully programmable Touch Pad with 200 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass,
- ▶ Commercial quality Hinges and handle
- ▶ External Dimensions 464W x 365H x 580Dmm
- ▶ Internal Dimensions 370W x 190H x 370Dmm ▶ Weight: 32Kgs
- ▶ Optional **MicroSave** Cavity Liner for easy cleaning /maintenance.

LIST PRICE EA. **WITHOUT MICROSAVE** \$2895
LIST PRICE EA. **WITH MICROSAVE** \$3215



CPS6A MicroSave Dishwasher Safe Cavity Liner - purchased separately :

LIST PRICE EA. \$350
(Save \$20.00 when purchased with oven)



Shown with **MicroSave** Cavity Liner

Bonn CM-1401T

- ▶ 1400W Microwave Output, 5 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 9.9A)
- ▶ 26 Litre Internal capacity
- ▶ Fully programmable Touch Pad with 200 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 464W x 365H x 580Dmm
- ▶ Internal Dimensions 370W x 190H x 370Dmm
- ▶ Weight: 32Kgs
- ▶ **MicroSave** Cavity Liner for easy cleaning /maintenance.

LIST PRICE EA. **WITHOUT MICROSAVE** \$2490
LIST PRICE EA. **WITH MICROSAVE** \$2800

ONLY
REQUIRES
10A POWER



PERFORMANCE SERIES MICROWAVES

The Bonn Performance Series Microwaves offer users preset programming, ceramic base, full stainless steel construction, generous 21 litre capacity and a choice of output power.

Incorporating the latest generation high efficiency Magnetron, these models incorporate many of the design features from the Bonn High Performance Range of ovens, including Direct Ducted Magnetron cooling, motorised stirrer fan for even heating along with all the safety features such as toughened inner door glass, heavy duty door safety latches and double-strengthened door hinges - all part of Bonn's stringent total safety philosophy.

Get commercial quality and speed with ease of operation and superior Bonn quality.

Supplied with 24 Month Parts / 13 Month Labour Back to Base Warranty*

Bonn CM-1042T

- ▶ 1200W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 8.5A)
- ▶ 21 Litre Internal capacity
- ▶ 20 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 490W x 325H x 450Dmm
- ▶ Internal Dimensions 310W x 209H x 325Dmm
- ▶ Weight: 19.5Kgs

LIST PRICE EA.

\$1420



Bonn CM-1051T

- ▶ 1000W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 7.6A)
- ▶ 21 Litre Internal capacity
- ▶ 20 Preset Memories, Digital Display
- ▶ Full Stainless Steel Interior/Exterior
- ▶ Door construction: Toughened Glass, Commercial quality Hinges and handle
- ▶ External Dimensions 490W x 325H x 450Dmm
- ▶ Internal Dimensions 310W x 209H x 325Dmm
- ▶ Weight: 19.5Kgs

LIST PRICE EA.

\$1040



LIGHT DUTY SERIES MICROWAVES

The Bonn Light Duty Microwave Series offers the smaller users preset programming (10 presets), ceramic base, stainless steel exterior, large 25 litre capacity and 900 Watt output.

Incorporating several of the design features from the Bonn Performance Range of ovens, including motorised stirrer fan for even heating and ceramic base.

This entry level commercial oven offers ease of operation and Bonn quality.

Supplied with our exclusive 13 month Back to Base labour and parts warranty*.

Bonn CM-902T

- ▶ 900W Microwave Output, 4 Power Levels
- ▶ 10 Amp plug single phase (Max. Draw 6.5A)
- ▶ 25 Litre Internal capacity
- ▶ 10 Preset Memories, Digital Display
- ▶ Programmable 1 to 3 stage cooking
- ▶ Rugged hinges and door handle
- ▶ Stainless Steel Exterior
- ▶ Stainless Steel Interior with Ceramic base
- ▶ External Dimensions 510W x 380Dmm x 335H
- ▶ Internal Dimensions 330W x 330Dmm x 212H
- ▶ Weight: 15 Kgs

LIST PRICE EA.

\$595





Dynamic has led the world in the design and production of stick blenders since 1964.

Designed and manufactured in France since 1964, Dynamic offers the most comprehensive range of stick blenders and attachments in the world today.

Dynamic is a true manufacturer with all components including motors, shafts, blades, electronic boards and plastic mouldings all manufactured in house at Dynamic in France. This emphasis on quality enables Dynamic to offer a **24 Months Parts & Labour back to base warranty on all mixers (Gigamix on site)*. Dynamic - the Inventor of the Power Mixer/ Stick Blender and Salad Spinner. Insist on the original and best. Choose the model that best suits your production requirements and customise with the right attachments.**

DYNAMIX RANGE - Suits 1-8 Litres

WALL HANGER INCORPORATED IN TOP OF GRIP - BOTH MODELS

MX050 (WAS DMX 160)
Knife: 4 blades
Total length: 395mm
Shaft length: 160mm
Diameter of bell: 55mm
Diameter: 70mm
Actual shipping weight: 1Kg/1.2Kg
Output max: 220W
Speed: 0-13,000rpm
Volume: 1-4 litres
Supplied with 10amp plug
LIST PRICE EA \$485



MX090 (WAS DMX 190)
Knife: 2 blades
Total length: 425mm
Shaft length: 190mm
Diameter of bell: 66mm
Diameter: 70mm
Actual shipping weight: 1.4Kg/1.5Kg
Output max: 250W
Speed: 0-13,000rpm
Volume: 1-8 litres
Supplied with 10amp plug
LIST PRICE EA \$595



DYNAMIX OPTIONS Choose the attachment that suits your operation:

AC518 Cutter Bowl

0.8 Litre

Ideal for sauces, cutting up small amounts of food product, mixing.

LIST PRICE EA **\$475**



AC517 Ricer/Masher

1-5KGS

For ricing/mashing soft vegetables like potato, cauliflower etc.

LIST PRICE EA **\$495**




DYNAMIC EXCLUSIVE

AC516 Whisk

1-4 Litres

For whisking eggs and liquids etc.

LIST PRICE EA **\$330**



AC560 Emulsifier/Blender

1-4 Litres

Exclusive emulsifier attachment for emulsions, soups, purees etc.

LIST PRICE EA **\$365**

smooth puree

DYNAMIC EXCLUSIVE





Dynamic created the world's first stick blender since 1964.

JUNIOR SERIES - Suits 5-25 Litres

THE LIGHTEST MIXER ON THE MARKET IN ITS CATEGORY!


MX020 (WAS MX225)
Diameter: 94mm
Total length: 505mm
Shaft length: 225mm
Weight: 1.7Kg
Output max: 270W
Speed: 12,000rpm
Volume: 5-25 litres
Supplied with 10amp plug
LIST PRICE EA \$820

MONOBLOCK



MX021 (WAS DMX225)
Diameter: 94mm
Total length: 505mm
Shaft length: 225mm
Weight: 1.75Kg
REMOVABLE SHAFT
Output max: 270W
Speed: 0-12,000rpm
Volume: 5-25 litres
Supplied with 10amp plug
LIST PRICE EA \$1030

089959 Wall
Support
Bracket
included
all models



MX024 (WAS DMX300)
Diameter: 94mm
Total length: 580mm
Shaft length: 300mm
Weight: 1.9Kg
REMOVABLE SHAFT
Output max: 270W
Speed: 0-12,000rpm
Volume: 5-25 litres
Supplied with 10amp plug
LIST PRICE EA \$1160



JUNIOR SERIES DMX225 & DMX300 OPTIONS Choose the attachment that suits your operation:

AC104 Cutter Bowl

0.8 litre

Ideal for sauces, cutting up small amounts of food product, mixing.

LIST PRICE EA \$515




AC103 Ricer/Masher

1-10KGS

For ricing/mashing soft vegetables like potato, cauliflower etc.

LIST PRICE EA \$565




DYNAMIC EXCLUSIVE

AC102 Whisk

1-5 Litres

For whisking eggs and liquids etc.

LIST PRICE EA \$550



AC066 Emulsifier/Blender

1-5 Litres

Exclusive emulsifier attachment for emulsions, soups, purees etc.

LIST PRICE EA \$435

smooth puree

DYNAMIC EXCLUSIVE






Dynamic created the world's first stick blender since 1964.

SENIOR SERIES - Suits 20-40 Litres

MX016 (WAS DMX400)

Diameter: 97mm
Total length: 740mm
Shaft length: 400mm
Weight: 2.5Kg
Output max: 350W
Speed: 0 - 9,500 rpm
Volume: 20-40 litres
Supplied with 10amp plug
LIST PRICE EA \$1430

089959 Wall
Support
Bracket
included




SENIOR SERIES OPTIONS Choose the attachment that suits your operation:

AC004 Ricer/Masher

10-15 Litres

For ricing/mashing soft vegetables like potato, cauliflower etc.

LIST PRICE EA \$1190




**DYNAMIC
EXCLUSIVE**

AC007 Whisk

5-20 Litres

For whisking eggs and liquids etc.

LIST PRICE EA \$620



AC055 Cutter Bowl

5 Litres


Ideal for sauces, cutting up small amounts of food product, mixing.

LIST PRICE EA \$1250



MASTER SERIES - Suits 40-100 Litres

MX003.HC (WAS DMX410C)
Diameter: 122mm
Total length: 720mm
Shaft length: 410mm
Weight: 3.7Kg
Output max: 600W
Speed: 3,000-9,500rpm
Volume: 40-100 litres
INCLUDES EASY CLEAN CLIP
Supplied with 10amp plug
LIST PRICE EA \$1595




0881 Wall
Support
Bracket included
all models

NEW BRATT PAN MODEL

MX160 (WAS DMX300CC)
Diameter: 122mm
Total length: 628mm
Shaft length: 300mm
Weight: 3.6Kg
Output max: 600W
Speed: 3,000-9,500rpm
Volume: 40-100 litres
INCLUDES WALL SUPPORT
INCLUDES EASY CLEAN CLIP
Supplied with 10amp plug
LIST PRICE EA \$1560



MX005.V (WAS MX91-410)
Diameter: 110mm
Total length: 715mm
Shaft length: 410mm
Weight: 3.4Kg
Output max: 600W
Speed: 3,000-9,500rpm
Volume: 40-100 litres
Supplied with 10amp plug
LIST PRICE EA \$1540



MX012 (WAS DMX500)
Diameter: 122mm
Total length: 810mm
Shaft length: 500mm
Weight: 3.9Kg
Output max: 600W
Speed: 3,000-9,500rpm
Volume: 40-100 litres
Supplied with 10amp plug
LIST PRICE EA \$1640




MASTER SERIES OPTIONS FOR DETACHABLE SHAFT MODELS See next page



Dynamic has led the world in the design and production of stick blenders since 1964.

MASTER SERIES - Suits 40-100 Litres

MASTER SERIES OPTIONS For Detachable Shaft models



AC004 Ricer/Masher

10-30KGS

For ricing/mashing soft vegetables like potato, cauliflower etc

LIST PRICE EA \$1190



AC202, AC200, AC201

Beater Whisk

20-200 litres

LIST PRICES EA

\$1185, \$1220, \$1250



AC055 Cutter Bowl

5 litres

Ideal for sauces, cutting up small amounts of food product, mixing

LIST PRICE

EA \$1250



AC003 Whisk

5-20 litres

For whisking eggs and liquids etc.

LIST PRICE

EA \$660

AC070 Emulsifier/Blender

For 5-40 Litres

Emulsifier attachment for emulsions, soups, purees etc

LIST PRICE

EA \$850





Dynamic created the world's first stick blender since 1964.

SMX TURBO SERIES Suits 75-300 Litres


MX002T (WAS SMX600T)
Diameter 125mm
Total length 800mm
Shaft length 530mm
Weight 6.1Kg
Power 850W
Speed 11,000rpm
Volume 75-200 litres
Detachable shaft No
Supplied with 10amp plug
LIST PRICE EA \$2360



MX040T (WAS SMX700T)
Diameter 125mm
Total length 870mm
Shaft length 600mm
Weight 6.5Kg
Power 925W
Speed 11,000rpm
Volume 75-250 litres
Detachable shaft Yes
Supplied with 10amp plug
LIST PRICE EA \$2950



089959 Wall Support Bracket included all models



SMX700T & SMX800T MODELS ONLY OPTION:

AC072T Emulsifier/Blender

75-300 Litres
(Dependant on model)
Exclusive emulsifier attachment for emulsions, soups, purees etc.

LIST PRICE EA \$1100



MX155T (WAS SMX300CC)
Diameter 236mm
Total length 609mm
Shaft length 300mm
Weight 5.9Kg
Power 1000W
Speed 11,000rpm
Volume 75-300 litres
Detachable shaft Yes
Supplied with 10amp plug
Supplied with Mixer Hook Support Bracket (below)
LIST PRICE EA \$3530



NEW BRATT PAN MODEL



SM020 Mixer Hook Support Bracket also included with SMX300CC Model

MX001T (WAS SMX800T)
Diameter 125mm
Total length 960mm
Shaft length 680mm
Weight 6.7Kg
Power 1000W
Speed 11,000rpm
Volume 75-300 litres
Detachable shaft Yes
Supplied with 10amp plug
LIST PRICE EA \$3250





Dynamic has led the world in the design and production of stick blenders since 1964.

MIXER SUPPORT BRACKETS

Dynamic offers high quality support brackets to fit tubs up to 120cm wide. Each bracket is adjustable to suit each size application. The ideal solution for mixing large capacities.

SM001 SM 4 Support Bracket
(400mm, Top Mounted) **EA \$620**

SM002 SM 6 Support Bracket
(600mm, Top Mounted) **EA \$660**

SM003 SM 8 Support Bracket
(800mm, Top Mounted) **EA \$670**

SM004 SM 10 Support Bracket
(1000mm, Top Mounted) **EA \$680**

SM005 SM 12 Support Bracket
(1200mm, Top Mounted) **EA \$690**



SM006 SA Support Bracket **EA \$340**
(55mm max, Side Mounted)



PROFESSIONAL SALAD SPINNERS FROM THE INVENTORS

Invented by Dynamic and manufactured in France.

The E20SC (sealed cover) model salad spinner is designed with a sealed lid.

Unlike all other hand operated salad spinners the SC model can be fully submerged in water to be washed and cleaned and is the only HACCP approved salad spinner globally.

The E20SC also features a socket drive fitting to the spinner basket minimising wear & tear to the gears. Gears can still be removed and replaced when necessary.



**Optional
Stabilising
Base**

Suits models::
E20, E20SC & EM98
AC019 \$145



All Dynamic Salad Spinners are manufactured with built in anti-bacterial properties.

2 to 3 lettuce
heads



E10
10 Litre
E001 - \$295

3 to 5 lettuce
heads



E20
20 Litre
E002 - \$330

3 to 5 lettuce
heads

**Sealed
Cover**



E20SC
20 Litre
E004 - \$410

3 to 5 lettuce
heads



EM98
20 Litre
Electric
E003 - \$1250

GIGAMIX - 100-400L Capacity

The Super Mixer for large capacity applications.
The Gigamix is designed for high volume, heavy duty mixing duties. Stainless steel construction offers many years of hygienic, uninterrupted food preparation. Constructed with heavy duty locking casters and tilting mechanism that allows for easy transport, safe and secure operation and convenient space saving storage.

- ▶ Distance between frame and mixer tube assembly: 800mm
- ▶ Distance between bottom of mixer head and floor: minimum 500mm & maximum 790mm

TB002 GIGAMIX VARIABLE SPEED

Technical Specifications:

Variable Speed (4000rpm loaded)

Diameter of mixer head: 270mm

Overall dimensions: 950 x 600 x 1700mm

Extended: 1700 x 600 x 1200mm

Standard Mixer attachment only: 570mm

Weight: 79Kg

Minimum working height: 500mm

Maximum height extended: 790mm = amplitude height: 290mm

Electrical:

Voltage: 230/400V, 3 phase, 50Hz Power: 2.1kW

Thermal magnetic circuit breaker.

LIST PRICE EA. \$25100

Fixed speed model available to order only.

TILTING MECHANISM ENHANCES OPERATIONAL EASE AND PROVIDES A SMALL STORAGE FOOTPRINT

Gigamix shown with included Standard Mixer 9351 attachment.



Safe secure locking mechanism and castors

ATTACHMENTS/ACCESSORIES

Choose from the following options to tailor the Gigamix to your operation:

TB004 EMULSIFIER / BLENDER ATTACHMENT

The patented Dynamic Blender is the ultimate solution for super smooth blending.

The unique "crushing hammer" process enables superior smoothness and finer textures.

Processed product has a longer shelf life with reduced separation.

LIST PRICE \$4550

TB030 DYNA PUMP PUMP-OUT ACCESSORY

This exclusive attachment allows for fast, easy transfer of product directly to packaging or other containers. Fits easily to the blender attachment for a seamless processing solution.

LIST PRICE \$3360





MANUAL & ELECTRIC CAN OPENERS

Edlund are the industry leaders in quality, reliable can opening solutions and produce a wide range to suit any work load. Made tough with quality components, yet easy and safe to operate.

► Quality manufactured in USA ► Parts remove easily for replacement and cleaning ► Edlund blades are reversible for longer life ► Knife edges are intentionally dull and rounded to fold metal not cut it, thereby providing a smooth rim edge for greater safety.

MODEL 1

Nickel plated opener and sturdy base with standard length bar, suitable for cans up to 280mm tall.

4 cans per minute.

Recommended daily use up to 15 cans.

Overall Height: 530mm

Weight packed: 8.1Kgs

LIST PRICE EA. \$445

MEDIUM USAGE



ELECTRIC CAN OPENERS

► Effortless electric operation to eliminate fatigue ► Spring-loaded mechanism opens even dented cans ► Replaceable knife and gear provide long life ► Sleek stainless steel construction provides durable operation and easy cleaning.

266

Single Speed Electric Can Opener

4-7 cans per minute.

Recommended daily use up to 75 cans.

Most suitable for size #10 cans.

Dimensions: 111Wmm x 178Dmm x 305Hmm

Weight: 5.57Kgs

Electrical: 120W 0.5A Supplied with 10 amp plug.

LIST PRICE EA. \$2550

EFFORTLESS
MEDIUM to HIGH
USAGE



CROWN PUNCH CAN OPENERS – PNEUMATIC

610

Unit complete with knife and guard ring locator for one standard size #10 round can.

All stainless steel including mechanism.

8-12 cans per minute.

Recommended daily use up to 400 cans.

(Note: Compressor not included).

LIST PRICE EA. \$16950

HIGH
PRODUCTION



SANITATION & STORAGE

The patented KSUV-18 Knife Sterilizer Cabinet provides superior sterilization compared to other methods or products using magnetic bars or metal racks to secure the knives. The exclusive non-filtering clear slotted knife holder and special mirrored interior walls eliminate shadows on knife surfaces within the cabinet that could prevent complete sterilization. The easy to operate mechanical timer can be set for up to 15 minutes, but the KSUV-18 will safely sterilize your knives in as little as 3 minutes with 99% efficacy**. It's like a SPF-99 (Sterilization Protection Factor) for your knives.



*Note: Knives not included

- 15 minute belled timer
- Holds up to 12 knives plus steel*
- Stainless steel construction
- LED lights indicate when door is closed and sterilization is in process
- UV filtered plexiglass door with lockable keyed handle
- Exclusive non UV filtering slotted knife holder
- 2 Larger slots to accommodate cleavers
- Safety interlock door

NEW

CODE	W X D X Hmm	KG	\$
KSUV-18	483 x 150 x 610	13.7	3800

CONTACT US FOR OTHER ITEMS AVAILABLE IN THE RANGE



Heavy Duty Crown Punch Can Openers



From one of Italy's leading design and manufacturing facilities comes this remarkable quality range of equipment with excellent performance, leading edge style and design.



ELEGANCE DROP-IN REFRIGERATED WELLS

Standard features include refrigerated cross-flow cold air wells with adjustable air flow velocity to suit even delicate foods, and height adjustable between 30 to 150mm deep.

Convenient lift-up evaporator for easy cleaning. Digital control system for adjusting temperature and automatic defrosting. Well Temperature +2°C to +5°C. Constructed from AISI 304 stainless steel and accommodates 1/1GN containers.



All Drop-in units can be fitted with optional gantries, in light or heat models with single or two-sided glass.

FULLY INTEGRATED MODELS

MODEL	SIZE	WELL SIZE	No PANS	AMPS	WATTS	\$
8046500	800mmL x 700mmD	650L x 510D x 30/150mmH	2GN1/1	2	500	7880
8046501	1125mmL x 700mmD	980L x 510D x 30/150mmH	3GN1/1	3	700	8250
8046502	1455mmL x 700mmD	1310L x 510D x 30/150mmH	4GN1/1	4	900	8980
8046503	1780mmL x 700mmD	1630L x 510D x 30/150mmH	5GN 1/1	5	1100	10700
8046580	2105mmL x 700mmD	1960L x 510D x 30/150mmH	6GN 1/1	6	1300	14880

REMOTE MODELS AVAILABLE - Contact your representative

All the above supplied with 10amp plug. Units require a drain/tundish/heated evaporator tray.

DROP-IN HEATED CERAMIC GLASS HOTPLATE

These Italian Hotplates are engineered to keep warm food at the correct temperature in trays, pans or earthenware dishes.

The Ceran hotplate is flush-mounted into the stainless steel top for durability and easier cleaning.

Maximum operating surface temperature of 120°C is adjustable and controlled via a mechanical thermostat. Careful design and placement of the silicon heating blanket gives even heat across the ceramic glass hot plate, with faster warm up and better economy.



All Drop-in units can be fitted with optional gantries, in light or heat models with single or two-sided glass.

MODEL	DIMENSIONS	TOP	No PANS	AMPS	WATTS	\$
8046428	800mmL x 700mmD	650Lx510D	2GN 1/1	5	1200	3430
8046429	1125mmL x 700mmD	960Lx510D	3GN 1/1	8	1800	4100
8046430	1455mmL x 700mmD	1300Lx510D	4GN 1/1	10	2400	4450



GRANITIME GRANITA MACHINES

European design and built, fast to freeze, simple to operate and built to last.



GRANITIME Granita Machines

- Enlarged refrigeration capacity.
- Highest level of performance in the most challenging environments.
- New push and pull taps preventing product pour issues.
- Thorough and continuous product mixing.
- 12lt per bowl capacity.
- Brushed stainless steel body .
- Simple operation.
- Built strong yet simple to clean.

CODE	W X D X Hmm	KG	POWER REQUIREMENTS	WATTS	CAPACITY	\$
GRANITIME 1	200 x 480 x 820	30	10amp	800	1 x 12ltr bowl	3080
GRANITIME 2	400 x 480 x 820	55	10amp	1000	2 x 12ltr bowl	4630
GRANITIME 3	600 x 480 x 820	70	10amp	1200	3 x 12ltr bowl	6375



V-AIR

V-AIR Frozen Beverage Machine

- Defrost system 75% faster
- Electronic Density Control
- No separation needed
- Easy-to-remove filter
- Hinged Lid
- Multifunction & multilanguage display



Slush	Sherbet	Sorbet	Drinks	Frozen Cocktails	Frapuccinos	Cream
✓	✓	✓	✓	✓	✓	✓

MODEL	W X D X Hmm	KG	POWER	WATTS	CAPACITY	\$
V-AIR-2	400 x 480 x 820	56	10amp	600	2 x 12ltr bowl	6580
V-AIR-3	600 x 480 x 820	70	10amp	1000	3 x 12ltr bowl	8200
SL8AF001849	AUTO-FILL PRE-MIX SYSTEM - ONE REQUIRED FOR EACH BOWL					1500



V-DREAM

Slush	Sherbet	Sorbet	Drinks	Frozen Cocktails	Milkshakes	Frapuccinos	Cream
✓	✓	✓	✓	✓	✓	✓	✓

MODEL	W X D X Hmm	KG	POWER	WATTS	CAPACITY	\$
V-DREAM	400 x 770 x 830	99	10amp	max 2000	18L Hopper & 7L Cylinder	18700

V-DREAM

- Refrigerated hopper
- Product ready in less than 20 minutes*
- Direct drive cylinder mixer motor
- Brushless hopper mixer motor
- Modulated fan
- Multilanguage display
- Easy-to-remove filter





GENERAL FOOD EQUIPMENT – MICROWAVE

Designed for light to medium duty use in coffee shops, pizzerias, sandwich shops, self service areas, lunch break rooms, student lounges and more. Complete cooking and reheating of foods utilising up to 1000 watts of power with programmable 2 stage cooking.

GEW1050E

- ▶ 1000 Watts Cooking Power
- ▶ All Stainless steel exterior and interior
- ▶ 10 Power Levels
- ▶ Audible alarm when timed cycle is complete
- ▶ Large easy grip polished handle
- ▶ Reinforced flexible door latches to reduce breakage
- ▶ Electronic touch sensitive pad for programming, **2 stage cooking** and digital time display, Double or Triple quantity Function
- ▶ 28.3 Litres Internal Capacity
- ▶ 10 programs, ½ GN size
- ▶ 508W x 356D x 305Hmm External Dimensions
- ▶ 327W x 330D x 195Hmm Internal Dimensions
- ▶ 17Kg net/ 19Kg packed
- ▶ 6.3A (1500W). Supplied with 10A plug

LIST PRICE EA. \$670





Hatco, the world's leaders in food warming and holding technology, continue to lead the way with high quality, reliable and aesthetically correct Decorative Heat Lamps. With 14 shade styles, 24 colour and finish options, plus a choice of 10 mounting and switch locations, there will be a model to suit your project or restaurant perfectly. Hatco Decorative Heat Lamps are perfect for enhancing your food pass/servery. Choose the lamps that the experts choose.

DECORATIVE HEAT LAMPS - IN STOCK - all others to order

DL-600-CL/BCOPPER

Hatco Decorative Heat Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm. (Longer length available on application).
Black cord standard.
Switch on lamp housing.
Bright Copper plated finish.
Supplied unplugged

LIST PRICE EA. \$1060



DL-400-CL/BOLDBLACK

Hatco Decorative Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm (Longer length available on application).
Black cord standard.
Switch on lamp housing.
Bold Black finish.
Supplied unplugged

LIST PRICE EA. \$770



DL-500-RL-CH/BK

Hatco **Retractable** Decorative Heat Lamp
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.
Black cord is standard.
Switch on lamp housing.
Glossy grey finish.
Supplied unplugged

LIST PRICE EA. \$1260



DL-775-RPL-BN/BK

Hatco **Retractable** Decorative Heat Lamp
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.
Black cord is standard.
Switch on lamp housing.
Bright Nickel finish.
Supplied unplugged

LIST PRICE EA. \$1560



DL-500-CL-CH/BK

Hatco Decorative Lamp
Features flexible cord mount to canopy.
Overall length is 1829mm (Longer length available on application).
Black cord standard.
Switch on lamp housing.
Glossy grey finish.
Supplied unplugged

LIST PRICE EA. \$770



DL-750-RL/BOLDBLACK

Hatco **Retractable** Decorative Heat Lamp
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.
Black cord is standard.
Switch on lamp housing.
Bold Black finish.
Supplied unplugged

LIST PRICE EA. \$1330




All lamps supplied with 250watt Food Grade Teflon-coated heat lamp to meet Australian Food Standard regulations.
(Spare Part N02.30.100.00)

Recommended height is no more than 350mm from target surface from underside of lamp.



HOW TO ORDER NON STOCK LAMPS - Contact us for a quote

1 SELECT SHADE STYLE (all 216mm Height except 1400/1500)



2 SELECT COLOUR/FINISH

Hatco is proud to introduce IFS **antimicrobial** powder coatings to the paint process for designer colours and gloss finishes - fighting germs to keep customers happy, healthy and **safe**.

IFS antimicrobial coatings use naturally-occurring, environmentally sustainable, silver ions to help inhibit the growth of microbes on the powder coated surface.

DESIGNER COLORS




GLOSS FINISHES



Only available for shades. Select a different option for the rest of the unit.

PLATED FINISHES




Shade color/finishes available for DL-1500 only

Select a different color or finish for the rest of the unit.



Gloss finishes, plated finishes and DL-1500 shade colors: Special process required and extended lead times

3 SELECT MOUNTING TYPE & SWITCH LOCATION



U = Upper I/O (on/off) Switch



L = Lower I/O (on/off) Switch

N = None (supplied by installer)



GLO-MAX® GM5AH CURVED INFRARED STRIP HEATERS




This stylish, patented design, based on our signature Glo-Max® strip heaters, is the perfect solution for your front-of-the-house applications. Superb for buffet and serving lines, the sleek curved design minimizes its size while accenting and warming the products below. GM5AHL, with versatile LED lighting options, provides perfect coloring and coverage while lowering energy costs.

CODE	VOLTAGE	WATTS	AMPS	DIMENSIONS	WEIGHT	\$
GM5AH-30	230 ~ 240	606 ~ 660	2.8	762W x 150D x 50Hmm	5Kg	710
GM5AHL-30	230 ~ 240	606 ~ 660	2.8		6Kg	1125
GM5AH-36	230 ~ 240	735 ~ 800	3.3	915W x 150D x 50Hmm	6Kg	760
GM5AHL-36	230 ~ 240	756 ~ 812	3.4		6Kg	1230
GM5AH-42	230 ~ 240	872 ~ 950	4.0	1067W x 150D x 50Hmm	7Kg	795
GM5AHL-42	230 ~ 240	885 ~ 964	4.0		7Kg	1340
GM5AH-48	230 ~ 240	1010 ~ 1100	4.6	1220W x 150D x 50Hmm	7Kg	845
GM5AHL-48	230 ~ 240	1025 ~ 1116	4.7		8Kg	1465
GM5AH-54	230 ~ 240	1148 ~ 1250	5.2	1372W x 150D x 50Hmm	8Kg	890
GM5AHL-54	230 ~ 240	1163 ~ 1267	5.3		8Kg	1590
GM5AH-66	230 ~ 240	1433 ~ 1560	6.5	1675W x 150D x 50Hmm	9Kg	1035
GM5AHL-66	230 ~ 240	1450 ~ 1579	6.6		10Kg	1660
GM5AH-78	230 ~ 240	1736 ~ 1890	7.9	1981W x 150D x 50Hmm	10Kg	1205
GM5AHL-78	230 ~ 240	1754 ~ 1910	8.0		11Kg	2220

Clear anodized is the standard housing color, black anodized is an option
 Angle brackets are standard, non-adjustable tubular stands, 406 mm (16"), are an option
 Warm LED light (3000K)
 Power wire lead length is 1524 mm



Sleek Curved Design







GLO-MAX® HLC5 LED CURVED DISPLAY LIGHTS

A stylish choice for illuminating your serving area. The HLC5 LED Display Light offers the highest light output that is ideal for illuminating food products with a cool white light (4000K). The sleek, curved design is patented and the LED lighting delivers significant savings with lower energy consumption and greater reliability.

CODE	VOLTAGE	WATTS	AMPS	WEIGHT	DIMENSIONS	DESCRIPTION	\$
HLC5-30	220 ~ 240	11	0.05	4kg	762 x 150 x 50 mm		860
HLC5-36	220 ~ 240	14	0.06	4kg	915 x 150 x 50 mm		895
HLC5-42	220 ~ 240	15~16	0.07	5kg	1067 x 150 x 50 mm	Housing color: standard clear anodized or optional black anodized	940
HLC5-48	220 ~ 240	17	0.08	6kg	1220 x 150 x 50 mm	LED light color: cool white (400K)	975
HLC5-54	220 ~ 240	19	0.08	7kg	1372 x 150 x 50 mm	Mounting options: standard angle brackets or optional 406 mm non-adjustable tubular	1070
HLC5-66	220 ~ 240	22	0.09~0.1	8kg	1675 x 150 x 50 mm	Rocket Switch, location: under unit on power side	1170
HLC5-78	220 ~ 240	24	0.1~0.11	8kg	1981 x 150 x 50 mm	Power wire lead length: 1524mm	1320



Shown on optional stand.





Acknowledged world leaders in food holding and warming solutions, Hatco offer a breadth of products and solutions that answer almost any heating/warming/holding requirement.

And Hatco lead the way in merchandising solutions with high quality - high visibility products. Call to discuss your special requirements or project needs - Hatco has a quality solution and Hatco products are covered by our exclusive 13 month warranty on parts and labour.


GLO RAY FOOD WARMER GRAH Heat only

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern (See schematic below). Safety wire guards, mounting brackets and 1800mm cord with 10A plug standard. **All units 150mmW x 64mmH**

MODEL	\$	LENGTH	WATTAGE	MODEL-IC	LENGTH	\$
GRAH-18	630	460mm	350W	GRAH-18-IC	460mm	790
GRAH-24	660	610mm	500W	GRAH-24-IC	610mm	820
GRAH-30	700	760mm	660W	GRAH-30-IC	760mm	860
GRAH-36	735	910mm	800W	GRAH-36-IC	910mm	895
GRAH-42	780	1070mm	950W	GRAH-42-IC	1070mm	940
GRAH-48	820	1220mm	1100W	GRAH-48-IC	1220mm	980
GRAH-54	870	1370mm	1250W	GRAH-54-IC	1370mm	1030
GRAH-60	920	1520mm	1400W	GRAH-60-IC	1520mm	1080
GRAH-66	1000	1680mm	1560W	GRAH-66-IC	1680mm	1160
GRAH-72	1120	1830mm	1725W	GRAH-72-IC	1830mm	1280
GRAH-84	1285	2130mm	1900W	GRAH-84-IC	2130mm	1445
GRAH-96	1450	2440mm	2400W	GRAH-96-IC	2440mm	1610



FOR INFINITE
CONTROL
MODELS SEE
"IC" COLUMN
←



Typical Glo Ray
installation shown
above stainless
steel benchtop.

GLO RAY FOOD WARMER GRAHL Heat & Light

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern. Includes Incandescent lighting, safety wire guards, mounting brackets and 1800mm cord with 10A or 15A* plug standard. **All units 230mmW x 64mmH**

MODEL	\$	LENGTH	WATTAGE	MODEL-IC	LENGTH	\$
GRAHL-18	865	460mm	470W	GRAHL-18-IC	460mm	1025
GRAHL-24	895	610mm	620W	GRAHL-24-IC	610mm	1055
GRAHL-30	1000	760mm	780W	GRAHL-30-IC	760mm	1160
GRAHL-36	1125	910mm	980W	GRAHL-36-IC	910mm	1285
GRAHL-42	1190	1070mm	1130W	GRAHL-42-IC	1070mm	1350
GRAHL-48	1330	1220mm	1340W	GRAHL-48-IC	1220mm	1490
GRAHL-54	1425	1370mm	1490W	GRAHL-54-IC	1370mm	1585
GRAHL-60	1590	1520mm	1700W	GRAHL-60-IC	1520mm	1750
GRAHL-66	1710	1680mm	1860W	GRAHL-66-IC	1680mm	1870
GRAHL-72	1940	1830mm	2085W	GRAHL-72-IC	1830mm	2100
GRAHL-84	2280	2130mm	2470W* 15A	GRAHL-84-IC	2130mm	2440
GRAHL-96	2500	2440mm	2880W* 15A	GRAHL-96-IC	2440mm	2660

FOR INFINITE
CONTROL
MODELS SEE
"IC" COLUMN
←

REMOTE CONTROLS & IC UNITS

Use 1 Infinite Control per Glo Ray element


MODEL	DESCRIPTION	\$
RMB-3CE	Remote Control Enclosure with 1 Infinite Control	360
RMB-7CE	Remote Control Enclosure with 2 Infinite Controls	495



RMB-3CE



Dual Remote Control RMB-7CE



Hatco heated shelves are the benchmark for quality, reliability and style when it comes to holding food at serving temperatures.

Choose from portable table-top models, drop-in or flush mount models to suit any project or venue requirement, and serve with style and practicality.

HEATED BLACK GLASS **PORTABLE** SHELVES 400mm DEEP

HGSM-4060

Hatco's **Heated Glass Shelf Modular** units feature black ceramic glass to create uniform heat across the entire surface to hold hot food at safe-serving temperatures for longer without affecting product quality.

Modular design allows for multiple units to be placed side-by-side and for easy cleaning and maintenance.

Includes thermostatic controls with five temperature settings of 55°C, 65°C, 75°C, 85°C and 95°C. Touch Panel Control.

Constructed with a durable stainless steel housing.

Weight: 7.5Kgs Dimensions: 400W X 600D X 56Hmm

Electrical: 300 Watts, 1.3 amp. supplied with corded 10amp plug.

LIST PRICE EA. \$1280




GLO-RAY® GRS **PORTABLE** HEATED SHELF 495mm DEEP

Convenient portable heated shelf units 495mm 'deep', that offer the flexibility of use when and where needed. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times.

Temperature Range: 27-82°C. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-24-I	610 mm long x 495 mm wide	380	10Kg	1830
GRS-30-I	762 mm long x 495 mm wide	490	12Kg	1970
GRS-36-I	914 mm long x 495 mm wide	598	13Kg	2100
GRS-42-I	1067 mm long x 495 mm wide	652	15Kg	2365
GRS-48-I	1219 mm long x 495 mm wide	760	17Kg	2465
GRS-54-I	1372 mm long x 495 mm wide	870	20Kg	2650



All models supplied corded with 10amp plug.



Shown with optional pan guards.


GLO-RAY® GRS **PORTABLE** HEATED SHELF 305mm DEEP

Convenient portable heated shelf units 305mm 'deep' models, perfect for burger or product make-up and holding on the one bench space. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-60-D	1524 mm long x 305 mm wide	600	16Kg	2190
GRS-72-D	1829 mm long x 305 mm wide	700	17Kg	2275



All the above supplied corded with 10amp plug.



GLO-RAY® GRSBF DROP-IN FLUSH TOP HEATED SHELF

Satin Black hard coated aluminium finish with flush mount, for a smooth professional finish, includes remote temperature control and ON/OFF switch.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. They feature a thermostatically-controlled blanket-type foil element heated surface to help hold your food hot and delicious with consistent temperatures across the shelf. Adjustable thermostat controls allow surface temperature for the GRSBF to range from 27° to 82°C.

CODE	DIMENSIONS (all 60mm height)	WATTS	WEIGHT	\$
GRSBF-24-I	648mm long x 533 mm wide	550	13Kg	3030
GRSBF-30-I	800 mm long x 533 mm wide	665	14Kg	3200
GRSBF-36-I	953 mm long x 533 mm wide	780	14Kg	3430
GRSBF-42-I	1105 mm long x 533 mm wide	885	15Kg	3600
GRSBF-48-I	1257 mm long x 533 mm wide	1000	18Kg	3790
GRSBF-54-I	1372 mm long x 533 mm wide	1220	22Kg	3980
GRSBF-60-I	1562 mm long x 533 mm wide	1220	22Kg	4170
GRSBF-72-I	1867 mm long x 533 mm wide	1440	24Kg	4500



All the above supplied corded with 10amp plug.

Please note: depths/widths other than 533mm available on request: 432, 648, 800mm.

GLO-RAY® HBGB DROP-IN HEATED BLACK CERAMIC GLASS SHELF

For a dramatic and professional food serving area, the Hatco Heated Black Glass Shelf has a heated ceramic glass surface to create uniform heat across the entire surface and display food perfectly.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. Surface colour is black ceramic glass and they feature a thermostatically-controlled heated ceramic glass surface to help hold your food hot and delicious. Food can be placed directly on the glass surface. Supplied with an attached stainless steel trim mounting ring for drop in installations.

Adjustable thermostat controls allow surface temperature for the HBGB to range from 38° to 82°C. Recommended for installation in metallic surfaces.

CODE	DIMENSIONS* (all 55mm Height)	WATTS	WEIGHT	\$
HBGB-2418	651 mm long x 498 mm wide	425	15Kg	4840
HBGB-3018	803 mm long x 498 mm wide	525	17Kg	5050
HBGB-3618	955 mm long x 498 mm wide	630	19Kg	5250
HBGB-4818	1260 mm long x 498 mm wide	850	23Kg	5760
HBGB-6018	1565 mm long x mm 498 wide	1050	29Kg	6150
HBGB-7218	1870 mm long x 498 mm wide	1260	34Kg	6590



* Outer dimensions of the stainless steel trim. All the above supplied corded with 10amp plug. **Controller dimensions 178 x 76mm.** Note: HBGB Units over 955 mm are constructed of two equal size pieces of glass. Recommended for use in a metallic countertop. For other surfaces, verify that the material is suitable for temperatures up to 94°C.






HATCO HOT OR COLD SHELF

Serve hot buffet or cool salads/sweets on the same shelf space easily and quickly with flexibility to suit your venue. These units come in traditional Hardcoat finish or Swanstone® Simulated Stone Finish to match any decor, available as a Drop-In Flush mount. Save space and maximise the space you already have.

From the world-wide leaders in food holding solutions this versatile shelf satisfies your differing serving needs at the touch of a button. Patent-pending thermal break technology and renowned Hatco reliability - Hot OR Cold and now available Cold Only.

- Easily change between Hot or Cold in under an hour (approx) to suit your needs
- **Temperature Range:** -12°C to 82°C
- Control Box can be remotely mounted up to 1229mm from centre of the shelf
- Maximise the usage of your available space for hot or cold servings
- Durable Hardcoat Aluminium Finish Drop-In Flush Mount or...
- Swanstone® food safe simulated stone colours available to match your decor and other Hatco Heated Shelves
- Famous Hatco performance and reliability
- Patent-pending thermal break reduces condensation and temperature transfer.
- Includes a remote-mountable control enclosure, with a three position power switch and two digital temperature controllers.



Traditional hard coat aluminium drop-in Flush Mount Cold only with remote control



Swanstone® Granite Gray simulated stone drop-in Flush Mount Hot or Cold with remote control



Hot or Cold Remote control with three position switch and two electronic temperature controls

Stone Colours



Gray Granite



Bermuda Sand



Night Sky

*Swanstone Colour must be specified at time of order.

Available as a Cold Only shelf.

Hatco's CSBF Cold Shelf Built-In Flush Top is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving. Features patent-pending thermal break that reduces condensation. Includes a power On/Off switch and digital temperature controller. Has a hardcoat aluminum surface and is designed to be top mounted.

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
HCSBF-24-I	Drop-In Hot / Cold Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	804 / 3.5	1/4HP	58Kg	13740
HCSBF-36-I	Drop-In Hot / Cold Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	1044 / 4.5	1/3HP	68Kg	14100
HCSBF-48-I	Drop-In Hot / Cold Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	1044 / 4.5	1/3HP	84Kg	15700
HCSSBF-24-I	Drop-In Hot / Cold Shelf - Swanstone*	610W x 495mmD	804 / 3.5	1/4HP	67Kg	14100
HCSSBF-36-I	Drop-In Hot / Cold Shelf - Swanstone*	914W x 495mmD	1044 / 4.5	1/3HP	76Kg	14540
HCSSBF-48-I	Drop-In Hot / Cold Shelf - Swanstone*	1219W x 495mmD	1044 / 4.5	1/3HP	92Kg	16000
CSBF-24-I	Drop-In Cold Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	816/3.5	1/3HP	53KG	11850
CSBF-36-I	Drop-In Cold Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	816/3.5	1/3HP	62Kg	12050
CSBF-48-I	Drop-In Cold Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	816/3.5	1/3HP	71Kg	13500



HATCO® DROP-IN SLIM FROST TOP

Convenience meets style with the Hatco Drop-In Slim Frost Tops. Perfect for quick turn products on self-serve buffets. Save space and maximise the space you already have.

Hatco Drop-in Slim Frost Tops keep pre-chilled beverages, snacks, hors d'oeuvres and side dishes cool and ready to serve. Slim configuration provides wider access to your customers.

- ▶ Available in 2- and 3-pan slim configurations
- ▶ NSF 7 approved cold wall construction utilizes a refrigerant that keeps food product cold without drying it out
- ▶ Auto-defrost is activated through an advanced programmable electronic controller
- ▶ Matches the Hatco line of Heated Wells for an integrated look
- ▶ The condensing unit, mounted on the centre of the unit, rotates 180° (movable in some models)
- ▶ Long, flexible refrigerant line (ability to pull out condensing unit) for service
- ▶ Famous Hatco performance and reliability



FTB-S2 Drop-In Slim Frost Top

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
FTB-S2	Drop-In Slim Frost- Top	1395W x 535D x 437Hmm	804 / 6.7	1/4HP	83Kg	13700
FTB-S3	Drop-In Slim Frost- Top	2053W x 535D x 437Hmm	804 / 6.7	1/4HP	108Kg	15300

HATCO® GOLD UNDERMOUNT SHELF

Hatco's CSU Cold Undermount Shelf is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving.

- Undermount shelves have the amazing benefit of being able to be installed under the counter top of your choice***
- Long, flexible refrigerant line (ability to pull out condensing unit) for service
- Electronic Temperature Control Box with a 1219 mm lead wire
- Anodized aluminum surface

***Approved materials include granite and quartz up to 30 mm, Swanstone® (provided by Hatco), and certain stainless steel or aluminum surfaces approved by Hatco. Please contact FSM for applications with other material



CODE	DESCRIPTION	DIMENSIONS:	Watts / Amps	Compressor	Weight	\$
CSU-24-I	Cold Undermount Shelf	697W x 579D x 257Hmm	1296 / 5.4	1/3HP	52Kg	11600
CSU-36-I	Cold Undermount Shelf	998W x 579D x 257Hmm	984 / 4.1	3/8HP	64Kg	11670
CSU-48-I	Cold Undermount Shelf	1303W x 579D x 257Hmm	984 / 4.1	3/8HP	70kg	12800



GLO-RAY® HEATED DISPLAY WARMERS

Boost impulse sales by showcasing your hot foods in the Hatco Glo-Ray merchandising warmers. Designed specifically for displaying wrapped or boxed product, these warmers hold hot food safely at proper serving temperatures and are seen in many of the best known venues around the world.

- ▶ Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- ▶ Convenient for self-serve or quick-serve areas
- ▶ Available in two-tier models with horizontal or slanted shelves
- ▶ Adjustable product divider rods sort food displays for convenience and product appeal
- ▶ Thermostatically controlled hard-coated heated base extends holding times
- ▶ Food grade Teflon coated incandescent lights illuminate the holding areas and product for maximum visibility.

GRSDS **Slant** Model - all 617 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GRSDS-24D	Dual Shelf - 610 mmW	1.34kw	5.6 amp	52Kg	9040
GRSDS-30D	Dual Shelf - 760 mmW	1.53kw	6.4 amp	64Kg	9550
GRSDS-36D	Dual Shelf - 910 mmW	1.81kw	7.6 amp	73Kg	10200
GRSDS-41D	Dual Shelf - 1040 mmW	2.12kw	8.8 amp	82Kg	10950
GRSDS-52D*	Dual Shelf - 1320 mmW	2.73kw	11.4 amp	98Kg	12720
GRSDS-60D*	Dual Shelf - 1520 mmW	3.34kw	14 amp	108Kg	13500

Units 24D - 41D supplied corded with 10A plug.

*Units 52D - 60D supplied corded with 15A plug.




GR2SDS **Slant** Model **DESIGNER SERIES** - All 677 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GR2SDS-24D	Dual Shelf - 770 mmW	1.64kw	6.9 amp	73Kg	10700
GR2SDS-30D	Dual Shelf - 920 mmW	2.04kw	8.5 amp	84Kg	11450
GR2SDS-36D*	Dual Shelf - 1070 mmW	2.44kw	10.2 amp	91Kg	12200
GR2SDS-42D*	Dual Shelf - 1220 mmW	2.98kw	12.5 amp	99Kg	13300
GR2SDS-48D*	Dual Shelf - 1380 mmW	3.38kw	14.1 amp	116Kg	14400
GR2SDS-54D^	Dual Shelf - 1530 mmW	3.78kw	15.8 amp	120Kg	15500
GR2SDS-60D^	Dual Shelf - 1680 mmW	4.42kw	18.4 amp	135Kg	16600

Units 24D - 30D supplied corded with 10A plug.

*Units 36D - 48D supplied corded with 15A plug. ^Units 54D - 60D supplied unplugged.



Horizontal models also available to order.
Please specify colour at time of ordering, otherwise colour inserts and cap ends will be supplied in black.



GLO-RAY® 2-GO HEATED SHELVES

NEW

Hatco's GRS2G Glo-Ray 2-Go™ Heated Shelf, designed specifically with delivery and carry-out needs in mind, is capable of holding a great quantity of hot food items at optimum serving temperatures.

- Holds bags and boxes of food for up to 30 minutes with a high temperature range up to 93°C.
- Touchscreen control with digital readout indicates separate heat and timer for each shelf.
- Features shelves with heated bases that are thermostatically-controlled and has a stainless steel frame.
- The cord is recessed into the bottom shelf at a 45° angle, allowing the unit to be flush against the wall.



GRS2G-3920-4 shown

CODE	DESCRIPTION	DIMENSIONS:	Watts / Amps	Weight	\$
GRS2G-3920-2	2 Heated shelves	1093W x 508D x 546Hmm	766 / 3.2	69Kg	5700
GRS2G-3920-3	3 Heated shelves	1093W x 508D x 908Hmm	1148 / 4.8	80Kg	7120
GRS2G-3920-4	4 Heated shelves	1903W x 508D x 1270Hmm	1529 / 6.4	91kg	8540

Optional side and back panels are one panel per shelf, giving you the flexibility to customize your unit.

CODE	DESCRIPTION	\$
CONTROL-GRS2G-R	Controls and permanent panel on ride side in leaiu of standard left side	No charge
SPANEL-GRS2G2	Side Panel for GRS2G-3920-2	155
SPANEL-GRS2G3	Side Panel for GRS2G-3920-3	310
SPANEL-GRS2G4	Side Panel for GRS2G-3920-4	450
BPANEL-GRS2G2	Back Panel for GRS2G-3920-2	130
BPANEL-GRS2G3	Back Panel for GRS2G-3920-3	260
BPANEL-GRS2G4	Back Panel for GRS2G-3920-4	385



GRS2G-3920-3 with optional side panel (SPANEL-GRS2G3)



GLO-RAY® PORTABLE FOOD WARMERS/CHIP DUMPS

With heat from above, below or both, Hatco Glo Ray® food warmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows, and service areas that require frequent and easy access, these units keep product at serving temperature and optimum quality.

GR-FFB

This excellent Food Warmer/Chip Dump has a preset heated base that conducts heat from the bottom while an adjustable infrared element heats from above.

A swing-away top provides fast and easy access to food pans.

Weight: 12Kgs

Dimensions: 324 x 610 x 508mm

Electrical: 750 Watts, 3 amp. supplied with corded 10amp plug.

LIST PRICE EA. \$1750



GMFFL

Hatco's latest Portable Food Warmer has a sleek rounded design and its black colour finish fits into any decor. This portable Food Warmer has heat and light from above in powder-coat black and comes with a sign holder on the front lower panel (sign not included) to maximise sales potential.

Suits 1/1 Gastronorm pan 100mm deep (not included).

Weight: 9.2Kgs

Dimensions: 329 x 644 x 445mm

Electrical: 610 Watts, 2.5 amp supplied with corded 10amp plug.

LIST PRICE EA. \$680





GLO-RAY® PORTABLE FRY STATIONS & MULTI PRODUCT

Designed with ample handling space between the heat source and the holding area to empty baskets, Glo-Ray Fry Holding Stations maintain *'just made'* food temperatures. Ceramic elements direct radiant heat from above, while a preset thermostatically controlled heated base (adjustable on the MPWS-36) maintains uniform holding temperature from below. The slotted holding bin allows the rising heat to envelop the food, preventing soggy product. A sectional divider permits holding of multiple products simultaneously.

A range of options are available to customise each model to suit your own operation. Call your FSM representative.

GRFHS-21

Glo-Ray Portable Fry Station
Dimensions 540 x 700 x 550mm
Weight: 30Kgs
Electrical: 1200watts, 5 amp.
Supplied corded with a 10amp plug.

LIST PRICE EA. \$5890



Shown With Optional Fry Ribbon

MPWS-36 with MPWS-36 BIN

Glo-Ray Multi-Product Warming Station – the ultimate in hot fried food holding with six thermostatically controlled high power overhead ceramic heating elements and base element complemented by food grade teflon coated incandescent lamps for enhanced product display.

Choose from a wide range of optional extras including pleated ribbons, angled risers, bag and tong holders and fry bin inserts to customise the warming station for your operation. Unit comes standard with MPWS-36BIN accessory (Full Fry Bin insert; drip tray, perforated insert, three dividers) and detachable side panel insert for left or right installations.

Dimensions: 947 x 626 x 832mm
Weight: 79Kgs
Electrical: 3075watts, 13 amp.
Supplied corded with 15amp plug.

LIST PRICE EA. \$9150



Shown With Optional Scoop Holder



HIGH WATT 4 SLOT **POP-UP** TOASTER 1 OR 2 SIDED TOASTING!

TPT-230-4-10 up to 160 toast slices per hour
Perfect for self-serve areas, care facilities and light-medium volume applications.

The Hatco Pop-Up Toaster provides even golden toasting of a variety of bread products.

- ▶ Durable stainless steel housing
- ▶ Four self-centering slots (32mmW)
- ▶ Two toasting controls with bagel/bun button for **one-sided** toasting
- ▶ Removable crumb tray.
- ▶ Two separate toasting controls

This productive and versatile unit enables the toasting of two lots of two slices of bread individually or together.

Electrical: 2.25Kw, 9.5 amps. Supplied with 10amp plug.

Dimensions: 378 x 330 x 235 mm

Weight: 8Kgs

LIST PRICE EA. \$965



Pop Up Toaster with either two lots of two or four slices toasted simultaneously.

TOAST-MAX **CONVEYOR** TOASTER

The Hatco Toast-Max entry-level conveyor toaster offers the flexibility and performance to perfectly toast bread and buns fast. Utilising conveyor speed, not temperature, to determine toasting colour, this allows for instant adjustment of toasting time to maintain quality.

TM-10H up to 6 slices/minute

- ▶ 4 position toast selector switch:
- ▶ off / toast / buns / standby mode.
- ▶ 89mm clearance to accommodate high profile bread products.
- ▶ easy-to-load rack with front or rear discharging.
- ▶ V-shaped reflectors help capture and redirect heat.
- ▶ Long lasting serpentine metal sheathed heating elements.
- ▶ 102mm adjustable legs.
- ▶ Pilot light signals unit is in operation.

Discharge & crumb trays are removable.

Electrical: 1900watts, 8 amps. Supplied with 10amp plug.

Dimensions: 368 x 387 x 419 mm

Shipping weight: 19Kgs

LIST PRICE EA. \$1970





TQ SERIES HIGH WATT **CONVEYOR** TOASTERS

The Hatco High Watt Conveyor toasters toast high moisture content bread product to a rich golden colour. Sheathed heating elements are featured in all models. Toast-Qwik models have a conveyor feed guide and front or rear discharge with toast tray.

This provides the flexibility and performance to perfectly toast bread products. The exclusive **ColorGuard® sensing system** monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.

Power save mode conserves energy and saves money and the insulation and interior fan provide cooler surface temperatures.

TQ3-500H TOAST-QWIK

up to 500 toast slices/hour

Touch screen controller - easy to see and use

Twelve programmable settings

USB port for software updates. Black finish standard.

Programmable power save function.

Unique toast delivery rack moves toast to the storage tray each and every time.

Suitable for front discharge with tray extended.

Exclusive **Colorguard** system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 2.22 kW, 9.3A. Supplied corded with 10 amp plug.

Dimensions: 373W x 524D x 435H mm

Delivery tray extends to 591 mm total depth

Height of opening 76mm

Weight: 25Kgs

LIST PRICE EA. \$5150

**DIGITAL
PROGRAMMABLE
MODEL**
With Touch
Screen control
and Exclusive
Colorguard
technology
maintains
toast colour



TQ-805 TOAST-QWIK

up to 600 toast slices/Hour

Suitable for front or rear discharge.

Exclusive **Colorguard** system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 3.6 kW, 15A. Supplied corded with 15 amp plug.

Dimensions: 368W x 578D x 422H mm

Weight: 28Kgs

Includes tray extensions.

Rear tray extends 165 mm.

LIST PRICE EA. \$6100

**Exclusive
Colorguard
technology
maintains
toast colour**



TQ2-SECURITY COVER

Hinged Control Cover to suit TQ-805 units, can be retro fitted.

LIST PRICE EA. \$215



**Optional TQ2-Security
Cover for TQ805
Model Toaster**



TQ SERIES HIGH WATT **CONVEYOR** TOASTERS

TQ-1800H TOAST-QWIK

up to 1200 toast slices/hour

- ▶ Suitable for front or rear discharge.
- ▶ Exclusive **Colorgard®** system controls toast quality by constantly monitoring toasting chamber temperatures and adjusting conveyor speed automatically.
- ▶ Toasts bread, buns, muffins and sandwiches.
- ▶ Adjustable Upper & Lower Heating Elements,
- ▶ Power-Save Mode,
- ▶ 367mm WIDE throat

Electrical: 4.65 kW, 20 amp. Supplied unplugged.

Dimensions - 470 x 578 x 422mm

Includes tray extensions.

Rear tray extends 165 mm

Shipping Weight 33Kg

LIST PRICE EA.

\$6865

**MASSIVE
PERFORMANCE
with Exclusive
Colorguard technology
that maintains
toast colour**



TQ Series Conveyor Toasters provide total control of the toasting of bread products. Individual controls are provided for top heat, bottom heat, conveyor speed and a stand-by switch to maximise quality and throughput. Colorgard sensing technology maintains toast quality through quiet or busy serving times. For those situations where you need to avoid patrons adjusting these controls unnecessarily, choose the TQ2 Security Cover for the TQ-805 Model.

The exclusive **ColorGuard® sensing system** monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.





GLO-RAY® DECORATIVE CARVING STATIONS

The Glo-Ray Decorative Carving Stations are the ideal way to display, hold and serve food and to extend food holding times during serving periods. With a wide range of options and styles, Hatco have a unit that will complement your servery and decor perfectly with reliable quality.

DCS400-1-BN

Freestanding overhead height adjustable heat lamp supported by a sturdy 203mm square base.

527D x Variable Height 864-1168Hmm

Shown in Bright Nickel.

Also available in *Bright Brass and Antique Bronze*.

Weight: 15Kg

Supplied corded with 10amp plug. 250watts 1 Amp.

LIST PRICE EA. \$2995



DCSB400-2420-1-NSBN

Overhead height adjustable heat lamp supported by a rectangular Swanstone heated base with sneeze guard.

608W x 506D x Height 864 - 1168Hmm.

Shown in Night Sky Base with Bright Nickel posts and lamp.

Also available in *Bright Brass/Antique Bronze post and lamp and Gray Granite/Bermuda Sand decorative base stone colours.*

Weight: 48Kg

Supplied corded with 10 amp plug. 750watts / 3.2 Amp.

LIST PRICE EA. \$7180



DCSB400-3624-2-GGBN

Dual overhead heat lamps - height adjustable, supported by a rectangular Swanstone heated base with sneeze guard.

911W x 610D x Height 864 - 1168Hmm.

Shown in Bright Nickel post and lamp and Gray Granite base.

Also available in *Antique Bronze/Bright Brass post and lamp and Bermuda Sand/Night Sky decorative base stone colours.*

Weight: 70Kg

Supplied corded with 10 amp plug. 1300watts / 5.5Amp.

LIST PRICE EA. \$10500



COLOUR SWATCHES



Plated Colours:

Bright Nickel, Bright Brass and Antique Bronze



Stone Colours:

Gray Granite, Bermuda Sand and Night Sky



HATCO FREE STANDING DRAWER WARMERS

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers, 12-gauge stainless steel slides and heavy-duty hardware in Standard or Narrow model to suit your kitchen space. **Unique features include:**

- **ALL drawers** have an **individual on/off switch**, **digital** thermostatic control, **digital** temperature monitor and adjustable sliding vents for humidity control providing superior quality control and versatility.
- Each drawer has the capacity to accept a pan 1/1x150mm deep or 2x1/2 or 3x1/3. (Pans not included).
- Supplied with **102mm legs**, 1829mm cord and 10A plug. Castor option available on ALL models.

HDW-1

1-drawer model with Digital Control
749W x 575D x 279Hmm (excluding legs)
Supplied with cord and 10 amp plug.
450watts / 2 Amp. Weight: 44Kg
LIST PRICE EA. \$4980



HDW-2

2-drawer model with Digital Control
749W x 575D x 537Hmm (excluding legs)
Supplied with cord and 10 amp plug.
900watts 3.8 Amp. Weight: 76Kg
LIST PRICE EA. \$8340



HDW-3

3-drawer model with Digital Control
749W x 575D x 794Hmm (excluding legs)
Supplied with cord and 10 amp plug.
1350watts / 5.7 Amp. Weight: 106Kg
LIST PRICE EA. \$11700



HDW-CASTER-2

Option All Models

Hatco Heavy Duty Castor kit,
51mm Diameter
Add mobility to your drawer
warmer with the Hatco
HDW-CASTER-2 option.

These castors easily change-over
with the standard legs, enabling
moving for routine cleaning/
maintenance etc. (PACK OF 4)

LIST PRICE EA. \$440



**DIGITAL
TEMPERATURE
CONTROL**

HATCO FREE STANDING NARROW DRAWER WARMERS

HDW-1N Digital Control

1-drawer Narrow model
530W x 686D x 279Hmm (excluding legs)
Supplied corded with 10 amp plug.
450watts / 2 Amp. Weight: 44Kg

LIST PRICE EA. \$4980



HDW-2N Digital Control

2-drawer Narrow model
530W x 686D x 537Hmm (excluding legs)
Supplied corded with 10 amp plug.
900watts / 3.8 Amp Weight: 76Kg

LIST PRICE EA. \$8340





HATCO FREE STANDING DRAWER WARMER

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers. *Unique features include:*

- Top-of-the-unit Touchscreen Controller is positioned at an angle for greater visibility
- Controller allows individual temperature control and hold timer per drawer with both visual and audio alerts
- Robust stainless steel construction inside and out.
- Easy-to-clean seamless, interior core with snap out out side panels make this unit easy to service
- Each drawer has adjustable vents for varying moisture levels in individual drawers
- Drawer frame can accommodate varying pan configurations, including 1/1 GN, 1/3 GN, 1/3 GN up to 152 mm deep, with or without lids.

HDWTC-2

2-drawer model
622W x 650D x 573Hmm
Supplied on 51mm Castors
Add 38mm to depth for door handles
Supplied with cord and 10 amp plug.
766watts / 3.2 Amp. Weight: 81Kg

LIST PRICE EA. \$9990



NEW

HATCO DRAWERMAX® DRAWER WARMERS

2 drawer freestanding model built with rugged construction and heavy-duty hardware to keep variety of foods hot and fresh until served. *Unique features include:*

- ALL drawers have an individual on/off switch and independent temperature control, and adjustable vents for humidity control providing superior quality control and versatility.
- Includes two full-size stainless steel 150mm food pans
- Supplied with 102mm legs, 1829mm cord and 10A plug. Castor option available.
- Easy to clean,

HDM-2

2-drawer model
749W x 576D x 614Hmm (including legs)
Supplied with cord and 10 amp plug.
984watts / 2 Amp. Weight: 74Kg

LIST PRICE EA. \$4850



Black powdercoated exterior



HATCO PASTA COOKERS

BOIL, STEAM, WARM

The multi-purpose HEAT-MAX well offers the flexibility of a food warmer, soup kettle, bain marie heater, steamer and pasta cooker all in one!

With a range of temperature settings, HEAT-MAX can boil pasta and soup noodles, steam dim sum, keep food warm, hold soups, curry, gravies and toppings at safe serving temperatures.

RCTHW-1E

Heat-Max Rectangular Single Heated Well
to take 1/1 Gastronorm pan (not supplied).
Touch panel for three temperature set points:
HOLD: 50-70°C **SIMMER:** 70-90°C **BOIL:** 90-100°C
Energy saving Low Power mode
Convenient Drain control
Also available in Built-in Model with remote.
Electrical: 3Kw, 12.5 amps.
Supplied corded with 15amp plug.

LIST PRICE EA. \$1640



COUNTERTOP RCTHW-6

**Heat-Max Pasta Cooker
Free Standing**
to take 1/1 Gastronorm pan (not supplied).
Touch panel for three temperature set points:
HOLD: 50-70°C **SIMMER:** 70-90°C **BOIL:** 90-100°C
Energy saving Low Power mode
Convenient Drain control
Insulated stainless steel design
Electrical: 6Kw, 25 amps.
No cord or plug supplied.

LIST PRICE EA. \$2800

BUILT-IN RCTHW-6B

**Heat-Max Pasta Cooker
Built-In**
to take 1/1 Gastronorm pan (not supplied).
Touch panel for three temperature set points:
HOLD: 50-70°C **SIMMER:** 70-90°C **BOIL:** 90-100°C
Energy saving Low Power mode
Convenient Drain control
Insulated stainless steel design
Electrical: 6Kw, 25 amps.
No cord or plug supplied.

LIST PRICE EA. \$2940

SPECIFICATIONS

MODEL	OUTER DIMENSION MM	Kw	SHIP WEIGHT
RCTHW-1E	368W X 583L x 283H	3.0	9.6KG
RCTHW-6	368W X 610L x 282H	6.0	14KG
RCTHW-6B	390W X 610L x 298H	6.0	13KG



ACCESSORIES

RCTHW-BASKET

RCTHW Stainless Steel Noodle Basket
125mm diameter
(six required per unit)

LIST PRICE EA. \$75



RCTHW-PC

Pasta Cooker Tray

LIST PRICE EA. \$510



RCTHW-SP

Steamer Plate to accept bamboo
steamer baskets (not supplied).

LIST PRICE EA. \$290



RCTHW-1E shown left with optional RCTHW-SP Steam Adaptor Plate and above with optional Pasta Cooker Tray & Noodle Baskets

3CS-9B SANITISING SINK HEATER **Balanced three phase**

Maintaining a continuous supply of sanitising rinse water without taking up valuable space, the 3CS makes manual ware-washing faster and more convenient. Designed to fit under the sink, the 3CS is perfect for three or four compartment sinks, pot and pan sinks and bar sinks. Drain may be plumbed to open-sight waste drain.

3CS-9B SANITISING SINK HEATER

Weight: 15Kgs. Electrical: 9 Kw, 3 phase. Supplied uncorded and unplugged.

Dimensions: 203W x 435D x 321Hmm

LIST PRICE EA. \$5550



Pictured: 3CS-9 with optional temperature monitor



HATCO BUILT-IN HEATED WELLS

Hatco Built-In Heated Wells hold heated foods at safe serving temperatures. Compared to other models, these Hatco units offer larger drains with flat drain screens, more consistent holding temperatures through superior element design, heavier stainless steel construction, easier-to-service design for quick-change of components, and a remote thermostat with separate power switch. Suitable for wet or dry operation.

All units are supplied with a control panel and connected with a 918mm flexible conduit for remote mounting and include a 3/4"NPT drain fitting.

BUILT-IN RECTANGULAR HEATED WELL - FULL SIZE

HWB-FULD

Heated Well with drain – 1/1 Gastronorm.

Dimensions: 348W x 553D x 218Hmm

Controller dimensions: 161W x 92D x 196Hmm

Electrical: 1.2kw, 5 amp

Weight: 10Kg

Drain: 3/4"NPT fitting

LIST PRICE EA. \$1550



Remote control with 918mm conduit for convenient fitting



(Pictured with accessory food pan).

BUILT-IN ROUND HEATED WELLS with drain fitting

CODE	DESCRIPTION	KW	AMP	WT	\$
HWB-4QTD	3.8Litre (4 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1450
HWB-7QTD	6.6Litre (7 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1480
HWB-11QTD	10.1Litre (11 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1490

All wells come with 3/4"NPT drain fitting.



(Pictured with accessory pans see below).

OPTIONAL PAN INSERTS & LIDS (not supplied with wells above)

CODE	DESCRIPTION	\$
4QT-PAN&LID	4 Quart (3.8L) Round Well and Notched Lid.	290
7QT-PAN&LID	7 Quart (6.65L) Round Well and Notched Lid.	320
11QT-PAN&LID	11 Quart (10.41L) Round Well and Notched Lid.	360





HATCO SALAMANDERS

Hatco's Salamander range is specially designed for versatility in the kitchen with the capabilities to cook, grill, and reheat food. With the patented movable heat unit housing, maximum thermal transfer is achieved and maximum power is only consumed whilst actually in cook mode. The unparalleled start-up speed is a result of Hatco's "INSTANT ON" heating elements located in the upper housing. Hatco® Salamanders offer unrivalled energy efficiency and easy operation to suit the most demanding requirements - of fine dining restaurants to fast food outlets.

TMS-1H THERMAX SALAMANDER

Movable upper housing to reduce the heat loss to food areas.

- The high powered heating elements are ready for use within 10 seconds.
- Two sets of independently controlled heating element sections give the benefits of flexibility and energy conservation.
- Cook mode selection switch controls left, right or both locations.
- Includes a hold mode switch that reduces power to 25% and keeps food at proper serving temperatures.
- Unit can be placed on a counter-top or mounted to any non-combustible wall with appropriate rigidity.
- Unit comes standard with grill, drip pan and wall mounting bracket.

Weight: 70Kgs. Dimensions: 600W x 503D x 515Hmm.

Electrical: 4Kw 17.4 amp. Supplied with cord but no plug.

LIST PRICE EA. \$5600



TMS2-1H SALAMANDER - DIGITAL CONTROL

Optimum temperture is reached instantly and efficiently when food products are placed on the grill plate.

- Instant-On heating elements located in the upper housing
- Plate detection feature activates the Instant-On heating elements when a food plates is placed on the grill plate, and deactivates when removed
- Heating elements are only on when in use, eliminating residual heat in the kitchen
- Made of stainless steel for easy cleaning and durability
- Can be placed on a countertop or wall-mounted
- Hold mode could be adjusted to save 25-50% power
- Adjustable upper housing giving 170mm of vertical movement
- Flat, tactile control panel

Ship Weight: 80Kgs Overall Dimensions: 630W x 505D x 568Hmm.

Electrical: 4.1kw 17.2 amp. Supplied with cord but no plug.

LIST PRICE EA. \$6480



IMC MULTI FUNCTION PEELERS

Multi-Functional peelers will peel root vegetables, potatoes, onions and wash salads and shell fish. They are tough, reliable and easy to use.

MF5 (F59/500)

OUTPUT Up to 130 Kg/Hour

Bench mounted peeler, 5kg capacity with four minute timer.

Supplied with carborundum peeling plate.

10 amp plug, 1 phase 250W.

LIST PRICE EA. \$6350



Model MF5 shown

MF5 ACCESSORIES

CODE	DESCRIPTION	\$
S59/167	Knife peeling plate	750
S59/169	Salad basket	700
S59/172	Vegetable washing plate	880
S59/174	Mussel washing plate	600

MF10-1PH (F59/510)

OUTPUT Up to 280 Kg/Hour

Peeler mounted on stainless steel stand, incorporating filter basket and four minute timer.

10kg capacity. Supplied with carborundum peeling plate.

10 amp plug, 1 phase 370W

LIST PRICE EA. \$9990



Model MF10-1PH shown

MF15-1PH (F59/520)

OUTPUT Up to 400 Kg/H

Peeler mounted on stainless steel stand, incorporating filter basket and four minute timer.

15 kg capacity. Supplied with carborundum peeling plate.

10 amp plug, 1 phase 370W

Shipping Weight 70Kgs, Nett Weight 62Kgs.

LIST PRICE EA. \$11500

MF10/15 ACCESSORIES

CODE	DESCRIPTION	\$
S59/168	Knife peeling plate	1100
S59/170	Salad basket	750
S59/173	Vegetable washing plate	1050
S58/062	Inlet Hose Kit, (all models)	80



FOOD WASTE MACERATOR AND DE-WATERING UNIT

From the world leaders in waste management, comes the revolutionary, and self-contained WasteStation De-waterer and Macerator.

Food waste comprises of up to 80% liquid and can be extremely costly to dispose of. WasteStation grinds the food waste into fine particles, these particles feed directly into the built-in dewatering system. The WasteStation forces out the excess liquid from the macerated waste. The grey water is fed directly to drain, and the resulting solid fraction of the food waste is collected in small, easily managed, lidded bins, ready for onward processing. IMC's self-cleaning function and self-emptying auger saves valuable staff time and the self-contained unit means improved hygiene, less noise and easy operation.

F79/703

400kg per hour
895mmH x 600mmW x 700mmD
Weight – empty 156kg
Connection to drainage 51mm
Electrical: Voltage 380-415V 3 Phase -
4 wire supply, 2.95Kw
Decibel during operation: running 62dB
Decibel during operation: in use with raw food 70dB

LIST PRICE EA. \$33980



F79/010

700kg per hour
900mmH x 1000mmW x 700mmD
Weight – empty 192kg
Connection to drainage 54mm
Electrical: Voltage 380-415V 3 Phase -
4 wire supply, 4.1Kw
Amps (max) 8.6
Decibel during operation: running 62dB
Decibel during operation: in use with raw food 70dB

LIST PRICE EA. \$55600



Bin 265x345x360Hmm

COMMERCIAL DUTY WASTE DISPOSAL UNITS

723 (F60/305)

UNDER SINK MOUNTING

Capacity - up to 400 covers per sitting, ideal for small to medium kitchens. 200Kg of waste per hour.

For medium waste (small pork & chicken bones, vegetables & fruit)

Manually reversible motor to extend operational life

Compact design and under-sink mounting for quick & easy loading

89mm sink opening. Dims: 218Wx304Dx573Hmm

2" BSP threaded flange, connected to 54mm piping

10 amp plug, single phase.

LIST PRICE EA. **\$8350**



NEW

HIGH CAPACITY WASTE DISPOSAL UNITS

A range of heavy duty stainless steel free-standing units which may be built into tabling and can be used in conjunction with WastePro II units, see previous page.

All units feature a feed hopper baffle for operator protection from the grinding unit, auto reverse overload function, premium components for long life, automatic water control and industry leading motor capacities for real throughput.

904 (F54/120)

Capacity - 1000 covers per sitting. 500Kg of waste / hour

3 Phase 1.1.kW (1.5 HP)

Weight: 71Kg

LIST PRICE EA. **\$18000**

1204 (F54/220)

Capacity - 1450 covers per sitting. 700Kg of waste / hour

3 Phase 2.2 kW (3 HP)

Weight: 97Kg

LIST PRICE EA. **\$24000**

1604 (F54/320)

Capacity - 1850 covers per sitting. 900Kg of waste / hour

3 Phase 4.0 kW (5.5 HP)

Single and double trough units available on request.

Weight: 100Kg

LIST PRICE EA. **\$26500**



MINI COMPACTOR SERIES

A unique range of Mini Compactors that solve the problem of commercial compacting in a compact design that also integrates easily into a commercial kitchen/bar thus maximising the recycling of waste all in one compact convenient unit saving time and costs.

IMC - leaders in waste disposal, compacting and recycling offer these models to suit different capacity requirements.

Compact all your recyclable plastics, food packaging waste, paper, card and glass – all in one convenient appliance. Optimised to encourage recycling by offering one-stop segregation of waste with ease and much more efficiency than traditional trash compactors.



F90/010 MC300 space required 300mm

Capacity: 39 Litres crushed storage
Equivalent un-crushed storage: 156 Litres
Compaction ratio: 4:1
Dimensions: 810-895mmH x 298mmW x 580mmD
Weight – empty 44kg
Electrical: 180W / 0.8A supplied corded with 10A plug
Near silent 6000Nm linear motor for 'hyper crush'
Stainless Steel Chassis for durability

LIST PRICE EA. \$4800

F90/020 MC400 space required 400mm

Capacity: 55 Litres crushed storage
Equivalent un-crushed storage: 219 Litres
Compaction ratio: 4:1
Dimensions: 810-895mmH x 398mmW x 580mmD
Weight – empty 47kg
Electrical: 180W / 0.8A supplied corded with 10A plug
Near silent 6000Nm linear motor for 'hyper crush'
Stainless Steel Chassis for durability

LIST PRICE EA. \$5100



Tight for space and storage of meals for peak periods?

JACKSTACK offers so many advantages in storage, preparation and serving, you'll wonder how you did without it.

JACKSTACK is the world leader in the efficient storage and transport of up to 104 plates in minimum time from kitchen to storage or banquet areas.

Generous 150mm diameter wheels allow for easy maneuverability of the Jackstack anywhere, and the plate racks are easily adjustable to suit all applications - even mixing plate sizes.

Models provide 50mm spacing between plate supports and they can be loaded and unloaded from four sides, and carry up to 400 empty plates to the dishwasher.



Designed by Chefs, for chefs

JACKSTACK Model JS104

Makes it possible to stack between 12 to 104 plates of any size. Different size plates can be accommodated by adjusting the racks to suit. (For pizza applications, a special 'P' model longer arm unit is available at extra cost).

The unit comes with four castors (two with brakes), and easy to follow assembly instructions.

Assembled Dimensions: 600W x 600D x 1790Hmm

Shipping Dimensions: 800W x 620D x 300Hmm

Weight: 28Kg

CODE	CAPACITY	SPACING	DIMENSION	\$
JS104	104 plates	50mm	600x600x1790mmH	2990

JACKSTACK OPTIONS

Thermocover for JS104

Preserves 72-104 plates in transit with warm or cold food.

Made of industrial High Tenacity PES fabric, with polyester fibre centre layer.

Includes special arm extensions.

Complete with 4 horizontal and 4 vertical zippers.


Washable - hygienic in use.

Dimensions: 720 x 720 x 1590Hmm.

Shipping Dimensions: 430 x 310 x 260Hmm

Weight: 6Kg

MODEL	DESCRIPTION	\$
JS104TC	Thermal covers available on request (pictured)	1980
JS901PC	Non thermal covers for 104 plate unit	390



MODEL JS104TC Thermal Cover



297-SW16 VERTICAL CONTACT BUN TOASTER - *COMPACT SIZE*

When maximum throughput speed is essential, Prince Castle Vertical Bun Toasters offer up to 750 buns per hour capacity for venues that have high demand. The NEW 297-SW16 model is up to 20% smaller in footprint compared to previous models, and includes the 'Air Flapper' heat and energy saving device and new Front Safety Shield for operator safety and comfort.

297-SW-16

Slim-Line Vertical Bun Toaster – up to 750 Buns per hour.
New Air Flapper increases bun temperatures by up to 3°C and saves energy.
New operator heat shield provides greater operator safety.
Adjustable platen temperature up to 304°C.
Includes Teflon Kit, Air Flapper & Safety Shield.
Dimensions: 515W x 590H x 206Dmm
Weight: 32Kg
Electrical: 1890W, 8Amp.

LIST PRICE EA. \$3999



CTS-WCE SLIM-LINE VERTICAL TOASTER

Introducing Prince Castle's CTS-WCE Mini Slim-Line Vertical Contact Toaster. A revolutionary new design that increases toasting versatility, maximises space savings, and provides perfect caramelisation with the convenience of vertical contact toasting. The unique two-level platen design allows the operators to toast thicker bun crowns and thinner bun heels at the same time. The variable speed motor is adjustable to allow for toasting speeds up to 2200 buns per hour.

CTS-WCE

Sim-Line Vertical Bun Toaster – up to 2200 Buns per hour.
Small footprint of 514 x 184mm saves space
Adjustable toasting time from 9-40 seconds to customise product
Digital display and electronic controls make for precise and repeatable settings complete with wire belt
Simple to remove conveyor makes cleaning quick and easy
Dual compression adjustment knobs allow for maximum product flexibility
Accommodates all buns up to 1397mm in diameter
Heat Shield for cooler surfaces ensuring safer operation
Durable stainless steel construction makes the product easy-to-clean and maintain
Dimensions: 514W x 559H x 184Dmm
Weight: 30Kg
Electrical: 1500W, 6.25Amp.

LIST PRICE EA. \$8220



511-140

Top Mounting Bun Dresser – perfect solution to your buttering needs

Dimensions: 137W x 745H x 300Lmm
Weight: 2Kg
Electrical: 1500W, 6.25Amp.

LIST PRICE EA. \$1095





PRINCE CASTLE DEDICATED HOLDING BINS - The benchmark WITH EXCLUSIVE RELI-A-TEMP HEATING TECHNOLOGY AND MENU TRAK TIMER SYSTEM.

DHB24ACE (WAS DHB2PT-33) - 8 Pans

Two Cavity, **Pass Through Model** – each cavity equipped with rack system which holds four pans (eight required in total), four individually controlled heaters.

Timer bars on both sides of unit.

Dimensions: 838 W x 282 H x 358 D mm.

Weight: 55Kg

Electrical: 2.6kw 11Amp Supplied with 15 amp plug.

Order Pans separately.

LIST PRICE EA. \$7710



Call for details on other configurations to suit your kitchen/plans.

DHB2SS-20 - 4 Pans

Two Cavity, **Single Sided Model** – each cavity equipped with rack system which holds two pans (four required in total), two individually controlled heaters.

Timer bar on front side of unit.

Dimensions: 500 W x 282 H x 358 D mm.

Weight: 24Kg

Electrical: 1550Watts 6.6 Amp, Supplied with 10 amp plug.

Order Pans separately.

LIST PRICE EA. \$5985



PANS FOR USE IN DHB CABINETS - save \$\$ with the 12 pack

CODE	DESCRIPTION	\$ each	\$ 12 pack
CLBK-7016	Double Handled Amber Pans, 1/3 size	68	780
CLBK-7015	Single Handled Amber Pans, 1/3 size	68	780



Double Handle Pan for pass-through models



Prince Castle are innovators in food preparation and holding technologies, and offer quality solutions in many areas of the commercial kitchen. From Tomato/Citrus slicers to high speed vertical bun toasters to the industry standard Product Holding Units (PHUs) used in so many well known QSR outlets world-wide.

HEAVY SAUCE PORTION DISPENSERS - 580 SERIES

Commercial-duty sauce dispenser guns available in a choice of portion size/volume.

Suitable for most heavy sauces. Supplied without bottles.

Dispenser: 262 x 193mm. Weight 1.3Kg

CODE	PORTION SIZE	\$
580-NMCC	1/3 fl.oz (9.8ml)	380
581-NMCC	1/2 fl.oz (14.8 ml)	380
582-NMCC	2/3 fl.oz (19.5 ml)	380
583-NMCC	1 fl.oz (29.5 ml)	380



When ordering sauce dispensers, order #136-1 bottles if not using pre-packaged sauces.

ACCESSORIES FOR 580 SERIES HEAVY SAUCE DISPENSERS

Dispenser Bottles (case of 9) re-useable.

Each bottle is supplied with a nozzle for thinner sauces and a flexible valve for chunky sauces. Each bottle comes with end cap.

MODEL	DESCRIPTION	\$
136-1	DISPENSER BOTTLES (CASE OF 9) RE-USABLE	210

Bottle Storage Tray (Shown with bottles – supplied separately)

MODEL	DESCRIPTION	\$
155	BOTTLE STORAGE TRAY	160



SAUCE & MUSTARD DISPENSERS

Commercial-Duty Sauce and Mustard dispenser guns.

Enjoy perfect dispensing with calibrated portion control.

- New slim/narrow design uses less prep table space
 - Capacity: 0.91 kg above refill line
 - Provides improved portion control (0.70ml)
 - Container Dimensions: 165 x 89mm Overall Height: 232mm Weight 1.40 Kg
 - Includes cover with tether attachment to reduce loss
 - Easy calibration – no tools required
- All internal parts are colored white or red, providing easy identification when mixed with mustard dispenser parts. Some assembly required.

CODE	DESCRIPTION	\$
398-CN	Mustard Dispenser Narrow	340
406-AN	Sauce Dispenser Narrow	410
417-ANP	Dual Holder for 398-CN and 406-AN	360



398-CN Narrow Mustard Dispenser SHOWN



417-ANP Dual Holder

PRINCE CASTLE POUCH MATE

404-26

Use with any Pouch-Pak condiment.
Saves money by recovering previously wasted product
Simple to use
Stainless steel construction

LIST PRICE EA. \$115






TOMATO SABER

Prince Castle's Tomato Saber is the world's leading tomato slicing system. The Perma-Tight® blade cartridge never requires blade tightening or adjusting. Blade replacement is fast and easy – simply snap the blade cartridge into position and the Saber is ready to use. A contoured pusher head holds the tomato in place for slicing, and permanently lubricated bearings ensure the slicing stroke is smooth and quick. The exclusive tomato catcher snaps onto the unit and catches the sliced tomato for easy handling.

Overall dimensions: 465W x 216D x 238Hmm

Weight: 6.4Kg.



CODE	DESCRIPTION	\$
943-A	Tomato Saber 4.7mm Slice (12 blades)	1250
943-B	Tomato Saber 6.3 mm Slice (9 blades)	1220

Replacement Blades can be purchased individually from our Spares/Parts Department, see chart.

SABER MODEL	CUT SIZE/ No of blades	PART CODE
943-A	4.7mm, 12 blade	943-038A
943-B	6.3mm, 9 blade	943-039A

TOMATO CORE-IT

The fastest, safest way to easily core the tomato prior to slicing/dicing/cutting. Available singly or in bulk.


CODE	DESCRIPTION	\$
953	TOMATO CORE IT	10
950-1	Bulk Pack (Box of 144)	690



WEDGE WITCH

Citrus wedge slicers for the busiest bar/kitchen. Rugged blade construction and simple to use, with the choice of the heavy duty 908 model or the economical CW-6 (Yellow body) for smaller operations.

MODEL	DESCRIPTION	\$
908-A8	WEDGE WITCH (8 SECTION) ALL METAL	570
CW-6	CITRUS SABER (8 SECTION) YELLOW POLYCARBONATE	300



DICE WITCH

The answer to heavy duty dicing, with sturdy frame, precision pusher head and cutter assembly.

MODEL	DESCRIPTION	\$
910-A	Dice Witch 3/8" (9.53mm) Square Cut	880





PRINCE CASTLE GRILL BRUSHES & MAINTENANCE TOOLS

Essential equipment for every venue involved in heavy grilling/char grilling. These heavy duty brushes are available in Medium or Coarse grade to suit most grills.

CODE	DESCRIPTION	\$
CC	Char-Brush (coarse)	150
CM	Char-Brush (medium)	145



Replacement brush heads (6 / Box) can be purchased individually from our Spares/Parts Department and come with replacement screws (see chart).

BRUSH MODEL	REPLACEMENT HEAD
CC	CC-1
CM	CM-1

REDI-GRILL GRILL MAINTENANCE TOOLS

Maintain food standards and quality with these professional grill tools. The heavy duty 161 Scraper makes light work of grill plate maintenance.

CODE	DESCRIPTION	\$
161	Redi-Grill Scraper	180



Replacement Scraper Blades can be purchased from our Spares/Parts Department (see chart).

SCRAPER BLADE CODE	DESCRIPTION
161-HD	Heavy Duty
161-6DP	Disposable (Pk6)

Quick cleanup of the grill plate surface during the day is made easy with this made-for-purpose heavy duty grill plate wiper.

CODE	DESCRIPTION	\$
233-71A	Grill wiper	230



Replacement Wiper Blades can be purchased from our Spares/Parts Department (see chart).

WIPER MODEL	REPLACEMENT WIPER
233-71A	233-86C (Pk4)

BUTTER SPREADER/MELTING PAN

50

Dress Up Butter Spreader

LIST PRICE EA. **\$320**



MOP & BROOM STATIONS

918-B

Mop and Broom Station
450mm long

LIST PRICE EA. **\$165**



FRY SCOOPS

252-DH

Sturdy Dual Handle Fry Scoop.

LIST PRICE EA. **\$80**



San Jamar have been the innovators in quality solutions for food safety, counter service and washroom products- innovation driven by real world experience directly gained from its customers. Products that are used throughout the world that make dispensing, food handling, transportation, safety and sanitation so vital to successful food and venue management. With an ever increasing product range, San Jamar offer a high quality, reliable answer to the many needs in any establishment.

EZ-FIT CUP & LID DISPENSERS

The most versatile and popular cup dispenser to accommodate cup sizes from 73-121mm diameter, with easy to change rubber gaskets. Easy to install, reliable and ideal for venues dispensing different size cups, or where the cup size requirements may change over time.

Comes with pack of 4 different size black gaskets (S, M, L, XL) and chrome finish ring.

C2410CBKFSM EZ-Fit One-Size-Fits-All Counter Mount CUP Dispenser

Metal finish trim ring, supplied with 4 pre-cut gaskets. Suits Rim Diameters: 73-121 mm
Tube Length: 597 mm, 146mm counter hole diameter.

[Companion Lid dispenser available - \(see L2400CFSM below\).](#)

LIST PRICE EA. \$185



L2400CFSM Ez-Fit In-Counter LID Dispenser

(Companion to C2410 model dispensers)

Suits 95-115mm diameter lids, with "metal finish" trim ring.

Tube length: 603mm. 146mm counter hole diameter.

LIST PRICE EA. \$185

**Recommended
for Horizontal
mounting.**



C2210CBKFSM EZ-Fit One-Size-Fits-All Counter Mount CUP Dispenser

Metal finish trim ring, supplied with 4 pre-cut gaskets. Suits Rim Diameters: 73-98 mm

Tube Length: 590 mm, 124mm counter hole diameter.

[Companion Lid dispenser available - \(see L2200CFSM below\).](#)

LIST PRICE EA. \$170



L2200CFSM Ez-Fit In-Counter LID Dispenser

(Companion to C2210 model dispensers)

Suits 70-95mm diameter lids, with "metal finish" trim ring.

Tube length: 603mm. 124mm counter hole diameter.

LIST PRICE EA. \$185

**Recommended
for Horizontal
mounting.**



C2410SM Surface Mount CUP Dispenser

One-Size-Fits-All EZ-Fit model for installations where counter mounting is impractical, comes with sturdy wire frame for mounting.

Rim Diameter 73-121 mm. Tube Length 597 mm.

Supplied with 4 pre-cut gaskets.

LIST PRICE EA. \$365





COUNTER MOUNT ADJUSTABLE COLLAR CUP DISPENSERS

C Series Counter Mount dispensers come with adjustable collars to accommodate a specific range of cup sizes. Durable stainless steel construction and available in Vertical, Horizontal or Foam cup models to suit demanding installations. Many busy fast food outlets enjoy the reliability of these models.

C3400 SERIES

FOR CUP RIM DIAMETERS 70-98MM

(Tube length 597mm, Counter hole dia. 119mm)

CODE	MOUNT	CUP TYPE	\$
C3400CH	Horizontal	Paper/plastic	175

C3500 SERIES

FOR CUP RIM DIAMETERS 101-123MM

(Tube length 597mm, Counter hole dia. 146mm)

CODE	MOUNT	CUP TYPE	\$
C3500CH	Horizontal	Paper/plastic	230



EZ-FIT HOT LID DISPENSER

Space-efficient:

The in-counter mount can be oriented horizontally or vertically, keeping countertops organised

Sanitary:

Its one-at-a-time rubber dispensing gaskets safeguard lids from contamination

User-friendly:

Compatible with a variety of lid shapes and sizes

Operational efficiency:

Reduces lid waste and eliminates messy stacks

Versatile Design:

Interchangeable rubber gaskets can fit a wide variety of lids

CODE	DESCRIPTION	SUITS RIM SIZE	\$
L2210	Hot Lid Dispenser - Small	76-95mm	155
L2410	Hot Lid Dispenser - Large	95-101mm	155



NEW



WIREWORKS CUP DISPENSER & LID ORGANISER

Cost effective option for dispensing paper, plastic or foam cups one-at-a-time. Coils adjust to fit cups ranging from 3 to 4.5mm rim diameter. Comes with side panels to prevent contamination.

CODE	DESCRIPTION	\$
C8503WFD	2 Cup dispensers, 1 lid organizer, 2 side panels.	555
C8504WFD	3 Cup dispensers, 1 lid organizer, 2 side panels.	680

ACCESSORIES

CODE	DESCRIPTION	\$
C8500S	Optional straw caddy to suit both of the above models, sold separately.	40
X101924	Optional spindle to suit both above models, sold separately.	24



C8503WFD shown with optional Straw Caddy and spindles



DIGITAL SCALES

Cost effective option for dispensing paper, plastic or foam cups one-at-a-time. Coils adjust to fit cups ranging from 3 to 4.5mm rim diameter. Comes with side panels to prevent contamination.

SCDG33WD DIGITAL SCALE

Waterproof – IP67 rated scale can be completely submerged for quick cleaning and sanitizing
Rechargeable Battery – Lasts up to 64 hours on a single charge eliminating the hassles of cords and dead batteries

Easy Read Display – Large screen features imperial (lb / oz) and metric (kg / g) units of measure for precise portioning

Convenient Taring – Quickly reset the scale to zero weight to measure multiple items in a single container

LIST PRICE EA. \$680



SCDGL33 SLIMLINE DIGITAL SCALE

Low Profile Design – 1" overall height allows scale to be used under cabinets or in other confined spaces

Large Weighing Surface – Commercial-grade sensors offer precise measurements across a large surface area ideal for weighing bulky or irregular shaped items

Touch Screen – Large display features water-resistant LED touch sensitive display for easy operation and extended battery life

Easy to Clean – Stainless-steel wipes clean with a damp cloth for easy cleanup

Portability – Scale is powered by (4) AA batteries (included) ideal for use in locations where plugs would be impractical or unsanitary

LIST PRICE EA. \$300





WALL MOUNT PULL TYPE **FOAM CUP DISPENSERS**

UNBREAKABLE POLYETHYLENE

San Jamar Foam Cup Dispensers in economical and unbreakable Polyethylene construction with an easy to install wall mount 'slide-on' system, in two sizes to suit a wide range of Foam Cups.

MODEL	CUP SIZE	RIM DIA.	\$
C4210PFSD	120-300 ml	70-85 mm	95
C4410PFSD	350-710 ml	82-98 mm	100

STAINLESS STEEL

San Jamar Foam Cup Dispensers in Stainless Steel construction with an easy to install wall mount 'slide-on' system, in three sizes to suit a wide range of Foam Cups.

MODEL	CUP SIZE	RIM DIA.	\$
C4200PF	120-300 ml	70-85 mm	135
C4400PF	350-710 ml	82-98 mm	150
C4500PF	950-1360 ml	98-123 mm	235



WALL MOUNT PULL TYPE **PAPER CUP DISPENSERS**

UNBREAKABLE POLYETHYLENE

San Jamar Paper Cup Dispensers in economical and unbreakable Red Polyethylene construction with an easy to install wall mount 'slide-on' system, in two sizes to suit a wide range of Paper Cups.

MODEL	CUP SIZE	RIM DIA.	\$
C4210PRD	120-350 ml	64-82 mm	95
C4410PRD	350-710 ml	85-98 mm	115



WALL MOUNT PULL TYPE **STAINLESS STEEL CUP DISPENSERS**

San Jamar's stainless steel dispensers offer the high-end image that only stainless steel can provide, with the utmost durability. Our pull-type cup dispensers have San Jamar's patented, time-tested design for dependable one-at-a-time dispensing. These dispensers include 'slide-on' wall mount brackets.

MODEL	CUP SIZE	RIM DIA.	\$
C3200P	180-300 ml	50-80 mm	150
C3400P	350-710 ml	70-98 mm	155
C3500P	950-1360 ml	101-123 mm	235





NAPKIN and STRAW DISPENSERS

H2003CLSS IN-COUNTER NAPKIN DISPENSER


Napkins are readily available with this San Jamar Inter-fold In-Counter Napkin Dispenser - It holds 750+ interfold napkins without taking up valuable counter space, with the San Jamar Control clear faceplate to minimise wastage. Durable stainless steel trim and storage box.

Maximise your counter space with San Jamar.

Dimensions: 140mmD x 178mmW x 498mm H.

Cutout size 140mm x 195mm .

LIST PRICE EA. \$690




H5003TBK COUNTER-TOP NAPKIN DISPENSER

San Jamar's Venue® line of napkin dispensers offer optimal dispensing for a variety of interfold napkin sizes.

- ▶ Dispenser holds up to 550 interfold napkins reducing the need for frequent refilling
- ▶ Designed for storage convenience and high-volume dispensing in tight spaces
- ▶ Faceplate can be switched out to accommodate different napkin styles
- ▶ Allows smooth one-at-a time dispensing down to the last napkin- even when overfilled
- ▶ Easy-to-clean clear plastic resists cracking and breaking for extended use

Dimensions: 184H x 209W x 413Dmm

LIST PRICE EA. \$170




H5000STBK COUNTER-TOP with Stand NAPKIN DISPENSER

San Jamar's Venue® Napkin Dispenser with Stand is an ideal choice for full-fold countertop napkin dispensing. The Venue® Napkin dispenser provides smooth, precise dispensing—even at maximum capacity. The stand feature enhances image and offers high-volume dispensing in tight spaces.

- ▶ Patented one-at-a-time dispensing reduces napkin waste
- ▶ 33% more capacity than competing mini-fold and full-fold dispensers
- ▶ Stand model enhances image and saves counter space
- ▶ Smooth dispensing down to the last napkin
- ▶ Impact-resistant plastic construction

Dimensions: 441H x 203W x 330Dmm

LIST PRICE EA. \$195



L320C

Organises straws or stirrers utilising a simple mounting ring to lock and secure the holder. Also doubles as a trash chute with removable bottom plate. Diameter: 136 mm Tube Length: 152 mm. Counter hole diameter 106mm.

LIST PRICE EA. \$140

ALSO AVAILABLE (not illustrated) L360C Large Trash Chute 168mm Diameter \$108





LID DISPENSERS

L1014 - Counter or Wall Mounted Lid Organiser

Each compartment is adjustable to adapt to the lid size. Anti-slip feet ensure that unit will stay in place during counter-top use. Dimensions 165H x 362W x 133D

LIST PRICE EA. \$295



PCL3ADJ - Adjustable Portion Cup & Lid Organiser

2"-3" adjustable

- ▶ Multi-channel adjustable design stores disposable portion cups and lids neatly in each unit
- ▶ Provides easy access and quick refilling of lids in high-traffic environments
- ▶ Faceplate can be switched out to accommodate different napkin styles
- ▶ Allows smooth one-at-a-time dispensing down to the last napkin- even when overfilled
- ▶ Easy-to-clean clear plastic resists cracking and breaking for extended use

Dimensions: 304H x 109W x 260Dmm

LIST PRICE EA. \$80

NEW



TIMERS/THERMOMETER

TMDGXL - EXTRA LARGE DISPLAY DIGITAL TIMER

- ▶ Easy to read timer at greater distances and features a clock mode when not in use
- ▶ Loud alarm alerts when food is done for ensuring quality and safety standards are consistently met
- ▶ Count up or down and recall previous times for repetitive tasks
- ▶ Magnetic back for easy access and visibility
- ▶ Equipped with battery for quick use

Dimensions: 89H x 83W x 19Dmm Max 99min 59sec

LIST PRICE EA. \$32



NEW

THDGTMTS - TOUCH SCREEN THERMOMETER & TIMER

- ▶ References preset cooking temperatures and cooking temperature targets for a variety of doneness levels
- ▶ Custom audible alert for aided accuracy when target temperatures are reached
- ▶ 40" silicon cord for remote display allows for safe measuring from high temperatures
- ▶ Dual display of magnetic and kickstand options
- ▶ Equipped with battery for quick use

Dimensions: 76H x 76W x 25Dmm Temp range 20 to 250 degrees celcius

LIST PRICE EA. \$70



NEW



OVEN MITTS

810CM15 - BESTGRIP CONVENTIONAL OVEN MITT

Heat protection up to 260 degrees celcius, non-slip grip, integrated storage, easy to clean, ambidextrous design. Single mitt.

LIST PRICE EA. \$60



KT0215 - CONV MITT COOL TOUCH FLAME 15IN

Intermittent flame protection, Kevlar stitching, integrated storage, easy to clean, ambidextrous design. Single mitt.

LIST PRICE EA. \$160



UCMX17BK - CONV MITTULTIGRIP

Versatile protection up to 260 degrees celcius, Kevlar stitching, non-slip grip, sanitary construction, ambidextrous design. Single mitt.

LIST PRICE EA. \$75



800FG17-BK - OVENMITT BESTGUARD

Heat protection up to 230 degrees celcius, Kevlar stitching, angled cuff, non-stick coating, ambidextrous design. Pair of mitts.

LIST PRICE EA. \$40



811TG15 - OVENMITT TEFLON

Heat protection up to 230 degrees celcius, hanging loop, non-stick coating, ambidextrous design. Pair of mitts.

LIST PRICE EA. \$28



6786RMT-XL - THE FRYER NEOPRENE OVEN MITT

Heat protection up to 260 degrees celcius, fully insulated, cotton-flocked lining, easy to clean. Pair of mitts.

LIST PRICE EA. \$130





PUMP SYSTEMS / BAR SUPPLIES / SAFETY WRAP

FRONTLINE PUMP SYSTEMS

Perfect for self-service areas where portion control is critical.

Ultra pumps dispense in 1 x 28.34g portions.

2.36 litre jars are removable for easy cleaning and refilling.

CONDIMENT PUMP SERVICE CENTRES

MODEL	WELLS/PUMPS	\$
P9712	2 well with 2 pumps	650
P9713	3 well with 3 pumps	850
P9715	5 well with 5 pumps	1380



THE DOME GARNISH CENTRE

BD4006S

- ▶ The domed lid rotates back for easy access and increased capacity when closed.
- ▶ Uses six standard size trays supplied to keep food chilled (or optional deep trays for extra capacity).
- ▶ Complete unit is slanted towards the operator for convenience
- ▶ Integrated snap-on caddies store straws, stirrers and picks.
- ▶ Dimensions:
590mmW x 180mmH x 130mmD with Caddies
520mmW x 180mmH x 130mmD without Caddies

LIST PRICE EA. \$185



BD4006S shown with caddies installed

THE MINI DOME GARNISH CENTRE

BD2002

- ▶ Connectors provide modularity between Mini Dome, Dome and snap-on caddies.

LIST PRICE EA. \$98



SAF-T-WRAP DISPENSER

Makes proper food rotation faster and easier by combining wrapping and date labelling tools in one convenient location.

Saf-T-Wrap® Station holds film or foil, dating labels and includes storage areas for box cutters, pens and markers. Safer and more sanitary than dirty film and foil boxes, Saf-T-Wrap® Station's commercial-grade suction cup feet hold securely to countertops during use, minimising cut injuries.

SW1218SC

- ▶ Saves money by reducing labelling time and minimizing food waste by aiding in FIFO food rotation.
- ▶ Dispenses dating labels in multiple sizes and configurations.
- ▶ Comes with slider safety blade for film, foil and paper.

LIST PRICE EA. \$260





ICE HANDLING SOLUTIONS

SI4550 - SAF-T-SCOOP

Contamination shield, integrated hanging hook, drainage holes, impact resistant.

LIST PRICE EA. \$25



SI9000 - SAF-T-SCOOP & GUARDIAN

Ergonomic handle, contamination shield, tapered chute, sanitary storage caddy, easy to clean.

LIST PRICE EA. \$255



SI5500 - SAF-T-SCOOP

Ergonomic handle, contamination shield, tapered chute, easy to clean.

LIST PRICE EA. \$32



Guard for hands, keeping away germs

SI7850 - ADJUSTABLE ICE SCOOP

Adjustable sizing, contamination shield, tapered chute, easy to clean.

LIST PRICE EA. \$75



SICART60 - SAF-T-ICE CART

Effortless transportation (totes pictured sold separately SI6000), collapses for storage, non-marking wheels, easy to clean, reduces cross contamination.

LIST PRICE EA. \$550



SILD6000 - LIGHT DUTY ICE TOTE

Ergonomic design, integrated hanger, recessed bottom, clear identification. 22L

LIST PRICE EA. \$90



IC222003 - CATERAIDE™ Ice Caddy

90kg ice capacity, 2 fixed and 2 swivel castors 1 with brake.

Dimensions including handle 781L x 559W x 927Hmm

LIST PRICE EA. \$1885





KLEEN-PAIL®

Kleen-Pail's meet HACCP dedicated use guidelines for cleaning and sanitising cloths used to wipe down surface areas. Kleen-Pails make it easy to separate containers used for food storage from those used for dangerous non-food purposes. They also eliminate potential confusion between cleaning and sanitising solution containers. Green Kleen-Pails are used for soap solutions and Red Kleen-Pails are used for sanitising solutions.

KP256RD 7.5L Kleen-Pail® **RED**

KP256GN 7.5L Kleen-Pail® **GREEN**

LIST PRICE EA. **\$25**

KP196RD 5.6L Kleen-Pail® **RED**

KP196GN 5.6L Kleen-Pail® **GREEN**

LIST PRICE EA. **\$15**

NEW

Each unit comes with volume indicators on the inside of the pail.



ALLERGEN SAFE-T-ZONE SYSTEM

ASZ121812SYS

- Protects guests with food allergies
- Special purple colour to alert all kitchen staff
- Handy case includes Saf-T-Grip 305x457mm cutting board, tongs, turner and chef's knife.
- Board and tools dishwasher safe
- Works to avoid allergen cross-contact/contamination
- Optional waterproof thermometer available (code ASZTHERMW)

LIST PRICE EA. **\$365**



ASZTHERMW Optional professional thermometer
(waterproof and dishwasher safe) POA



DOCKET HOLDERS / SLIDE CHECK RAILS

Anodised Aluminium Docket Holders provide an easy-to-use system for check orders. Unique design allows for one handed check placement.

- ▶ Aluminium slide check racks available in various lengths.
- ▶ Glass marbles hold checks in place and will not melt even under the hottest of kitchen temperatures.



**NEW
SIZE**

MODEL	CONSTRUCTION	LENGTH	\$
CK6518A	Slide Check Rack – Aluminium	460 mm	50
CK6524A	Slide Check Rack – Aluminium	610 mm	60
CK6536A	Slide Check Rack – Aluminium	915 mm	80
CK6548A	Slide Check Rack – Aluminium	1220 mm	105

HAND WASHING STATION COMBO - Hands Free & manual models

These Hand Washing Station Combo packs are the economical solution that ensures all the tools needed for employees to properly wash their hands are readily available. Controls towel usage per user and has completely hands free operation with the T1440TBK model with long-lasting battery power and manual override feature. Place these units wherever required to comply with regulations without the need for an electrician.

T1440TBK (Automatic Hands free)

- ▶ Smart System **Touchless** battery powered towel dispenser dispenses any quality of paper automatically with sensors, easy to use and reduces wastage. Adjustable length & interval time.
- ▶ Touchless Soap Dispenser battery-powered (up to 80,000 cycles/6 months)
- ▶ Dispense a wide variety of liquid, soaps, sanitisers (except pumice).
- ▶ Unique hybrid manual pump override when batteries run low
- ▶ Hand washing chart gives step-by-step instructions for proper hand washing.

LIST PRICE EA. \$790



Available in Black only.

T1430TBL (Touchless Towel Dispenser)

- ▶ Smart System Touchless battery powered towel dispenser Dispenses any quality of paper automatically with sensors, easy to use and reduces wastage.
- ▶ Bulk soap dispenser will dispense a wide variety of liquid and lotion, soaps (except pumice).
- ▶ Hand washing chart gives step-by-step instructions for proper hand washing.

LIST PRICE EA. \$640



Soap dispenser above available in Arctic Blue to match towel dispenser. Please advise when ordering.



DROP-IN ICE CREAM FREEZER

The Silver King Drop in Ice Cream Freezer is easily installed in any bar or bench top. Complete with stainless steel interior with curved corners for fast, easy cleaning.

There is an anti-condensation heater around the top opening to prevent moisture formation. Insulated with environmentally friendly polyurethane foamed-in-place for maximum efficiency, strength and durability. Digital controller is now standard.

SKDI

The refrigeration system is CFC-free, hermetically sealed, and self-contained with fan cooled condenser.

Cold wall evaporator provides optimum ice cream dipping temperature.

Comes with adjustable electronic temperature control.

Features heavy gauge, galvanised steel welded angle frame and base assembly.

Adjustable temperature: -4.4°C to -12°C

Electrical: 480 Watt, 2A, supplied with 10 amp plug.


Dimensions: (less lid): 413W x 413D x 625Hmm

Internal dimensions: 305W x 310D x 295Hmm

Weight: 36Kgs

LIST PRICE EA.

\$6400




K30-1010

Dipperwell Assembly

Stainless Steel Dipperwell complete with inner and outer shell, Stainless Steel drain, highly polished chrome plated faucet, chrome plated brass tailpiece. Suits 150mm cutout.

LIST PRICE EA.

\$440





The VITO® Portable Oil Filter System is available in three capacities to suit your workload and fryer capacity. Simple to use drop-in unit - no need to drain oil from the fryer.

VITO® is the ONLY simple to use pressure filtration system that removes contaminants down to 5 microns in size - more efficient than in-built filters, and VITO® can easily pay for itself inside twelve months. And it switches off automatically so you can get on with other work.

Dishwasher safe designed and manufactured in Germany.

Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.

Add a VITO® FT 440 Oil Tester to determine *exactly* when to change the oil and save even more.

VITO® OIL FILTER SYSTEM

CODE	VITO MODEL	FILTER TIME (Approx)	CAPACITY & DESCRIPTION	WEIGHT	DIMS WHDmm	\$
101379	30	4.5 mins approx.	Suits fryers up to 12L litres volume. 300W (10Amp plug) Includes 10 Filters	6.3Kg	116 x 356 x 176	3100
101380	50	4.5 mins approx.	Suits fryers up to 18 L litres volume. 300W (10Amp plug) Includes 10 Filters	7.7Kg	116 x 400 x 191	4680
101044	80 Connect	4.5 mins approx.	Suits fryers 20L litres volume upwards. 500W (10Amp plug) Includes 10 Filters Wifi model - VITOconnect	9.2Kg	116 x 487 x 185	4950



Exclusive In-Fryer Filtering
With Automatic Shut Off



VITO 30



VITO 50



VITO 80

#VITOconnect

filter effectively, monitor smart



Connect

Connect the VITO 80 with the local Wifi network in the kitchen.



Serve

Configure the VITO easily with the mobile phone, tablet or PC.
For example the filtration cycle time.



Select

Usage data can be analyzed directly, for example: number of filtration cycles, total run time, date of the last filtration.



View

Usage data can be viewed on different devices as well as via e-mail reports and the CRM system.



VITO X cleans the oil and stores it in its tank. It provides an easy and hygienic transport in the kitchen. Because of its innovative vacuum-filtration technology, particles remain in the filter medium in a dry condition. Like every VITO oil filter system the X provides a microfiltration ensuring the optimal quality of your oil is preserved. The unique design makes sure the X can handle temperatures up to 200°C and provides highest safety at work, due to avoiding direct contact with hot oil. After filtration the oil can easily be pumped back into the fryer automatically.

Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.

Add a VITO® FT 440 Oil Tester to determine *exactly* when to change the oil and save even more.

VITO® X VACUUM FILTRATION SYSTEM

CODE	DESCRIPTION	WEIGHT	DIMS WHDmm	\$
XS	Up to 35l/min filtration power and 40L tank	45Kg	553 x 843 x 883	10750
XM	Up to 35l/min filtration power and 75L tank	56KG	553 x 1044 x 883	11680
XL	Up to 35l/min filtration power and 120L tank	64Kg	553 x 1334 x 883	12980



Additional Features

- The VITO X can operate at frying temperatures
- Adjustable top handle
- Automatic off - Tank with built-in oillevel sensor
- Full stainless steel construction with cellulose filters (components used are food safe)
- Integrated heating for solid frying medium
- Big wheels with breaks
- Filter basket is dishwasher safe
- Easy off hose



VITO® OIL ACCESSORIES

34022090

FRYER BOIL-OUT TABS

Powerful, safe and easy cleaning of commercial deep fryers and stainless steel fryer accessories.

Product description:

- removes burnt-in grease and oil
 - intensive cleaner packed as tabs for effective cleaning of commercial deep fryers
 - individually packed, simple dose
 - fryer accessories made of stainless steel can be cleaned as well
 - easy to use, saves working time
- 1 tin = 15 tabs

LIST PRICE EA.

\$110



FT 440

VITO OIL TESTER

Food oil quality monitor and temperature measurement system, including probe, case & instructions. Easy to use "traffic light" warning system as well as digital display. Make sure you only change the oil when necessary and maintain perfect frying oil condition, whilst saving money.

LIST PRICE EA.

\$1230



VITO FT 440
OIL TESTER



VITO FT 440
CASE &
INSTRUCTIONS

VITO® REPLACEMENT CELLULOSE FILTERS

CODE	DESCRIPTION	\$
100112	V30 FILTERS Box of 100	350
100114	V50/80 FILTERS Box of 100	465
101441	FILTERS TO SUIT X SERIES Box of 50	450



All Yellow tapware is Australian Watermark approved and is WELS rated to deliver maximum performance. Yellow tapware is the premium quality choice for the most demanding of installations. And all Yellow tapware is covered by our exclusive on-site 13 month warranty on parts and labour.

YH041 DECK MOUNT

Premium Deck Mount Pre Rinse Assembly, complete with wall bracket and **6 Star** rated Y729 gun as shown. Professional lever operated cartridge taps. Single hole mount. Overall height: 980mm. Operating water pressure Min 50kpa Max 500kpa.

LIST PRICE EA. \$1320

6 BUY PRICE EA. \$1280


12 LIST PRICE EA. \$1250



YHS021 DECK MOUNT

Premium Deck Mount Pre Rinse Assembly, complete with wall bracket and **6 Star** rated Y729 gun as shown. Professional lever operated cartridge taps, Concealed mixer assy. Overall height: 960mm. Operating water pressure Min 50kpa Max 500kpa.

LIST PRICE EA. \$1330






All Yellow tapware is Australian Watermark approved and is WELS rated to deliver maximum performance. Yellow tapware is the premium quality choice for the most demanding of installations. And all Yellow tapware is covered by our exclusive on-site 13 month warranty on parts and labour.

YWS021 WALL MOUNT

Premium Wall Mount Pre Rinse Assembly, complete with wall bracket and 6 Star rated Y729 gun as shown. Professional lever operated cartridge taps. For concealed mixer (not supplied). Overall height: 960mm. Operating water pressure Min 50kpa Max 500kpa.

LIST PRICE EA. **\$1415**



COLOUR AND
TYPE OF HOSE
MAY DIFFER
FROM
ILLUSTRATED


Y063-Y182 ADD-ON FAUCET FOR ALL YELLOW PRE RINSE MODELS

Provides pot filling capability with 300mm Swing Spout, lever operation WELS 3 Star rated.

LIST PRICE EA. **\$435**

6 BUY PRICE EA. **\$415**

12 LIST PRICE EA. **\$405**



Y729 PRE-RINSE GUN

For all Yellow Pre Rinse units, WELS 6 Star rated for maximum economy / performance. Includes trigger ring for continuous operation. **Simply the best and most comfortable gun available.**

LIST PRICE EA. **\$455**




GUN ADAPTORS

Call for information on adaptors to upgrade your existing Pre-Rinse gun.

YX315 WALL MOUNT SINK SET 180 spout

Wall mount sink set, 180mm Swing Aerated spout, with 1/4 turn levers, ceramic disc. Operating water pressure Min 50kpa Max 500kpa.


LIST PRICE EA. **\$585**



YX315XYP112 WALL MOUNT SINK SET

300 spout Wall mount sink set, 300mm Swing Aerated spout, with 1/4 turn levers, ceramic disc. Operating water pressure Min 50kpa Max 800kpa.


LIST PRICE EA. **\$590**



YZ315 WALL MOUNT SINK SET 220 spout

Swing Aerated 220mm spout, jumper valve, concealed mixer, Four Arm Handles. Operating water pressure Min 50kpa Max 500kpa..


LIST PRICE EA. **\$570**



Y2047 WALL MOUNT POT & KETTLE FILLING FAUCET double jointed with spout on-off control

Premium Pot filler with 457mm swing arm, double jointed, includes convenient on/off control on spout. Operating water pressure Min 50kpa Max 500kpa.

LIST PRICE EA. **\$1090**






All Yellow tapware is Australian Watermark approved and is WELS rated to deliver maximum performance. Yellow tapware is the premium quality choice for the most demanding of installations. And all Yellow tapware is covered by our exclusive on-site 13 month warranty on parts and labour.

Y015-Y182 DECK MOUNT FAUCET

Double Pantry Faucet 300 Swing spout

Premium Deck Mount Faucet, 300mm Swing spout, with 1/4 turn levers. Water pressure Min 50kpa Max 500kpa. Includes 2 connection tails.

LIST PRICE EA. \$920




YX307XYP012 DECK MOUNT SINK SET

With 300 Swing spout

Premium Deck Sink Set, 300mm Aerated Swing spout, with 1/4 turn levers. Ceramic discs. Water pressure Min 50kpa Max 500kpa. Includes breach assembly.

LIST PRICE EA. \$550




YZ307XYP012 DECK MOUNT SINK SET

Four Arm Handles

Premium Deck Sink Set, 300mm Aerated Swing spout, with 4 Arm Handles, Jumper Valve, Concealed Mixer, Water pressure Min 50kpa Max 500kpa.

Includes breach assembly.

LIST PRICE EA. \$545





All Yellow tapware is Australian Watermark approved and is WELS rated to deliver maximum performance. Yellow tapware is the premium quality choice for the most demanding of installations. And all Yellow tapware is covered by our exclusive on-site 13 month warranty on parts and labour.

Yellow Heavy Duty Retractable Hose Reels are manufactured to commercial grade standards with heavy gauge steel construction and springs/latches for reliable operation. Available in various hose lengths as well as stainless steel option (KHR 1035 Models). Positive latch system holds hose at desired length. Wall, ceiling or floor mount. All hoses are suitable for up to 82°C and up to 500kpa.

HEAVY DUTY HOSE REELS

KHR-1035-OSS-Y722

11m HOSE

STAINLESS STEEL CONSTRUCTION

Open Hose Reel Assembly

11m (35') hose supplied with Y722 spray gun.

Shipping weight 17Kg

13 MONTH WARRANTY*

LIST PRICE EA. \$2570

KHR-1035-O-Y722

11m HOSE

GREY POWDER COATED

Open Hose Reel Assembly

11m (35') hose supplied with Y722 spray gun.

Shipping weight 17Kg

13 MONTH WARRANTY*

LIST PRICE EA. \$2190

KHR-1050-O-Y722

15.3m HOSE

GREY POWDER COATED

Open Hose Reel Assembly

15.3m (50') hose supplied with Y722 spray gun

Shipping weight 22Kg

13 MONTH WARRANTY*

LIST PRICE EA. \$3410



* 13 month parts and 13 month labour warranty covers manufacturing defects only.

Yellow Brand Induction Units, one of the leaders in induction technology to the Australian market, now established and recognised as a highly efficient and safe cooking technology. Yellow Induction units are made to last and offer superior performance and quality compared to lesser units. And each Yellow Induction model comes with our exclusive 13 month warranty for absolute peace of mind when you next specify for that important project.

YELLOW INDUCTION HOBS

SINGLE PORTABLE COUNTER-TOP HOBS

Y2500TT Counter Top Unit

Powerful 2500W portable table top unit plug-in self contained for use in kitchen / buffets.

Dimensions: 328 x 422 x 100mm

Ceramic glass dimension: 273 x 273 x 4mm (thick).

2500 watts. 15 amp plug.

LIST PRICE EA. \$1890



Y3500TT Counter Top Unit

High Power 3500W portable table top unit plug-in self contained for use in kitchen / buffets.

Dimensions: 385 x 520 x 177mm

Ceramic glass dimension: 300 x 300 x 6mm (thick).

3500 watts. 15 amp plug.

LIST PRICE EA. \$3450



Y1000WCS


Free Standing Unit mounted in attractive chrome stand with on-board controls and rear chafer support.

Dimensions: 385 x 385 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

1000 watts. 10 amp plug.

LIST PRICE EA. \$1980



Y300 Fanless Induction Warmer

300 watt drop-in buffet/warmer. Can daisy chain up to 4 units. No ventilation under required

Dimensions: 380 x 360 x 91.2mm

300 watts. 10 amp plug.

LIST PRICE EA. \$1290

Y300R Remote Controller

LIST PRICE EA. \$65



All Yellow Induction units offer Automatic Safety Shut-Off, Material Compatibility and small object Detector, Overheating Protection Device and Automatic Resetting. All these In-built/drop-in induction units have the same cut-out and require ventilation for optimum performance. Consult your FSM representative for more information.

SINGLE DROP-IN HOB UNITS

Y1000NT Drop In Unit

Perfect drop-in unit for buffet warming.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

1000 watts. 10 amp plug.

LIST PRICE EA. \$1550



Y2000D Drop In Unit

Powerful 2000 Watts of power in a drop-in unit, ideal for buffet/kitchen/holding with remote control.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2000 watts. 10 amp plug.

LIST PRICE EA. \$1750



Y2500AD Drop In Unit

High output 2500W drop-in unit for kitchen or buffet use.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2500 watts. 15 amp plug.

LIST PRICE EA. \$2050



Note: all these drop-In units have the same cutout dimensions



Yellow Induction built-in cooktops offer the rugged performance demanded of every commercial kitchen. Framed with stainless steel, these Dual Hob models have the capacity and versatility in one unit.

BUILT-IN COOKTOPS

Y3500DDSS

Built in Dual Hob Unit with remote controller for maximum performance and power, this dual unit offers versatility in a compact built-in unit.

Dimensions: 450 x 700 x 208mm

Comprises two 2 X 3500 watt cooking/warming surfaces.

Electrical: 7.2kw, 30 amp, Single phase. Unit supplied unplugged.

LIST PRICE EA. \$7700



**2 x
3500
WATTS
POWER**

MULTIZONE INDUCTION WARMER

YMC-2-1700

Versatile Multi Zone unit with 1700W for warming/holding flexibility. Glass touch control panel and 10 hour timer.

Dimension: 806W x 386D x 111mmH

Vitro-Ceramic Plate Dimension:

800W x 380D x 4mm (thick).

LIST PRICE EA. \$4950





The new era of warming, **MULTI-ZONE** Induction technology that heats all points on the ceramic glass top. Newly developed technology can suit any shape and size of induction compatible display chafer, saucer, small utensils, pots and pans. Unlike normal Induction Units, these Yellow Multi-Zone units allow almost unlimited flexibility in pan size and placement and look fabulous in any setting.

MULTI-ZONE BUFFET INDUCTION

YMC-2-2500

Versatile Multi Zone unit with two x 2500W units for warming/holding flexibility. Complete with remote generator rack and two (2) remote controller panels (as below).
Dimension: 800W x 380D x 66mmH
Ceramic Glass Dimension: 800W x 380D x 6mm (thick).

LIST PRICE EA. \$9100



Two Remote controller panels supplied

**5000
WATTS
POWER**



YMC-3-2500

Versatile Multi Zone unit with three x 2500W units for warming/holding flexibility. Complete with remote generator rack and three (3) remote controller panels (as below).
Dimension: 1180W x 380D x 66mmH
Ceramic Glass Dimension: 1180W x 380D x 6mm (thick).

LIST PRICE EA. \$12880



Three Remote controller panels supplied

**7500
WATTS
POWER**



REMOTE GENERATOR CONTROL & RACK (included with above)

Compact and remote type generator with easy access for maintenance and less interruption to daily operation. These units are supplied with the cooktops above and can be located within 3m of the cooking surface.

MODEL	DIMENSIONS	CABLE LENGTH	TOTAL POWER
YMC-2-2500	385W x 450D x 275mmH	3m*	5kw, 30 amp.
YMC-3-2500	385W x 450D x 387.5mmH	3m*	7.5kw, 45 amp.

*Max 3m remote cable between hob and generator.
Each Generator is supplied with its own 15A plug.
YMC-2-2500 = 2 power cords and 15A plugs.
YMC-3-2500 = 3 power cords and 15A plugs.

All Multi-zone Induction generator units require adequate ventilation for maximum performance.

YMC-2-2500
GENERATOR RACK
SHOWN
MOUNTED REMOTELY



YELLOW PLANETARY MIXER – STEPLESS VARIABLE DRIVE

Offering commercial quality at an affordable price is the Model B7C planetary mixer. With a wide range of accessories for flexibility and ease of use, including a wire whip, dough hook, flat beater, stainless bowl and integrated safety guard with unique dosing feeder. Plus the peace of mind of an Australia-wide 13 month parts and labour warranty.

B7C Commercial Planetary Mixer.

75-660 rpm variable speed.

Complete with wire whip, dough hook, flat beater, bowl and integrated safety guard with dosing feeder.

Specifications:

Power: 270W (0.36HP) 1.5A

Bowl Volume: 7L

Mixing Speed: 75~660rpm

Dosing Feeder integrated with safety guard

Dimensions: 410L x 230W x 420Hmm

Net Weight: 15kg

Supplied corded with 10A plug

Capacities:

Max. Flour: 1.5kg Max. Dough: 2.4kg-60% water

LIST PRICE EA. \$995






6 BUY PRICE EA. \$920



Accessories included



FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
49		554007	Versapour™ Polycarbonate Pitcher 1.77L Lip design allows easy pour of ice from front or either side; Sure Grip handle; Break resistant polycarbonate; 210Hmm	\$18.30	6	\$109.80
49		553807	Polycarbonate Clear Pitcher 1.5L Ice trap retains ice or beer foam. 195Hmm x base dia 85mm	\$17.60	6	\$105.60
41		580807	Louis™ SAN Tumbler 240mL Stackable design 86Hmm x top dia 76mm	\$7.50	24	\$180.00
41		581007	Louis™ SAN Tumbler 300mL Stackable design 116Hmm x top dia 73mm	\$5.20	24	\$124.80
42		400807	Crystalon® Stack-All® SAN Tumbler 250mL 102Hmm x top dia 71mm	\$2.85	48	\$136.80
32		190007	Clear Polycarbonate Plate Cover 238mmDia x 65Hmm	\$13.60	12	\$163.20
32		198907	Clear Polycarbonate Plate Cover 260mmDia x 76Hmm	\$16.50	12	\$198.00
144		OP30500	Pour Free Economical Free Flow Pourer – Red; BPA free; 25.4L x 25.4W x 76Hmm	\$0.90	12	\$10.80
145		WPM8538	Tapered Metal Pourers; Medium flow; Sturdy metal construction; Choice of three flow rates; Chrome plated; 25.4L x 25.4W x 76Hmm	\$7.15	12	\$85.80
204		4314107	Clear Polycarbonate Measuring Cup - 250ml; NSF approved and dish washer safe. 102L x 111W x 84Hmm	\$11.50	12	\$138.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
204		4314207	Clear Polycarbonate Measuring Cup - 500mL; NSF approved and dish washer safe. 130L x 121W x 107Hmm	\$20.00	6	\$120.00
204		4314307	Clear Polycarbonate Measuring Cup 1000mL; NSF approved and dishwasher safe 146L x 160W x 135Hmm	\$23.30	6	\$139.80
163		1400GL004	GripLite® Round Polypropylene Tray 370mm – Black; Moulded in rubber liner to prevent slipping and sliding	\$18.40	12	\$220.80
163		1600GL004	GripLite® Round Polypropylene Tray 410mm – Black; Moulded in rubber liner to prevent slipping and sliding	\$31.20	12	\$374.40
162		1400GR2004	Griptite™ 2- Round Non-Skid Tray 350mm – Black; specially designed stain & odour resistant non-skid surface that is more durable and better looking	\$42.00	12	\$504.00
162		1600GR2004	Griptite™ 2- Round Non-Skid Tray 400mm – Black; specially designed stain & odour resistant non-skid surface that is more durable and better looking	\$57.30	12	\$687.60
-		DXSMC1520NSQ44	Non skid tray 381 x 508mm Stain, scratch and odour resistant; Sturdy fiberglass construction with reinforced edges; Quarry print design; Dishwasher safe	\$74.85	12	\$898.00
-		DX1089M23	Glasteel™ flat tray 381 x 508mm – Grey Strong top-of-the-line Glasteel construction; Dishwasher safe	\$45.83	12	\$550.00
150		2015FG017	Glasteel™ flat tray 381 x 514mm – Red Strong top-of-the-line Glasteel construction; Dishwasher safe	\$41.50	12	\$498.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
145		430607	Polycarbonate Scoop - 180mL - Clear Total length 276mm	\$7.90	12	\$94.80
139		PS601N00	Store 'N Pour Bar Service Kit – 950mL Dishwasher safe; Colour co-ordinated spouts and caps for easy product identification; 334Hmm x 89mm dia	\$17.00	12	\$204.00
139		PS701B00	Store 'N Pour Bar Service Kit – 1900mL Dishwasher safe; Colour co-ordinated spouts and caps for easy product identification; 353Hmm x 124mm dia	\$18.90	6	\$113.40
-		DXSB607	SAN Clear Square bowl - 175ml capacity Look and feel of glass with the durability of plastic; Break resistant; Dishwasher safe; 102L x 102W x 32Hmm	\$3.38	96	\$324.00
-		DXSQD1007	SAN Clear Square bowl - 290ml capacity Look and feel of glass with the durability of plastic; Break resistant; Dishwasher safe; 100L x 100W x 45Hmm	\$4.71	48	\$226.00
-		DXSB1203	SAN Black Square bowl - 350ml Capacity Look and feel of china with the durability of plastic; Break resistant; Dishwasher safe; 102L x 102W x 64Hmm	\$7.23	48	\$347.00
-		DXSWC507	SAN Clear Tulip bowl - 150ml capacity Look and feel of glass with the durability of plastic; Break resistant; Dishwasher safe; Diameter: 95mm; Height: 45Hmm	\$3.23	96	\$310.00
-		DX11820174	Disposable clear dome lid to fit tulip cup DXSWC507	\$0.28	1000	\$275.00
111		CM1100C1402	Coldmaster® CoolCheck Food Pan 1/1 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 323W x 525L x 163Hmm	\$265.00	1	\$265.00
111		CM1101C1402	Coldmaster® CoolCheck Food Pan 1/2 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 263W x 323L x 153Hmm	\$209.00	1	\$209.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
111		CM1102C1402	Coldmaster® CoolCheck Food Pan 1/3 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 175W x 323L x 153Hmm	\$118.00	1	\$118.00
111		CM1103C1402	Coldmaster® CoolCheck® Divided Food Pan; 1/3 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 175W x 323L x 153Hmm	\$118.00	1	\$118.00
111		CM1104C1402	Coldmaster® CoolCheck Food Pan 1/6 Size; Once charged overnight, keeps food cold for up to 8 hours; Dimensions: 159W x 174L x 150Hmm	\$102.00	1	\$102.00
113		CM104902	Coldmaster® Full-size Coldpan with Organizer Holds 9 ninth-size food pans (pans not included); Capacity (total): 23L; Colour: White; Dimensions (outside): 407W x 611L x 190Hmm	\$640.00	1	\$640.00
223		30860HH13	StorPlus™ High Heat Food Pan Double handle; 1/3 Size; 65mm deep; Colour: Amber; 176W x 325Lmm; Handle length 95mm;	\$68.00	6	\$408.00
223		30860H13	StorPlus™ High Heat Food Pan Single handle; 1/3 Size; 65mm deep; Colour: Amber; 176W x 325Lmm; Handle length 95mm;	\$68.00	6	\$408.00
220		10200B07	StorPlus™ Full Size Clear Polycarbonate Food Pan Capacity: 6.6L 324W x 527Lmm; 65 mm deep	\$22.20	6	\$133.20
220		10201B07	StorPlus™ Full Size Clear Polycarbonate Food Pan Capacity: 13.3L 324W x 527Lmm; 100 mm deep	\$28.45	6	\$170.70
220		10202B07	StorPlus™ Full Size Clear Polycarbonate Food Pan Capacity: 24.1L 324W x 527Lmm; 150 mm deep	\$38.00	6	\$228.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
220		10220B07	StorPlus™ Half Size Clear Polycarbonate Food Pan Capacity: 3.12L 324W x 264Lmm; 65 mm deep	\$12.50	6	\$75.00
220		10221B07	StorPlus™ Half Size Clear Polycarbonate Food Pan Capacity: 5.7L 324W x 264Lmm; 100 mm deep	\$15.00	6	\$90.00
220		10222B07	StorPlus™ Half Size Clear Polycarbonate Food Pan Capacity: 8L 324W x 264Lmm; 150 mm deep	\$19.00	6	\$114.00
221		3066007	StorPlus™ 1/3 Size Clear Polycarbonate Food Pan Capacity: 2.6L 324W x 175Lmm; 65 mm deep	\$9.00	6	\$54.00
221		3066107	StorPlus™ 1/3 Size Clear Polycarbonate Food Pan Capacity: 3.6L 324W x 175Lmm; 100 mm deep	\$12.00	6	\$72.00
221		3066207	StorPlus™ 1/3 Size Clear Polycarbonate Food Pan Capacity: 5.3L 324W x 175Lmm; 150 mm deep	\$14.50	6	\$87.00
221		3068007	StorPlus™ 1/4 Size Clear Polycarbonate Food Pan Capacity: 1.8L 162W x 264Lmm; 65 mm deep	\$9.00	6	\$54.00
221		3068107	StorPlus™ 1/4 Size Clear Polycarbonate Food Pan Capacity: 2.7L 162W x 264Lmm; 100 mm deep	\$10.50	6	\$63.00
221		3068207	StorPlus™ 1/4 Size Clear Polycarbonate Food Pan Capacity: 4.3L 162W x 264Lmm; 150 mm deep	\$12.40	6	\$74.40
221		3068307	StorPlus™ 1/6 Size Clear Polycarbonate Food Pan Capacity: 0.95L 137W x 151Lmm; 65 mm deep	\$6.50	6	\$39.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
221		3068407	StorPlus™ 1/6 Size Clear Polycarbonate Food Pan Capacity: 1.9L 137W x 151Lmm; 100 mm deep	\$7.40	6	\$44.40
221		3068607	StorPlus™ 1/9 Size Clear Polycarbonate Food Pan Capacity: 0.68L 108W x 175Lmm; 65 mm deep	\$6.70	6	\$40.20
221		3068807	StorPlus™ Clear Food Pan 1/9 Size; Ideal for use in chilled/frozen storage; 108W x 176Lmm, 150mm Deep.	\$9.50	6	\$57.00
220		10200B03	StorPlus™ Full Size Black Polycarbonate Food Pan Capacity: 6.62L 324W x 527Lmm; 65 mm deep	\$21.50	6	\$129.00
220		10201B03	StorPlus™ Full Size Black Polycarbonate Food Pan Capacity: 13.25L 324W x 527Lmm; 100 mm deep	\$27.00	6	\$162.00
220		10202B03	StorPlus™ Full Size Black Polycarbonate Food Pan Capacity: 24.1L 324W x 527Lmm; 150 mm deep	\$37.00	6	\$222.00
220		10220B03	StorPlus™ Half Size Black Polycarbonate Food Pan Capacity: 3.12L 324W x 264Lmm; 65 mm deep	\$12.00	6	\$72.00
220		10221B03	StorPlus™ Half Size Black Polycarbonate Food Pan Capacity: 5.7L 324W x 264Lmm; 100 mm deep	\$15.00	6	\$90.00
220		10222B03	StorPlus™ Half Size Black Polycarbonate Food Pan Capacity: 8L 324W x 264Lmm; 150 mm deep	\$19.00	6	\$114.00
221		3066003	StorPlus™ 1/3 Size Black Polycarbonate Food Pan Capacity: 2.6L 324W x 175Lmm; 65 mm deep	\$9.00	6	\$54.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
221		3066103	StorPlus™ 1/3 Size Black Polycarbonate Food Pan Capacity: 3.6L 324W x 175Lmm; 100 mm deep	\$12.00	6	\$72.00
221		3066203	StorPlus™ 1/3 Size Black Polycarbonate Food Pan Capacity: 5.3L 324W x 175Lmm; 150 mm deep	\$14.00	6	\$84.00
221		3068003	StorPlus™ 1/4 Size Black Polycarbonate Food Pan Capacity: 1.8L 162W x 264Lmm; 65 mm deep	\$9.00	6	\$54.00
221		3068103	StorPlus™ 1/4 Size Black Polycarbonate Food Pan Capacity: 2.7L 162W x 264Lmm; 100 mm deep	\$10.50	6	\$63.00
221		3068203	StorPlus™ 1/4 Size Black Polycarbonate Food Pan Capacity: 4.3L 162W x 264Lmm; 150 mm deep	\$12.00	6	\$72.00
221		3068303	StorPlus™ 1/6 Size Black Polycarbonate Food Pan Capacity: 0.95L 137W x 151Lmm; 65 mm deep	\$6.50	6	\$39.00
221		3068403	StorPlus™ 1/6 Size Black Polycarbonate Food Pan Capacity: 1.9L 137W x 151Lmm; 100 mm deep	\$7.40	6	\$44.40
221		3068503	StorPlus™ 1/6 Size Black Polycarbonate Food Pan Capacity: 2.4L 137W x 151Lmm; 150 mm deep	\$10.00	6	\$60.00
221		3068603	StorPlus™ 1/9 Size Black Polycarbonate Food Pan Capacity: 0.68L 108W x 175Lmm; 65 mm deep	\$6.70	6	\$40.20
221		3068703	StorPlus™ 1/9 Size Black Polycarbonate Food Pan Capacity: 1.1L 108W x 175Lmm; 100 mm deep	\$8.00	6	\$48.00






FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
220		1021507	StorPlus™ 1/1 Size Clear Polycarbonate Drain Shelf 251W x 451L x 15Hmm	\$15.50	6	\$93.00
220		1023507	StorPlus™ 1/2 Size Clear Polycarbonate Drain Shelf 194W x 254L x 15Hmm	\$7.20	6	\$43.20
221		3067007	StorPlus™ 1/3 Size Clear Polycarbonate Drain Shelf 121W x 264L x 15Hmm	\$6.70	6	\$40.20
221		3069507	StorPlus™ 1/4 Size Clear Polycarbonate Drain Shelf 107W x 206L x 14Hmm	\$5.70	6	\$34.20
221		3068907	StorPlus™ 1/6 Size Clear Polycarbonate Drain Shelf 108W x 121L x 13Hmm	\$2.60	6	\$15.60
221		1033507	StorPlus™ 1/9 Size Clear Polycarbonate Drain Shelf 61W x 127L x 16Hmm	\$2.00	6	\$12.00
220		10210U07	StorPlus™ 1/1 Size Clear Polycarbonate Handled Lid, Unnotched 327W x 527L x 22Hmm	\$18.00	6	\$108.00
220		10230U07	StorPlus™ 1/2 Size Clear Polycarbonate Handled Lid, Unnotched 264W x 324L x 22Hmm	\$9.50	6	\$57.00
221		10279Z07	StorPlus™ EZ Access 1/3 Size Clear Polycarbonate Hinged Lid with Handle, Single Notched 178W x 324L x 28Hmm	\$17.00	6	\$102.00
221		10319Z07	StorPlus™ EZ Access 1/6 Size Clear Polycarbonate Hinged Lid with Handle, Single Notched 160W x 175L x 28Hmm	\$9.50	6	\$57.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
221		10339Z07	StorPlus™ EZ Access 1/9 Size Clear Polycarbonate Hinged Lid with Handle, Single Notched 110W x 175L x 28Hmm	\$10.00	6	\$60.00
202		4039302	Galaxy™ Flat Pastry Brush – white; 100mm wide; Nylon bristles with high fluid retaining capacity	\$30.00	12	\$360.00
202		4039002	Galaxy™ Flat Pastry Brush – white; 38mm wide; Nylon bristles with high fluid retaining capacity	\$18.50	12	\$222.00
56		S31202	Heavyweight Melamine Oval Ramekin; Colour – white; 90mL Capacity; Dimensions: 67W x 87L x 67Hmm	\$4.20	48	\$201.60
58		085242	Melamine Smooth Round Ramekin; Colour – “Bone”; 60mL Capacity; Dimensions: 67mmDia x 32Hmm	\$3.50	72	\$252.00
265		4053200	Universal Onion Cutter Cleaning Brush; Bristle length – 108mm; Superior, high grade stiff nylon bristle, long enough to reach crevices; All parts FDA compliant.	\$14.50	8	\$116.00
200		4037400	Sparta® Flat Boar Bristle Basting Brush; 50mm wide; Double-boiled, bleached, and sterilized premium Boar bristles; withstand temperatures up to 180°C	\$21.50	12	\$258.00
201		4037800	Sparta® Meteor® Boar Bristle Basting Brush; 50mm wide; Moulded plastic handle with projecting hook to allow brush to rest on container rim	\$22.00	12	\$264.00
269		4071100	Sparta® Grill Polishing Pads; Apply with cooking oil to protect the grill cure and remove excess cooked-on foods; 102W x 127Lmm; 64mm thickness	\$20.00	6	\$120.00
269		4067100	Sparta® Scratch Brush and Scraper; Carbon Steel Bristles; Bristle length 32mm; Brush size 140mm; Total length 291mm	\$15.50	12	\$186.00

FOODSERVICE PRODUCTS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
269		4071000	Sparta® Grill Brick; Apply with oil to protect the grill, cure and remove excess cooked on foods. Dimensions: 203L x 102W x 89Hmm	\$7.60	12	\$91.20
268		4029300	Pizza Oven Brush with Scraper; Crimped Brass wire bristles and a full length Aluminum Scraper; 89mm wide; Bristle length 32mm	\$50.00	12	\$600.00
264		4546300	Sparta® Utility Scrub Brush; Stiff Palmyra bristles for woks and electric griddles; and high heat cleaning. Head: 216Lx102Wmm; Bristle length 42mm	\$9.20	12	\$110.40
268		4029000	Sparta® Broiler Master; Stainless steel wire bristles and scrapers; Excellent for removing heavy carbon deposits, rust and burned on food build up. One side of the brush has semi stiff and the other with coarse bristles; Head 216W x 127H x 775Lmm; Bristle length 25mm	\$79.00	6	\$474.00
253		107123	Save-All™ Stackable Silverware Tray Colour: Grey 292W x 540L x 95Hmm	\$26.00	6	\$156.00

KITCHEN ACCESSORIES

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
207		492104	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Yellow; Capacity: 30mL	\$9.00	12	\$108.00
207		492304	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Yellow; Capacity: 30mL	\$9.00	12	\$108.00
207		492201	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Brown; Capacity: 45mL	\$11.00	12	\$132.00
207		496101	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Brown; Capacity: 45mL	\$11.00	12	\$132.00
207		492405	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Red; Capacity: 60mL	\$13.00	12	\$156.00
207		496205	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Red; Capacity: 60mL	\$13.00	12	\$156.00
207		492602	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: White; Capacity: 90mL	\$13.80	12	\$165.60
207		492702	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: White; Capacity: 90mL	\$13.80	12	\$165.60
207		492808	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Forest Green; Capacity: 120mL	\$14.50	12	\$174.00
207		492908	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Forest Green; Capacity: 120mL	\$14.50	12	\$174.00











KITCHEN ACCESSORIES

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
207		493306	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Beige; Capacity: 150mL	\$15.20	12	\$182.40
207		496606	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Beige; Capacity: 150mL	\$15.20	12	\$182.40
207		493114	Measure Miser® measuring spoon; Solid spoon; Short Handle; Colour: Blue; Capacity: 240mL	\$18.50	12	\$222.00
207		496814	Measure Miser® measuring spoon; Perforated spoon; Short Handle; Colour: Blue; Capacity: 240mL	\$18.50	12	\$222.00
207		395604	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Yellow; Capacity: 30mL	\$9.20	12	\$110.40
207		395704	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Yellow; Capacity: 30mL	\$9.20	12	\$110.40
207		396005	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Red; Capacity: 60mL	\$13.20	12	\$158.40
207		396105	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Red; Capacity: 60mL	\$13.20	12	\$158.40
207		397002	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: White; Capacity: 90mL	\$13.80	12	\$165.60
207		397102	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: White; Capacity: 90mL	\$13.80	12	\$165.60

KITCHEN ACCESSORIES

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
207		398008	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Forest Green; Capacity: 120mL	\$14.50	12	\$174.00
207		398108	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Forest Green; Capacity: 120mL	\$14.50	12	\$174.00
207		399003	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Black; Capacity: 180mL	\$16.50	12	\$198.00
207		399103	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Black; Capacity: 180mL	\$16.50	12	\$198.00
207		399214	Measure Miser® measuring spoon; Solid spoon; Long Handle; Colour: Blue; Capacity: 240mL	\$18.50	12	\$222.00
207		399314	Measure Miser® measuring spoon; Perforated spoon; Long Handle; Colour: Blue; Capacity: 240mL	\$18.50	12	\$222.00










FOOD STORAGE SOLUTIONS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
228		10720AF07	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 2L ; Writing Surface to record date; Handles with drain holes; 181L x 181W x 97Hmm	\$13.00	6	\$78.00
228		1072107	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 4L ; Writing Surface to record date; Handles with drain holes; 181L x 181W x 185Hmm	\$20.00	6	\$120.00
228		1072207	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 6L ; Writing Surface to record date; Handles with drain holes; 222L x 222W x 186Hmm	\$25.00	6	\$150.00
228		1072307	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 8L ; Writing Surface to record date; Handles with drain holes; 222L x 222W x 229Hmm	\$29.50	6	\$177.00
228		1072407	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 12L ; Writing Surface to record date; Handles with drain holes; 282L x 282W x 209Hmm	\$40.00	6	\$240.00
228		1072507	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 18L ; Writing Surface to record date; Handles with drain holes; 282L x 282W x 320Hmm	\$59.00	6	\$354.00
228		1072607	StorPlus™ Clear Polycarbonate Square Food Storage Container; Capacity 22L ; Writing Surface to record date; Handles with drain holes; 282L x 282W x 399Hmm	\$74.00	6	\$444.00
228		1074008	StorPlus™ Square Container Lid; To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 2L, 4L; 186W x 186L x 16Hmm	\$5.40	6	\$32.40
228		1074105	StorPlus™ Square Container Lid; To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 6L, 8L; 229W x 229L x 16Hmm	\$6.50	6	\$39.00
228		1074260	StorPlus™ Square Container Lid; To Suit StorPlus™ Polycarbonate Square Food Storage Containers of capacity 12L, 18L, 22L; 289L x 289W x 16Hmm	\$9.50	6	\$57.00

FOOD STORAGE SOLUTIONS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
233		BIN2702	Ingredient Bin; Capacity 102 Litre; Colour White; Heavy duty non-marking castors. Lids slide for easy opening; 724L x 322W x 708Hmm	\$600.00	1	\$600.00
233		BIN3602	Ingredient Bin; Capacity 136 Litre; Colour White; Heavy duty non-marking castors. Lids slide for easy opening; 750 L x 390 W x 718Hmm	\$650.00	1	\$650.00
324		34102002	Bronco™ White Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; NSF2 approved for food storage; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	\$58.00	6	\$348.00
324		34102102	Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour White; Dimensions: 508mm dia x 32Hmm	\$16.50	6	\$99.00
325		3691103	Bronco™ Round Waste Container Dolly; Suits Bronco™ Round Waste Bins; Simple twist-to-lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm	\$115.00	2	\$230.00
252		N4401103	Comfort Curve™ Tote Box Colour: Black; BPA Free & NSF approved; 546W x 394L x 178Hmm	\$36.90	12	\$442.80
252		N4401102	Comfort Curve™ Tote Box Colour: White; BPA Free & NSF approved; 546W x 394L x 178Hmm	\$36.90	12	\$442.80
226		1062007	StorPlus™ Clear Polycarbonate Food Box Capacity: 19L; 457W x 660L x 89Hmm	\$52.50	6	\$315.00
226		1061007	StorPlus™ Clear Polycarbonate Food Box Capacity: 7L; 304W x 457L x 89Hmm	\$28.50	6	\$171.00
226		1061107	StorPlus™ Clear Polycarbonate Food Box Capacity: 13L; 304W x 457L x 152Hmm	\$36.50	6	\$219.00

FOOD STORAGE SOLUTIONS

Catalogue page no.	Image	Item number	Description	List Price EA	Pack size	Pack Price
226		1061207	StorPlus™ Clear Polycarbonate Food Box Capacity: 19L; 304W x 457L x 228Hmm	\$48.80	6	\$292.80
226		1062107	StorPlus™ Clear Polycarbonate Food Box Capacity: 32L; 660W x 457L x 152Hmm	\$68.40	6	\$410.40
226		1062207	StorPlus™ Clear Polycarbonate Food Box Capacity: 47L; 660W x 457L x 228Hmm	\$89.90	4	\$359.60
226		1062307	StorPlus™ Clear Polycarbonate Food Box Capacity: 62L; 660W x 457L x 304Hmm	\$109.00	3	\$327.00
226		1062407	StorPlus™ Clear Polycarbonate Food Box Capacity: 81L; 660W x 457L x 381Hmm	\$129.00	3	\$387.00
226		1061707	StorPlus™ Clear Polycarbonate Lid Fits 304W x 457Lmm Food Boxes of various heights; Lid dimensions: 304W x 457L x 32Hmm	\$17.90	6	\$107.40
226		1062707	StorPlus™ Clear Polycarbonate Lid Fits 660W x 457Lmm Food Boxes of various heights; Lid dimensions: 660W x 457L x 32Hmm	\$35.80	6	\$214.80
226		1062807	StorPlus™ Clear Polycarbonate Colander for Food Box 660W x 457L x 127Hmm	\$52.00	6	\$312.00
226		1062907	StorPlus™ Clear Polycarbonate Drain Grate for 660W x 457Lmm Food Boxes Dimensions: 660W x 457L x 25Hmm	\$29.00	6	\$174.00

WASTE MANAGEMENT

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
331		342941REC14	Rectangle Recycle Office Wastebasket Capacity 39 Litre; Colour Blue; Bag hook for liner; Slim design; Polypropylene construction; 384L x 280W x 499Hmm	\$39.00	12	\$468.00
329		34294103	Rectangle Office Wastebasket Capacity 39 Litre; Colour Black; Bag hook for liner; Slim design; Polypropylene construction; 387L x 286W x 495Hmm	\$36.00	12	\$432.00
329		34292803	Rectangle Office Wastebasket Capacity 26 Litre; Colour Black; Bag hook for liner; Slim design; Polypropylene construction; 368L x 267W x 381Hmm	\$19.50	12	\$234.00
329		34291303	Rectangle Office Wastebasket Capacity 10 Litre; Colour Black; Bag hook for liner; Slim design; Polypropylene construction; 292L x 201W x 305Hmm	\$18.50	12	\$222.00
327		34201523	TrimLine™ Rectangle Waste Container Capacity 57L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 508L x 267W x 629Hmm	\$88.00	4	\$352.00
327		34202323	TrimLine™ Rectangle Waste Container Capacity 87L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	\$110.00	4	\$440.00
327		34202303	TrimLine™ Rectangle Waste Container Capacity 87L; Colour Black; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	\$110.00	4	\$440.00
327		36921003	TrimLine™ Dolly Colour Black; To suit 34202303 / 34201523; 330W x 560Lmm with 76mm castors	\$152.00	1	\$152.00
327		34202503	TrimLine™ Rectangle Handled Waste Container Lid; Colour Black; 521L x 294W x 76Hmm	\$92.00	4	\$368.00
327		34202403	TrimLine™ Rectangle Swing Top Waste Container Lid; Colour Black; 513L x 294W x 114Hmm	\$80.00	4	\$320.00





WASTE MANAGEMENT

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
324		34103203	Bronco™ Black Round Waste Bin; Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm	\$82.00	4	\$328.00
324		34103223	Bronco™ Grey Round Waste Bin; Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm	\$82.00	4	\$328.00
324		34103303	Bronco™ Round Waste Bin Lid - Black; Suits 121L Bronco™ Round Waste Bin; 571mm dia x 54Hmm	\$26.00	4	\$104.00
324		34103323	Bronco™ Round Waste Bin Lid - Grey; Suits 121L Bronco™ Round Waste Bin; 571mm dia x 54Hmm	\$26.00	4	\$104.00
324		34102003	Bronco™ Black Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	\$60.00	6	\$360.00
324		34102023	Bronco™ Grey Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	\$60.00	6	\$360.00
324		34102103	Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour Black; Dimensions: 508mm dia x 32Hmm	\$17.00	6	\$102.00
324		34102123	Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour Grey; Dimensions: 508mm dia x 32Hmm	\$17.00	6	\$102.00
325		3691103	Bronco™ Round Waste Container Dolly; Suits Bronco™ Round Waste Bins; Simple twist-to-lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm	\$115.00	2	\$230.00

CATERAIDE™ INSULATED CONTAINERS

Catalogue page no.	Image	Item number	Description	Pack size	Each price / Pack price
174		XT500003	Cateraide™ Insulated Beverage Server; Capacity 19L; Colour Black; Stain & scratch resistant polyethylene exterior; Temperature retention for 6-8 Hr; Max temp 82.2°C; Spout clearance 127mm; 430L x 267W x 654Hmm	1	\$430.00
171		IT40003	Cateraide™ IT End Loading Insulated Food Pan Carrier; Colour Black; 676L x 460W x 740Hmm; Temperature retention for 6+ Hr; Capacity: 6 x Full size 65mm pans (12 x half size) OR 4 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pans	1	\$850.00
171		IT41003	Cateraide™ Dolly to Suit IT40003 Pan Carrier; Colour Black; 76mm non-marking wheels; 676L x 473W x 245Hmm	1	\$360.00
176		PC300N03	Cateraide™ Insulated Front Loading Food Pan Carrier Colour Black; 616L x 432W x 641Hmm Temperature retention for 6+ Hr; Nylex Latches; Capacity: 5 x Full size 65mm pans (10 x half size) OR 3 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pan	1	\$750.00
176		PC600N03	Cateraide™ 2-Door Insulated Food Pan Carrier Colour Black; 616L x 432W x 1270Hmm Temperature retention for 6+ Hr; 127mm non-marking castors; Capacity: 10 x Full size 65mm pans (20 x half size) OR 6 x Full size 100mm pans (12 x half size) OR 4 x Full size 150mm pans (8 x half size) OR 1 x Full size 200mm pan	1	\$1800.00
176		PC66014	CaterCooler™ Exclusive CaterCooler; Colour: Blue; Designed to slide into a Cateraide™ Insulated Carriers (PC300N03, PC600N03) Once charged overnight, keeps food cold for up to 8 hrs	1	\$190.00
179		IC225003	Cateraide™ Ice Caddy on Castors; 56kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 711L x 565W x 730Hmm	1	\$1550.00




CATERAIDE™ INSULATED CONTAINERS

Catalogue page no.	Image	Item number	Description	Pack size	Each price / Pack price
179		IC222003	Cateraide™ Ice Caddy on Castors; 90kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 781L x 559W x 927Hmm	1	\$1885.00
171		IT16003	Cateraide™ IT Top Loading Insulated Food Pan Carrier; Colour Black; 676L x 460W x 740Hmm; Temperature retention for up to 6 Hr; Capacity: 1 x Full size pan OR 2 x half size pans OR 3 x third size pans	1	\$680.00
178		XDL3000H03	Cateraide™ Dolly with Handle; Colour Black; 100mm heavy duty non-marking castors; Holds up to 2 XT3000R Pan Carriers when stacked; Holds all Cateraide™ Top Loader Pan Carriers except PC180N and PC188N. Dimensions 730L x 570W x 994Hmm	1	\$570.00
175		LD250N03	Cateraide™ LD Insulated Beverage Server; Colour Black; Capacity 9.5L; Keeps beverages hot or cold for up to 4-6 hours; Nylex II Latches; Dimensions 419L x 229 x 457Hmm	1	\$365.00

MATERIAL HANDLING

Catalogue page no.	Image	Item number	Description	Pack size	Each price / Pack price
318		UC452523	Large Bin Top Utility Cart; Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Wt capacity per shelf 113kg; 1143L x 685W x 838Hmm; 76mm high "lip" prevents objects from falling during transit.	1	\$535.00
318		UC194023	Flat Shelf Utility Cart; Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Wt capacity per shelf 113kg; 1026L x 483W x 830Hmm	1	\$530.00
316		CC224303	Bussing Cart; Colour Black; Wt capacity 136kg; 1067L x 584W x 953Hmm	1	\$690.00
315		SBC203103	Large Fold 'N Go® Cart; Colour Black; Unfolded dimensions 520W x 1016L x 1099Hmm; Collapses to 267W x 1016Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Wt capacity per shelf 53kg;	1	\$1350.00
315		SBC152103	Small Fold 'N Go® Cart; Colour Black; Unfolded dimensions 406W x 749L x 908Hmm; Collapses to 229W x 749Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Wt capacity per shelf 53kg;	1	\$1090.00
317		SBC23003	Service Cart on Castors; Colour Black; 854L x 515W x 870Hmm; Wt capacity per shelf 75kg; One-piece design; Polyethylene exterior and polyurethane foam core for added strength; 127mm non-marking castors, 2 fixed and 2 swivel, 1 with brake.	1	\$1220.00
317		SBC11TC03	Rubbish Container to Suit SBC23003; Colour Black; 409L x 238W x 555Hmm	1	\$180.00
317		SBC11SH03	Silverware Holder to Suit SBC23003; Colour Black; 390L x 157W x 274Hmm	1	\$160.00






MATERIAL HANDLING

Catalogue page no.	Image	Item number	Description	Pack size	Each price / Pack price
333		TTL58003	Black Light Duty Utility Tilt Truck; Capacity 204kg; Constructed from 70% post-consumer recycled material; Powder coated steel wheel frame; 250mm rear wheels and 100mm front castors; Dimensions 1370L x 660W x 965Hmm	1	\$1490.00
333		TTS58003	Black Standard Duty Utility Tilt Truck; Capacity 385kg; Constructed from 70% post-consumer recycled material; Powder coated steel wheel frame; 250mm rear wheels and 100mm front castors; Dimensions 1727L x 825W x 1086Hmm	1	\$1600.00
319		ADS403	Optimizer™ Adjustable Small Dish Dolly; 4 dividers and 4 swivel wheels; Dimensions 737W x 737L x 806Hmm	1	\$1700.00










WAREWASHING

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
246		RP14	OptiClean™ All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 63mm; Space between pegs 45mm	\$48.00	6	\$288.00
246		RTP14	OptiClean™ All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm	\$49.00	6	\$294.00
246		ROP14	OptiClean™ Open Side All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm	\$48.00	6	\$288.00
246		RB14	OptiClean™ Open Bowl Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm;	\$30.00	6	\$180.00
246		RF14	OptiClean™ Flatware Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; 464mm compartment; Tight enough to keep small items contained	\$31.00	6	\$186.00
247		RFP14	OptiClean™ Food Pan or Insulated-Meal-Delivery-Tray Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm;	\$135.00	3	\$405.00
247		RC20-114	OptiClean™ 20 Compartment Divided Rack with one open extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 110L x 87Wmm; Open Tilted Design – Compartments hold cups in a tilted position, promoting even and thorough washing, drying and draining	\$43.00	4	\$172.00
244		RG25-114	OptiClean™ 25 Compartment Divided Rack with one 25 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 90L x 90Wmm	\$54.00	4	\$216.00
245		RG36-114	OptiClean™ 36 Compartment Divided Rack with one 36 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 74L x 74Wmm	\$54.00	4	\$216.00

WAREWASHING

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
245		RG49-114	OptiClean™ 49 Compartment Divided Rack with one 49 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 60L x 60Wmm	\$56.00	4	\$224.00
248		C32P214	Perma-Sil™ 8-Compartment Dishwash Cutlery Storage Basket; Colour Blue; Open weave basket design for optimum air and water flow for efficient washing & drying; 433L x 197W x 175Hmm; Compartment 90L x 90Wmm	\$52.00	6	\$312.00
244		RE2514	OptiClean™ 25-Compartment Divided Rack Extender; Colour Blue; 500L x 500W x 45Hmm; Compartment 90L x 90Wmm	\$18.00	6	\$108.00
245		RE3614	OptiClean™ 36-Compartment Divided Rack Extender; Colour Blue; 500L x 500W x 45Hmm; Compartment 74L x 74Wmm	\$18.00	6	\$108.00
249		C223614	E-Z Glide™ Warewashing Rack Dolly Without Handle; Wt Capacity 150 kg; Holds any std 500mm racks; Colour Blue; 572L x 572W x 203Hmm	\$280.00	1	\$280.00
249		C223703	E-Z Glide™ Handle for C223614; Colour Black; Material Steel	\$310.00	1	\$310.00
249		RDC07	OptiClean™ Dust Cover for ware washing racks; Colour – Clear; 533L x 533W x 914Hmm	\$135.00	3	\$405.00

JANITORIAL

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
285		36141503	Duo-Pan™ Lobby Pan with Broom; Colour Black; Pivoting design for clean transportation of contents without messy spills; 292L x 300W x 914Hmm	\$48.00	1	\$48.00
285		36141203	Duo-Pan™ Broom Handle Clip for 36141503; Colour Black;	\$2.70	12	\$32.40
286		36141003	Duo-Pan™ Upright Plastic Lobby Pan with Metal Handle; Colour Black; Overall length 914mm	\$32.00	6	\$192.00
285		36141603	DuraPan™ Upright Dust Pan & Broom Colour Black; Overall length 914mm	\$55.00	4	\$220.00
278		3686100	Duo-Sweep® Lobby Angle Broom; Flare Polypropylene Bristles; Bristle length 102mm to 114mm; Overall length 914mm	\$22.00	12	\$264.00
307		3694104	Caution Cone; Colour Yellow; Portable and lightweight; Height 915mm; Base width 317mm	\$89.00	3	\$267.00
307		3694204	Pop-Up Caution Cone Colour Yellow with grey cone casing; Portable and lightweight; Height 510mm;	\$62.00	12	\$744.00
270		3623900	Sparta® Hand & Nail Brush; Colour White; Polypropylene Bristles; Bristle length 11mm to 14mm; Block size 38W x 89Lmm	\$3.00	24	\$72.00
287		4042302	Sparta® Hi-Lo™ Floor Scrub Brush; Colour White; Self-locking flex tip for greater flexibility; Bristle length 38mm to 44mm; Block size 254L x 114W x 89Hmm	\$28.00	12	\$336.00

JANITORIAL

Catalogue page no.	Image	Item number	Description	List Price EA	Pack Size	Pack Price
295		4526700	Metal Tip Threaded Wooden Handle; Length 1524mm; Dia 24mm	\$11.20	12	\$134.40
293		4022502	Sparta® Fiberglass Handle; Self-Locking Flex-Tip; Length 1524mm; Dia 25mm	\$32.00	12	\$384.00