

DUKE MANUFACTURING

Hot Holding Solutions

Quality+Speed of Service = Profitability







P: 03 9368 2300


Contents

Benefits of Hot Holding 1
Applications of Hot Holding
Introduction to Duke ReadyFlex4
Configurations & Dimensions
Parts & Options10
Specifications12
Duke Contact Information Back Cover



WARNING for CA residents: go to <u>www.dukemfg.com/prop65</u> for Prop 65 warning


What kind of food can it hold?...



Benefits of Hot Holding



Hot holding **enhances your restaurant profitability** through an improved customer experience and increased operational efficiency and flow. Food holding is the critical link between food preparation, cooking and serving your guests.



Better food gets guests in the door

- Delight your guests with food at the proper temperature, texture and flavor profile
- Precisely control each food product's environment and eliminate flavor transfer



Consistently good food gets them back again

- Confidently serve your guests knowing your food will have the same sensory appeal whether it was just cooked or has been held for an extended period
- Enhance food safety by ensuring food is maintained at safe temperatures
- Provide a uniform system-wide brand experience for your guests



Faster service allows more guests to enjoy the quality food

- Decrease service times by maintaining a prepared food inventory
- Consolidate cooked food into one location for expedited assembly and plating
- Potentially double throughput with unique pass-through designs



Facilitates improvement in your bottom line

- Keep your brand fresh with more product offerings, menu flexibility and seamless introductions of limited time offerings
- Efficiently deploy labor by cooking in batches instead of individual orders
- Increase product yields, lower energy use and eliminate water from holding
- Reduce food waste through extended hold times

Providing a uniform, consistent hot holding environment requires matching your culinary goals with the ideal technology to meet your sensory specifications. No matter what food product you are holding, the right technology will pay off with satisfied guests and increased profitability.

Contact us today to explore further incorporating hot holding into your operation and evaluating the ROI for your operation.



Applications of Hot Holding

Unlike traditional bin warmers/drawer warmers, Hot Holding **allows you to hold a multitude of products within the same unit**, at different temperatures; pan sizes; and with different moisture profiles. The variety of food you can hold is extensive providing great flexibility for your menu and profitability for your restaurant.

These are just some of the options:



- Crispy Chicken (wings, strips, nuggets, bone-in)
- Grilled Chicken
- Burger Patties
- Pulled Pork









- Eggs
- Sausage
- Hash Browns
- Breakfast Sandwiches









- Tater Tots
- Biscuits
- Mac & Cheese
- Mashed Potatoes
- Vegetable Medley
- Rice















The breadth of options for sides is extensive. Duke's hot holding will support your menu.



Introduction to Duke ReadyFlex

What is READYFLEX?

READY 🗸

Ready WHERE you need it – in the production area for ease of access and assembly and reducing travel.

Ready WHEN the food is needed, allowing faster speed of service during peak hours.

Ready WHEN staff is available, allowing cooking to take place in advance.

Ready to switch – between day parts; between seasonal menus; even ready to hold in the same pan you cook in saving labor and transfer time.

Ready to enhance your profitability through flow and speed of service.

FLEX →

Flexible to hold a wide variety of cooked products at varying temperatures.

Flexible to hold different moisture profiles with precision and quality.

Flexible physical size and configuration to fit your footprint; capacity; and operational requirements.

1. Broad Menu Flexibility



Heating

- Independent top and bottom heat with multiple heat zones per shelf
- Allows operation at ideal holding temperatures across all menu combinations

Flexible Lid System








2.5" DEEP 4" DEEP

- Accommodates multiple pan configurations that work together: 1/3, 1/2, and full sizes with depths of 2.5" and 4" plus 1/2 size sheet pans
- Doesn't require the use of tools to change pan configurations



2. Ultimate Holding Environment



- Quickly transitions cooked food to the ideal hot holding temperature
- Shortened duration of carryover cooking
- · Minimized moisture reduction in food
- Maintains ideal texture and color of food
- Enables increased service speed and maintains a high food quality standard for any menu or environment

3. Intuitive Touchscreen



Managing recipes on-site has never been easier with the easy-to-use touchscreen control.

- Quickly program, configure and store recipes on the face of the unit
- Wells and lids are colorfully represented for easy identification
- Switch between 3 customized menus with one touch



4. Error Proof Operations



Unit will display ONLY the menu options that fit the temperature profile selected – to mitigate inadvertent errors and ensure consistent food quality.

- The unit will indicate which product to serve first, enabling First In First Out (FIFO) operations to enhance quality and consistency.
- Unit will also indicate a recommendation to "Cook More" when the remaining hold time approaches a user's defined threshold, eliminating inadvertent shortages.
- Unit will display whether a lid is required, based on menu item selected reducing operator error and increasing quality.

5. Recipe Management



Add, edit, & store recipes on the unit

- **Color touchscreen** that is easy to learn and program
- 15 popular recipes pre-loaded
- Recipe library holds up to 30 recipes
- Up to 3 customized menu configurations
 For example: breakfast/lunch/dinner,
 weekdays/weekends/specials



Built-in Bluetooth capability & WiFi for connecting remotely

- Program recipes from your computer, phone or tablet and utilize unlimited storage via the Sous Chef Cloud
- Distribute recipes to your kitchen, a couple of restaurants, a region, nationally, or globally

Whether local or remote, you can adjust: top heat, bottom heat, hold time, cook more, FIFO, well configuration, menu/daypart settings



6. Built-In Connectivity



The ReadyFlex has **built-in WiFi, Ethernet and Bluetooth connectivity**. ReadyFlex is ready to connect when you are through the Sous Chef Cloud and Bluetooth mesh capabilities. With Sous Chef Cloud you can access remote recipe management, basic diagnostic capability and asset management tools. ReadyFlex is ready to interact with 3rd party cloud and on-premise solutions.

QUICK OVERVIEW

HOLDING TECHNOLOGIES



Passive Venting:

Provides a non-mechanically controlled form of adjusting heat profiles in the space. It allows hot, stale, moist air to escape without influence.



Conduction:

Heat is transferred directly to the pan and then to the food. Conduction uses physical contact to transfer heat.

Sheet Pans



Radiant Heat:

Heat is instantly transferred from above to the food, minimizing temperature variation.



Independent Top & Bottom Heat:

Allows operation at ideal holding temperatures across all menu combinations.

HOLDING PAN TYPES & SIZES

Plastic Pans



DEEP







2.5" & 4" DEEP 1/2 Long
2.5" & 4"

DFFP

Full

1/2

F: Flexible (STANDARD)

(can switch between different pan sizes within the unit at any time)

D: Dedicated (CUSTOM)

(fixed sizes that cannot be changed, contact Duke if interested)

RECIPE MANAGEMENT SYSTEM



Daypart Flexibility

Change menu throughout cabinet during different dayparts – breakfast, lunch and dinner.




USB Compatible

Quickly and easily load new menu sets via USB Web programming allows you to customize multiple configurations.



Firmware Updates

Easily add or update firmware to allow for future enhancements.



LID SELECTION



Vented

For crispy products (e.g., chicken, fried products)




Solid

For moisture retention (e.g., burger patties, mashed potatoes)

Configurations

Standard Size



A configuration to fit any space!


No matter what size space you have and what volume of food you need to maintain, there is a ReadyFlex configuration for you. ReadyFlex is stackable and easy to fit into your lineup.






Standard vs. Full







Holding Pans




Your ReadyFlex unit is configurable to a wide variety of pans that you can adjust in moments...to Flex for different seasons, day or even day parts!



*ReadyFlex will accommodate your pans, including half sheet pans.
Pans are not automatically included with the unit; parts and options sold separately.

Lids & Accessories

The right lids and accessories will go further to ensure your crispy products maintain the perfect texture and quality your customers deserve, and your patties and sides remain moist, hot and flavorful!



^{*} Parts and options sold separately



OPTIONS

Front & Back 4.3" Touchscreen • Front 4.3" Touchscreen w/ Front Timer Bars • Front 4.3" Touchscreen w/ Front & Back Timer Bars • Dedicated Lid Options for High Volume Proteins **BODY**

Stainless Steel Exterior construction for durability & ease of cleaning • Robust stainless steel pan cover • Multipan configuration flexibility for 1/3, 1/2 and Full Size Pans (Full size pans on standard cabinets for 3 wide or larger units. Full size pans on all configurations of Full Size cabinets.)

HEATER CONFIGURATIONS

Independent Top & Bottom Zoned Heat for maximum recipe flexibility • Easily configured for shelf heat, if desired • Quick heat up approx. 20 minutes

CONTROLS

Full Color 4.3" Touchscreen Control (timer bar functionality without timer bars) Start & Stop Timers • Displays product being held, countdown timer, cook more alerts, & FIFO for each pan • Simplified, Intuitive Local Programming, Recipe Storage & Menu Switch • Multipan configuration • **Network Support**

Built In Connectivity | WiFi (Duke 1LV Dual Band 802.11 A/B/G/N 2.4Ghz/5Ghz)

USB Support | Firmware Update • Recipe Import/Export

Sous Chef Cloud | Asset Management • Firmware Update • Recipe Management • Diagnostics

CERTIFICATIONS













P: 03 9368 2300