



RICE COOKERS



BOX, WIRE & PLASTIC MATT SHELVING



KITCHEN VENTILATION







FOODSERVICE PRODUCTS



FOOD HOLDING SOLUTIONS







HOT & COLD FOOD SERVING SYSTEMS







MICROWAVES



LEADERS IN FOOD WARMING & HOLDING



SPACE SAVING PLATE STACKERS



NEW GENERATION TAPWARE



FOOD PROCESSING & HOLDING



CONTACT GRILLS



FOOD SERVICE, SAFETY & DISPENSING



THE ONLY IN-FRYER FILTER SYSTEM

VITO



DROP IN FREEZER



QUALITY INDUCTION COOKING



MIXERS - COMMERCIAL



KITCHEN ACCESSORIES





KEY CONTACT LIST

VICTORIA - HEAD OFFICE

Sales & Administration
21-23 Agosta Drive, Laverton North, Victoria 3026

(03) 9368 2300 sales@fsm-pl.com.au www.fsm-pl.com.au

NEW SOUTH WALES BRANCH

Unit 9, 72 Canterbury Rd, Bankstown, NSW 2200

(02) 9608 8620 sales@fsm-pl.com.au

QUEENSLAND BRANCH

1/11 Booran Drive, Woodridge QLD 4114 (07) 3390 4185 sales@fsm-pl.com.au

WESTERN AUSTRALIA BRANCH

0413 893 311 sales@fsm-pl.com.au

FOR SERVICE / WARRANTY REQUIREMENTS

Book a SERVICE at www.fsm-pl.com.au

FOR ALL SPARE PARTS REQUIREMENTS

spares@fsm-pl.com.au

(03) 9368 2300

Visit our web site

www.fsm-pl.com.au

for updates, the latest products, downloads and news.



CONTENTS

ASAHI	9	EMAINOX	71
Rice Cookers	9	Drop In Refrigerated Wells	71
ATLAS	10-17	Drop In Heated Ceramic Glass Hotplate	71
Verde Box Kits	10	GBG MACHINES & WHITTY SYRUPS	72-75
Wire 4 Tier Shelving Bays & Add-On Kits	11-12	GBG Granita Machines	72
Wire 5 Tier Shelving Bays & Add-On Kits	13	GBG Frozen Drink Machines (NEW)	73
Wire Single Shelves	14	GBG Dairy Product Dispenser	74
Plastic Mat 4 Tier Shelving Bays & Add-On Kits	15	Whitty Flavoured Syrups	75
Plastic Mat 5 Tier Shelving Bays & Add-On Kits	16	GENERAL FOOD EQUIPMENT	76
Plastic Mat Single Shelves	17	НАТСО	77-102
AUSTREAM KITCHEN VENTILATION	18-21	Decorative Heat Lamps	78-80
Inspire Series	18	Glo Max Strip Heaters	81
Extract Only Series	19	Glo Max Display Lights	82
Standard Sizes	20-21	Glo Ray Strip Heaters GRAH & GRAHL	83
BONN MICROWAVE OVENS	22-26	Portable Heated Shelves	84
Speed Oven	22	Drop-In Heated Shelves	85
Heavy Duty	23	Drop-in Hot / Cold and Cold Shelves	86
Medium Duty	24-25	Drop-in Frost Top	87
Light Duty	26	Heated Chutes	88
CARLISLE	27-51	2-Go Heated Shelves	89-90
Foodservices Products	27-51	Portable Food Warmers / Chip Dumps	91
DUKE	52-55	Fry Stations & Multi Product Warmers	92
Hot Holding Cabinets	52-55	Conveyor, Pop Up and Programmable Toasters	93-96
DYNAMIC	56-68	Plate Warmer	97
Dynamix Range	57	Decorative Carving Stations	98
Junior Series	58-59	Free Standing Drawer Warmers	99-100
Senior Series	60	Pasta Cooker & Accessories	101-102
Master Series	61-63	Sanitising Sink Heater	102
SMX Series	64-66	Built-in Heated Wells (Rectangular & Round)	103
Mixer Support Brackets	66	Salamanders	104
Salad Spinners	67	IMC	105-108
Gigamix	68	Peelers - MF Multi Function	105
EDLUND CAN OPENERS	69-70	Waste Station	106
Manual & Electric Can Openers	69	Waste Food Disposal Unit	107
Sanitation & Storage	70	Potato Chipper	108



CONTENTS

JACKSTACK	109
Mobile Plate Racks & Covers	109
JETSTREAM	110-120
Deck Mount Pre Rinse Models	110-111
Wall Mount Pre Rinse Models	112
Deck Mount Flick Mixers, Thermostatic Mixing	113
Hands Free & Time Flow Models	114-115
Knee Operated Tap & Cleaners Sink Models	116
Pot Filler	116
Deck Mount Swing Faucet / Sink Sets	117-118
Wall Mount Swing Faucet / Sink Sets	118
Dispensers	119
Heavy Duty Hose Reels	120
PRINCE CASTLE	121-125
Bun Toasters	121
Dedicated Holding Bins	122
Condiment Dispensers	123
Tomato Saber, Core-It, Wedge & Dice Witch	124
Grill Brushes, Maintenance Tools, Fry Scoops	125
PROLUXE	126
Compact Split Grill	126
SAN JAMAR	127-135
Ez-Fit Cup & Lid Dispensers	127
C-Series & Ez-Fit Hot Lid Dispenser	128
Wall Mount Foam Cup Dispensers & Wire Works	129
Lid Dispensers & Scales	130
Napkin & Straw Dispensers / Organisers	131
Pump Systems, Bar Supplies & Safety Wrap	132
Ice Handling Solutions & Oven Mitts	133
Kleen-Pail & Allergen Safe-T-Zone System	134
Docket Holder & Hand Washing Sation Combo's	135

SILVERKING	136
Drop in Freezer & Dipperwells	136
VINOTEMP	137-142
48-Bottle Singe Zone Wine Cooler	137
155-Bottle Dual-Zone SIngle Door Wine Cooler	138
184-Bottle French Double Door Wine Cooler	139
NEW 98 Bottle/200 Can Wine & Bev Centre	140
46 Bottle Dual-Zone Wine Cooler	141
188-Bottle Backlit	142
VITO	142-144
Portable Oil Filter Systems & Oil Tester	142
Mobile Oil Filter System	143
Accessories	144
YELLOW INDUCTION	145-147
Portable Counter Top Hobs & New Drop-In	145
Drop-In Single Hob Units	146
Built-In Cooktops & Warmer	147
Multi-Zone Buffet Induction & Remote Generators	148
YELLOW MIXER	149
Planetary Mixer	149
YELLOW TABLE	150
Kitchen Accessories	150
YELLOW TAPWARE	150
See Jetstream for alternatives	150

Please note that due to our policy of continual improvement, all details and specifications are subject to change without notice.

PRICES: Prices shown in this price list are recommended Retail prices only. RISE & FALL: Prices are subject to variation at any time without notice and goods will be invoiced at the price current on the date of despatch. GST: All prices exclude GST.



TERMS AND CONDITIONS Effective 1 February 2024

The following Trading Terms supersede all previously terms and condition issued by Us. 1.Interpretation

In these Trading Terms and in any quotation, offer, current catalogue, website, price list produced by Us or other agreement with Us, the following definitions apply:

"Account Application Form" means the application form completed and provided by You for the purposes of opening a credit account with Us.

"Goods" means goods supplied by Us to You (and, where the context so permits, shall include any supply of Services) and described in any quotation, offer, current catalogue, website or price list produced by Us.

"Guarantor" means the guarantor(s) described in the Account Application Form, subject to acceptance by Us.

"GST" means the goods and services tax that applies in accordance with A New Tax System (Goods & Services) Act 1999 (Cth).

"Order" means any written, verbal or electronic purchase order made by You for Goods and/ or Services

"Prices" means the prices attributable to the Goods and Services as advised by Us in any quotation, offer, current catalogue, website or price list produced by Us and "Price" shall have a corresponding meaning.

"Services" means all services supplied by Us to You and includes any advice or recommendations (and where the context so permits shall include the supply and installation of any Goods).

"Trading Terms" means these terms and conditions of trade and includes any amendment or variation.

"We" and "Us" means F.S.M. [Food Service Machinery] Pty. Ltd. (ABN 9057185 4991) and includes any Related Bodies Corporate (as defined in the Corporations Act 2001 (Cth)) which supplies Goods and/or Services to You (whether or not the fact is disclosed to You) and "Our" means belonging or pertaining to Us.

"You" means the person, firm or company placing an order with Us for the Goods and "Your" means belonging or pertaining to You.

2. Application of Trading Terms

(a) These Trading Terms apply to every sale of Goods and/or supply of Services by Us to You. Each Order made by You and accepted by Us will be an individual contract for those Goods and/or Services in accordance with these Trading Terms.

(b) Subject to any special trading terms agreed to between You and Us and recorded in Your Account Application Form or separately in writing, these Trading Terms (together with any quotation, offer, current catalogue, or price list produced by Us) shall comprise in entirety Our terms and conditions of trade.

(c) In the event of any inconsistency between these Trading Terms and any other document, these Trading Terms shall prevail and any trading terms nominated by You are expressly excluded. Any warranty, representation or guarantee not included or provided for in these Trading Terms is of no effect.

(d) If any part of these Trading Terms, or the application of these Trading Terms to any person or circumstance, is or becomes invalid or enforceable, the remaining provisions of these Trading Terms are not affected and are valid and enforceable to the fullest extent permitted by law. (e) We may amend these Trading Terms from time to time without notice to You and You will be deemed to have had knowledge of such amendments and have accepted these Trading Terms as amended if You continue to purchase Goods and/or Services from Us after such amendment. Each subsequent supply of Goods and/or Services by Us to You will be in accordance with these Trading Terms as amended.

3. Agreement

(a) Any quotation or offer produced by Us is subject to review, amendment or withdrawal at any time prior to acceptance by You or the expiry of the quotation or offer (whichever occurs first).

(b) Subject to (c) of this clause, Our quotation or offer will be deemed to have been accepted by You and a binding agreement entered into with You on the date We receive Your Order. Any Order which has been accepted by Us may not be cancelled by You without Our written consent (which We may withhold in Our absolute discretion) and then only on the basis that You will indemnify Us in full against all loss (including loss of profit), costs (including the cost of labour and materials used), damages, charges and expenses (including legal costs on a full indemnity basis) incurred by Us as a result of such cancellation. Cancellation of any Orders for Goods which are non-standard manufacture or non-stock items will not be accepted.

(c) We reserve the right to decline, in whole or in part, any Order received from You in Our absolute discretion.

(d) You are solely responsible for determining whether the Goods and Services are suitable for Your intended purposes and meet Your requirements and You acknowledge that no oral or written information, representation or advice given by Us (other than as contained in these Trading Terms) creates a warranty from Us or in any way increases the scope of these Trading Terms.

(e) You agree to notify Us in writing of any change in the ownership or control of Your business structure not less than 7 days prior to such change taking effect and You indemnify Us against any loss or damage We may incur as a result of Your failure to provide such notification.

4. Documents

Any clerical or typing errors, misprints or other similar errors in any document produced by Us in respect of Goods and/or Services are subject to correction by Us by either amending or re-issuing the affected document (as the case requires). We shall not be liable for any cost, expense or damage incurred by You as a result of any correction of any document produced by Us.

5. Intellectual Property

You acknowledge and agree that:

(a) any intellectual property rights in respect of the Goods and Services (including, but not limited to, rights to design, copyright, patents or trademarks in respect of all drawings, designs, specifications and other information provided by Us in connection with any quotation, offer, current catalogue, website, price list produced by Us) remain Our sole and exclusive property and must remain confidential and You will not attempt to claim any such intellectual property rights in respect of either the Goods and Services or any modification or improvement of the Goods and Services;

(b) You must not attempt to modify or reverse engineer the Goods and Services; and (c) in all cases where You have provided the design for any Goods and Services, We will not accept any responsibility for any infringement of any design, copyright, patents or trademarks

accept any responsibility for any infringement of any design, copyright, patents or trademarks or other intellectual property in connection with the execution of Your Order and You agree to indemnify Us against claims for infringement or unauthorised use of such intellectual property arising out of the manufacture or use of such Goods and Services.

6. Prices and Charges

(a) You agree to buy and We agree to sell the Goods and Services for the Prices.

(b) All Prices and all amounts payable to Us are exclusive of GST or any other applicable government tax or duty, unless otherwise indicated. You must pay all such taxes and duties in connection with those amounts.

(c) The Prices include the cost of Our standard packaging for the Goods. The cost of any special packaging materials or techniques requested by You in connection with the Goods must be paid for by You in addition to the Prices.

(d) We reserve the right, from time to time but prior to issuing any invoice to You, to increase the Prices:

(i) to take account of increases in the cost of supplying the Goods and/or Services to You
(which may include, but are not limited to, increases in the cost of energy, materials, labour,
equipment or delivery) which are due to any factor beyond Our reasonable control or are due
to Your failure to provide adequate information or instructions; or

(ii) to correct, without any liability on Our part, any errors or omissions quotation, offer, current catalogue, website or price list produced by Us.

7. Payment

(a) We reserve the right to pass on to You any additional costs (including merchant fees) incurred by Us where You pay Us by credit card (if applicable).

(b) If We have not provided credit terms to You, You must pay for the Goods prior to delivery.
(c) If We have provided credit terms to You, You must pay for any Goods and/or Services provided to You within the time period stated in Our invoice or statement for such Goods and/or Services. If We have not stated a time period for payment, You must pay for the Goods and/or Services within 30 days of the end of the month in which we issued Our invoice or statement for the Goods and/or Services.

(d) We may set, alter or withdraw credit limits and terms in Our absolute discretion and without giving prior notice to You or providing reasons.

(e) Payments due to Us must be made without any deduction or set-off. We may apply the amounts paid to Us in payment of any amount owed by You. If You dispute Our invoice or statement, You must still pay the entire amount. We will refund any agreed amount following resolution of the dispute.

(f) If You fail to pay Our invoice or statement (whether in whole or in part) by the due date, without limiting any other provision in these Trading Terms, We may (in Our absolute discretion):

 (i) suspend or cancel any further production and/or delivery of any Goods or supply of any Services (whether under an existing or new Order) until full payment of all outstanding amounts owed to Us (including accrued interest if applicable) has been made;

(ii) charge interest on any amount outstanding in respect of Our invoices, at the rate of 1.5% per month, such interest to be calculated daily and compounded monthly), until full payment has been made (such interest rate to be subject to amendment from time to time by Us in Our absolute discretion;

(iii) exercise a general lien on any of Your property within Our possession or control to cover the outstanding amount for the Goods and/or Services;

(iv) withdraw (in full or in part) any discount, concession, allowance or benefit which was previously offered to You; and

(v) recover from You, in addition to the outstanding amount, all costs incurred by Us arising out of or in connection with collecting the outstanding amount (including, but not limited to, expenses and fees associated with or paid to or on account of solicitors, legal advisers, mercantile agents and other agents acting on Our behalf) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.



TERMS AND CONDITIONS (continued)

- 8. Security Interest and the Personal Property Securities Act 2009 ("PPSA") If you have a current credit facility in place with Us, You acknowledge and agree that
- (a) We may require You to provide security for any Order placed by You as a condition of accepting Your Order and the terms of the Personal Property Securities Act 2009 (Cth) ("PPSA") apply to all transactions made under these Trading Terms.
- (b) You acknowledge and agree that You will:
- (i) grant a security interest in all present and after acquired Goods as security for all amounts owing now and in the future by You to Us;
- (ii) do all things and sign all documents as are necessary and reasonably required to enable Us to acquire a perfected security interest in all Goods supplied;
- (iii) provide such information as is required to enable registration of a 'Purchase Money Security Interest' (as that term is defined in the PPSA) ("PMSI");
- (iv) not, without obtaining Our prior written consent, change Your name or initiate any change to any registered documentation, or act in any manner which would impact on Our registered security interest; and
- (v) waive or exclude the application of such sections of the PPSA as We may
- require, subject to those sections being capable of exclusion.

 (c) You further acknowledge that a PMSI is granted by You, in priority to all other creditors, in favour of Us and in respect of all Goods We supply to You from time to time, as security for Your payment obligations to Us. You agree to indemnify Us for any liability for all costs (including legal costs on a full indemnity basis) incurred by Us in relation to any security interest granted by You (including, but not limited to, registration, maintenance, enforcement or discharge of any security interest).
- (d) We reserve the right at any time to make such amendments, alterations to this 'Security Interest' clause as We may, in Our absolute discretion, determine are necessary to protect Our security interests.
- 9. Title and Risk
- (a) Title to and ownership of the Goods shall not pass to You until We have received full payment for the Goods and for any other amounts owing by You in relation to any other matter (including payments in respect of other goods or services provided to You from time to time) and You shall hold the Goods (including where such Goods have been converted or changed by any process) as fiduciary bailee and agent for Us. (b) Risk in the Goods shall pass to You upon completion of delivery in accordance with these Trading Terms.
- (c) You acknowledge that We hold a PMSI (as defined in clause 8) in respect of any Goods supplied to You until We have received full payment in respect of such Goods. You must not pledge, or in any way charge by way of security or indebtedness, any of the Goods until We have received full payment.
- (d) Upon taking delivery of the Goods and until We receive full payment for the Goods and for any other amounts owing by You in relation to any other matter, until the Goods are sold by You in the ordinary course of your business, You must:
- (i) keep the Goods in Your control and custody and not permit any other person to have possession, custody or control of the Goods;
- (ii) keep the Goods separate from any other items or goods in Your possession and mark the Goods to clearly show that the Goods belong to Us;
- (iii) not pledge, or in any way charge by way of security or indebtedness, any of the Goods:
- (iv) permit Our nominated representative to attend Your premises on prior notice to inspect the Goods; and
- (v) deposit all proceeds from the sale of the Goods into a separate and identifiable account, not mix such sale proceeds with any other money and account to Us for such sale proceeds:
- and We may trace all such sale proceeds received by You through the relevant account or any other account maintained by You. In addition, You irrevocably appoint Us as Your attorney to recover any such sale proceeds from any purchaser to whom You have on-sold the Goods and to exercise Your rights under any agreement with such purchaser (including rights of repossession and resale of the Goods) provided that We undertake not to exercise such rights as Your attorney unless You have failed to comply with Your payment obligations to Us under these Trading Terms
- (e) Without prejudice to any of Our other rights, if You fail to comply with these Trading Terms, if You cease to be able to pay Your debts as they become due or if You become subject to any form of insolvency administration:
- (i) all amounts owing by You to Us shall immediately become due and payable;
- (ii) We have the right to immediate possession of the Goods and You irrevocably authorise Us to enter any premises occupied by You at the time upon reasonable notice to You, without liability for trespass or any resulting damage, and take possession of the Goods. You agree to indemnify Us and hold Us harmless from all claims arising out of or in connection with Us taking possession of the Goods in accordance with
- (iii) We may retain all amounts paid to us on account of the Goods and suspend or cancel any further production and delivery of Goods for You;
- (iv) We shall be entitled, but not obligated, to resell any Goods repossessed by Us in accordance with this clause; and
- (v) We may recover from You all reasonable costs incurred by Us in connection with any Goods repossessed under this clause (including legal costs on a full indemnity basis) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.
- (f) If, at the time We seek to take possession of the Goods in accordance with this clause, the Goods have been incorporated by You in any other item or goods, We will

be treated as owners of such other items or goods together with You, as tenants in common in proportion to our respective contributions.

- (a) The delivery dates and completion times contained in any quotation, offer or price list provided to You are estimates only, unless expressly stated to be an essential term and may be varied at any time by Us depending upon the availability of Goods, materials, labour and other contingencies. All backorders will be delivered to You freight free as quickly as Goods become available. All Austream Goods are quoted ex-factory Melbourne or Perth.
- (b) In circumstances where the Goods are being shipped to a region where You are arranging collection and unless expressly agreed otherwise in writing by Us, the following terms apply:
- (i) the method and date of delivery of all Goods shall be on the terms stated in the quotation, offer or price list provided to You (as applicable) and shall be at Your cost and expense (ex Warehouse from Our Premises) and You agree that in the event that any freight or delivery charges are paid by Us, You must reimburse Us the full amount of such charges on demand;
- (ii) delivery of such Goods by Us is complete when the Goods are collected by You or Your nominated agent or carrier; and
 - (iii) delivery of such Goods is at all time at Your risk.
- (c) In circumstances where we have agreed to deliver the Goods to your nominated address for delivery, the following terms shall apply:
- (i) If you have a current credit facility in place with Us, and your nominated address for delivery is located in Victoria, New South Wales, ACT, Queensland (excluding far north Queensland), or metropolitan areas of Adelaide or Perth, and Your Order is valued at \$1,200 or more (excl. GST and delivery charges), the Prices quoted for your Order will include delivery costs (FIS);
- (ii) all other Orders will be dispatched "freight collect" to your nominated freight account or otherwise by our choice of carrier and a minimum delivery fee of \$30 (excl. GST) will apply where Orders are delivered by our choice of carrier (\$40 (excl. GST) minimum delivery fee to NT and Tasmania), such delivery fees to be subject to amendment from time to time by Us in Our absolute discretion; and
- (iii) deliveries will only be made at the ground floor level to a kerbside drop or goods receiving area where it then becomes Your responsibility and expense to supply such labour and equipment as may be necessary to unload Your Order.

We will not be liable for any failure to perform, or delay in performance of, any obligation where such failure or delay is due to anything beyond Our reasonable control including, but not limited to, adverse weather or terrain, strikes, lockouts and other industrial action, material shortages, failure of any of Our suppliers to supply, accidents, power or data transmission failure, breakdowns of plant or machinery, war, changes of government, import or export regulations or embargoes.

- 12. Inspection and Return of Goods
- (a) You will be deemed to have accepted the Goods, free from any defect or other non-conformity, unless We receive a substantiated claim from You within 7 days from the date of delivery and/or installation of the Goods in accordance with these Trading
- (b) Except where Goods supplied by Us are defective and subject to any warranty:
- (i) Goods will only be accepted for return if You have given prior written notice to Us (confirming Your reasons for returning the Goods and stating the applicable invoice number) of Your intention to return the Goods and We have notified You in writing with a completed GRN form that We will accept such return, and that a copy of the GRN Form supplied by us accompanies the goods being returned;
- (ii) We may refuse to accept Goods where they are used, no longer in their original packaging or are returned more than 2 months after delivery to You;
- (iii) We will refuse to accept the return of any Goods which are non-standard manufacture or non-stock items where such Goods have been correctly delivered by Us;
- (iv) delivery of all Goods returned by You must be arranged with Your carrier and is at Your expense and risk; and
- (v) in the event that We agree to accept the return of any Goods, You may be required to agree to pay a 15% restocking fee, such fee to be subject to amendment from time to time by Us in Our absolute discretion.
- (c) We will only accept the return of Goods from You if the Goods are in the same condition as when the Goods were originally delivered to You, provided that Our acceptance of Goods returned by You is not an acceptance of or granting of credit to



TERMS AND CONDITIONS (continued)

- 13. Limitation of Liability and Warranties
- (a) The Competition and Consumer Act 2010 (Cth) may imply certain conditions and warranties into these Trading Terms that cannot be excluded or modified. These Trading Terms do not exclude or modify any of those conditions if to do so would contravene that law or make any part of these Trading Terms void.
- (b) Where our products are used in a Commercial environment, Subject to the provisions of this clause 13, We will repair or replace any Goods which are manufactured or imported by Us where We, in Our absolute discretion, determine that such Goods, having regard to the materials, workmanship and the reasonable and recommended conditions of use and maintenance, are defective within the period of Warranty (as specified below):

All products within 13 months (Parts & Labour), from the date of delivery to the original Purchaser with the exception of the following:

Asahi Rice Cookers - Back to Base 13 months parts and 13 months labour warranty. Atlas Shelving - 15 year warranty against rust and corrosion (components only). Bonn Ovens / Microwaves:

Bonn Models CM-1043T, CM-1052T - Back to Base 24 months parts and 13 months labour warranty.

Bonn Models CM-902T - Back to Base 13 months parts and 13 months labour warranty.

Bonn Models CM-2100G, CM-2101T and CM-1401G- On Site 24 months parts and 13 months labour.

Duke models - On Site 24 months parts and labour

Dynamic Mixers – All Back to Base 24 months parts and 24 months labour warranty except: GIGAMIX – on-site 24 months parts and 24 months labour warranty. Edlund – All models Back to Base 13 months except Crown Punch machines. General Microwaves – Back to Base 13 months parts and 13 months labour warranty. Hatco – Back to Base Warranty models: GR-FFB, GMFFL, TPT-230-4-10, RCTHW-1E. Jetstream Tapware - Five Year on-site warranty - excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

Jetstream Heavy Duty Hose Reels - 13 month on-site warranty.

Vito – Back to Base Warranty models: all EXCEPT Vito X Vacuum Filtration Systems. Yellow Induction - Back to Base Warranty models: All Countertop. Subject to the following conditions:

- (i) this warranty will cover parts and labour unless specified otherwise, subject to the following limitations:
- (A) damage to cutting blades, toaster elements, light globes, infrared tubes, quartz tubes or any glass items;
- (B) where FSM is not responsible for installation damage caused by improper installation or improper connection to incorrect gas, voltage, incorrect pressure or poor quality water;
 - (C) damage caused during transit or by accident;
- (D) damage caused by negligence, abuse, unauthorised repair or the use of unauthorised spare parts;
 - (E) damage caused by improper cleaning, maintenance or operation;
- (F) damage caused by voltage or gas conversion, pilot light adjustments, thermostat calibrations or any unauthorized alteration or modification;
- (G) FSM's liability under this warranty is limited to the repair or replacement of defective Goods and all other costs (including, without limitation, any travel costs, labour costs, overtime rates, installation costs, freight and delivery costs to and from FSM premises to the premises of an authorised repairer, or similar surcharges, fees and costs arising out of a warranty claim are excluded;
- (ii) all warranty repair work will be performed between the hours of 8.30 am and 4.30 pm on normal working days;

On site warranty services are limited to sites within 50km from the nearest FSM authorised service agent.

With respect to "Back to Base" warranties, FSM can sell or dispose of any goods:

- (i) Not collected by customer or
- (ii) Where customer refuses to accept delivery of those goods within 60 days of FSM notifying customer goods are available for collection and/or delivery.
- (iii) the warranty period in respect of any spare parts or replacement parts provided under this warranty is limited to 3 months from the delivery of such spare parts or the installation of such replacement parts;
- (iv) where the payment terms under these Trading Terms have not been complied with, warranty claims will not be accepted in respect of such Goods;
- (v) Risk in any Goods shall remain with You while such Goods are in Our possession for the purposes of assessing a warranty claim and FSM, its servants and agents will not be responsible for any damage caused to the Goods while in Our possession.
- (vi) To obtain the benefit of this warranty, You must notify Us in writing immediately upon becoming aware of the alleged defect and in any event within 13 months (or other period as stipulated under item 13) of delivery of the Goods to You (3 months from the delivery of any spare parts or the installation of replacement parts under this warranty)

To the extent that any Goods are not covered under the warranty described in this clause 13(b) but are subject to the original manufacturer's or the original supplier's warranty, FSM will pass on the benefit of such warranty to the extent permitted by law. (c) Subject to (a) and (b) of this clause 13 and without limiting the terms of any written warranty given separately by Us, all warranties and conditions that may be implied into these Trading Terms are excluded and Our liability for breach of any implied

condition or warranty that cannot be excluded is limited (at Our option) to:

- (i) in respect of Goods: the repair or replacement of those Goods or reimbursement of the cost of having those Goods repaired or replaced or refunding to You any payments made in respect of the Goods; and
- (ii) in respect of Services: the re-supply of the Services or reimbursement of the cost of supplying the Services again or refunding to You any payments made in respect of the Services.
- (d) Despite any other provision of these Trading Terms, to the extent permitted by law, We have no liability to You nor will You be entitled to claim against Us in respect of:
- (i) any loss or damage caused by delay in delivery of the Goods or supply of the
- (ii) any death or injury arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity;
- (iii) any consequential loss or damage (including, but not limited to, loss of profit, loss of revenue, loss of expected savings and opportunity costs) arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity; and
- (iv) (if applicable) any loss or damage to Your property or any premises occupied by You arising out of or in connection with Our reasonable installation of the Goods and it is Your responsibility to provide adequate facilities to Us during such installation and to arrange the removal of all waste and hazardous material in connection with the installation process.
- (e) You acknowledge that You have not relied on any representation made by Us which is not expressly stated in these Trading Terms.
- (f) You acknowledge that You must ensure that the Goods are used and installed (if applicable) in a prudent and professional manner and in accordance with any specifications or instructions which were supplied with the Goods. You indemnify Us against all loss, liability, cost (including legal costs on a full indemnity basis) and expense incurred by Us as a result of any claim made or action brought in connection with the Goods or their use, other than a claim or action brought by You under these Trading Terms or a condition or warranty implied by law which is not excluded by these Trading Terms.
- (g) You acknowledge that the exclusions and limitations in this clause are customary for suppliers of goods and services equivalent to the Goods and Services and are fair and reasonable given the nature of the Goods and Services and the applicable Prices.
- (h) This clause shall survive termination of these Trading Terms
- 14. Consent to credit check and Privacy Act
- (a) By signing the Account Application form, You acknowledge and agree that the Privacy Act 1988 (Cth) allows Us to give a credit reporting agency certain personal information about You at any time after signing such form for the purpose of assessing Your credit worthiness.
- (b) You further acknowledge and agree that We may contact any trade reference provided by You or any credit provider and We may acquire information from them or provide information to them in relation to Your credit worthiness.
- 15. Guarantee and Indemnity
- (a) The Guarantor hereby guarantees the due and punctual payment by signature of all monies that becomes due and payable by You to Us under these Trading Terms and also the due and punctual performance by You of Your obligations pursuant to these Trading Terms (the "Guarantee").
- (b) In consideration for Us entering into these Trading Terms with You, the Guarantor hereby charges in Our favour the whole of the Guarantor's estate and interest, legal and equitable, in the Guarantor's personal and real property to secure the Guarantor's obligations pursuant to these Trading Terms.
- (c) Without limiting Our rights under these Trading Terms, the Guarantor acknowledges and agrees that the charge on the Guarantor's property shall provide a caveatable interest in Our favour and the Guarantor consents to Us registering Our interest in the Guarantor's property, including by way of a caveat.
- (d) The Guarantee is a continuing guarantee and shall not be discharged in whole or in part by the payment at any time of any part of the money payable by You pursuant to these Trading Terms or by settlement of account, intervening payment, or other matter or thing whatsoever.
- (e) The Guarantee shall not be affected or prejudiced by any variation or modification at any time to these Trading Terms.
- (f) The Guarantee shall at all times be valid and enforceable against the Guarantor notwithstanding:
 - (i) that no demand for payment has been made to You; and
- (ii) that You were prohibited (whether expressly or by implication) by law, contract or otherwise from entering into these Trading Terms or lacked capacity, power or authority to enter into these Trading Terms.
- (g) The Guarantee is irrevocable and shall not be affected by the death, bankruptcy or incapacity of any of the Guarantors.



TERMS AND CONDITIONS (continued)

- (h) If any payment made by You to Us is subsequently avoided or set aside by reason of any statutory provision or otherwise, such payment shall not prejudice or otherwise affect the Guarantee, or Our rights pursuant to this clause 15, to the intent that We shall, with respect to its rights recover pursuant to this clause 15 any monies secured, be restored to the same position in which We would have been had such payment not been made.
- (i) In addition, the Guarantor agrees to indemnify Us in respect of all costs, charges and expenses whatsoever, which We may incur by reason of any default by You under or in relation to these Trading Terms.
- (j) The Guarantor is liable to pay, and indemnify Us for, Our reasonable expenses incurred in enforcing the Guarantee.
- (k) If more than one party signs as Guarantor, in this clause 15 each reference to "Guarantor" is a reference to them jointly and each of the individually.

General

- (a) We may sub-contract the production, manufacture, supply or delivery of all or some of the Goods and Services.
- (b) Any failure by Us to insist on strict compliance with these Trading Terms or any delay by Us in exercising Our rights under these Trading Terms will not constitute a variation or waiver of any provision of these Trading Terms or of any right available to us.
- (c) If part of all of any provision of these Trading Terms or its application to any person or circumstance is held to be illegal or unenforceable, the provision will be interpreted so as to ensure it is not illegal or unenforceable. If any provision or part of it cannot be so interpreted, the provision or relevant part of it will be severed from these Trading Terms and the remaining provisions of these Trading Terms will continue in force.
- (d) Where You are comprised of 2 or more persons, an agreement or obligation to be performed or observed by You binds those persons jointly and each of them severally.
- (e) Any notice or document required to be served under these Trading Terms will be sufficiently served if delivered or posted by pre-paid post to the address of that party as notified by that party from time to time in writing. If the notice or document is posted, service will deemed to have been effected 3 days after the date on which the document or notice was posted.

. 17. Governing Law

These Trading Terms are governed by the laws of Victoria. All parties submit to the non-exclusive jurisdiction of the Courts of Victoria, Australia. All parties submit to the non-exclusive jurisdiction of the Courts of Victoria. Australia.

18. Consignment Stock

- It is agreed the company who is being supplied the consignment stock, shall:
- (a) Shall confirm the Brand, Model Number, Serial number and quantity of each product on consignment within three working days of FSM requesting it.
- (b) Shall keep the item(s) in as new condition and you shall keep the original packaging, instruction manual(s) and warranty card whilst you have the consignment stock in your possession.
- (c) At no time are you to use the consignment stock for demonstration purposes unless you have written confirmation from FSM.
- (d) FSM can request the return of the consignment stock at any time.
- (e) You shall provide insurance cover for all items on consignment under your care.
- (f) You shall place an official purchase order within three working days of any item being sold from your consignment stock.
- (g) Consignment stock cannot be part of a bulk buy discount.
- (h) FSM can invoice you at any time if you fail to follow the conditions.
- (i) All FSM consignment stock remains the property of FSM until it is fully paid for.
- (j) If you want to return any consignment goods to FSM it is your responsibility to ensure the goods are in original packing, insured and any freight costs are your responsibility.
- (k) When purchasing your normal wholesale price applies.





3D HEATING TECHNOLOGY

Multiple heating elements delivering uniform temperature for perfect rice every time.

No more dried out or burnt rice with Asahi 3D heating technology. Carefully positioned elements in the base and lid of the CRC-S5000 minimises temperature differences in the cooking chamber.

This uniform temperature creates the ideal environment to cook and hold rice without moisture loss, drying out or burning.





The CRC-S5000 features electronically controlled temperature sensing for perfect rice every time compared to mechanically controlled rice cookers.

CRC-S5000

- · Stainless steel finish
- Capacity 30 cups [5 litres]
- · Non-stick easy clean bowl
- Fully automatic one touch operation
- · Auto shut-off feature
- · Indicator light when cooked
- Multiple heating elements; standard bottom element with additional top elements - provides greater temperature consistency in the bowl.
- · Digital temperature sensing for accuracy and reliability
- · Cooking and rice warming feature
- Supplied with measuring cup and spoon
- Electrical: 1590 watts, 7A, supplied with 10 amp plug
- Dimensions 450 mm Dia. x 350H;
- Weight: 8.6 kg

LIST PRICE EA. \$610

6 BUY PRICE EA. \$560



CRC-S600

- One touch operation
- Capacity up to 33 cups [6 Litres]
- · Automatic keep warm function & shut off
- · Non stick bowl
- Electrical: 1950 watts, 8A, supplied with 10 amp plug
- Dimensions 310mm Dia. x360H;
- Weight: 6kg

LIST PRICE EA. \$365

6 BUY PRICE EA. \$315







erde

verde

4 SHELF WIRE SHELVING BOX KITS



verde

WHAT'S IN THE BOX:

- 4 x POSTS
- 4 x WIRE SHELVES
- **4 x PACKS OF SPLIT SLEEVES**

4-SHELF EPOXY WIRE SHELVING UNIT

- Wire design allows for air circulation and minimal dust buildup
- Shelves easily adjust to your exact needs
- 544kg load capacity per unit (136kg per shelf)
- Ideal storage solution for any commercial, food service, medical setting, or home application
- •Shelves and posts manufactured with antimicrobial green epoxy finish
- Includes posts, shelves, and all needed hardware
- No tools required for super easy assembly



ASSEMBLES IN MINUTES

CODE	455 DEEP - 4 SHELF BOX KITS	\$
V18307SET	760mm SHELVES (18X30") x1830mmH	250
V18367SET	915mm SHELVES (18X36") x1830mmH	295
V18427SET	1065mm SHELVES (18X42") x1830mmH	310
V18487SET	1220mm SHELVES (18X48") x1830mmH	340

NEW FEATURE

Posts are now half size for easier shipping!





ATLAS shelving features a true powder-epoxy over zinc-chromate electroplating that ensures a strong durable bright silver coloured finish as well as in-built anti-microbial properties to inhibit bacterial growth. This shelving handles high heat and coolroom/freezer/high moisture environments with ease. All ATLAS wire shelving NOW comes with a 15 YEAR WARRANTY against rust and corrosion.

All ATLAS wire shelving is manufactured under strict quality control procedures and manufactured with *anti-microbial protection*. The open wire truss reinforced shelves feature front to back welded surface ribs for added strength which increases free air circulation and visibility. Easily adjustable and expandable to change with your needs, shelves adjust on 25 mm (1") increments. Each shelf has a load bearing capacity up to 270 kg (spread evenly across the shelf). Shelving units are available in kit form with four or five shelves, in wire or removable plastic mat to suit any application. Individual shelves, posts and accessories are also available. A large stock inventory allows fast delivery Australia wide.

4 SHELF WIRE SHELVING KITS Includes 4 wire shelves, four posts 1830mm high & all hardware

CODE	355 DEEP - 4 SHELVES	\$
14247EPL	610mm SHELVES (14X24")	346
14307EPL	760m SHELVES (14X30")	348
14367EPL	915m SHELVES (14X36")	367
14427EPL	1065mm SHELVES (14X42")	382
14487EPL	1220mm SHELVES (14X48")	387
14547EPL	1370mm SHELVES (14X54")	419
14607EPL	1520mm SHELVES (14X60")	423
14727EPL	1830mm SHELVES (14X72")	475

CODE	455 DEEP - 4 SHELVES	\$
18247EPL	610mm SHELVES (18X24")	384
18307EPL	760mm SHELVES (18X30")	387
18367EPL	915mm SHELVES (18X36")	408
18427EPL	1065mm SHELVES (18X42")	425
18487EPL	1220mm SHELVES (18X48")	430
18547EPL	1370mm SHELVES (18X54")	468
18607EPL	1520mm SHELVES (18X60")	470
18727EPL	1830mm SHELVES (18X72")	528

CODE	535 DEEP - 4 SHELVES	\$
21247EPL	610mm SHELVES (21X24")	427
21307EPL	760mm SHELVES (21X30")	430
21367EPL	915mm SHELVES (21X36")	453
21427EPL	1065mm SHELVES (21X42")	474
21487EPL	1220mm SHELVES (21X48")	477
21547EPL	1370mm SHELVES (21X54")	520
21607EPL	1520mm SHELVES (21X60")	523
21727EPL	1830mm SHELVES (21X72")	587

CODE	610 DEEP - 4 SHELVES	\$
24247EPL	610mm SHELVES (24X24")	475
24307EPL	760mm SHELVES (24X30")	477
24367EPL	915mm SHELVES (24X36")	503
24427EPL	1065mm SHELVES (24X42")	528
24487EPL	1220mm SHELVES (24X48")	530
24547EPL	1370mm SHELVES (24X54")	578
24607EPL	1520mm SHELVES (24X60")	580
24727EPL	1830mm SHELVES (24X72")	654

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	285

NEW FEATURE

Posts are now supplied in two pieces for easier shipping!





4 SHELF WIRE ADD-ON SHELVING KITS Includes 4 wire shelves, two 1830mm posts & all hardware

CODE	455 DEEP - 4 SHELVES	\$
A18247EPL	610mm SHELVES (18X24")	374
A18307EPL	760mm SHELVES (18X30")	376
A18367EPL	915mm SHELVES (18X36")	384
A18427EPL	1065mm SHELVES (18X42")	432
A18487EPL	1220mm SHELVES (18X48")	436
A18547EPL	1370mm SHELVES (18X54")	496
A18607EPL	1520mm SHELVES (18X60")	499
A18727EPL	1830mm SHELVES (18X72")	558


CODE	535 DEEP - 4 SHELVES	\$
A21247EPL	610mm SHELVES (21X24")	404
A21307EPL	760mm SHELVES (21X30")	410
A21367EPL	915mm SHELVES (21X36")	417
A21427EPL	1065mm SHELVES (21X42")	477
A21487EPL	1220mm SHELVES (21X48")	477
A21547EPL	1370mm SHELVES (21X54")	585
A21607EPL	1520mm SHELVES (21X60")	587
A21727EPL	1830mm SHELVES (21X72")	671


CODE	610 DEEP - 4 SHELVES	\$
A24247EPL	610mm SHELVES (24X24")	410
A24307EPL	760mm SHELVES (24X30")	410
A24367EPL	915mm SHELVES (24X36")	417
A24427EPL	1065mm SHELVES (24X42")	510
A24487EPL	1220mm SHELVES (24X48")	512
A24547EPL	1370mm SHELVES (24X54")	585
A24607EPL	1520mm SHELVES (24X60")	587
A24727EPL	1830mm SHELVES (24X72")	671

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	285

to create much more usable shelving in the corner, use the Add-On Kit to eliminate the front corner post.











5 SHELF WIRE SHELVING KITS Includes 5 wire shelves, four 1830mm posts & all hardware

CODE	455 DEEP - 5 SHELVES	\$
18247EPL5	610mm SHELVES (18X24")	441
18307EPL5	760mm SHELVES (18X30")	444
18367EPL5	915mm SHELVES (18X36")	447
18427EPL5	1065mm SHELVES (18X42")	511
18487EPL5	1220mm SHELVES (18X48")	513
18547EPL5	1370mm SHELVES (18X54")	587
18607EPL5	1520mm SHELVES (18X60")	587
18727EPL5	1830mm SHELVES (18X72")	664

CODE	610 DEEP - 5 SHELVES	\$
24247EPL5	610mm SHELVES (24X24")	501
24307EPL5	760mm SHELVES (24X30")	507
24367EPL5	915mm SHELVES (24X36")	513
24427EPL5	1065mm SHELVES (24X42")	606
24487EPL5	1220mm SHELVES (24X48")	606
24547EPL5	1370mm SHELVES (24X54")	692
24607EPL5	1520mm SHELVES (24X60")	700
24727EPL5	1830mm SHELVES (24X72")	812

CODE	535 DEEP - 5 SHELVES	\$
21247EPL5	610mm SHELVES (21X24")	487
21307EPL5	760mm SHELVES (21X30")	487
21367EPL5	915mm SHELVES (21X36")	494
21427EPL5	1065mm SHELVES (21X42")	561
21487EPL5	1220mm SHELVES (21X48")	561
21547EPL5	1370mm SHELVES (21X54")	640
21607EPL5	1520mm SHELVES (21X60")	640
21727EPL5	1830mm SHELVES (21X72")	746

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	285

to create much more usable shelving in the corner, use the Add-On Kit to eliminate the front corner post.

5 SHELF WIRE ADD-ON SHELVING KITS Includes 5 wire shelves, two 1830mm posts & all hardware

CODE	455 DEEP - 5 SHELVES	\$
A18247EPL5	610mm SHELVES (18X24")	444
A18307EPL5	760mm SHELVES (18X30")	449
A18367EPL5	915mm SHELVES (18X36")	451
A18427EPL5	1065mm SHELVES (18X42")	516
A18487EPL5	1220mm SHELVES (18X48")	518
A18547EPL5	1370mm SHELVES (18X54")	593
A18607EPL5	1520mm SHELVES (18X60")	593
A18727EPL5	1830mm SHELVES (18X72")	669

CODE	610 DEEP - 5 SHELVES	\$
A24247EPL5	610mm SHELVES (24X24")	503
A24307EPL5	760mm SHELVES (24X30")	511
A24367EPL5	915mm SHELVES (24X36")	518
A24427EPL5	1065mm SHELVES (24X42")	612
A24487EPL5	1220mm SHELVES (24X48")	612
A24547EPL5	1370mm SHELVES (24X54")	700
A24607EPL5	1520mm SHELVES (24X60")	705
A24727EPL5	1830mm SHELVES (24X72")	812

CODE	535 DEEP - 5 SHELVES	\$
A21247EPL5	610mm SHELVES (21X24")	491
A21307EPL5	760mm SHELVES (21X30")	491
A21367EPL5	915mm SHELVES (21X36")	498
A21427EPL5	1065mm SHELVES (21X42")	566
A21487EPL5	1220mm SHELVES (21X48")	566
A21547EPL5	1370mm SHELVES (21X54")	645
A21607EPL5	1520mm SHELVES (21X60")	645
A21727EPL5	1830mm SHELVES (21X72")	752

NOTE:

All ATLAS shelving kits come complete with shelves, clips, adjustable feet, caps for post tops, and 'S' hooks for add-on units.

Anti-microbial coating is standard.

Full installation instructions included and a full **15 YEAR** anti-corrosion warranty.





SINGLE WIRE SHELVES

CODE	355 DEEP	\$
S1424EPL	610mm SHELVES (14X24")	73
S1430EPL	760m SHELVES (14X30")	75
S1436EPL	915m SHELVES (14X36")	76
S1442EPL	1065mm SHELVES (14X42")	79
S1448EPL	1220mm SHELVES (14X48")	84
S1454EPL	1370mm SHELVES (14X54")	89
S1460EPL	1520mm SHELVES (14X60")	93
S1472EPL	1830mm SHELVES (14X72")	108

CODE	535 DEEP	\$
S2124EPL	610mm SHELVES (21X24")	89
S2130EPL	760mm SHELVES (21X30")	89
S2136EPL	915mm SHELVES (21X36")	91
S2142EPL	1065mm SHELVES (21X42")	110
S2148EPL	1220mm SHELVES (21X48")	116
S2154EPL	1370mm SHELVES (21X54")	122
S2160EPL	1520mm SHELVES (21X60")	122
S2172EPL	1830mm SHELVES (21X72")	142


CODE	455 DEEP	\$
S1824EPL	610mm SHELVES (18X24")	73
S1830EPL	760mm SHELVES (18X30")	76
S1836EPL	915mm SHELVES (18X36")	79
S1842EPL	1065mm SHELVES (18X42")	88
S1848EPL	1220mm SHELVES (18X48")	102
S1854EPL	1370mm SHELVES (18X54")	104
S1860EPL	1520mm SHELVES (18X60")	115
S1872EPL	1830mm SHELVES (18X72")	121

CODE	610 DEEP	\$
S2424EPL	610mm SHELVES (24X24")	90
S2430EPL	760mm SHELVES (24X30")	90
S2436EPL	915mm SHELVES (24X36")	90
S2442EPL	1065mm SHELVES (24X42")	103
S2448EPL	1220mm SHELVES (24X48")	111
S2454EPL	1370mm SHELVES (24X54")	122
S2460EPL	1520mm SHELVES (24X60")	124
S2472EPL	1830mm SHELVES (24X72")	142

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	285
P72EPL	POST 1830mm high, 2 piece post (each)	37
AS	"S" Hooks for add-on shelves (per each)	21
AM	CLIPS (BLACK) Pk of 4 for shelves (1 pack per shelf)	21
AX	ADJUSTABLE FEET for posts per each	16

AS EASY AS 1 - 2 - 3 (WIRE SHELVING ADD ON)











ATLAS Plastic Mat shelving features removable polymer composite mats over a sturdy zinc chromate epoxy coated frame for the best in storage for coolrooms and freezers. Anti-microbial protection is built right into the mat and wire/posts for life-long protection. Easily removed and cleaned, these mats provide a hygienic solution to food storage without having to dismantle shelf units. All ATLAS shelving comes with a 15 Year Warranty against corrosion.

4 SHELF PLASTIC MAT SHELVING KITS

Includes 4 plastic mat shelves, four posts 1830mm high & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 4 SHELVES	\$
PM18307EPL	760mm SHELVES (18X30")	538
PM18367EPL	915mm SHELVES (18X36")	542
PM18427EPL	1065mm SHELVES (18X42")	625
PM18487EPL	1220mm SHELVES (18X48")	665
PM18547EPL	1370mm SHELVES (18X54")	732
PM18607EPL	1520mm SHELVES (18X60")	740
PM18727EPL	1830mm SHELVES (18X72")	869

CODE	610 DEEP - 4 SHELVES	\$
PM24307EPL	760mm SHELVES (24X30")	653
PM24367EPL	915mm SHELVES (24X36")	660
PM24427EPL	1065mm SHELVES (24X42")	780
PM24487EPL	1220mm SHELVES (24X48")	786
PM24547EPL	1370mm SHELVES (24X54")	910
PM24607EPL	1520mm SHELVES (24X60")	914
PM24727EPL	1830mm SHELVES (24X72")	1058

CODE	535 DEEP - 4 SHELVES	\$
PM21307EPL	760mm SHELVES (21X30")	605
PM21367EPL	915mm SHELVES (21X36")	605
PM21427EPL	1065mm SHELVES (21X42")	699
PM21487EPL	1220mm SHELVES (21X48")	712
PM21547EPL	1370mm SHELVES (21X54")	820
PM21607EPL	1520mm SHELVES (21X60")	828
PM21727EPL	1830mm SHELVES (21X72")	963



4 SHELF PLASTIC MAT ADD-ON SHELVING KITS

Includes 4 plastic mat shelves, two posts 1830mm high, S clips & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 4 SHELVES	\$
APM18307EPL	760mm SHELVES (18X30")	547
APM18367EPL	915mm SHELVES (18X36")	552
APM18427EPL	1065mm SHELVES (18X42")	635
APM18487EPL	1220mm SHELVES (18X48")	677
APM18547EPL	1370mm SHELVES (18X54")	746
APM18607EPL	1520mm SHELVES (18X60")	753
APM18727EPL	1830mm SHELVES (18X72")	883

CODE	610 DEEP - 4 SHELVES	\$
APM24307EPL	760mm SHELVES (24X30")	663
APM24367EPL	915mm SHELVES (24X36")	669
APM24427EPL	1065mm SHELVES (24X42")	793
APM24487EPL	1220mm SHELVES (24X48")	801
APM24547EPL	1370mm SHELVES (24X54")	926
APM24607EPL	1520mm SHELVES (24X60")	931
APM24727EPL	1830mm SHELVES (24X72")	1076

CODE	535 DEEP - 4 SHELVES	\$
APM21307EPL	760mm SHELVES (21X30")	615
APM21367EPL	915mm SHELVES (21X36")	615
APM21427EPL	1065mm SHELVES (21X42")	712
APM21487EPL	1220mm SHELVES (21X48")	714
APM21547EPL	1370mm SHELVES (21X54")	835
APM21607EPL	1520mm SHELVES (21X60")	842
APM21727EPL	1830mm SHELVES (21X72")	980









5 SHELF PLASTIC MAT SHELVING KITSIncludes 5 plastic mat shelves, four posts 1830mm high & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 5 SHELVES	\$
PM18307EPL5	760mm SHELVES (18X30")	629
PM18367EPL5	915mm SHELVES (18X36")	660
PM18427EPL5	1065mm SHELVES (18X42")	742
PM18487EPL5	1220mm SHELVES (18X48")	782
PM18547EPL5	1370mm SHELVES (18X54")	867
PM18607EPL5	1520mm SHELVES (18X60")	913
PM18727EPL5	1830mm SHELVES (18X72")	1050

CODE	610 DEEP - 5 SHELVES	\$
PM24307EPL5	760mm SHELVES (24X30")	729
PM24367EPL5	915mm SHELVES (24X36")	767
PM24427EPL5	1065mm SHELVES (24X42")	774
PM24487EPL5	1220mm SHELVES (24X48")	828
PM24547EPL5	1370mm SHELVES (24X54")	1031
PM24607EPL5	1520mm SHELVES (24X60")	1091
PM24727EPL5	1830mm SHELVES (24X72")	1294

CODE	535 DEEP - 5 SHELVES	\$
PM21307EPL5	760mm SHELVES (21X30")	684
PM21367EPL5	915mm SHELVES (21X36")	712
PM21427EPL5	1065mm SHELVES (21X42")	805
PM21487EPL5	1220mm SHELVES (21X48")	861
PM21547EPL5	1370mm SHELVES (21X54")	951
PM21607EPL5	1520mm SHELVES (21X60")	1004
PM21727EPL5	1830mm SHELVES (21X72")	1181



5 SHELF PLASTIC MAT *ADD-ON SHELVING KITS* Includes 5 plastic mat shelves, two posts 1830mm high, S clips & all hardware (adjustable feet, shelf clips, end caps)

CODE	455 DEEP - 5 SHELVES	\$
APM18307EPL5	760mm SHELVES (18X30")	660
APM18367EPL5	915mm SHELVES (18X36")	687
APM18427EPL5	1065mm SHELVES (18X42")	768
APM18487EPL5	1220mm SHELVES (18X48")	810
APM18547EPL5	1370mm SHELVES (18X54")	901
APM18607EPL5	1520mm SHELVES (18X60")	940
APM18727EPL5	1830mm SHELVES (18X72")	1110

CODE	610 DEEP - 5 SHELVES	\$
APM24307EPL5	760mm SHELVES (24X30")	756
APM24367EPL5	915mm SHELVES (24X36")	794
APM24427EPL5	1065mm SHELVES (24X42")	900
APM24487EPL5	1220mm SHELVES (24X48")	962
APM24547EPL5	1370mm SHELVES (24X54")	1067
APM24607EPL5	1520mm SHELVES (24X60")	1125
APM24727EPL5	1830mmSHELVES (24X72")	1336

CODE	535 DEEP - 5 SHELVES	\$
APM21307EPL5	760mm SHELVES (21X30")	708
APM21367EPL5	915mm SHELVES (21X36")	740
APM21427EPL5	1065mm SHELVES (21X42")	834
APM21487EPL5	1220mm SHELVES (21X48")	896
APM21547EPL5	1370mm SHELVES (21X54")	986
APM21607EPL5	1520mm SHELVES (21X60")	1040
APM21727EPL5	1830mm SHELVES (21X72")	1219





SINGLE PLASTIC MAT SHELVES

CODE	455 DEEP	\$
PM1830EPL	760mm SHELVES (18X30")	105
PM1836EPL	915mm SHELVES (18X36")	109
PM1842EPL	1065mm SHELVES (18X42")	127
PM1848EPL	1220mm SHELVES (18X48")	138
PM1854EPL	1370mm SHELVES (18X54")	147
PM1860EPL	1520mm SHELVES (18X60")	163
PM1872EPL	1830mm SHELVES (18X72")	194

CODE	610 DEEP	\$
PM2430EPL	760mm SHELVES (24X30")	127
PM2436EPL	915mm SHELVES (24X36")	132
PM2442EPL	1065mm SHELVES (24X42")	155
PM2448EPL	1220mm SHELVES (24X48")	164
PM2454EPL	1370mm SHELVES (24X54")	190
PM2460EPL	1520mm SHELVES (24X60")	204
PM2472EPL	1830mm SHELVES (24X72")	244

CODE	535 DEEP	\$
PM2130EPL	760mm SHELVES (21X30")	111
PM2136EPL	915mm SHELVES (21X36")	116
PM2142EPL	1065mm SHELVES (21X42")	140
PM2148EPL	1220mm SHELVES (21X48")	149
PM2154EPL	1370mm SHELVES (21X54")	170
PM2160EPL	1520mm SHELVES (21X60")	181
PM2172EPL	1830mm SHELVES (21X72")	221

ACCESSORIES

CODE	DESCRIPTION	\$
4CAST	CASTOR KIT includes four castors, two with brakes	285
P72EPL	POST 1830mm high, inc. 2 Piece. (per each)	37
PMAS	"S" Hooks for add-on shelves (per each)	21
AM	CLIPS (BLACK) Pk of 4 for shelves (1 pack per shelf)	21
AX	ADJUSTABLE FEET for posts per each	16



DID YOU KNOW?

ATLAS shelving has epoxycoated / electroplated shelving, posts and frames now with anti-microbial protection!

Why not use our FREE shelf quoting service?

Send us your plans and we'll send you an accurate quote to suit each location, in wire or plastic mat options.


Once ordered, the quote is converted to an invoice/packing ticket, so that each bay is identified on the cartons to make on-site assembly so much easier and faster.

Just another innovative service from FSM Atlas.







With a choice of ventilation systems and technologies to suit any application, Austream canopies can be custom built to your requirements.




I SERIES
Inspire with supply air



IEFB SERIES Inspire with dual extract and supply air



IR SERIES Inspire with reduced front and supply air (for low height ceilings)



Add UV to your ventilation system.

UV has been used in Kitchen Exhaust hoods for many years and uses processes called photolysis and ozonolysis to break down grease. In photolysis the UV disassociates the bonds within the grease atoms. In ozonolysis, oxygen atoms (O2) are disassociated and these recombine into ozone (O3). The ozone then reacts with the grease and other organic compounds. The result from these processes is carbon dioxide (CO2), water (H2O), ozone, products such as peroxyacyl nitrates, and a small amount of white powder (sodium, calcium and organic compounds).

Our High Energy Ozone UV lamps are specifically designed for maximum output in high heat airflows. They are installed in the exhaust plenum inside the hood itself.






With a choice of ventilation systems and technologies to suit any application, Austream canopies can be custom built to your requirements.



EO SERIES Extract only



EOFB SERIES
Extract only front & back





Manufacturer Declaration of Conformity to AS1668.1 - 2015 Austream Kitchen Ventilation Systems

FSM is Australian owned and owns the registered name Austream; a low velocity commercial kitchen ventilation system. Austream is manufactured to the highest European specifications; The German standard VDI2052 and the British specification DW172. Austream is designed to DW172:2018 and meet the criteria of VDI2052:2017. These exhaust hoods are an engineered solution and as such have specific requirements to allow them to perform to their design and comply directly to BCA 2019 Volume 1, Amendment 1, Clause F4.12.

Austream canopies utilise UL-1046 listed filters and comply with AS1668.1-2015 Clause 6.2.9.

Austream low velocity hoods meet and exceed the requirements of AS1668.2-2012. Section 3 clause 3.4.1, the standard states 'Alternative exhaust hood designs including proprietary designs may be used provided that it can be established that the performance of such hoods is at least equivalent to the hoods described in this section.' VDI2052:2017 and DW172:2018 are widely adopted and used throughout Australia and both exceed the requirements of the AS1668.2-2012 standard and this can be proven through existing installations in Australia.





Standard Lengths (mm)	Numbers of Sections	Number of Filters	Number of LED Lights	Weight (kg)
1200	1	3	2	85
1350	1	3	2	95
1550	1	4	2	110
1700	1	4	2	120
1900	1	5	3	125
2050	1	5	3	130
2250	1	6	3	135
2400	1	6	3	150
2650	2	7	4	175
2800	2	7	4	185
3000	2	8	4	190
3150	2	8	4	200
3350	2	9	5	210
3500	2	9	5	220
3700	2	10	6	225
3850	2	10	6	230
4050	2	11	6	235
4200	2	11	6	240
4400	2	12	6	260
4550	2	12	6	265
4800	3	13	7	290
4950	3	13	7	310
5150	3	14	8	315
5300	3	14	8	330
5500	3	15	9	335
5650	3	15	9	345
5850	3	16	9	350
6000	3	16	9	360
6200	3	17	9	365
6350	3	17	9	370
6550	3	18	9	375
6700	3	18	9	385

Standard depths 1300 and 1650. Standard sizes are available in a faster time frame and are more cost effective. Custom sizes available on request - sample sizes only above.





Standard Lengths	Numbers of Sections	Number of Filters	Number of LED Lights	Weight (kg)
6950	4	19	11	455
7100	4	19	11	460
7300	4	20	12	470
7450	4	20	12	475
7650	4	21	12	480
7800	4	21	12	485
8000	4	22	12	490
8150	4	22	12	495
8350	4	23	12	500
8500	4	23	12	505
8700	4	24	12	510
8850	4	24	12	515
9100	5	25	15	585
9250	5	25	15	590
9450	5	26	15	595
9600	5	26	15	600
9800	5	27	15	605
9950	5	27	15	610
10150	5	28	15	615
10300	5	28	15	620
10500	5	29	15	625
10650	5	29	15	630
10850	5	30	15	635
11000	5	30	15	640

Standard depths 1300 and 1650. Standard sizes are available in a faster time frame and are more cost effective. Custom sizes available on request - sample sizes only above.

Made to order, any size

FSM has been trading in Australia since 1976 and has established a national reputation for providing high quality food service equipment to all sectors of the industry. We continue to innovate and lead the way in trends, with the Austream kitchen ventilation system being a new solution available to provide our customers with long term solutions that improve their productivity and the bottom line.





HIGH-SPEED ACCELERATED COOKING OVEN

✓ USER FRIENDLY

- + Touch mode interface with smart menu system, controls are intuitive and simple to use.
- + Easy to clean: Infra-red elements tilt-up for cleaning.
- + Removable metal rack and bottom jetplate.
- + Allows the use of the metal trays, pans, screens, simplifies cooking.
- + Built-in self-diagnostics.

√ HIGH SPEED WITH LESS NOISE

- + Quick heat up.
- + Variable-speed, vertically recirculated air convection and impingement, can heat, brown, and crisp powerfully and intelligently with low noise.
- + supplied with 15 amp cord + plug.
- + Stirrer to help ensure even distribution of air and microwave.
- + 383Wmm x 693Dmm x 610Hmm

✓ DURABLE AND LONG LASTING

- + Exterior 430 stainless steel.
- + Interior 304 stainless steel.
- + Insulated cook chamber.

√ CONVENIENT AND ADAPTABLE **TO YOUR NEEDS**

- + Three "Set TEMP" modes to meet different temperature requirement.
- + Temperature setting: 0-280°C.
- + Total 432 recipes with multi-stage programming (Up to 6 stages for each recipe).
- + Edit recipe and image on both oven and PC.
- + USB port to load recipes and photos.
- + Mounts almost flush to wall.
- + Bake, roast, toast, brown, and crisp foods. You pick!

✓ CONSISTENT RESULTS ALWAYS

+ The Bonn oven is a combination of forced convection, high speed tuned impinged air, top







Bonn Commercial Microwave Ovens are recognised as being Australia's market leaders in high quality Commercial Microwave Ovens.

HIGH PERFORMANCE SERIES MICROWAVES

Bonn CM-2101T

- 2100 Watts of Cooking Power
- 15 Amp plug single phase
- 18L Capacity
- Digital Touch-Pad Controls with LED Lighted Display
- 100 Program Menu Settings
- 4 Stages of Cooking
- Commercial Grade Performance
- Made for Continuous Operation
- Stainless Steel Body & Cavity
- Dual Magnetron
- Heavy Duty Metal Handle & Durable Interlock System
- Stackable (2 high)
- 420W x 563D x 340H mm | Weight: 31kgs

LIST PRICE EA.

\$2895



NOW ONSITE 36 MONTHS PARTS AND 13 MONTH LABOUR WARRANTY

CPS3A MicroSave Dishwasher Safe Cavity Liner - purchased seperately:

LIST PRICE EA.

\$350

REQUIRES

10A POWER

(Save \$20.00 when purchased with oven)

th oven)

Bonn CM-1401G

- 1400W Microwave Output, 5 Power Levels
- Spacious 34L Capacity
- · Digital Touch-Pad Controls
- 100 Program Menu Settings
- 3 Stages of Cooking
- · 60 Minute Maximum Cook Time
- · Commercial Grade Performance
- · Made for Continuous Operation
- · Stainless Steel Body & Cavity
- Heavy Duty Metal Handle
- · Durable Interlock System
- 10 Amp plug single phase
- Door construction: Toughened Glass, Commercial quality Hinges and handle
- External Dimensions 553W x 488D x 343H mm | Weight: 25Kgs

LIST PRICE EA.

\$2490



CPS6A MicroSave Dishwasher Safe Cavity Liner - purchased seperately:

LIST PRICE EA.

\$350

(Save \$20.00 when purchased with oven)






The Bonn Performance Series Microwaves offer users preset programming, ceramic base, full stainless steel construction, generous 21 litre capacity and a choice of output power.

Incorporating the latest generation high efficiency Magnetron, these models incorporate many of the design features from the Bonn High Performance Range of ovens, including Direct Ducted Magnetron cooling, motorised stirrer fan for even heating along with all the safety features such as toughened inner door glass, heavy duty door safety latches and double-strengthened door hinges - all part of Bonn's stringent total safety philosophy.

Get commercial quality and speed with ease of operation and superior Bonn quality.

Supplied with 24 Month Parts / 13 Month Labour Back to Base Warranty*

Performance Range Features



Bonn Commercial Microwave Ovens are recognised as being Australia's market leaders in high quality Commercial Microwave Ovens.

PERFORMANCE SERIES MICROWAVES

NEW

Bonn CM-1043T

- 1200W Microwave Output, 5 Power Levels
- 10 Amp plug single phase (Max. Draw 8.5A)
- · 27 Litre Internal capacity
- · 20 Preset Memories, Digital Display
- · Full Stainless Steel Interior/Exterior
- Door construction: Toughened Glass,
 Commercial quality Hinges and handle
- External Dimensions 511W x 382D x 330Hmm
- Internal Dimensions 330W x 330D x 212Hmm
- Carton Dimensions 590W x 465D x 395Hmm
- Net Weight: 17.5Kgs Ship Weight 21kg





Bonn CM-1052T

- 1000W Microwave Output, 4 Power Levels
- 10 Amp plug single phase (Max. Draw 7.6A)
- · 25 Litre Internal capacity
- 10 Preset Memories, Digital Display
- Full Stainless Steel Interior/Exterior
- Door construction: Toughened Glass, Commercial quality Hinges and handle
- External Dimensions 510W x 382D x 330Hmm
- Internal Dimensions 330W x 330D x 212Hmm
- · Weight: 17.5Kgs

LIST PRICE EA. \$1040







LIGHT DUTY SERIES MICROWAVES

The Bonn Light Duty Microwave Series offers the smaller users preset programming (10 presets), ceramic base, stainless steel exterior, large 25 litre capacity and 900 Watt output.

Incorporating several of the design features from the Bonn Performance Range of ovens, including motorised stirrer fan for even heating and ceramic base.

This entry level commercial oven offers ease of operation and Bonn quality. Supplied with our exclusive 13 month Back to Base labour and parts warranty*.

Bonn CM-902T

- 900W Microwave Output, 4 Power Levels
- 10 Amp plug single phase (Max. Draw 6.5A)
- · 25 Litre Internal capacity
- 10 Preset Memories, Digital Display
- · Programmable 1 to 3 stage cooking
- · Rugged hinges and door handle
- Stainless Steel Exterior
 Stainless Steel Interior with Ceramic base
- External Dimensions 510W x 380Dmm x 335H
- Internal Dimensions 330W x 330Dmm x 212H
- · Weight: 15 Kgs

LIST PRICE EA. \$595







Foodservice Trays



Catering Equipment



Food Bars & Convenience



Bar Supplies



Kitchen Accesories



Storage & Handling



Floor & Restroom Care



Warewashing



Waste Management



Cleaning Tools



Brushes & Accessories



Dishware & Disposables



Coldmaster® CoolCheck™





Peace of Mind at a Glance

CoolCheck has all of the features of standard Coldmaster pans with the added benefit of color changing technology. Hold contents at or below the food safe temperature of 40°F for up to 6-8 hours. When the unit is no longer at a safe temperature, the color change indicates it's time to exchange the CoolCheck with a fresh one.




Benefits



Color Changing Technology

Color fades from blue to white when temperatures are no longer safe



Maintain Food Safe Temperatures

6-8 hours of hold time for maximum food protection



Convenient and Clean

StorPlus EZ Access Hinged Lids available



Fast and Efficient

Store temperaturesensitive food in-line for ultra-fast service

CODE	DESCRIPTION - White / Blue	Pack Size	Dimensions	\$ EA
CM1100C1402	Coldmaster® CoolCheck® Full-Size Food Pan 1/1	1	323W x 525L x 163H	295.00
CM1101C1402	Coldmaster® CoolCheck® Half-Size Food Pan 1/2	1	263W x 323L x 153H	245.00
CM1102C1402	Coldmaster® CoolCheck® Third-Size Food Pan 1/3	1	175W x 323L x 153H	135.00
CM1103C1402	Coldmaster® CoolCheck® Third-Size Divided Food Pan 1/3	1	175W x 323L x 153H	135.00
CM1104C1402	Coldmaster® CoolCheck® Sixth-Size Food Pan 1/6 Size	1	158W x 173L x 150H	120.00
CODE	DESCRIPTION - White / Blue	Pack Size	Dimensions	\$ EA
CM104902	Coldmaster® Full size 153mm Deep Coldpan with Organizer White 9 ninth-size food pans (pans not included)	1	407W x 610L x 190H	740.00



Polycarbonate Pitchers





Ultimate Durability & Timeless Classic

Carlisle Polycarbonate pitchers are break resistant and come in a variety of sizes and shapes. An industry favorite for decades, this timeless design looks great and takes the drama out of serving and pouring.



Benefits



Polycarbonate Construction

Resists staining, breaking and chipping



Tapered Lip

Makes pouring with ice easy



Ergonomic Handle & Thumb Grip

Aids in control of pitcher while pouring



Optimised Wall Thickness More strength and durability without the weight

Code	Description	Pack Size	Dimensions	\$ PACK
554007	Versapour® Pitcher - Polycarbonate 1.77L Sure Grip handle Base Diameter 92mm Top Diameter 127mm	6	127W x 127L x 210Hmm	109.80
553807	Crystalite® Pitcher - Polycarbonate 1.5L Ice trap retains ice or beer foam Base Diameter 85mm	6	127W x 127L x 222Hmm	105.60



Bistro™ SAN Tumblers





Benefits







Dishwasher safe



Attractive exteriors



Made to stack

Code	Description	Pack Size	Dimensions	\$ PACK
580807	Louis™ SAN Tumbler 240ml Stackable design Dishwasher safe Bottom Diameter 58mm Top Diameter 77mm	24	76W x 76L x 86Hmm	150.00
581007	Louis TM SAN Tumbler 300ml Stackable design Dishwasher safe Bottom Diameter 55mm Diameter 73mm	24	74W x 74L x 116Hmm	124.80
400807	Crystalon® Stack-All® SAN Tumbler Stackable design Dishwasher safe Bottom Diameter 53mm Top Diameter 71mm	48	71W x 71L x 103Hmm	136.80









Square Bowls





Benefits









Made of chip-, shatter-, and break-resistant SAN

Dishwasher safe

Easy content identification

Space saving square shape fits corner of trays

Code	Description	Pack Size	Dimensions	\$ PACK	
DXSB607	Dinex Square Bowl 175ml - Clear Look of china with the durability and cost savings of plastic Dishwasher safe	96	104W x 104L x 36Hmm	324.00	
DXSB1203	Dinex Square Bowl 350ml - Black Look of china with the durability and cost savings of plastic Dishwasher safe	48	104W x 104L x 59Hmm	347.00	
DX11840174	Dome Lid for Square Bowl - Clear (Fits DXSB607 & DXSB1203) Stack count 100 NSF Certified Facility	1000	104W x 104L x 7Hmm	322.00	
DXSQD1007	Dinex Square Bowl 290ml - Reuseable clear dish and disposable dome lid for easy content identification	48	102W x 102L x 45Hmm	226.00	English
Code	Description	Pack Size	Dimensions	\$ PACK	
DXSWC507	Dinex Tulip Cup- Swirl 150ml - Clear Diameter 95mm	96	89W x 89L x 83Hmm	310.00	











Clear Plate Cover





Benefits









Highly heat- and break-resistant (190007 Image)

Dishwasher safe (198907 Image)

Polycarbonate (PC) is resistant to staining, breaking and chipping

Clear covers for easy viewing of food

Code	Description	Pack Size	Dimensions	\$ PACK
190007	Clear Plate Cover Polycarbonate (PC)	12	238W x 238L x 65Hmm	163.20
198907	Clear Plate Cover Polycarbonate (PC)	12	270W x 270L x 77Hmm	198.00

Foodservice Products

Code	Description	Pack Size	Dimensions	\$ PACK
WPM8538	Chrome Tapered, Medium Flow - Chrome	12	26W x 26L x 77Hmm	85.80
OP30500	Pour Free Economical Free Flow Pourer - Red; BPA free *	12	26W x 26L x 76Hmm	10.80





^{*} Available whilst stock lasts


Commercial Measures





Benefits







Oval shape facilitates pouring from non-spouted side



Nest for storage (4314207 Image)



Made of durable, dishwasher safe polycarbonate

Code	Description	Pack Size	Dimensions	\$ PACK
4314107	Commercial Measuring Cup 250ml NSF approved	12	111W x 102L x 84Hmm	138.00
4314207	Commercial Measuring Cup 500ml NSF approved	6	130W x 121L x 107Hmm	120.00
4314307	Commercial Measuring Cup 1000ml NSF approved	6	161W x 147L x 135Hmm	140.00

Foodservice Products



Code	Description	Pack Size	Dimensions	\$ PACK
430607	Polycarbonate Scoop 180ml Clear	12	82W x 276L x 56Hmm	94.80



Service Trays





GripLite® An Economical Alternative

Quality construction ensures limited slipping and sliding of glasses and dinnerware.



Benefits

Sturdy

Polypropylene copolymer construction

Fewer Spills

Molded-in rubber liner prevents slipping and sliding

Stain & Odor Resistent

Maintains appearance longer

Alternative to Cork

A more sanitary alternative to cork trays

Code	Description	Pack Size	\$ PACK
1400GL004	GripLite® Round Tray 360mm - Black	12	220.80
1600GL004	GripLite® Round Tray 420mm - Black	12	374.40

GriptiteTM Best Grip

Built from the ground up; the Griptite 2 tray is unmatched. The long-life, non-skid surface grips drinkware and plates better – reducing spills, breakage, and cost. The coated tray edge is a bumper against heavy daily use. We take our trays through rigorous testing to ensure they excel in both function and durability.



Benefits

Less Slip & Tip

Holds a full glass at a steeper angle than ever before

Durable Materials

Impact and drop tested for superior performance

Beautiful Surface

Looks great longer by resisting stains

Long Lasting

Field-tested to withstand years of high-demand serving

CODE	DESCRIPTION	Pack Size	\$ PACK
1400GR2004	Griptite™ Round Tray 360mm - Black	12	504.00
1600GR2004	Griptite™ Round Tray 420mm - Black	12	687.60



Glasteel™ Fiberglass Trays





Durability and Cleanability at an Affordable Price

Glasteel Fiberglass Trays are engineered to be the most durable fiberglass tray available.



Benefits









Heavy-Duty

Metal reinforcing rods provide extra strength and eliminate warping (DX1089M23 image)

Chemical Resistant

Thick, fiberglass core mats provide strength and chemical resistance

Reduced Dry Time

Air flow corner reinforcements and stacking lugs (DXSMC1520NSQ44 image)

Added Stability

Reinforced core mats add strength and stability (DXSMC1520NSQ44 image)

Code	Description	Pack Size	Min Order Qty	\$ PACK
DX1089M23	Glasteel™ Flat Tray 381 x 508mm - Gray Top-of-the-line Glasteel construction Dishwsher safe	12	12	549.96
DXSMC1520N- SQ44	Glasteel™ Quarry Non-Skid Tray 381 x 508mm - Graphite Grey Stain, scratch & odor resistant Dishwsher safe and easy to clean	12	12	897.96
2015FG002	Glasteel™ Fiberglass Tray 381 x 514mm - Smoke Grey Top-of-the-line Glasteel construction Dishwsher safe	12	360	599.40



Brushes





Sparta® Galaxy™ Pastry Brushes

One piece plastic handles are easy to clean

Bristles are epoxy-set to ferrules to prevent bacteria harboring air pockets

Available with soft flagged nylon bristles or double-boiled, bleached, sterilized premium boar bristles

Select brushes also available with Blue nylon bristles for added contrast in working with white frosting or other white foodsyour foodservice operation.



CODE	DESCRIPTION	Pack Size	\$ PACK
4039002	Galaxy™ Flat Brush w/Nylon Bristles 38mm - White, Soft White Nylon bristles have high fluid retaining capacity	12	222.00

Sparta® Chef Series Brushes

Sparta® Chef Series Brushes are ideal for using in a multitude of kitchen and food prep applications. High-quality, lacquered hardwood handles detail each brush and are ergonomically shaped for easy one-handed use. The professional brushes offer bleached nylon or sterilized boar bristles which are epoxy-set to prevent the harboring of bacteria.



CODE	DESCRIPTION	Pack Size	\$ PACK
4037400	Sparta® Flat Boar Bristle Brush 50mm Boar Bristles – Sterilized, natural bristles provide excellent fluid retention and are epoxy-set to prevent harboring of bacteria	12	258.00
4037800	Sparta® Meteor ® Boar Bristle Basting Brush 50mm Molded hook protects brush from heat damage and allows brush to rest on container rim	12	264.00



Brushes





Sparta® Grill Bricks & Polishing Pads

Apply with cooking oil to protect the grill cure and remove excess cooked-on foods

40710 Grill Brick is a fast, efficient, and sanitary way to clean hot or cold grills

Plastic wrapping on Grill Brick dissolves to eliminate mess

40713 Grill Screen and 40711 Grill Polishing Pad attach to the 40712 Grill Pad Holder for a complete grill maintenance system



CODE	DESCRIPTION	Pack Size	\$ PACK
4071000	Sparta® Grill Brick 8", 4", 3-1/2" - Black	12	104.40
4071100	Sparta® Grill Polishing Pads 5", 4", 1/4" - Red*	6	120.00

^{*} Available whilst stock lasts

Sparta® Wire Brushes & Scrapers

Wire brushes and Stainless Steel metal Scrapers make quick and easy removal of heavy Carbon deposits, rust, and burned-on food build up

Available with wood handles for cleaning hot grills and ovens



CODE	DESCRIPTION	Pack Size	\$ EA
4029000	Sparta® Broiler Master; Stainless steel wire bristles and scrapers; Excellent for removing heavy carbon deposits, rust and burned on food build up. One side of the brush has semi stiff and the other with coarse bristles; Head 216W x 127H x 775Lmm; Bristle length 25mm	6 (available as each)	89.00
4029300	Pizza Oven Brush with Scraper; Crimped Brass wire bristles and a full length Aluminum Scraper; 89mm wide; Bristle length 32mm	12 (available as each)	57.00
4067100	Sparta® Scratch Brush and Scraper; Blue; Carbon Steel Bristles; Bristle length 32mm; Brush size 140mm; Total length 291mm	12 (available as each)	18.00



StorPlus™ Polycarbonate Food Pans





Food Holding Day After Day

Perfect for all cold applications including buffets, cold wells, service line applications, and fridge/freezer storage



Benefits









Smooth Interior

Makes clean-up easy

Reinforced Corners

Prevent chips and cracks and stand up to drops and use day after day

Universally Stackable

Stackable with all food pan products on the market

Spoonable Bottoms

Remove contents easier and reduce food waste

CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
10200B07	StorPlus™ Food Pan Full-Size 65mm deep	1	324W X 527L 6.6L	22.20
10201B07	StorPlus™ Food Pan Full-Size 100mm deep	1	324W X 527L 13.3L	28.45
10202B07	StorPlus™ Food Pan Full-Size 150mm deep	1	324W X 527L 24.1L	38.00
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
10202B03	StorPlus™ Food Pan Half-Size 150mm deep	1	324W X 527L 24.1L	37.00



StorPlus™ Polycarbonate Food Pans





CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
10220B07	StorPlus™ Food Pan Half-Size 65mm deep	1	324W X 264L 3.12L	12.50
10221B07	StorPlus™ Food Pan Half-Size 100mm deep	1	324W X 264L 5.7L	15.00
10222B07	StorPlus™ Food Pan Half-Size 150mm deep	1	324W X 264L 8L	19.00
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
CODE 10220B03	DESCRIPTION - Polycarbonate Black StorPlus™ Food Pan Half-Size 65mm deep*	Pack Size	Dims (mm) 324W X 264L 3.12L	\$ EA 12.50
	•	Pack Size 1 1		·

^{*} Available whilst stock lasts

CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
3066007	StorPlus™ Food Pan 1/3 Size 65mm deep	1	324W X 175L 2.6L	9.00
3066107	StorPlus™ Food Pan 1/3 Size 100mm deep	1	324W X 175L 3.6L	12.00
3066207	StorPlus™ Food Pan 1/3 Size 150mm deep	1	324W X 175L 5.3L	14.50
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
CODE 3066003	DESCRIPTION - Polycarbonate Black StorPlus™ Food Pan 1/3 Size 65mm deep*	Pack Size	Dims (mm) 324W X 175L 2.6L	\$ EA 9.00
	•	Pack Size 1 1		·

* Available whilst stock lasts

CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
3068007	StorPlus™ Food Pan 1/4 Size 65mm deep	1	162W X 175L 1.8L	9.00
3068107	StorPlus™ Food Pan 1/4 Size 100mm deep	1	162W X 175L 2.7L	10.50
3068207	StorPlus™ Food Pan 1/4 Size 150mm deep	1	162W X 175L 4.3L	12.40
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
3068003	StorPlus™ Food Pan 1/4 Size 65mm deep*	1	162W X 175L 1.8L	9.00
3068103	StorPlus™ Food Pan 1/4 Size 100mm deep*	1	162W X 175L 2.7L	10.50
3068203	StorPlus™ Food Pan 1/4 Size 150mm deep*	1	162W X 175L 4.3L	12.00

^{*} Available whilst stock lasts



StorPlus™ Polycarbonate Food Pans





CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
3068307	StorPlus™ Food Pan 1/6 Size 65mm deep	1	137W X 151L 0.95L	6.50
3068407	StorPlus™ Food Pan 1/6 Size 100mm deep	1	137W X 151L 1.9L	7.40
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$
3068303	StorPlus™ Food Pan 1/6 Size 65mm deep*	1	137W X 151L 0.95L	6.50
3068403	StorPlus™ Food Pan 1/6 Size 100mm deep	1	137W X 151L 1.9L	7.40
3068503	StorPlus™ Food Pan 1/6 Size 150mm deep	1	137W X 151L 2.4L	10.00

^{*} Available whilst stock lasts

CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
3068607	StorPlus™ Food Pan 1/9 Size 65mm deep	1	108W X 175L 0.68L	6.50
3068707	StorPlus™ Food Pan 1/9 Size 100mm deep	1	108W X 175L 1.09L	10.15
3068807	StorPlus™ Food Pan 1/9 Size 150mm deep	1	108W X 175L 1.32L	9.50
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
3068703	StorPlus™ Food Pan 1/9 Size 100mm deep	1	108W X 175L 1.09L	8.00
3068803	StorPlus™ Food Pan 1/9 Size 150mm deep* ST	1	108W X 175L 1.32L	12.22

^{*} Available whilst stock lasts

Full Size





Size Inches	Size mm
2 1/2"	65
4"	100
6"	150
8"	200"





StorPlus™ Food Pans Lids & Drains





CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
1021507	StorPlus™ Drain Shelf 1/1 Size 15mm deep	1	251W x 451L	15.50
1023507	StorPlus™ Drain Shelf 1/2 Size 15mm deep	1	194W x 254L	7.20
3067007	StorPlus™ Drain Shelf 1/3 Size 15mm deep	1	121W x 264L	6.70
3069507	StorPlus™ Drain Shelf 1/4 Size 14mm deep	1	107W x 206L	5.70
3068907	StorPlus™ Drain Shelf 1/6 Size 13mm deep	1	108W x 121L	2.60
1033507	StorPlus™ Drain Shelf 1/9 Size 16mm deep	1	61W x 127L	2.40



CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ PACK
10210U07	StorPlus™ Handled Lid 1/1 Size	6	251W x 451L	108.00





CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ PACK
10279Z07	StorPlus™ EZ Access Hinged Notched Universal Food Pan Lid 1/3 Size	6	178W x 324L x 28Hmm	102.00
10319Z07	StorPlus™ EZ Access Hinged Notched Universal Food Pan Lid 1/6 Size	6	160W x 175L x 28Hmm	57.00
10339Z07	StorPlus™ EZ Access Hinged Notched Universal Food Pan Lid 1/9 Size	6	110W x 175L x 28Hmm	60.00

StorPlus™ High Heat Food Pans





- High heat pans excel in high temperature applications (-40°F to 375°F)
- Reinforced top and bottom corners on both pan and lid helps prevent chipping and cracking
- Spoonable bottoms makes removal of contents easier and helps prevent food waste
- Molded-in capacity indicators are listed in both quarts and liters
- Textured non-slip finish on corners, sides, bottom and lid reduce scratches
- Smooth interior finish makes clean-up easy
- Food Pan sizes meet specifications for use in food bars and steam tables
- Pans meet EN 631-1 Euro Norm standards for inter-stacking with existing pans
- NSF Listed; dishwasher safe

CODE	DESCRIPTION - High Heat Amber	Pack Size	\$
30860HH13	StorPlus™ Food Pan Double Handle 1/3 Size 65mm	1	75
30861HH13	StorPlus™ Food Pan Double Handle 1/3 Size 102mm	1	85
30860H13	StorPlus™ Food Pan Single Handle 1/3 Size 65mm	1	73
30861H13	StorPlus™ Food Pan Single Handle 1/3 Size 102mm	1	83
30860HH13	StorPlus™ Food Pan Double Handle 1/3 Size 65mm	12	860
30861HH13	StorPlus™ Food Pan Double Handle 1/3 Size 102mm	12	975
30860H13	StorPlus™ Food Pan Single Handle 1/3 Size 65mm	12	840
30861H13	StorPlus™ Food Pan Single Handle 1/3 Size 102mm	12	955

CODE	DESCRIPTION - High Heat Amber	Pack Size	\$
10400B13	StorPlus™ Food Pan 1/1 Size 65mm deep	1	115
10401B13	StorPlus™ Food Pan 1/1 Size 100mm deep	1	142
10420B13	StorPlus™ Food Pan 1/2 Size 65mm deep	1	58
10421B13	StorPlus™ Food Pan 1/2 Size 100mm deep	1	76





Food Storage & Waste Management





CODE	DESCRIPTION	Pack Size	lmage	\$ EA
BIN2702	Ingredient Bin; Capacity 102 Litre; Colour White; Heavy duty non-marking castors. Lids slide for easy opening; 724L x 322W x 708Hmm	1		600.00
BIN3602	Ingredient Bin; Capacity 136 Litre; Colour White; Heavy duty non-marking castors. Lids slide for easy opening; 750 L x 390 W x 718Hmm	1		650.00
34201523	TrimLine™ Rectangle Waste Container; Capacity 57L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 508L x 267W x 629Hmm	1		96.00
34202323	TrimLine™ Rectangle Waste Container Capacity 87L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	1		129.00
34202303	TrimLine™ Rectangle Waste Container; Capacity 87L; Colour Black; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	1		129.00
36921003	"TrimLine™ Dolly Colour Black;To suit 34202303 / 34201523; 330W x 560Lmm with 76mm castors"	1		185.00
34202403	"TrimLine™ Rectangle Swing Top Waste Container Lid; Colour Black; 513L x 294W x 114Hmm"	1		90.00



Waste Management





CODE	DESCRIPTION	Pack Size	lmage	\$ EA
34103223	Bronco™ Grey Round Waste Bin; Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm REPLACEMENT CODE 84103203	1		82.00
34101023	Bronco [™] Grey Round Bin; Capacity 37L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 317mm x 432Hmm; Top dia 410mm; Top dia with handles 446mm	6		33.00
34102003	Bronco™ Black Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	6		60.00
34102023	Bronco™ Grey Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	6		60.00
34102123	Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour Grey; Dimensions: 508mm dia x 32Hmm	1		17.00
3691103	Bronco™ Round Waste Container Dolly; Suits Bronco™ Round Waste Bins; Simple twist-to- lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm	2		115.00

Material Handling - Trolley Service





CODE	DESCRIPTION	Pack Size	lmage	\$ EA
UC452523	Large Bin Top Utility Cart; Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Weight capacity per shelf 113kg; 76mm high "lip" prevents objects from falling during transit. 1143L x 685W x 838Hmm	1		690.00
UC194023	Flat Shelf Utility Cart; Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Weight capacity per shelf 113kg; 1026L x 483W x 830Hmm	1		530.00
JC1945L23	Long Platform Janitorial Cart; Colour Grey; 125L x 54W x 99Hmm; Versatile organisation; Rugged polyethylene; 68mm non-marking castors in front with 204mm non-marking wheels in the rear; Convenient waste collection.	1		560.00
SBC203103	Large Fold 'N Go® Cart; Colour Black; Unfolded dimensions 520W x 1016L x 1099Hmm; Collapses to 267W x 1016Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Weight capacity per shelf 53kg;	1		1600.00
SBC152103	Small Fold 'N Go® Cart; Colour Black; Unfolded dimensions 406W x 749L x 908Hmm; Collapses to 229W x 749Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Weight capacity per shelf 53kg;	1		1090.00



Cateraide™ Insulated Containers





CODE	DESCRIPTION	Pack Size	lmage	\$ EA
XT500003	Cateraide™ Insulated Beverage Server; Capacity 19L; Colour Black; Stain & scratch resistant polyethylene exterior; Temperature retention for 6-8 Hr; Max temp 82.2°C; Spout clearance 127mm; 430L x 267W x 654Hmm	1		550.00
IT40003	Cateraide™ IT End Loading Insulated Food Pan Carrier Colour Black; 676L x 460W x 740Hmm; Temperature retention for 6+ Hr; Capacity: 6 x Full size 65mm pans (12 x half size) OR 4 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pans	1		1090.00
IT41003	Cateraide™ Dolly to Suit IT40003 Pan Carrier; Colour Black; 76mm non-marking wheels; 676L x 473W x 245Hmm	1		440.00
PC600N03	Cateraide™ 2-Door Insulated Food Pan Carrier; Colour Black; 616L x 432W x 1270Hmm; Temperature retention for 6+ Hr; 127mm non-marking castors; Capacity: 10 x Full size 65mm pans (20 x half size) OR 6 x Full size 100mm pans (12 x half size) OR 4 x Full size 150mm pans (8 x half size) OR 1 x Full size 200mm pan	1		2390.00
PC300N03	Cateraide™ Insulated Front Loading Food Pan Carrier Colour Black; 616L x 432W x 641Hmm Temperature retention for 6+ Hr; Nylex Latches; Capacity: 5 x Full size 65mm pans (10 x half size) OR 3 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pan	1		990.00

Cateraide™ Insulated Containers





CODE	DESCRIPTION	Pack Size	lmage	\$ EA
PC66014	CaterCooler™ Exclusive CaterCooler; Colour: Blue; Designed to slide into a Cateraide™ Insulated Carriers (PC300N03, PC600N03) Once charged overnight, keeps food cold for up to 8 hrs	1		190.00
IC225003	Cateraide™ Ice Caddy on Castors; 56kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 711L x 565W x 730Hmm	1		1990.00
IC222003	Cateraide™ Ice Caddy on Castors; 90kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 781L x 559W x 927Hmm	1		1885.00
LD250N03	Cateraide™ LD Insulated Beverage Server; Colour Black; Capacity 9.5L; Keeps beverages hot or cold for up to 4-6 hours; Nylex II Latches; Dimensions 419L x 229 x 457Hmm	1		490.00
XDL3000 H03	Cateraide™ Dolly with Handle; Colour Black; 100mm heavy duty non-marking castors; Holds up to 2 XT3000R Pan Carriers when stacked; Holds all Cateraide™ Top Loader Pan Carriers except PC180N and PC188N. Dimensions 730L x 570W x 994Hmm	1		570.00



Color Coded Measure Misers®





Spread, Scoop & Serve Perfect Portions

With Color-Coded Measure Misers®, you can spread, scoop and serve perfect portions of food with ease and precision. Choose a solid cup bottom for thicker foods or a perforated bottom for dishing out juicy vegetables and other side dishes. Varying handle lengths lend themselves use in a variety of bin bins and pots—perfect for a busy catering environment or restaurant. Each miser color is dedicated to a certain size, so make food service quicker by dishing out precise portions with ease!



Benefits









Precise Portioning

Measured cup creates consistent proportions

Color-Coded

Color represents a specific measurement for convenient serving

Perforated & Solid Bottoms

Drain excess liquid from food and spread sauce with ease

Varying Handle Lengths

Tailor miser lengths to various food pan depths

CODE	DESCRIPTION - Measuring spoons	Pack Size	Capacity Colour	\$
492104	Measure Miser® Solid Short Handle	12	30ml Yellow	120.00
492304	Measure Miser® Perforated Short Handle	12	30ml Yellow	120.00
492201	Measure Miser® Solid Short Handle	12	45ml Brown	152.00
492405	Measure Miser® Solid Short Handle	12	60ml Red	180.00
496205	Measure Miser® Perforated Short Handle	12	60ml Red	180.00



Color Coded Measure Misers®





CODE	DESCRIPTION - Measuring spoons	Pack Size	Capacity Colour	\$
492602	Measure Miser® Solid Short Handle	12	90ml White	190.00
492808	Measure Miser® Solid Short Handle	12	120ml Forest Green	195.00
492908	Measure Miser® Perforated Short Handle	12	120ml Forest Green	195.00
493306	Measure Miser® Solid Short Handle	12	150ml Beige	210.00
496606	Measure Miser® Perforated Short Handle - WHILST STOCKS LAST	12	150ml Beige	210.00
493114	Measure Miser® Solid Short Handle	12	240ml Blue	248.00


CODE	DESCRIPTION - Measuring spoons	Pack Size	Capacity Colour	\$
396005	Measure Miser® Solid Long Handle	12	60ml Red	158.40
397002	Measure Miser® Solid Long Handle - WHILST STOCKS LAST	12	90ml White	165.60
398008	Measure Miser® Solid Long Handle	12	120ml Forest Green	195.00
399003	Measure Miser® Solid Long Handle	12	180ml Black	220.00
399103	Measure Miser® Perforated Long Handle - WHILST STOCKS LAST	12	180ml Black	220.00
399214	Measure Miser® Solid Long Handle	12	240ml Blue	245.00





OptiClean Dish Racks





Clean Rack, Clean Dishes

From the most fragile tableware to heavy-duty kitchen items such as utensils and cutlery, OptiClean Dish Racks offer the safest sanitary cleaning option. OptiClean Racks are engineered to flow. The honeycomb design ensures durability and the open wall ensures a free flow of water and soap. Wash, dry and hold with OptiClean Dish Racks.



Benefits



Honeycomb Design

Ensures durability, weight dispersion and the free flow of water and soap.



Rounded Edges

Discourages clinging food particles and releases dirty water



Secure Universal Stacking

Ensures a smooth transition to Carlisle washracks from other industry racks without



Comfort Curve Handles


Comfortable carrying on all four sides of rack

CODE	DESCRIPTION	Pack Size	\$ EA
RP14	OptiClean™ All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 63mm; Space between pegs 45mm	1	48.00
ROP14	OptiClean™ Open Side All-Purpose Peg Dish Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm	1	58.00
RTP14	OptiClean™ Open Bowl Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Space between pegs 45mm	1	49.00
RB14	OptiClean™ Open Bowl Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm	1	35.00



OptiClean Dish Racks





CODE	DESCRIPTION	Pack Size	\$ EA
RF14	OptiClean™ Flatware Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; 464mm compartment Tight enough to keep small items contained	1	37.00
RFP14	OptiClean™ Food Pan or Insulated-Meal-Delivery- Tray Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm;	1	155.00
RC20-114	OptiClean™ 20 Compartment Divided Rack with one open extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 110L x 87Wmm Open Tilted Design – Compartments hold cups in a tilted position, promoting even and thorough washing, drying and draining	1	49.00
RG25-114	OptiClean™ 25 Compartment Divided Rack with one 25 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 90L x 90Wmm	1	63.00
RG36-114	OptiClean™ 36 Compartment Divided Rack with one 36 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 74L x 74Wmm	1	63.00
RG49-114	"OptiClean™ 49 Compartment Divided Rack with one 49 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 60L x 60Wmm"	1	56.00
C32P214	"Perma-Sil™ 8-Compartment Dishwash Cutlery Storage Basket; Colour Blue; Open weave basket design for optimum air and water flow for efficient washing & drying; 433L x 197W x 175Hmm; Compartment 90L x 90Wmm"	1	55.00
RE2514	"OptiClean™ 25-Compartment Divided Rack Extender Colour Blue; 500L x 500W x 45Hmm; Compartment 90L x 90Wmm"	1	18.00
RE3614	"OptiClean™ 36-Compartment Divided Rack Extender Colour Blue; 500L x 500W x 45Hmm; Compartment 74L x 74Wmm"	1	18.00
C223614	"E-Z Glide™ Warewashing Rack Dolly Without Handle; Wt Capacity 150 kg; Holds any std 500mm racks; Colour Blue; 572L x 572W x 203Hmm"	1	280.00
C223703	E-Z Glide™ Handle for C223614; Colour Black; Material Steel	1	365.00
RDC07	"OptiClean™ Dust Cover for ware washing racks Colour – Clear; 533L x 533W x 914Hmm"	1	135.00





Two year parts and labour warranty

5 Reasons to choose Duke Hot Holding

- 1. Ultimate Holding Environment
- 2. Broad Menu Flexibilty
- 3. Intuitive Touchscreen
- 4. Recipe Management
- 5. Built-in Connectivity

Warranty: 2 year onsite parts and labour

CODE	DESCRIPTION	Pans	Lids	Amp	\$
RFHU-22-DL042GM	Duke hot hold cabinet, 2 high 2 wide, 65mm deep	4	Dedicated	10	9125
RFHU-22-DL044GM	Duke hot hold cabinet, 2 high 2 wide, 100mm deep	4	Dedicated	10	10015
RFHU-23-FL034GM	Duke hot hold cabinet, 2 high, 3 wide, 100mm deep	6	Flexi	10	11340
RFHU-24-FL042GM	Duke hot hold cabinet, 2 high, 4 wide, 65mm deep	8	Flexi	10	12000
RFHU-24-DL082GM	Duke hot hold cabinet, 2 high, 4 wide, 65mm deep	8	Dedicated	10	12000
RFHU-24-FL044GM	Duke hot hold cabinet, 2 high, 4 wide, 100mm deep	8	Flexi	10	13335
RFHU-24-DL084GM	Duke hot hold cabinet, 2 high, 4wide, 100mm deep	8	Dedicated	10	13335
RFHU-32-FL034GM	Duke hot hold cabinet, 3 high, 2 wide, 100mm deep	6	Flexible	10	13335

Order pans separately

PANS FOR USE IN CABINETS - save \$\$ with the 12 pack

CODE	DESCRIPTION	\$ each	\$ 12 pack
30860HH13	Double Handled Amber Pans, 1/3 size, 64mm	75	860
30860H13	Single Handled Amber Pans, 1/3 size, 64mm	73	840
10420B13	Half Size Amber Pan, 1/2 size, 64mm	58	4
10400B13	Full Size Amber Pan, full size, 64mm	115	-

CODE	DESCRIPTION	\$ each	\$ 12 pack
30861HH13	Double Handled Amber Pans, 1/3 size, 102mm	85	975
30861H13	Single Handled Amber Pans, 1/3 size, 102mm	83	955
10421B13	Half Size Amber Pan, 1/2 size, 102mm	76	. 16
10401B13	Full Size Amber Pan, full size, 102mm	142	-



Double Handle Pan for pass-through operations






Two year parts and labour warranty

The Duke ReadyFlex[™] Hot Holding Cabinets delivers outstanding food quality. The food is always hot, fresh and ready to serve where and when you need it. Change your recipes and hold configurations from breakfast to lunch to dinner with easy to learn touchscreens. The built in Wi-Fi, Ethernet and Bluetooth connectivity means ReadyFlex is ready to connect through the Duke Connected Equipment Platform. Speak with the sales team about all the options and features available.


Standard Size



A configuration to fit any space!

No matter what size space you have and what volume of food you need to maintain, there is a ReadyFlex configuration for you. ReadyFlex is stackable and easy to fit into your lineup.








Two year parts and labour warranty

NEW configeration options







Two year parts and labour warranty

Accessories

#1092-0569K

Stainless Steel RFHU Solid Lid w/o pan guide (Flexible Unit)

LIST PRICE EA

120



#1092-0571K

Stainless Steel RFHU Ventid Lid w/o pan guide (Flexible Unit)

LIST PRICE EA

150



#3087013

Plastic 1/3 size trivet Fried Product

LIST PRICE EA

28



#165844

Half Size Pan Carrier

LIST PRICE EA

81



#1092-0570K

Stainless Steel RFHU Solid Lid w pan guide (Flexible Unit)

LIST PRICE EA

125



#1092-0572K

Stainless Steel RFHU Ventid Lid w pan guide (Flexible Unit)

LIST PRICE EA

165



#1043513

Plastic 1/2 size trivet Fried Product

LIST PRICE EA

36

208



#158368

Full Size Pan Trivet

LIST PRICE EA

#1092-0568

Stainless Steel RFHU Cover Fixed (Dedicated Unit)

LIST PRICE EA

105



#217514

Stainless Steel 1/3 size trivet Fried Product

LIST PRICE EA

36









DYNAMIC

A NEW **DYNAMIC**® WAY TO PREPARE FOOD

Since creating the commercial mixer in 1964, Dynamic has continued to develop and create an entire range of culinary preparation devices, used in professional kitchens throughout the world.

Knowledge and experience have brought great notoriety to our company. As well as being the specialist producer of commercial mixers,

DYNAMIC is also the manual salad spinners creator and offers a large range of manual food cutters.

French manufacturer, we have total control over all aspects of production which guarantee reliable, robust and high quality products.



PROFESSIONAL SERIES DYNAMIX®

ESPECIALLY DESIGNED FOR SMALL PREPARATIONS, SAUCES AND EMULSIONS. DYNAMIX®



ACCESSORIES

Accessories available separately.







Whisk Dynamix® 600 / 2 500

70 / 300 DYN-AC516

DYN-AC517

LIST PRICE

Speed R.P.M.

Item code

\$335

\$500

Designation

Dynamix® MX050

_ /	
Knife	2 Blades
Output	220 W
Total length	395 mm
Shaft length	160 mm
Bell diameter	55 mm
Diameter	70 mm
Weight / Packaged	1 Kg / 1,2 Kg
Speed R.P.M.	3 000 / 13 000
Item code	DMX160

Designation

Dynamix® MX090

Knife	4 Blades
Output	250 W
Total length	425 mm
Shaft length	190 mm
Bell diameter	66 mm
Diameter	70 mm
Weight / Packaged	1 Kg / 1,5 Kg
Speed R.P.M.	3 000 / 13 000
Item code	DMX190



\$485

LIST PRICE

\$595














Designation **Cutter Bowl Dynamix®**

Designation **Blender Dynamix®**

Speed R.P.M. Item code

600 / 2 500 DYN-AC518 3 000 / 13 000 DYN-AC560

LIST PRICE

\$485

\$380

PROFESSIONAL SERIES JUNIOR



CONVENIENCE

Wall support included Item code 089959





THE LIGHTEST MIXER ON THE MARKET IN ITS CATEGORY.

Designation **MX020**

Knife	2 Blades
Output	270 W
Total length	505 mm
Shaft length	225 mm
Diameter	94 mm
Weight / Packaged	1,7 Kg / 2 Kg
Speed R.P.M.	12 000
Item code	MX225

LIST PRICE \$830



Monoblock Removable bell E

225

25 L





Designation MX021

Knife	2 Blades
Output	270 W
Total length	505 mm
Shaft length	225 mm
Diameter	94 mm
Weight / Packaged	1,7 Kg / 2 Kg
Speed R.P.M.	12 000
Item code	DMX225

LIST PRICE \$1070



Designation **MX024**

Knife	2 Blades
Output	270 W
Total length	580 mm
Shaft length	300 mm
Diameter	94 mm
Weight / Packaged	1,9 Kg / 2.2 Kg
Speed R.P.M.	12 000
Item code	DMX300

LIST PRICE \$1185



ACCESSORIES

Accessories available separately.













Designation Whisk Junior

600 / 2 500 DYN-AC102

EXCLUSIVE PRODUCT 200 mm

Designation **Ricer tool Junior** 70 / 300 DYN-AC103

Reverse sharpened blades

> Designation **Cutter Bowl Junior**

600 / 2 500 DYN-AC104

\$530

LIST PRICE \$565

Speed R.P.M.


Item code

\$580

CONVENIENCE

Wall support included Item code 0880.1





Designation **Blender Junior** 3 000 / 12 000 DYN-AC066


LIST PRICE \$445






SENIOR

350 W 20 / 40 L



CONVENIENCE







AN EXCELLENT CHOICE FOR TRADITIONAL AND COLLECTIVE CATERING.

Designation **MX016**

Knife	3 Blades
Output	350 W
Total length	740 mm
Shaft length	400 mm
Diameter	97 mm
Weight / Packaged	2,5 Kg / 2,9 Kg
Speed R.P.M.	9 500
Item code	DMX400

LIST PRICE \$1480









QUICK ASSEMBLY

DETACHABLE

Cleans



Variable speed

400 mm





Stainless steel perforated grid and blade can easily be dismantled for cleaning.



Designation **Ricer tool Senior** 100 / 600 DYN-AC004

\$1230



LIST PRICE \$635



DYN-AC007

Designation **Cutter Bowl inox Senior**400 / 1 500

DYN-AC055

LIST PRICE

\$1265

MASTER

600 W 40 / 100 L







410 mm









CONVENIENCE

Wall support included Item code 0881



Knife	3 Blades
Output	600 W
Total length	720 mm
Shaft length	410 mm
Diameter	122 mm
Weight / Packaged	3,7 Kg / 4,1 Kg
Speed R.P.M.	9 500
Item code	DMX410C





Designation **MX005.V**

Knife	3 Blades
Output	600 W
Total length	715 mm
Shaft length	410 mm
Diameter	110 mm
Weight / Packaged	3,4 Kg / 3,8 Kg
Speed R.P.M.	9 500
Item code	MX91-410

LIST PRICE

\$1650

\$1600



MASTER

Designation **MX160**

Knife	3 Blades
Output	600 W
Total length	628 mm
Shaft length	300 mm
Diameter	122 mm
Weight / Packaged	3.7 Kg / 4 Kg
Speed R.P.M.	9 500
Item code	DMX300 CC

Detachable

NEW BRATT PAN MODEL

LIST PRICE \$1620



Designation **MX012**

Knife	3 Blades
Output	600 W
Total length	810 mm
Shaft length	500 mm
Diameter	122 mm
Weight / Packaged	3.9 Kg / 4.3 Kg
Speed R.P.M.	9 500
Item code	DMX500

Detachable





DETACHABLE

ACCESSORIES

Accessories available separately.

EQUIPMENT





Designation **Whisk Master** 300 / 900 DYN-AC003

Stainless steel perforated grid and blade can easily be dismantled for cleaning. **EXCLUSIVE PRODUCT** 420 mm

Designation **Ricer tool Master** 100 / 600

DYN-AC004



Designation **Blender Master**

DYN-AC070

LIST PRICE \$690 \$1230 \$880

Speed R.P.M.

Item code

ACCESSORIES

Accessories available separately.













Designation

Cutter Bowl Master

A selection of knives (standard or serrated)

 Speed R.P.M.
 400 / 1500

 Item code
 DYN-AC055

LIST PRICE \$1265




FULLY REMOVABLE MIXER FOOT AND BELL

For easy cleaning, maintenance and perfect hygiene. All stainless steel for increased durability of your attachment. Dishwasher proof.

This DYNAMIC exclusive system complies with HACCP requirements.





\$1210



LIST PRICE

\$1265


DYN-AC201

\$1300



SMX

MONOBLOCK / DETACHABLE EQUIPMENT 850 / 1000 W 75 / 300 L



Designation **MX002T**


MACOZI	
Knife	3 Blades
Output	850 W
Total length	800 mm
Shaft length	530 mm
Diameter	125 mm
Weight / Packaged	6,1 Kg / 7,7 Kg
Speed R.P.M.	11 000
Item code	SMX600T

LIST PRICE \$2450

- Performance: Special tool for a smooth mix.
- Robustness: Stainless steel foot.
- Hygiene: Completely removable foot and bell without tools. Tube and bell 100% stainless steel for easy cleaning.
- Comfort: Easy use thanks to its support.
- Safety: Unlocking safety feature.
- Output: New motorisation for a better output.

SMX SERIES

Special production kitchens and intensive use.







Designation **MX040T**

Knife	3 Blades
Output	925 W
Total length	870 mm
Shaft length	600 mm
Diameter	125 mm
Weight / Packaged	6,5 Kg / 8,0 Kg
Speed R.P.M.	11 000
Item code	SMX700T

Designation **MX001T**

Knife	3 Blades
Output	1000 W
Total length	960 mm
Shaft length	680 mm
Diameter	125 mm
Weight / Packaged	6,7 Kg / 8,2 Kg
Speed R.P.M.	11 000
Item code	SMX800T

Designation MX150T

Hammer	3 Blades
Output	1000 W
Total length	609 mm
Shaft length	300 mm
Diameter	125 mm
Weight / Packaged	5.9 Kg / 8.0 Kg
Speed R.P.M.	11 000
Item code	SMX300CC

LIST PRICE \$3030 \$3340 \$3650



SMX

ACCESSORIES

Accessories available separately.





CONVENIENCE

Wall support included Item code 0862



Designation

Blender SMX

Turbo

DYN-AC072T

LIST PRICE \$1150

ACCESSORIES

OUR SUPPORTS

MASTER SERIES SMX SERIES

SAY STOP TO MUSCULOSKELETAL DISORDERS

with this hook allowing enhanced manoeuvrability of your large mixers. This hook support is placed directly on the rim of the pot.

The SM020 Mixer hook support is standardly supplied for each detachable version MASTER & SMX SERIES.





Weight	1,9 Kg	2,3 Kg	2,6 Kg	2,8 Kg	3,2 Kg	
Diameter of the pot*	400 mm	600 mm	800 mm	1000 mm	1200 mm	
Item code DYN:	SM001	SM002	SM003	SM004	SM005	* Maximum diameter of the pot
LIST PRICE	\$630	\$670	\$680	\$690	\$700	



SALAD SPINNERS

MANUAL & ELECTRIC 5 / 20 L

ADVANTAGES

- Hygiene: Anti-bacterial incorporated, complies with HACCP requirements.
- Comfort: 100% watertight to avoid water leakage.
- Performance: Intensive use.
- Robustness: Gear with a stainless steel pin incorporated.





E10 Manual*	E20 Manual*	E20 SC Manual* Sealed cover	EM98 Electric
330 mm	430 mm	430 mm	430 mm
420 mm	500 mm	500 mm	630 mm
-	-	-	200W
-	-	-	500
2 - 3 lettuce heads	3 - 5 lettuce heads	3 - 5 lettuce heads	3 - 5 lettuce heads
2,4 Kg / 3,0 Kg	3,6 Kg / 4,8 Kg	3,6 Kg / 4,8 Kg	8,3 Kg / 10 Kg
E001	E002	E004	E003

LIST PRICE E10 \$315 E20 \$355 E20 SC \$420 EM98 \$1250



Base with suction pads For enhanced stability. (only for E20 models).



LIST PRICE \$150	(DYN-AC019)
Designation	Item code
Stabilising base E20 & E20 SC	DYN-AC019
Set of gears for both E10 - E20	2815.1
Set of gears E20 SC	2815.2





TURBO LIQUIDISER

Designation

GIGAMIX TB002

Mixer attachment only 270 mm Speed R.P.M. 4000

Voltage* 400 V, 3-phased + neutral, 50 Hz

Power 2,1 Kw

Min working height 500 mm

Max Working Height. 790mm = amplitude height 290mm

Overall Dimensions 950 x 600 x 1700

Extended 1700 x 600 x 1200mm

Weight 79kg

LIST PRICE \$27600

The Super Mixer for large capacity applications. The Gigamix is designed for high volume, heavy duty mixing duties. Stainless steel construction offers many years of hygienic, uninterrupted food preparation.

Constructed with heavy duty locking casters and tilting mechanism that allows for easy transport, safe and secure operation and convenient space saving storage.

- Distance between frame and mixer tube assembly: 800mm
- Distance between bottom of mixer head and floor: minimum 500mm & maximum 790mm





Safe secure locking mechanism and castors

ATTACHMENTS/ACCESSORIES

Choose from the following options to tailor the Gigamix to your operation:

TB004 EMULSIFIER / BLENDER ATTACHMENT

The patented Dynamic Blender is the ultimate solution for super smooth blending.

The unique "crushing hammer' process enables superior smoothness and finer textures.

Processed product has a longer shelf life with reduced separation.

LIST PRICE \$4730

TB030 DYNA PUMP PUMP-OUT ACCESSORY

This exclusive attachment allows for fast, easy transfer of product directly to packaging or other containers. Fits easily to the blender attachment for a seamless processing solution.

LIST PRICE \$3500

MECHANISM

ENHANCES OPERATIONAL EASE AND PROVIDES A

ADVANTAGES

- Comfort: Enhanced maneuverability thanks to the brake wheels.
- Versatility: Various accessories.
- Usability: Easy storage.
- Hygiene: 100% stainless steel for easy cleaning.
- Output: Powerful motor of 2,2 KW.
- Performance: time saving and maximum operating speed













MANUAL & ELECTRIC CAN OPENERS

Edlund are the industry leaders in quality, reliable can opening solutions and produce a wide range to suit any work load. Made tough with quality components, yet easy and safe to operate.

▶ Quality manufactured in USA ▶ Parts remove easily for replacement and cleaning ▶ Edlund blades are reversible for longer life ▶ Knife edges are intentionally dull and rounded to fold metal not cut it, thereby providing a smooth rim edge for greater safety.

MODEL 1

Nickel plated opener and sturdy base with standard length bar, suitable for cans up to 280mm tall.

4 cans per minute.

Recommended daily use up to 15 cans.

Overall Height: 530mm Weight packed: 8.1Kgs

LIST PRICE EA. \$480







ELECTRIC CAN OPENERS

► Effortless electric operation to eliminate fatigue ► Spring-loaded mechanism opens even dented cans ► Replaceable knife and gear provide long life ► Sleek stainless steel construction provides durable operation and easy cleaning.

266

Single Speed Electric Can Opener

4-7 cans per minute.

Recommended daily use up to 75 cans.

Most suitable for size #10 cans.

Dimensions: 111Wmm x 178Dmm x 305Hmm

Weight: 5.57Kgs

Electrical: 120W 0.5A Supplied with 10 amp plug.

LIST PRICE EA. \$2780







CROWN PUNCH CAN OPENERS – PNEUMATIC

610

Unit complete with knife and guard ring locator for one standard size #10 round can.

All stainless steel including mechanism.

8-12 cans per minute.

Recommended daily use up to 400 cans.

(Note: Compressor not included).

LIST PRICE EA. \$17980











SANITATION & STORAGE

The patented KSUV-18 Knife Sterilizer Cabinet provides superior sterilization compared to other methods or products using magnetic bars or metal racks to secure the knives. The exclusive non-filtering clear slotted knife holder and special mirrored interior walls eliminate shadows on knife surfaces within the cabinet that could prevent complete sterilization. The easy to operate mechanical timer can be set for up to 15 minutes, but the KSUV-18 will safely sterilize your knifes in as little as 3 minutes with 99% efficacy**. It's like a SPF-99 (Sterilization Protection Factor) for your knives.



*Note: Knives not included

- 15 minute belled timer
- Holds up to 12 knives plus steel*
- Stainless steel construction
- LED lights indicate when door is closed and sterilization is in process
- UV filtered plexiglass door with lockable keyed handle
- Exclusive non UV filtering slotted knife holder
- 2 Larger slots to accommodate cleavers
- Safety interlock door

CODE	W X D X Hmm	KG	\$
KSUV-18	483 x 150 x 610	13.7	4280

CONTACT US FOR OTHER ITEMS AVAILABLE IN THE RANGE



Heavy Duty Crown Punch Can Openers

Can Crushers - Electric (pictured), air powered and manual available



From one of Italy's leading design and manufacturing facilities comes this remarkable quality range of equipment with excellent performance, leading edge style and design.



ELEGANCE DROP-IN REFRIGERATED WELLS

Standard features include refrigerated cross-flow cold air wells with adjustable air flow velocity to suit even delicate foods, and height adjustable between 30 to 150mm deep.

Convenient lift-up evaporator for easy cleaning. Digital control system for adjusting temperature and automatic defrosting. Well Temperature +2°C to +5°C. Supplied with R290 gas and designed to work in up to 43°C ambient temperature



FULLY INTEGRATED MODELS							
MODEL	SIZE	WELL SIZE	No PANS	AMPS	WATTS	\$	
8046500THC	800mmL x 700mmD	650L x 510D x 30/150mmH	2GN1/1	2	500	8750	
8046501THC	1125mmL x 700mmD	980L x 510D x 30/150mmH	3GN1/1	3	700	9400	
8046502THC	1455mmL x 700mmD	1310L x 510D x 30/150mmH	4GN1/1	4	900	9950	
8046503THC	1780mmL x 700mmD	1630L x 510D x 30/150mmH	5GN 1/1	5	1100	11950	
8046580THC	2105mmL x 700mmD	1960L x 510D x 30/150mmH	6GN 1/1	6	1300	16550	
8046499	Evaporator Tray	To suit all models				415	

REMOTE MODELS AVAILABLE - Contact your representative

All the above supplied with 10amp plug. Units require a drain/tundish/heated evaporator tray.

DROP-IN HEATED CERAMIC GLASS HOTPLATE

These Italian Hotplates are engineered to keep warm food at the correct temperature in trays, pans or earthenware dishes.

The Ceran hotplate is flush-mounted into the stainless steel top for durability and easier cleaning.

Maximum operating surface temperature of 120°C is adjustable and controlled via a digital controller. Careful design and placement of the silicon heating blanket gives even heat across the ceramic glass hot plate, with faster warm up and better economy.



All Drop-in
units can be
units can be
fitted with optional
fitted with, in light or
gantries, in light or
gantries, in other
heat models with
heat models with
single or twosided glass.

MODEL	DIMENSIONS	ТОР	No PANS	AMPS	WATTS	\$
8046400	800mmL x 700mmD	650Lx510D (single glass)	2GN 1/1	5	1200	3550
8046401	1125mmL x 700mmD	960Lx510D (single glass)	3GN 1/1	8	1800	4220
8046402	1455mmL x 700mmD	1300Lx510D (double glass)	4GN 1/1	10	2400	4620
8046403	1780mmL x 700mmD	1610Lx510D (double glass)	5GN 1/1	12.5	3000	6170



GBG GRANITIME GRANITA MACHINES





Granitime

The simplicity you need in a small space

The compact machine. Perfect for any type of business where simplicity, durability and professional performance is the most important thing.



Speed Up Service

Fast freeze technology that cuts down preparation times. Ideal for fast turnover in slush sales.



Stainless Steel

Robust and elegant appearance guaranteeing many years of service.



Reduce Operation time

Clean the P&P tap in one piece. Easy bowl Sealing.



Various types of drinks

Slush drinks, cold drinks, sorbets, frozen cocktails and other refreshing drinks.



- 1) PRACTICAL AND COMPACT DESIGN
- 2 TEMPERATURE DISPLAY
- (3) **ADJUSTABLE** CONSISTENCY
 - STANDBY MODE TO SAVE ENERGY

CODE	W X D X Hmm	KG	POWER REQUIREMENTS	WATTS	CAPACITY	\$
GRANITIME 1	210 x 500 x 900	30	10amp	800	1 x 12ltr bowl	3595
GRANITIME 2	420 x 500 x 900	55	10amp	1000	2 x 12ltr bowl	5295
GRANITIME 3	620 x 500 x 900	70	10amp	1200	3 x 12ltr bowl	7430








BY GBG

V-AIR by GBG









Cyclic

Reverse

LARGE Tank capacity

System **HOT Gas**

- Designed for better use of space
- **Automatic modes**
- Easy access filter
- Illuminated tanks (12 colours)
- Faucet with bayonet system
- Quick and easy cleaning

Just 215mm width

CODE	W X D X Hmm	KG	POWER	WATTS	CAPACITY	\$
SMART PLUS 1	215 x 600 x 850	25	10amp	350	1 x 15ltr bowl	5995
SMART PLUS 2	430 x 600 x 850	50	10amp	700	2 x 15ltr bowl	8995
SMART PLUS 3	650 x 600 x 850	70	10amp	1200	3 x 15ltr bowl	11995

V-DREAM

Sherbet Slush Sorbet Drinks Frozen Milkshakes Frapuccinos Cream Cocktails



MODEL	W X D X Hmm	KG	POWER	WATTS	CAPACITY	\$
V-DREAM	400 x 770 x 830	99	10amp	max 2000	18L Hopper & 7L Cylinder	25550

- Refrigerated hopper
- Product ready in less than 20 minutes*
- Direct drive cylinder mixer motor
- Brushless hopper mixer motor
- Modulated fan
- Multilanguage display
- Easy-to-remove filter









DRINK MAGIC

Refrigerated drink dispenser suitable for dairy products



Mix & Quality

Its continuous rotary system keeps the product well mixed and consistently blended for the best cold drink experience.



Push & Flow Tap

You can serve your drinks with only one hand, just press the glass against the tap to get the drink. It features high level of hygiene and simple to dismantle and clean.



Enhanced Cleaning Process

Features an easy bowl release system that, without the need for any tools, decreases time spent during assembly and disassembly process.



Easy to Cold

Easy to use two-switch control panel. There is a mixer switch and cooling switch, simply flipping up these two switches starts the mixer motor and begins the cooling process.



Durable Design

Made of hard and resistant plastic, ensures long life cycle in your premises. The plastic parts won't rust like metal drink dispensers, keeping its professional appearance.



Right Temperature, Boost Flavour

For most people, right temperature can enhance flavours. It is equipped with a digital temperature control that allows to adjust the cooling temperature between 0°C - 10°C



Crystal Clear Bowls

The unit features durable, crystal clear poly-carbonate bowls. Maximise the visibility while minimizes the risk of breakage ensuring many years of use.



MODEL	DRINK MAGIC 20-1					
BOWL CAPICITY	400 x 770 x 830					
NET WEIGHT	16.6KG					
POWER REQUIREMENTS	10AMP					
WATTS	160					
TEMP CONTROL	ADJUSTABLE					
CAPCITY	1 x 20ltr bowl					
LIST PRICE	2100					







WHITTY'S FLAVOURED SYRUPS

Premium ice frozen sugar base and natural fruit base flavoured syrups, for all GBG machines.

PRODUCT	DESCRIPTION	CODE	FLAVOUR	PREPERATION	PACKAGING	RETAIL
	Premium Ice Frozen Sugar Base Beverage	WT-001	Raspberry	1 litre of concentrate to 4 litres of water	Each carton: 3 x 2L Bottles	48 per carton
		WT-002	Blue Lemonade			
		WT-003	Cola			
		WT-004	Tropical Punch			
		WT-005	Pine Lime			

PRODUCT	DESCRIPTION	CODE	FLAVOUR	PREPERATION	PACKAGING	RETAIL
	Fruit Base Beverage	WTN-001	Raspberry			100 per carton
		WTN-002	Wildberry			
		WTN-003	Blueberry	1 litre of concentrate to 4 litres of water	Each carton: 3 x 2L Bottles	
Slusha	All Natural Colours & Flavours	WTN-004	Pine Lime			
	FOCIS approved	WTN-005	Fruit Punch			
		WTN-006	Fruitola			
		WTN-008	Mango			







GENERAL FOOD EQUIPMENT - MICROWAVE

Designed for light to medium duty use in coffee shops, pizzerias, sandwich shops, self service areas, lunch break rooms, student lounges and more. Complete cooking and reheating of foods utilising up to 1000 watts of power with programmable 2 stage cooking.

GEW1050E

- 1000 Watts Cooking Power
- · All Stainless steel exterior and interior
- 10 Power Levels
- · Audible alarm when timed cycle is complete
- · Large easy grip polished handle
- Reinforced flexible door latches to reduce breakage
- Electronic touch sensitive pad for programming, 2 stage cooking and digital time display,
- Double or Triple quantity Function
- · 28.3 Litres Internal Capacity
- 10 programs, ½ GN size
- 508W x 356D x 305Hmm External Dimensions
- 327W x 330D x 195Hmm Internal Dimensions
- 17Kg net/ 19Kg packed
- 6.3A (1500W). Supplied with 10A plug









Since 1950, Hatco has been a leader in creating innovative ideas for the foodservice industry: bold innovations in equipment that improves efficiency, reliability and profits. Products are designed and built to handle the rugged demands of today's foodservice operations. Hatco is a company dedicated to exceptional customer service and quality engineered equipment offering maximum performance.

TALK TO THE TEAM ABOUT THE COMPLETE RANGE AVAILABLE

Booster Water Heaters

Built-In Heated Shelves

Built-In Warmers

Carving Stations

Cold Shelves

Cold Wells

Decorative Lamps

Display Lights

Drawer Warmers

Frost Tops

Fry Stations

Heated Shelves

Heated Wells

Holding and Display

Cabinets

Hot/Cold Shelves

Ice Wells

Induction

Light Cooking Equipment

Merchandising Warmers

Nacho Chip Warmers

Pizza Warmers

Portable Warmers

Refrigerated Wells

Rethermalizers

Sanitizing Sink Heaters

Snack System

Soup Stations

Strip Heaters

Toasters

Innovative Solutions in Foodservice Equipment





Hatco, the world's leaders in food warming and holding technology, continue to lead the way with high quality, reliable and aesthetically correct Decorative Heat Lamps. With 21 shade styles, 24 colour and finish options, plus a choice of 4 mounting style and 3 switch options, there will be a model to suit your project or restaurant perfectly. Hatco Decorative Heat Lamps are perfect for enhancing your food pass/servery. Choose the lamps that the experts choose.

DECORATIVE HEAT LAMPS - IN STOCK - all others to order

DL-600-CL/BCOPPER

Hatco Decorative Heat Lamp Features flexible cord mount to canopy. Overall length is 1829mm. (Longer length available on application).

Black cord standard.

Switch on lamp housing

Bright Copper plated finish.

Supplied unplugged

\$1170 LIST PRICE EA.



DL-400-CL/BOLD BLACK

Hatco Decorative Lamp Features flexible cord mount to canopy. Overall length is1829mm (Longer length available on application). Black cord standard.

Switch on lamp housing.

Bold Black finish. Supplied unplugged

\$850 LIST PRICE EA.



DL-500-RL-CH/BK

Hatco Retractable Decorative Heat Lamp Features a cord which adjusts the lamp up and down from 787 mm to 1765 mm.

Black cord is standard.

Switch on lamp housing.

Glossy grey finish.

Supplied unplugged

\$1390 LIST PRICE EA.



DL-775-RPL-BN/BK

Hatco **Retractable** Decorative Heat Lamp Features a cord which adjusts the lamp up and down from 787 mm to 1765 mm.

Black cord is standard.

Switch on lamp housing.

Bright Nickel finish.

Supplied unplugged

\$1720 LIST PRICE EA.



DL-500-CL-CH/BK

Hatco Decorative Lamp Features flexible cord mount to canopy. Overall length is 1829mm (Longer length available on application).

Black cord standard.

Switch on lamp housing.

Glossy grey finish.

Supplied unplugged

\$850 LIST PRICE EA.



DL-750-RL/BOLD BLACK

Hatco **Retractable** Decorative Heat Lamp Features a cord which adjusts the lamp up and down from 787 mm to 1765 mm.

Black cord is standard.

Switch on lamp housing.

Bold Black finish.

Supplied unplugged

LIST PRICE EA.

\$1465



All lamps supplied with 250watt Food Grade Teflon-coated heat lamp to meet Australian Food Standard regulations. (Spare Part N02.30.100.00)

Recommended height is no more than 350mm from target surface from underside of lamp.







NEW RETRACTABLE CORD MOUNT - DL-750-RCL/BOLD BLACK

DL-750-RCL-BOLD BLACK

Features a cord which adjusts the lamp up and down from 610 mm to 1829 mm.

Black cord is standard.

Switch on lamp housing.

Bold Black finish.

Supplied unplugged


LIST PRICE EA. \$1995

Smooth operation and improved reliability
Easier cleaning
AVAILABLE DECEMBER 2024



NEW RETRACTABLE CORD MOUNT - SPECIAL ORDER OPTIONS

1 SELECT SHADE STYLE





Black

Gloss Bold Black


Gloss Bold Black

Gloss Bold Black

Rold Black

3 NEW MOUNTING TYPE

RC Mount[⊗] Retractable Cord Mount.



4 SELECT SWITCH LOCATION

(N)-None Supplied by installer

(L)-Lower Switch (Horizontal toggle) Not available on:

• DLH (High Watt

- DLH (High Watt models)
- 2X00 shade styles











HOW TO ORDER NON STOCK LAMPS - Contact us for a quote

1 SELECT SHADE STYLE



NOTE DL-2100, -2200, 2300 or 2400

- Not available with: · Lower switch
- R or RT Mounting
- RC or RCT Mounting · C or CT Mounting




2 SELECT COLOUR/FINISH

Hatco is proud to introduce IFS antimicrobial powder coatings to the paint process for designer colours and gloss finishes - fighting germs to keep customers happy, healthy and Safe.

IFS antimicrobial coatings use naturally-occurring, environmentally sustainable, silver ions to help inhibit the growth of microbes on the powder coated surface.

DESIGNER COLORS



GLOSS FINISHES



PLATED FINISHES



Shade color/finishes available for DL-1500 only



Designer Black/ Antique Copper/ Black



Plated Bright Nickel/

Gloss Bold Black

Gloss Bold Black/



Gloss Bold Black


different option for the rest of the unit



Radiant Red/ **Bold Black**


3 SELECT MOUNTING TYPE

C Mount[⊗] **Cord Mount** to canopy.




R Mount[⊗] Coiled Retractable

Cord Mount.




RC Mount[⊗]

Retractable Cord Mount.




S Mount[∅] Rigid Stem

Mount to canopy.



AS Mount[∅]

At install only, limited height adjustments with Rigid Stem Mount to canopy.



4 SELECT SWITCH LOCATION

(N)-None

Supplied by installer

(L)-Lower Switch (Horizontal toggle)

Not available on: • DLH (High Watt models)

2X00 shade styles

4.875" (124 mm)



(U)-Upper Switch Not available on:

DLH (High Watt models)

• R. RC Mounts

Track Mounts (CT, RT, RCT, ST, AST)



Gloss Bold Black





GLO-MAX® GM5AH CURVED INFRARED STRIP HEATERS

This stylish, patented design, based on our signature Glo-Max® strip heaters, is the perfect solution for your front-of-the-house applications. Superb for buffet and serving lines, the sleek curved design minimizes its size while accenting and warming the products below. GM5AHL, with versatile LED lighting options, provides perfect coloring and coverage while lowering energy costs.

CODE	VOLTAGE	WATTS	AMPS	DIMENSIONS	WEIGHT	\$
GM5AH-30	230 ~ 240	606 ~ 660	2.8	762W x 150D x 50Umm	5Kg	710
GM5AHL-30	230 ~ 240	606 ~ 660	2.8	762W x 150D x 50Hmm	6Kg	1125
GM5AH-36	230 ~ 240	735 ~ 800	3.3	915W x 150D x 50Hmm	6Kg	760
GM5AHL-36	230 ~ 240	756 ~ 812	3.4	915W X 150D X 50HIIIII	6Kg	1230
GM5AH-42	230 ~ 240	872 ~ 950	4.0	1067W x 150D x 50Hmm	7Kg	795
GM5AHL-42	230 ~ 240	885 ~ 964	4.0	1007W X 150D X 50HIIIII	7Kg	1340
GM5AH-48	230 ~ 240	1010~1100	4.6	1220W x 150D x 50Hmm	7Kg	845
GM5AHL-48	230 ~ 240	1025~1116	4.7	1220W X 150D X 50HIIIII	8Kg	1465
GM5AH-54	230 ~ 240	1148 ~ 1250	5.2	1372W x 150D x 50Hmm	8Kg	890
GM5AHL-54	230 ~ 240	1163 ~ 1267	5.3	137200 x 1500 x 501111111	8Kg	1590
GM5AH-66	230 ~ 240	1433 ~ 1560	6.5	1675W x 150D x 50Hmm	9Kg	1035
GM5AHL-66	230 ~ 240	1450 ~ 1579	6.6	1075W X 150D X 50HIIIII	10Kg	1660
GM5AH-78	230 ~ 240	1736 ~ 1890	7.9	1981W x 150D x 50Hmm	10Kg	1205
GM5AHL-78	230 ~ 240	1754 ~ 1910	8.0	1901W X 150D X 50HIIIII	11Kg	2220







Shown on optional stand (NTL5-16)


Clear anodized is the standard housing color

Angle brackets are standard, non-adjustable tubular stands, 406 mm (16"), are an optional extra Warm LED light (3000K)

Power wire lead length is 1524 mm







SCALE 1.000 DETAIL B





GLO-MAX® HLC5 LED CURVED DISPLAY LIGHTS

A stylish choice for illuminating your serving area. The HLC5 LED Display Light offers the highest light output that is ideal for illuminating food products with a cool white light (4000K). The sleek, curved design is patented and the LED lighting delivers significant savings with lower energy consumption and greater reliability.

CODE	VOLTAGE	WATTS	AMPS	WEIGHT	DIMENSIONS	\$
HLC5-30	220 ~ 240	11	0.05	4kg	762 x 150 x 50 mm	860
HLC5-36	220 ~ 240	14	0.06	4kg	915 x 150 x 50 mm	895
HLC5-42	220 ~ 240	15~16	0.07	5kg	1067 x 150 x 50 mm	940
HLC5-48	220 ~ 240	17	0.08	6kg	1220 x 150 x 50 mm	975
HLC5-54	220 ~ 240	19	0.08	7kg	1372 x 150 x 50 mm	1070
HLC5-66	220 ~ 240	22	0.09~0.1	8kg	1675 x 150 x 50 mm	1170
HLC5-78	220 ~ 240	24	0.1~0.11	8kg	1981 x 150 x 50 mm	1320

Clear anodized is the standard housing color

Angle brackets are standard, non-adjustable tubular stands, 406 mm (16"), are an optional extra


Rocket Switch, location: under unit on power side


Power wire lead length: 1524mm






Shown on optional stand.













Acknowledged world leaders in food holding and warming solutions, Hatco offer a breadth of products and solutions that answer almost any heating/warming/holding requirement.


And Hatco lead the way in merchandising solutions with high quality - high visibility products. Call to discuss your special requirements or project needs - Hatco has a quality solution and Hatco products are covered by our exclusive 13 month warranty on parts and labour.

GLO RAY FOOD WARMER GRAH Heat only

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern (See schematic below). Safety wire guards, hanging tabs and 1800mm cord with 10A plug standard. All units 150mW x 64mmH

MODEL	\$	LENGTH	WATTAGE	MODEL-IC	LENGTH	\$
GRAH-18	685	460mm	350W	GRAH-18-IC	460mm	860
GRAH-24	715	610mm	500W	GRAH-24-IC	610mm	890
GRAH-30	756	760mm	660W	GRAH-30-IC	760mm	930
GRAH-36	795	910mm	800W	GRAH-36-IC	910mm	970
GRAH-42	845	1070mm	950W	GRAH-42-IC	1070mm	1020
GRAH-48	890	1220mm	1100W	GRAH-48-IC	1220mm	1060
GRAH-54	940	1370mm	1250W	GRAH-54-IC	1370mm	1115
GRAH-60	995	1520mm	1400W	GRAH-60-IC	1520mm	1170
GRAH-66	1080	1680mm	1560W	GRAH-66-IC	1680mm	1255
GRAH-72	1210	1830mm	1725W	GRAH-72-IC	1830mm	1385
GRAH-84	1390	2130mm	1900W	GRAH-84-IC	2130mm	1450
GRAH-96	1570	2440mm	2400W	GRAH-96-IC	2440mm	1740





GLO RAY FOOD WARMER GRAHL Heat & Light

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern. Includes Incandescent lighting, safety wire guards, hanging tabs and 1800mm cord with 10A or 15A* plug standard. **All units 230mmW x 64mmH**

MODEL	\$	LENGTH	WATTAGE	MODEL-IC	LENGTH	\$
GRAHL-18	935	460mm	470W	GRAHL-18-IC	460mm	1110
GRAHL-24	970	610mm	620W	GRAHL-24-IC	610mm	1140
GRAHL-30	1080	760mm	780W	GRAHL-30-IC	760mm	1260
GRAHL-36	1215	910mm	980W	GRAHL-36-IC	910mm	1390
GRAHL-42	1290	1070mm	1130W	GRAHL-42-IC	1070mm	1460
GRAHL-48	1440	1220mm	1340W	GRAHL-48-IC	1220mm	1610
GRAHL-54	1540	1370mm	1490W	GRAHL-54-IC	1370mm	1720
GRAHL-60	1720	1520mm	1700W	GRAHL-60-IC	1520mm	1890
GRAHL-66	1850	1680mm	1860W	GRAHL-66-IC	1680mm	2020
GRAHL-72	2100	1830mm	2085W	GRAHL-72-IC	1830mm	2270
GRAHL-84	2465	2130mm	2470W* 15A	GRAHL-84-IC	2130mm	2640
GRAHL-96	2700	2440mm	2880W* 15A	GRAHL-96-IC	2440mm	2880

FOR INFINITE CONTROL MODELS SEE "IC" COLUMN

REMOTE CONTROLS & IC UNITS

Use 1 Infinite Control per Glo Ray element


MODEL	DESCRIPTION	\$
RMB-3CE	Remote Control Enclosure with 1 Infinite Control	390
RMB-7CE	Remote Control Enclosure with 2 Infinite Controls	540











Hatco heated shelves are the benchmark for quality, reliability and style when it comes to holding food at serving temperatures.

Choose from portable table-top models, drop-in or flush mount models to suit any project or venue requirement, and serve with style and practicality.

HEATED BLACK GLASS PORTABLE SHELVES 400mm DEEP

HGSM-4060

Hatco's Heated Glass Shelf Modular units feature black ceramic glass to create uniform heat across the entire surface to hold hot food at safe-serving temperatures for longer without affecting product quality.

Modular design allows for multiple units to be placed side by side and for

Modular design allows for multiple units to be placed side-by-side and for easy cleaning and maintenance.

Includes thermostatic controls with five temperature settings of 55°C, 65°C, 75°C, 85°C and 95°C. Touch Panel Control.

Constructed with a durable stainless steel housing. Weight: 7.5Kgs Dimensions: 400W X 600D X 56Hmm

Electrical: 300 Watts, 1.3 amp. supplied with corded 10amp plug.

LIST PRICE EA. \$1280



GLO-RAY® GRS PORTABLE HEATED SHELF 495mm DEEP

Convenient portable heated shelf units 495mm 'deep', that offer the flexibility of use when and where needed. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times. Temperature Range: 27-82°C. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-24-I	610 mm long x 495 mm deep	380	10Kg	1920
GRS-30-I	762 mm long x 495 mm deep	490	12Kg	2060
GRS-36-I	914 mm long x 495 mm deep	598	13Kg	2210
GRS-42-I	1067 mm long x 495 mm deep	652	15Kg	2480
GRS-48-I	1219 mm long x 495 mm deep	760	17Kg	2590
GRS-54-I	1372 mm long x 495 mm deep	870	20Kg	2780



GLO-RAY® GRS PORTABLE HEATED SHELF 305mm DEEP

Convenient portable heated shelf units 305mm 'deep' models, perfect for burger or product make-up and holding on the one bench space. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-60-D	1524 mm long x 305 mm wide	600	16Kg	2300
GRS-72-D	1829 mm long x 305 mm wide	700	17Kg	2390







GLO-RAY® GRSBF DROP-IN FLUSH TOP HEATED SHELF

Satin Black hard coated aluminium finish with flush mount, for a smooth professional finish, includes remote temperature control and ON/OFF switch.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. They feature a thermostatically-controlled blanket-type foil element heated surface to help hold your food hot and delicious with consistent temperatures across the shelf. Adjustable thermostat controls allow surface temperature for the GRSBF to range from 27° to 82°C.

CODE	DIMENSIONS (all 60mm height)	WATTS	WEIGHT	\$
GRSBF-24-I	648mm long x 533 mm wide	550	13Kg	3380
GRSBF-30-I	RSBF-30-I 800 mm long x 533 mm wide		14Kg	3570
GRSBF-36-I 953 mm long x 533 mm wide		780	14Kg	3830
GRSBF-42-I	1105 mm long x 533 mm wide	885	15Kg	4015
GRSBF-48-I	1257 mm long x 533 mm wide	1000	18Kg	4225
GRSBF-54-I	1372 mm long x 533 mm wide	1220	22Kg	4450
GRSBF-60-I	1562 mm long x 533 mm wide	1220	22Kg	4690
GRSBF-72-I	1867 mm long x 533 mm wide	1440	24Kg	4990



All the above supplied corded with 10amp plug.


Please note: depths/widths other than 533mm available on request: 432, 648, 800mm.

GLO-RAY®HBGB DROP-IN HEATED BLACK CERAMIC GLASS SHELF

For a dramatic and professional food serving area, the Hatco Heated Black Glass Shelf has a heated ceramic glass surface to create uniform heat across the entire surface and display food perfectly.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. Surface colour is black ceramic glass and they feature a thermostatically-controlled heated ceramic glass surface to help hold your food hot and delicious. Food can be placed directly on the glass surface. Supplied with an attached stainless steel trim mounting ring for drop in installations. Adjustable thermostat controls allow surface temperature for the HBGB to range from 38° to 90°C. Recommended for installation in metallic surfaces.

CODE	DIMENSIONS* (all 55mm Height)	WATTS	WEIGHT	\$
HBGB-2418	651 mm long x 498 mm wide 425 15Kg		15Kg	5230
HBGB-3018	803 mm long x 498 mm wide	525	17Kg	5460
HBGB-3618	955 mm long x 498 mm wide	630	19Kg	5670
HBGB-4818	1260 mm long x 498 mm wide	850	23Kg	6230
HBGB-6018	3 1565 mm long x mm 498 wide 1050 29Kg		29Kg	6650
HBGB-7218	1870 mm long x 498 mm wide	1260	34Kg	7120









Wihte ceramic glass available to order








HATCO HOT OR GOLD SHELF

Serve hot buffet or cool salads/sweets on the same shelf space easily and quickly with flexibility to suit your venue. These units come in traditional Hardcoat finish or Swanstone® Simulated Stone Finish to match any decor, available as a Drop-In Flush mount. Save space and maximise the space you already have.

From the world-wide leaders in food holding solutions this versatile shelf satisfies your differing serving needs at the touch of a button. Patent-pending thermal break technology and renowned Hatco reliability - Hot OR Cold and now available Cold Only.

- Easily change between Hot or Cold in under an hour (approx) to suit your needs
- Temperature Range: -12°C to 82°C
- Control Box can be remotely mounted up to 1229mm from centre of the shelf
- Maximise the usage of your available space for hot or cold servings
- Durable Hardcoat Aluminium Finish Drop-In Flush Mount or Swanstone® food safe simulated stone colours available to match your decor and other Hatco Heated Shelves
- Famous Hatco performance and reliability
- Patent-pending thermal break reduces condensation and temperature transfer.
- Includes a remote-mountable control enclosure, with a three position power switch and two digital temperature controllers.







Hot or Cold Remote control with three position switch and two electronic temperature controls



Stone Colours



*Swanstone Colour must be specified at time of order.

Available as a Cold Only shelf.

Hatco's CSBF Cold Shelf Built-In Flush Top is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving. Features patent-pending thermal break that reduces condensation. Includes a power On/Off switch and digital temperature controller. Has a hardcoat aluminum surface and is designed to be top mounted.

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
HCSBF-24-I	Drop-In Hot / Cold Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	804 / 3.5	1/4HP	58Kg	15585
HCSBF-36-I	Drop-In Hot / Cold Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	1044 / 4.5	1/3HP	68Kg	15995
HCSBF-48-I	Drop-In Hot / Cold Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	1044 /4.5	1/3HP	84Kg	17810
HCSSBF-24-I	Drop-In Hot / Cold Shelf - Swanstone*	610W x 495mmD	804 / 3.5	1/4HP	67Kg	15995
HCSSBF-36-I	Drop-In Hot / Cold Shelf - Swanstone*	914W x 495mmD	1044 / 4.5	1/3HP	76Kg	16500
HCSSBF-48-I	Drop-In Hot / Cold Shelf - Swanstone*	1219W x 495mmD	1044 / 4.5	1/3HP	92Kg	18150
CSBF-24-I	Drop-In Cold Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	816/3.5	1/3HP	53KG	13440
CSBF-36-I	Drop-In Cold Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	816/3.5	1/3HP	62Kg	13680
CSBF-48-I	Drop-In Cold Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	816/3.5	1/3HP	71Kg	15309







HATCO® DROP-IN SLIM FROST TOP

Convenience meets style with the Hatco Drop-In Slim Frost Tops. Perfect for quick turn products on self-serve buffets. Save space and maximise the space you already have.

Hatco Drop-in Slim Frost Tops keep pre-chilled beverages, snacks, hors d'oeuvres and side dishes cool and ready to serve. Slim configuration provides wider access to your customers.

- Available in 2- and 3-pan slim configurations
- NSF 7 approved cold wall construction utilizes a refrigerant that keeps food product cold without drying it out
- Auto-defrost is activated through an advanced programmable electronic controller
- Matches the Hatco line of Heated Wells for an integrated look
- The condensing unit, mounted on the centre of the unit, rotates
- 180° (movable in some models)
- Long, flexible refrigerant line (ability to pull out condensing unit) for service
- · Famous Hatco performance and reliability



FTB-S2 Drop-In Slim Frost Top

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
FTB-S2	Drop-In Slim Frost- Top	1395W x 535D x 437Hmm	804 / 6.7	1/4HP	83Kg	15850
FTB-S3	Drop-In Slim Frost-Top	2053W x 535D x 437Hmm	804 / 6.7	1/4HP	108Kg	16650

HATCO® GOLD UNDERMOUNT SHELF

Hatco's CSU Cold Undermount Shelf is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving.

- Undermount shelves have the amazing benefit of being able to be installed under the counter top of your choice***
- Long, flexible refrigerant line (ability to pull out condensing unit) for service
- Electronic Temperature Control Box with a 1219 mm lead wire
- Anodized aluminum surface

***Approved materials include granite and quartz up to 30 mm, Swanstone® (provided by Hatco), and certain stainless steel or aluminum surfaces approved by Hatco. Please contact FSM for applications with other material



CODE	DESCRIPTION	DIMENSIONS:	Watts / Amps	Compressor	Weight	\$
CSU-24-I	Cold Undermount Shelf	697W x 579D x 257Hmm	1296 / 5.4	1/3HP	52Kg	13430
CSU-36-I	Cold Undermount Shelf	998W x 579D x 257Hmm	984 / 4.1	3/8HP	64Kg	13600
CSU-48-I	Cold Undermount Shelf	1303W x 579D x 257Hmm	984 / 4.1	3/8HP	70kg	14810







GLO-RAY® HEATTED DISPLAY WARMERS

Boost impulse sales by showcasing your hot foods in the Hatco Glo-Ray merchandising warmers. Designed specifically for displaying wrapped or boxed product, these warmers hold hot food safely at proper serving temperatures and are seen in many of the best known venues around the world.

- ▶ Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- ► Convenient for self-serve or quick-serve areas
- ▶ Available in two-tier models with horizontal or slanted shelves
- ▶ Adjustable product divider rods sort food displays for convenience and product appeal
- ▶ Thermostatically controlled hard-coated heated base extends holding times
- ▶ Food grade Teflon coated incandescent lights illuminate the holding areas and product for maximum visibility.

GRSDS Slant Model - all 617 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GRSDS-24D	Dual Shelf - 610 mmW	1.34kw	5.6 amp	52Kg	11730
GRSDS-30D	Dual Shelf - 760 mmW	1.53kw	6.4 amp	64Kg	12480
GRSDS-36D	Dual Shelf - 910 mmW	1.81kw	7.6 amp	73Kg	13220
GRSDS-41D	Dual Shelf - 1040 mmW	2.12kw	8.8 amp	82Kg	14190
GRSDS-52D*	Dual Shelf- 1320 mmW	2.73kw	11.4 amp	98Kg	16480
GRSDS-60D*	Dual Shelf - 1520 mmW	3.34kw	14 amp	108Kg	17400

Units 24D - 41D supplied corded with 10A plug. *Units 52D - 60D supplied corded with 15A plug.



GR2SDS Sant Model DESIGNER SERIES - All 677 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GR2SDS-24D	Dual Shelf - 770 mmW	1.64kw	6.9 amp	73Kg	13900
GR2SDS-30D	Dual Shelf - 920 mmW	2.04kw	8.5 amp	84Kg	14850
GR2SDS-36D*	Dual Shelf - 1070 mmW	2.44kw	10.2 amp	91Kg	15840
GR2SDS-42D*	Dual Shelf - 1220 mmW	2.98kw	12.5 amp	99Kg	17260
GR2SDS-48D*	Dual Shelf - 1380 mmW	3.38kw	14.1 amp	116Kg	18680
GR2SDS-54D^	Dual Shelf- 1530 mmW	3.78kw	15.8 amp	120Kg	20160
GR2SDS-60D [^]	Dual Shelf - 1680 mmW	4.42kw	18.4 amp	135Kg	21500

Units 24D - 30D supplied corded with 10A plug.

*Units 36D - 48D supplied corded with 15A plug. ^Units 54D - 60D supplied unplugged.



Horizontal models also available to order. Please specify colour at time of ordering, otherwise colour inserts and cap ends will be supplied in black.







GLO-RAY® 2+GO HEATED SHELVES

Hatco's GRS2G Glo-Ray 2-Go™ Heated Shelf, designed specifically with delivery and carryout needs in mind, is capable of holding a great quantity of hot food items at optimum serving temperatures.

 Holds bags and boxes of food for up to 30 minutes with a high temperature range up to 93°C.

 Touchscreen control with digital readout indicates separate heat and timer for each shelf.

 Features shelves with heated bases that are thermostatically-controlled and has a stainless steel frame.

• The cord is recessed into the bottom shelf at a 45° angle, allowing the unit to be flush against the wall.

Includes 10amp plug



CODE	DESCRIPTION	DIMENSIONS:	Watts / Amps	Weight	\$
GRS2G-3920-2	2 Heated shelves	1093W x 508D x 546Hmm	766 / 3.2	69Kg	6595
GRS2G-3920-3	3 Heated shelves	1093W x 508D x 908Hmm	1148 / 4.8	80Kg	8310
GRS2G-3920-4	4 Heated shelves	1093W x 508D x 1270Hmm	1529 / 6.4	91kg	9885

Optional side and back panels are one panel per shelf, giving you the flexibility to customize your unit.

CODE	DESCRIPTION	\$
CONTROL-GRS2G-R	Controls and permanent panel on ride side in leaiu of standard left side	No charge
S PANEL GRS2G S	Side Panel for GRS2G-3920 One panel per open shelf -2 shelves require 1 side panel -3 shelves require 2 side panels -4 shelves require 3 side panels	60
B PANEL GRS2G S	Back Panel for GRS2G-3920 One panel per open shelf -2 shelves require 1 back panel -3 shelves require 2 back panels -4 shelves require 3 back panels	120









GLO-RAY® 2+©0 HEATED SHELVES - C MODELS

- Holds bags and boxes of food for up to 30 minutes with a high temperature range up to 93°C.
- Shelves are 507 mm deep and 986 mm wide, with a 289 mm clearance between shelves that is large enough to fit a variety of carry out/delivery bags and boxes.
- Each shelf features a digital temperature control, a power On/Off switch, and jumper power cords.
- Units feature stainless steel shelves with heated bases that are thermostatically-controlled.
- Supplied flat packed
- Includes 10amp plug




GRS2GC-3920-4 shown

CODE	DESCRIPTION	DIMENSIONS:	Watts / Amps	Weight	\$
GRS2GC-3920-2	2 Heated shelves	986W x 507D x 475Hmm	824 / 3.4	21Kg	3250
GRS2GC-3920-4	4 Heated shelves	986W x 507D x 1135Hmm	1648 / 6.9	40kg	5800



Digital temperature control on each shelf



Power On/Off switch with jumper cords for each shelf







GLO-RAY® PORTABLE FOOD WARMERS/CHIP DUMPS

With heat from above, below or both, Hatco Glo Ray[®] food warmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows, and service areas that require frequent and easy access, these units keep product at serving temperature and optimum quality.

GR-FFB

This excellent Food Warmer/Chip Dump has a preset heated base that conducts heat from the bottom while an adjustable infrared element heats from above.

A swing-away top provides fast and easy access to food pans.

Weight: 12Kgs

Dimensions: 324 x 610 x 508mm

Electrical: 750 Watts, 3 amp. supplied with corded

10amp plug.

LIST PRICE EA. \$2080



GMFFL

Hatco's latest Portable Food Warmer has a sleek rounded design and its black colour finish fits into any decor. This portable Food Warmer has heat and light from above in powder-coat black and comes with a sign holder on the front lower panel (sign not included) to maximise sales potential. Suits 1/1 Gastronorm pan 100mm deep (not included). Weight: 9.2Kgs

Dimensions: 329 x 644 x 445mm

Electrical: 610 Watts, 2.5 amp supplied with corded

10amp plug.









GLO-RAY® PORTABLE FRY STATIONS & MULTI PRODUCT

Designed with ample handling space between the heat source and the holding area to empty baskets, Glo-Ray Fry Holding Stations maintain 'just made' food temperatures. Ceramic elements direct radiant heat from above, while a preset thermostatically controlled heated base (adjustable on the MPWS-36) maintains uniform holding temperature from below. The slotted holding bin allows the rising heat to envelop the food, preventing soggy product. A sectional divider permits holding of multiple products simultaneously.

A range of options are available to customise each model to suit your own operation. Call your FSM representative.

GRFHS-21

Glo-Ray Portable Fry Station Dimensions 540 x 700 x 550mm Weight: 30Kgs

Electrical: 1200watts, 5 amp. Supplied corded with a 10amp plug.

LIST PRICE EA. \$6995



MPWS-36 with MPWS-36 BIN

Glo-Ray Multi-Product Warming Station – the ultimate in hot fried food holding with six thermostatically controlled high power overhead ceramic heating elements and base element complemented by food grade teflon coated incandescent lamps for enhanced product display.

Choose from a wide range of optional extras including pleated ribbons, angled risers, bag and tong holders and fry bin inserts to customise the warming station for your operation. Unit comes standard with MPWS-36BIN accessory (Full Fry Bin insert; drip tray, perforated insert, three dividers) and detachable side panel insert for left or right installations.

Dimensions: 947 x 626 x 832mm

Weight: 79Kgs

Electrical: 3075watts, 13 amp. Supplied corded with 15amp plug.









HIGH WATT 4 SLOT POP-UP TOASTER 1 OR 2 SIDED TOASTING!

TPT-230-4-10 up to 160 toast slices per hour

Perfect for self-serve areas, care facilities and light-medium volume applications.

The Hatco Pop-Up Toaster provides even golden toasting of a variety of bread products.

Durable stainless steel housing

Four self-centering slots (32mmW)

Two toasting controls with bagel/bun button for **one-sided** toasting Removable crumb tray.

Two separate toasting controls

This productive and versatile unit enables the toasting of two lots of two slices of bread individually or together.

Electrical: 2.25Kw, 9.5 amps. Supplied with 10amp plug.

Dimensions: 378 x 330 x 235 mm

Weight: 8Kgs

LIST PRICE EA. \$965



Pop Up Toaster with either two lots of two or four slices toasted simultaneously.

Are You Buying the Right Commercial Toaster for Your Foodservice Operation?

What makes someone the "toast of the town?' Typically, it's because they're pretty incredible (or toast-worthy). But funny enough, the saying works for toast itself.

There's nothing quite like a slice of hot, buttered toast; the comfort-food meter is off the charts (especially if you add a little cinnamon and sugar). Breakfast isn't complete without a side of crispy toast or a delicious bagel — and a BBQ pork sandwich, BLT or cheeseburger doesn't measure up without a crisped bun. Toasted products are a staple for almost every operation out there.

What to know about pop-up toasters

The benefits of a pop-up toaster:

A pop-up toaster is one of the most common types of toasters, and it's also the least expensive on the market. Operation is simple with a standard dial to determine the preferred shade of toast, and a straightforward on-demand, push-down lever to "start" the unit up. These toasters typically use less energy and have a smaller footprint than other models.

Where a pop-up toaster shines

It's familiar and easy-to-use controls make pop-up toasters perfect for front-of-the-house operations such as continental breakfasts, cafeterias or buffets. These settings (as well as coffee shops, small diners, and other establishments that demand less volume of toasted products) are the perfect candidates for a pop-up toaster. Look for a well-crafted, durable toaster with a removable crumb tray for easy cleanup. And longer, wider slots should be considered for increased versatility to toast items like bagels and hoagie buns. Lastly, if you plan to use a pop-up toaster in a front-of-house capacity, be aware of the aesthetics and choose one that not only functions well but also looks great.







TOAST-MAX GONVEYOR TOASTER

The Hatco Toast-Max entry-level conveyor toaster offers the flexibility and performance to perfectly toast bread and buns fast. Utilising conveyor speed, not temperature, to determine toasting colour, this allows for instant adjustment of toasting time to maintain quality.

TM-10H up to 6 slices/minute

4 position toast selector switch:off / toast / buns / standby mode. 89mm clearance to accommodate high profile bread products.

Easy-to-load rack with front or rear discharging.

V-shaped reflectors help capture and redirect heat.

Long lasting serpentine metal sheathed heating elements.

102mm adjustable legs.

Pilot light signals unit is in operation. Discharge & crumb trays are removable.

Electrical: 1900watts, 8 amps. Supplied with 10amp plug.

Dimensions: 368 x 387 x 419 mm

Shipping weight: 19Kgs

LIST PRICE EA. \$1970



TM3-10H/BLACK

Colourguard® sensing system assures toast uniformity
Power-save mode with indicator light saves energy during off-peak period
Bread and bun toast options
300-400 slices per hour toast capacity
2" and 3"opening height
Built-in fan provides cool surface temperature

Electrical: 1900watts, 8 amps. Supplied with 10amp plug.

Dimensions: 368 x 411 x 535 mm

Shipping weight: 20Kgs







TQ SERIES HIGH WATT CONVEYOR TOASTERS

The Hatco High Watt Conveyor toasters toast high moisture content bread product to a rich golden colour. Sheathed heating elements are featured in all models. Toast-Qwik models have a conveyor feed guide and front or rear discharge with toast tray.

This provides the flexibility and performance to perfectly toast bread products. The exclusive **Colorguard® sensing system** monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.

Power save mode conserves energy and saves money and the insulation and interior fan provide cooler surface temperatures.

TQ3-500H TOAST-QWIK

up to 500 toast slices/hour

Touch screen controller - easy to see and use

Twelve programmable settings

USB port for software updates. Black finish standard.

Programmable power save function.

Unique toast delivery rack moves toast to the storage tray each and every time.

Suitable for front discharge with tray extended.

Exclusive Colourguard® sensing system controls toast quality

Toasts bread, buns, muffins and sandwiches.

Electrical: 2.22 kW, 9.3A. Supplied corded with 10 amp plug.

Dimensions: 373W x 524D x 435H mm Delivery tray extends to 591 mm total depth

Height of opening 76mm

Weight: 25Kgs

LIST PRICE EA. \$5920

DIGITAL
PROGRAMABLE
MODEL
With Touch
Screen control
and Exclusive
Colorguard
technology
maintains
toast colour



TQ-805 TOAST-QWIK

up to 600 toast slices/Hour

Suitable for front or rear discharge.

Exclusive Colourguard® sensing system controls toast quality

Toasts bread, buns, muffins and sandwiches.

Electrical: 3.6 kW, 15A. Supplied corded with15 amp plug.

Dimensions: 368W x 578D x 422H mm

Weight: 28Kgs

Includes tray extensions. Rear tray extends 165 mm.

LIST PRICE EA. \$7500

Exclusive
Colorguard
technology
maintains
toast colour



TQ2-SECURITY COVER

Hinged Control Cover to suit TQ-805 units, can be retro fitted.

LIST PRICE EA. \$260



Optional TQ2-Security Cover for TQ805 Model Toaster







TQ SERIES HIGH WATT CONVEYOR TOASTERS

TQ-1800H TOAST-QWIK

up to 1200 toast slices/hour

Suitable for front or rear discharge. Exclusive *Colorgard*® system controls toast quality by constantly monitoring toasting chamber temperatures and adjusting conveyor speed automatically.

Toasts bread, buns, muffins and sandwiches.
Adjustable Upper & Lower Heating Elements,
Power-Save Mode,
367mm WIDE throat
Electrical: 4.65 kW, 20 amp. Supplied unplugged.
Dimensions - 470 x 578 x 422mm
Includes tray extensions.
Rear tray extends 165 mm
Shipping Weight 33Kg

LIST PRICE EA. \$7995

MASSIVE
PERFORMANCE
with Exclusive
Colorguard technology
that maintains
toast colour





TQ Series Conveyor Toasters provide total control of the toasting of bread products. Individual controls are provided for top heat, bottom heat, conveyor speed and a stand-by switch to maximise quality and throughput. Colorgard sensing technology maintains toast quality through quiet or busy serving times. For those situations where you need to avoid patrons adjusting these controls unnecessarily, choose the TQ2 Security Cover for the TQ-805 Model.

The exclusive **ColorGuard® sensing system** monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.







PLATE WARMER

Hatco's PW Plate Warmer is designed to hold easily accessible pre-heated serving plates, as serving hot food on pre-heated plates helps extend the holding times of most foods.

PWC-12/BLACK

Doorless, open design allows for easy retrieval, loading and cleaning. Can hold 25 plates up to 305 mm in diameter.

Features a power On/Off switch and a covered digital temperature control with an adjustable range of 40°C to 50°C.

Energy efficient LED lighting illuminates the interior from the top.

Ability to daisy-chain up to three units (do not stack)

Available as countertop or wall mounted.

Electrical: 240 volt, 463 watts, supplied with 10amp plug, 1829mm power cord

Dimensions - 427 x 441 x 568mm Opening Dimensions - 320 x 400mm Shipping Weight 29Kg

Doorless design with a heated air curtain system









GLO-RAY® DECORATIVE CARVING STATIONS

The Glo-Ray Decorative Carving Stations are the ideal way to display, hold and serve food and to extend food holding times during serving periods. With a wide range of options and styles, Hatco have a unit that will complement your servery and decor perfectly with reliable quality.

DCS400-1-BN

Freestanding overhead height adjustable heat lamp supported by a sturdy 203mm square base.

527D x Variable Height 864-1168Hmm

Shown in Bright Nickel.

Also available in Bright Brass and Antique Bronze.

Weight: 15Kg

Supplied corded with 10amp plug. 250watts 1 Amp.

LIST PRICE EA. \$3480



DCSB400-2420-1-NSBN

Overhead height adjustable heat lamp supported by a rectangular Swanstone heated base with sneeze guard.

608W x 506D x Height 864 - 1168Hmm.

Shown in Night Sky Base with Bright Nickel posts and lamp. Also available in *Bright Brass/Antique Bronze post and lamp and Gray Granite/Bermuda Sand* decorative base stone colours. Weight: 48Kg

Supplied corded with 10 amp plug. 750 watts / 3.2 Amp.

LIST PRICE EA. \$8300



DCSB400-3624-2-GGBN

Dual overhead heat lamps - height adjustable, supported by a rectangular Swanstone heated base with sneeze guard. 911W x 610D x Height 864 - 1168Hmm.

Shown in Bright Nickel post and lamp and Gray Granite base. Also available in *Antique Bronze/Bright Brass post and lamp and Bermuda Sand/Night Sky decorative* base stone colours. Weight:70Kg

Supplied corded with 10 amp plug. 1300 watts / 5.5 Amp.

LIST PRICE EA. \$11980



COLOUR SWATCHES



Plated Colours: Bright Nickel, Bright Brass and Antique Bronze







Stone Colours:
Gray Granite, Bermuda Sand and Night Sky







HATCO FREE STANDING DRAWER WARMERS

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers, 12-gauge stainless steel slides and heavy-duty hardware in <u>Standard</u> or <u>Narrow</u> model to suit your kitchen space. *Unique features include:*

ALL drawers have an individual on/off switch, thermostatic control and adjustable sliding vents for humidity control providing superior quality control and versatility.

Each drawer has the capacity to accept a pan 1/1x150mm deep or 2x1/2 or 3x1/3. (Pans not included).

Supplied with 102mm legs, 1829mm cord and 10A plug. Castor option available on ALL models.

HDW-1

1-drawer model 749W x 575D x 279Hmm (excluding legs) Supplied with cord and 10 amp plug. 450watts / 2 Amp. Weight: 44Kg

LIST PRICE EA. \$5580



HDW-2

2-drawer model 749W x 575D x 537Hmm (excluding legs) Supplied with cord and 10 amp plug. 900watts 3.8 Amp. Weight: 76Kg

LIST PRICE EA. \$9460



HDW-3

3-drawer model 749W x 575D x 794Hmm (excluding legs) Supplied with cord and 10 amp plug. 1350watts / 5.7 Amp. Weight: 106Kg

LIST PRICE EA. \$13550



HDW-CASTER 2"

Option All Models

Hatco Heavy Duty Castor kit, 51mm Diameter Add mobility to your drawer warmer with the Hatco

HDW-CASTER 2" option.

These castors easily change-over with the standard legs, enabling moving for routine cleaning/ maintenance etc. (PACK OF 4)

LIST PRICE EA. \$455



Shown With Optional Casters

HATCO FREE STANDING NARROW DRAWER WARMERS

HDW-1N

1-drawer Narrow model 530W x 686D x 279Hmm (excluding legs) Supplied corded with 10 amp plug. 450watts / 2 Amp. Weight: 44Kg

LIST PRICE EA. \$5580



HDW-2N

2-drawer Narrow model 530W x 686D x 537Hmm (excluding legs) Supplied corded with 10 amp plug. 900watts / 3.8 Amp Weight: 76Kg









HATCO FREE STANDING DRAWER WARMER

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers. *Unique features include:*

- Top-of-the-unit Touchscreen Controller is positioned at an angle for greater visibility
- · Controller allows individual temperature control and hold timer per drawer with both visual and audio alerts
- Robust stainless steel construction inside and out.
- Easy-to-clean seamless, interior core with snap out out side panels make this unit easy to service
- Each drawer has adjustable vents for varying moisture levels in individual drawers
- Drawer frame can accommodate varying pan configurations, including 1/1 GN, 1/3 GN, 1/3 GN up to 152 mm deep, with or without lids (pans not included).

HDWTC-2

2-drawer model 622W x 650D x 573Hmm Supplied on 51mm Castors Add 38mm to depth for door handles Supplied with cord and 10 amp plug. 766watts / 3.2 Amp. Weight: 81Kg

LIST PRICE EA. \$11650



HATCO DRAWERMAX® DRAWER WARMERS

2 drawer freestanding model built with rugged construction and heavy-duty hardware to keep variety of foods hot and fresh until served. *Unique features include:*

- ALL drawers have an individual on/off switch and independent temperature control, and adjustable vents for humidity control providing superior quality control and versatility.
- Includes two full-size stainless steel 150mm food pans
- Supplied with 102mm legs, 1829mm cord and 10A plug. Castor option available.
- · Easy to clean,

HDM-2

2-drawer model 749W x 576D x 614Hmm (including legs) Supplied with cord and 10 amp plug. 984watts / 2 Amp. Weight: 74Kg









HATCO PASTA COOKERS

BOIL, STEAM, WARM

The multi-purpose HEAT-MAX well offers the flexibility of a food warmer, soup kettle, bain marie heater, steamer and pasta cooker all in one!

With a range of temperature settings, HEAT-MAX can boil pasta and soup noodles, steam dim sum, keep food warm, hold soups, curries, gravies and toppings at safe serving temperatures.

RCTHW2-3 (NEW MODEL)

Heat-Max Rectangular Single Heated Well to take 1/1 Gastronorm pan (not supplied). Three settings, low/medium/high, each with it's own temperature setting range of 40-65°C, 65-80°C and 80-95°C.

Electronic control panel

Energy saving Low Power mode Convenient Drain control Also available in Built-in Model with remote. Electrical: 3Kw, 12.5 amps. Supplied corded with 15amp plug.

LIST PRICE EA. \$1640





COUNTERTOP

RCTHW2-6*

Heat-Max Pasta Cooker Free Standing

to take 1/1 Gastronorm pan (not supplied).

Touch panel for three temperature set points:

LOW: 40-65°C **MED**: 65-80°C

HIGH: 80-95°C

Energy saving Low Power

mode

Convenient Drain control Autofill & Pasta Plate Insulated stainless steel design Electrical: 6Kw, 25 amps.

No cord or plug supplied.

LIST PRICE EA. \$3170

BUILT-IN RCTHW2-6B*

Heat-Max Pasta Cooker Built-In

to take 1/1 Gastronorm pan (not supplied).

Touch panel for three temperature set points: **LOW**: 40-65°C **MED**: 65-80°C

HIGH: 80-95°C

Energy saving Low Power

mode

Convenient Drain control Autofill & Pasta Plate Insulated stainless steel design Electrical: 6Kw, 25 amps.

No cord or plug supplied.

LIST PRICE EA. \$3300

SPECIFICATIONS

0	CATIONS		
MODEL	OUTER DIMENSION MM	Kw	SHIP WEIGHT
RCTHW-1E	368W X 583L x 283H	3.0	9.6KG
RCTHW-6	368W X 582L x 290H	6.0	14KG
RCTHW-6B	368W X 582L x 302H	6.0	15KG

*New code 1 FEBRUARY 2024







ACCESSORIES

RCTHW-BASKET

RCTHW Stainless Steel Noodle Basket 125mm diameter (six required per unit)

LIST PRICE EA. \$75



RCTHW-PC

Pasta Cooker Tray

LIST PRICE EA. \$510





RCTHW-1E shown with optional Pasta Cooker Tray & Noodle Baskets

3CS-9B SANITISING SINK HEATER Balanced three phase

Maintaining a continuous supply of sanitising rinse water without taking up valuable space, the 3CS makes manual ware-washing faster and more convenient. Designed to fit under the sink, the 3CS is perfect for three or four compartment sinks, pot and pan sinks and bar sinks. Drain may be plumbed to open-sight waste drain.

3CS-9B SANITISING SINK HEATER

Weight: 15Kgs. Electrical: 9 Kw, 3 phase. Supplied uncorded and unplugged. Dimensions: 203W x 435D x 321Hmm





HATCO BUILT-IN HEATED WELLS

Hatco Built-In Heated Wells hold heated foods at safe serving temperatures. Compared to other models, these Hatco units offer larger drains with flat drain screens, more consistent holding temperatures through superior element design, heavier stainless steel construction, easier-to-service design for quick-change of components, and a remote thermostat with separate power switch. Suitable for wet or dry operation.

All units are supplied with a control panel and connected with a 918mm flexible conduit for remote mounting and include a 3/4"NPT drain fitting.

BUILT-IN RECTANGULAR HEATED WELL - FULL SIZE

HWB-FULD

Heated Well with drain – 1/1 Gastronorm. Dimensions: 348W x 553D x 218Hmm

Controller dimensions: 161W x 92D x 196Hmm

Electrical: 1.2kw, 5 amp

Weight: 10Kg Drain: 3/4"NPT fitting

LIST PRICE EA. \$1810



BUILT-IN ROUND HEATED WELLS with drain fitting

CODE	DESCRIPTION	KW	AMP	WT	\$
HWB-4QTD	3.8Litre (4 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1800
HWB-7QTD	6.6Litre (7 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1850
HWB-11QTD	10.1Litre (11 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1860

All wells come with 3/4"NPT drain fitting.



(Pictured with accessory pans see below).

OPTIONAL PAN INSERTS & LIDS (not supplied with wells above)

CODE	DESCRIPTION	\$
4QT-PAN&LID	4 Quart (3.8L) Round Well and Notched Lid.	350
7QT-PAN&LID	7 Quart (6.65L) Round Well and Notched Lid.	400
11QT-PAN&LID	11 Quart (10.41L) Round Well and Notched Lid.	450









HATCO SALAMANDERS

Hatco's Salamander range is specially designed for versatility in the kitchen with the capabilities to cook, grill, and reheat food. With the patented movable heat unit housing, maximum thermal transfer is achieved and maximum power is only consumed whilst actually in cook mode. The unparalleled start-up speed is a result of Hatco's "INSTANT ON" heating elements located in the upper housing. Hatco® Salamanders offer unrivalled energy efficiency and easy operation to suit the most demanding requirements - of fine dining restaurants to fast food outlets.

TMS-1H THERMAX SALAMANDER

Movable upper housing to reduce the heat loss to food areas.

- The high powered heating elements are ready for use within 10 seconds.
- Two sets of independently controlled heating element sections give the benefits of flexibility and energy conservation.
- · Cook mode selection switch controls left, right or both locations.
- Includes a hold mode switch that reduces power to 25% and keeps food at proper serving temperatures.
- Unit can be placed on a counter-top or mounted to any non-combustible wall with appropriate rigidity.
- Unit comes standard with grill, drip pan and wall mounting bracket.
- Weight: 70Kgs. Dimensions: 600W x 503D x 515Hmm.
- · Electrical: 4Kw 17.4 amp. Supplied with cord but no plug.

LIST PRICE EA. \$5600



TMS2-1H SALAMANDER - DIGITAL CONTROL

Optimum temperature is reached instantly and efficiently when food products are placed on the grill plate.

- · Instant-On heating elements located in the upper housing
- Plate detection feature activates the Instant-On heating elements when a plate (500g) is placed on the grill plate, and deactivates when removed
- Heating elements are only on when in use, eliminating residual heat in the kitchen
- · Made of stainless steel for easy cleaning and durability
- · Can be placed on a countertop or wall-mounted
- Hold mode could be adjusted to save 25-50% power
- Adjustable upper housing giving 170mm of vertical movement
- Flat, tactile control panel
- Ship Weight: 80Kgs Overall Dimensions: 630W x 505D x 568Hmm.
- Electrical: 4.1kw 17.2 amp. Supplied with cord but no plug.







IMC MULTI FUNCTION PEELERS

Multi-Functional peelers will peel root vegetables, potatoes, onions and wash salads and shell fish. They are tough, reliable and easy to use.

MF5 (F59/500)

OUTPUT Up to 130 Kg/Hour

Bench mounted peeler, 5kg capacity with four minute timer. Supplied with carborundum peeling plate. 10 amp plug, 1 phase 250W.

LIST PRICE EA. \$8850

MF5 ACCESSORIES

CODE	DESCRIPTION	\$
S59/167	Knife peeling plate	1000
S59/169	Salad basket	950
S59/174	Mussel washing plate	800



Model MF5 shown

MF10-1PH (F59/510)

OUTPUT Up to 280 Kg/Hour

Peeler mounted on stainless steel stand, incorporating filter basket and four minute timer.

10kg capacity. Supplied with carborundum peeling plate.

10 amp plug, 1 phase 370W

LIST PRICE EA. \$13960

MF15-1PH (F59/520)

OUTPUT Up to 400 Kg/H

Peeler mounted on stainless steel stand, incorporating filter basket and four minute timer.

15 kg capacity. Supplied with carborundum peeling plate.

10 amp plug, 1 phase 370W

Shipping Weight 70Kgs, Nett Weight 62Kgs.

LIST PRICE EA. \$15770

MF10/15 ACCESSORIES

CODE	DESCRIPTION	\$
S59/168	Knife peeling plate	1500
S59/170	Salad basket	1020
S59/173	Vegetable washing plate	1410
S58/062	Inlet Hose Kit, (all models)	115



Model MF10-1PH shown







FOOD WASTE MACERATOR AND DE-WATERING UNIT

From the world leaders in waste management, comes the revolutionary, and self-contained WasteStation De-waterer and Macerator.

Food waste comprises of up to 80% liquid and can be extremely costly to dispose of. WasteStation grinds the food waste into fine particles, these particles feed directly into the built- in dewatering system. The WasteStation forces out the excess liquid from the macerated waste. The grey water is fed directly to drain, and the resulting solid fraction of the food waste is collected in small, easily managed, lidded bins, ready for onward processing. IMC's self-cleaning function and self-emptying auger saves valuable staff time and the self-contained unit means improved hygiene, less noise and easy operation.

F79/703

400kg per hour 895mmH x 600mmW x 700mmD Weight – empty 156kg Connection to drainage 51mm Electrical: Voltage 380-415V 3 Phase -

4 wire supply, 2.95Kw

Decibel during operation: running 62dB

Decibel during operation: in use with raw food 70dB

LIST PRICE EA. \$48770



F79/010

700kg per hour 900mmH x 1000mmW x 700mmD Weight – empty 192kg Connection to drainage 54mm Electrical: Voltage 380-415V 3 Phase -4 wire supply, 4.1Kw

Amps (max) 8.6

Decibel during operation: running 62dB

Decibel during operation: in use with raw food 70dB







COMMERCIAL DUTY WASTE DISPOSAL UNITS

723 (F60/305) UNDER SINK MOUNTING

Capacity - up to 400 covers per sitting, ideal for small to medium kitchens. 200Kg of waste per hour.

For medium waste (small pork & chicken bones, vegetables & fruit) Manually reversibe motor to extend operational life Compact design and under-sink mounting for quick & easy loading 89mm sink opening. Dims: 218Wx304Dx573Hmm 2" BSP threaded flange, connected to 54mm piping 10 amp plug, single phase.

LIST PRICE EA. \$11995



HIGH CAPACITY WASTE DISPOSAL UNITS

A range of heavy duty stainless steel free-standing units which may be built into tabling and can be used in conjunction with WastePro II units, see previous page.

All units feature a feed hopper baffle for operator protection from the grinding unit, auto reverse overload function, premium components for long life, automatic water control and industry leading motor capacities for real throughput.

904 (F54/120)

Capacity - 1000 covers per sitting. 500Kg of waste / hour

3 Phase 1.1.kW (1.5 HP)

Weight: 71Kg

LIST PRICE EA. \$25880

1204 (F54/220)

Capacity - 1450 covers per sitting. 700Kg of waste / hour

3 Phase 2.2 kW (3 HP)

Weight: 97Kg

LIST PRICE EA. \$34500

1604 (F54/320)

Capacity - 1850 covers per sitting. 900Kg of waste / hour

3 Phase 4.0 kW (5.5 HP)

Single and double trough units available on request.

Weight: 100Kg







POTATO CHIPPER

An ultra-fast IMC Potato Chipper, which can produce 25kg of chips per minute with minimal waste.

F61/220 - PC2

Electric Potato Chipping Machine rated at 25kg/min. output. Constructed of polished stainless steel. Self feeding hopper holds 12kg of potatoes, baffle plate prevents access to rotor. Safety micro switch fitted to hopper. 1/3 h.p., 240 volt, 1 phase, 10 amp plug.

NOTE: No knife block/blade supplied - select size below

LIST PRICE EA. \$12500



KNIFE BLOCK OPTIONS

CODE	DESCRIPTION	\$
S61/135	PC2 supplied with 12x12mm knife	995
S61/114	PC2 supplied with 14x14mm knife	995
s61/115	PC2 supplied with 17x14mm knife	995
S61/182	PC2 supplied with 21x17mm knife	995



JACKSTACK®

Tight for space and storage of meals for peak periods?

JACKSTACK offers so many advantages in storage, preparation and serving, you'll wonder how you did without it.

JACKSTACK is the world leader in the efficient storage and transport of up to 104 plates in minimum time from kitchen to storage or banquet areas.

Generous 150mm diameter wheels allow for easy maneuverability of the Jackstack anywhere, and the plate racks are easily adjustable to suit all applications - even mixing plate sizes.

Models provide 50mm spacing between plate supports and they can be loaded and unloaded from four sides, and carry up to 400 empty plates to the dishwasher.



Designed by Chefs, for chefs

JACKSTACK Model JS104

Makes it possible to stack between 12 to 104 plates of any size. Different size plates can be accommodated by adjusting the racks to suit. (For pizza applications, a special 'P' model longer arm unit is available at extra cost).

The unit comes with four castors (two with brakes), and easy to follow assembly instructions.

Assembled Dimensions: $600W \times 600D \times 1790Hmm$ Shipping Dimensions: $800W \times 620D \times 300Hmm$

Weight: 28Kg

CODE	CAPACITY	SPACING	DIMENSION	\$
JS104	104 plates	50mm	600x600x1790mmH	3140

JACKSTACK OPTIONS

Thermocover for JS104

Preserves 72-104 plates in transit with warm or cold food.

Made of industrial High Tenacity PES fabric, with polyester fibre centre layer.

Includes special arm extensions.

Complete with 4 horizontal and 4 vertical zippers.

Washable - hygienic in use.

Dimensions: 720 x 720 x 1590Hmm. Shipping Dimensions: 430 x 310 x 260Hmm

Weight: 6Kg

MODEL	DESCRIPTION	\$
JS104TC	Thermal covers available on request (pictured)	1980
JS901PC	Non thermal covers for 104 plate unit	390







MODEL JS104TC Thermal Cover





FIVE YEAR ON-SITE WARRANTY*

The Jetstream range of quality tapware and pre-rinse units heralds a new era of reliable, quality tapware to the Australian market with an industry leading FIVE YEAR on-site parts and labour warranty* – designed by professionals with the features you would expect for your kitchen.

Features like 256mm swing faucet on full height pre-rinse models, six star Wels rated spray gun and quality construction with 100mm levers with a choice of 100 or 200mm flick mixers and more.

Watermark approved and Wels rated to comply with all Australian regulations, and supplied with our exclusive FIVE YEAR onsite parts and labour warranty* for real peace of mind.

All units come packed with full instructions, fittings and hose connections (model dependant).

DECK MOUNT PRE RINSE MODELS

JET1500D DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 256mm add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Single hole mount. Overall height: 1073mm. Hose length 845mm

LIST PRICE EA. \$1040

6 BUY PRICE EA. \$1020 12 BUY PRICE EA. \$995 Stainless Steel





JET1500DLH DECK MOUNT LOW HEIGHT

Deck Mount Pre Rinse, Low Height Model, complete with wall bracket, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Single hole mount.

Overall height: 734mm. Hose length 845mm.

LIST PRICE EA. \$935

6 BUY PRICE EA. \$920

12 BUY PRICE EA. \$900







(Deck Mount units continued...)

^{*} Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.





JET1200D DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 256mm swing faucet, single lever flow and temperature control, and **6 Star** rated spray gun, 4 Star rated pot filler. Single hole mount. Overall height: 960-1030mm. Hose length 845mm.

LIST PRICE EA. \$980

6 BUY PRICE EA. \$965

12 BUY PRICE EA. \$955







Jetstream features

- · NEW stainless steel options are LEAD FREE.
- · Pre-rinses come in showroom ready boxes
- · Pre-rinses are assembled for easy installation
- · NEW products towel and soap dispenser
- Five year onsite parts and labour warranty

^{*} Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



WALL MOUNT PRE RINSE MODELS

JET1500W WALL MOUNT EXPOSED BREECH

Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and 6 Star rated spray gun, 4 Star rated pot filler as shown. Two hole mount. Hose length 845mm. Overall height: 1023mm.

LIST PRICE EA. \$1400

\$1390 **6 BUY PRICE EA.**

\$1380 12 BUY PRICE EA.







JET1500WCB WALL MOUNT **CONCEALED BREECH**

Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps 6 Star rated spray gun, 4 Star rated pot filler as shown. Three hole mount. Hose length 845mm. (Breech by others). Overall height: 713mm.

\$1195 LIST PRICE EA.

\$1185 **6 BUY PRICE EA.** 12 BUY PRICE EA.

\$1175







^{*} Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required



DECK MOUNT FLICK MIXER MODELS

JET5200D DECK MOUNT FLICK MIXER 200mm swing spout

Deck Mount Flick Mixer, complete with 200mm Swing Spout, **4 Star** rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia.

LIST PRICE EA. \$225

6 BUY PRICE EA. \$220

12 BUY PRICE EA. \$215







JET5100D DECK MOUNT FLICK MIXER 100mm spout

Deck Mount Flick Mixer, complete with 100mm Fixed Spout, **4 Star** rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia. Operating water pressure Min 50kPA, Max 350kPA.

LIST PRICE EA. \$230

6 BUY PRICE EA. \$225

DOT FRICE LA. \$223

12 BUY PRICE EA. \$220







JET6000 THERMOSTATIC MIXING VALVE 15/20mm

Critical for supplying safe/desirable water temperatures to a Hands Free or Time Flow tapset.

Output temperature range 35-50°C.

LIST PRICE EA. \$380 6 BUY PRICE EA. \$370

12 BUY PRICE EA. \$360



^{*} Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



JETSTREAM FIVE YEAR ON-SITE WARRANTY* Plumbing

HANDS FREE & TIME FLOW MODELS

JET4001D DECK MOUNT HANDS-FREE SENSOR TAP

Modern Deck Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). .

\$795 LIST PRICE EA.

6 BUY PRICE EA.

12 BUY PRICE EA.









JET4003W WALL MOUNT HANDS-FREE SENSOR TAP

Modern Wall Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied).

\$800 LIST PRICE EA.

6 BUY PRICE EA. \$790

\$780 12 BUY PRICE EA.





JET745D DECK MOUNT TIME FLOW TAP

Deck mounted Time Flow Tap. 15 Seconds. Single hole mount, 6 Star rating. Includes one connection tail and hardware.

Supplied with Blue Red and Yellow button.

LIST PRICE EA. \$245

\$235 **6 BUY PRICE EA.**

12 BUY PRICE EA. \$225





^{*} Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.





JET7500D PUSH BUTTON TIME FLOW TAP

Modern Deck Time Flow Tap, single hole mount, run time 15 seconds (adjustable), single temperature (max 50°C), 6 Star rating. Includes inlet strainer and flow controller.

LIST PRICE EA.

\$530







JET1000D ELECTRONIC LASER

Laser sensor technology, adjustable sensor range up to 160mm, mains and battery powered, single temperature (max 50°C), 6 Star rating. Includes inlet strainer and flow controller.

LIST PRICE EA.

\$1195







JET2500W ELECTRONIC LASER

Laser sensor technolcogy, adjustable sensor range up to 160mm, mains and battery powered, single temperature (max 50°C), 6 Star rating. Includes inlet strainer and flow controller.


LIST PRICE EA.

\$1195













KNEE OPERATED & CLEANERS SINK

JET780D KNEE OPERATED TIMER BASIN TAP SET

Includes deck mount fixed gooseneck outlet, 325mm lever / knee operated time-flow and connections. Six Star rated.

LIST PRICE EA. \$410



JET1836W CLEANERS SINK FAUCET SET with wall bracket support

Quality Wall mounted Cleaners Sink model with cable supported Spout and Bucket Hook. 4 Star rated.

LIST PRICE EA. \$1330



POT FILLER

JET2047W WALL MOUNT POT & KETTLE FILLING FAUCET

double jointed with spout on-off control

Premium Pot filler with 457mm swing arm, double jointed, includes convenient on/off control on spout.









DECK MOUNT FAUCET/SINK SETS

JET3150D DECK MOUNT FAUCET WITH 180MM SPOUT

Deck Mounted 180mm Swing Faucet, with 100mm Lever operation, one hole mount, complete with flexible fittings. Ceramic cartridges, 1/4 turn levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure

LIST PRICE EA. \$570 6 BUY PRICE EA. \$565 12 BUY PRICE EA. \$555



JET3300DCB DECK MOUNT WITH 300MM SPOUT

Deck Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. (Breech by others).

LIST PRICE EA. \$495 6 BUY PRICE EA. \$485

12 BUY PRICE EA. \$475



(Tap detail common to all Concealed Breech models, see next page for drawing).

JET3180DCB DECK MOUNT WITH 180MM SPOUT

Deck Mounted 180mm Swing Faucet with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. (Breech by others).

LIST PRICE EA. \$470 6 BUY PRICE EA. \$465

12 BUY PRICE EA. \$445



^{*} Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



JETSTREAM FIVE YEAR ON-SITE WARRANTY*

JET3000D

Deck Mounted 180mm Swing Faucet with lever tap. Lead free. Soft close operation. 400mm high. 4 Star rated.

\$295 LIST PRICE EA.

\$285 **6 BUY PRICE EA.**

\$270 12 BUY PRICE EA.



WALL MOUNT FAUCET/SINK SETS

JET3300WCB WALL MOUNT WITH **300MM SPOUT**

Wall Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. (Breech by others).

LIST PRICE EA. \$535

6 BUY PRICE EA. \$525

\$515 12 BUY PRICE EA.







JET3180WCB WALL MOUNT WITH 180MM SPOUT


Wall Mounted 180mm Swing Faucet with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. (Breech by others).

\$500 LIST PRICE EA.


6 BUY PRICE EA. \$490

\$480 12 BUY PRICE EA.













WARRANTY*

DISPENSERS

JET8000 TOWEL DISPENSER

The surface-mounted towel dispenser is supplied with four mounting screws

Unit dispenses C-fold or multifold paper towels 64-97mm deep

Durable, heavy-duty product Slots in cabinet indicate refill time Stainless steel construction Recommended for any commercial project

LIST PRICE EA. \$190



JET7000 SOAP DISPENSER

The dispenser is supplied with a mounting bracket fixed to the wall and the dispenser slides into the mounting bracket, so it is easily removed for rinsing. Durable, heavy-duty product Stainless steel Recommended for any commercial project Refillable from the top Manually operated soap dispenser Front inspection window

\$120 LIST PRICE EA.





REELS

Jetstream Heavy Duty Retractable Hose Reels are manufactured to commercial grade standards with heavy gauge steel construction and springs/latches for reliable operation. Available in various hose lengths as well as stainless steel option (kHR 1035 Models). Positive latch system holds hose at desired length. Wall, ceiling or floor mount. All hoses are suitable for up to 82°C and up to 500kpa. On-site 13 month warranty* on parts and labour.

HEAVY DUTY HOSE REELS

\$2980

\$2550

JET-1035-OSS-Y722 11m HOSE

STAINLESS STEEL CONSTRUCTION

Open Hose Reel Assembly 11m (35') hose supplied with Y722 spray gun. Shipping weight 17Kg

13 MONTH WARRANTY

LIST PRICE EA.

JET-1035-O-Y722 11m HOSE

GREY POWDER COATED

Open Hose Reel Assembly 11m (35') hose supplied with Y722 spray gun. Shipping weight 17Kg

13 MONTH WARRANTY

LIST PRICE EA.


JET-1050-O-Y722 **15.3m HOSE GREY POWDER COATED**

Open Hose Reel Assembly 15.3m (50') hose supplied with Y722 spray gun Shipping weight 22Kg

13 MONTH WARRANTY













297-SW16 VERTICAL CONTACT BUN TOASTER - COMPACT SIZE

When maximum throughput speed is essential, Prince Castle Vertical Bun Toasters offer up to 750 buns per hour capacity for venues that have high demand. The NEW 297-SW16 model is up to 20% smaller in footprint compared to previous models, and includes the 'Air Flapper' heat and energy saving device and new Front Safety Shield for operator safety and comfort.

297-SW16

Slim-Line Vertical Bun Toaster – up to 750 Buns per hour.

New Air Flapper increases bun temperatures by up to 3°C and saves energy.

New operator heat shield provides greater operator safety.

Adjustable platen temperature up to 304°C. Includes Teflon Kit, Air Flapper & Safety Shield.

Dimensions: 515W x 590H x 206Dmm

Weight: 32Kg

Electrical: 1890W, 8Amp.

LIST PRICE EA. \$5620



CTS-WCE SLIM-LINE VERTICAL TOASTER

Introducing Prince Castle's CTS-WCE Mini Slim-Line Vertical Contact Toaster. A revolutionary new design that increases toasting versatility, maxmises space savings, and provides perfect caramelisation with the convenience of vertical contact toasting. The unique two-level platen design allows the operators to toast thicker bun crowns and thinner bun heels at the same time. The variable speed motor is adjustable to allow for toasting speeds up to 2200 buns per hour.

CTS-WCE

Sim-Line Vertical Bun Toaster – up to 2200 Buns per hour.

Small footprint of 514 x 184mm saves space

Adjustable toasting time from 9-40 seconds to customise product

Digital display and electronic controls make for precise and repeatable settings complete with wire belt

Simple to remove conveyor makes cleaning quick and easy

Dual compression adjustment knobs allow for maximum product flexibilty

Accommodates all buns up to 1397mm in diameter

Heat Shield for cooler surfaces ensuring safer operation

Durable stainless steel construction makes the product easy-to-clean and maintain

Dimensions: 514W x 559H x 184Dmm

Weight: 30Kg

Electrical: 1500W, 6.25Amp.

LIST PRICE EA. \$11005



511-140

Top Mounting Bun Dresser – perfect solution to your buttering needs for CTS-WCE

model only.

Dimensions: 137W x 745H x 300Lmm

Weight: 2Kg

Electrical: 1500W, 6.25Amp.







PRINCE CASTLE DEDICATED HOLDING BINS - The benchmark

WITH EXCLUSIVE RELI-A-TEMP HEATING TECHNOLOGY AND MENU TRAK TIMER SYSTEM.

DHB24ACE (WAS DHB2PT-33) - 8 Pans

Two Cavity, **Pass Through Model** – each cavity equipped with rack system which holds four pans (eight required in total), four individually controlled heaters.

Timer bars on both sides of unit.

Dimensions: 838 W x 282 H x 358 D mm.

Weight: 55Kg

Electrical: 2.6kw 11Amp Supplied with 15 amp plug.

Order Pans separately.

LIST PRICE EA. \$10795





DHB2SS-20 - 4 Pans

Two Cavity, **Single Sided Model** – each cavity equipped with rack system which holds two pans (four required in total), two individually controlled heaters.

Timer bar on front side of unit.

Dimensions: 500 W x 282 H x 358 D mm.

Weight: 24Kg

Electrical: 1550Watts 6.6 Amp, Supplied with 10 amp plug.

Order Pans separately.

LIST PRICE EA. \$8380



PANS FOR USE IN DHB CABINETS - save \$\$ with the 12 pack

CODE	DESCRIPTION	\$ each	\$ 12 pack
30860HH13	Double Handled Amber Pans, 1/3 size, 64mm	80	925
30860H13	Single Handled Amber Pans, 1/3 size, 64mm	78	885



pass-through operations



Prince Castle are innovators in food preparation and holding technologies, and offer quality solutions in many areas of the commercial kitchen. From Tomato/Citrus slicers to high speed vertical bun toasters to the industry standard Product Holding Units (PHUs) used in so many well known QSR outlets world-wide.

HEAVY SAUCE PORTION DISPENSERS - 580 SERIES

Commercial-duty sauce dispenser guns available in a choice of portion size/volume.

Suitable for most heavy sauces. Supplied without bottles.

Dispenser: 262 x 193mm. Weight 1.3Kg

CODE	PORTION SIZE	\$
580-NMCC	1/3 fl.oz (9.8ml)	400
581-NMCC	1/2 fl.oz (14.8 ml)	400
582-NMCC	2/3 fl.oz (19.5 ml)	400
583-NMCC	1 fl.oz (29.5 ml)	400



When ordering sauce dispensers, order #136-1 bottles if not using prepackaged sauces.

ACCESSORIES FOR 580 SERIES HEAVY SAUCE DISPENSERS

Dispenser Bottles (case of 9) re-useable.

Each bottle is supplied with a nozzle for thinner sauces and a flexible valve for chunky sauces. Each bottle comes with end cap.

MODEL	DESCRIPTION	\$
136-1	DISPENSER BOTTLES (CASE OF 9) RE-USABLE	295

Bottle Storage Tray (Shown with bottles - supplied separately)

MODEL	DESCRIPTION	\$
155	BOTTLE STORAGE TRAY	180



SAUCE & MUSTARD DISPENSERS

Commercial-Duty Sauce and Mustard dispenser guns. Enjoy perfect dispensing with calibrated portion control.

- New slim/narrow design uses less prep table space
- Capacity: 0.91 kg above refill line
- Provides improved portion control (0.70ml)
- Container Dimensions: 165 x 89mm Overall Height: 232mm Weight 1.40 Kg
- Includes cover with tether attachment to reduce loss
- Easy calibration no tools required

All internal parts are colored white or red, providing easy identification when mixed with mustard dispenser parts. Some assembly required.

		, ,
CODE	DESCRIPTION	\$
398-CN	Mustard Dispenser Narrow	360
406-AN	Sauce Dispenser Narrow	350
417-ANP	Dual Holder for 398-CN and 406-AN	380





417-ANP Dual Holder

PRINCE CASTLE POUCH MATE

404-26

Use with any Pouch-Pak condiment. Saves money by recovering previously wasted product Simple to use Stainless steel contruction

\$125 LIST PRICE EA.





PRÎNCECASTLE


TOMATO SABER

Prince Castle's Tomato Saber is the world's leading tomato slicing system. The Perma-Tight® blade cartridge never requires blade tightening or adjusting. Blade replacement is fast and easy – simply snap the blade cartridge into position and the Saber is ready to use. A contoured pusher head holds the tomato in place for slicing, and permanently lubricated bearings ensure the slicing stroke is smooth and quick.

The exclusive tomato catcher snaps onto the unit and catches the sliced tomato for easy handling.

Overall dimensions: 465W x 216D x 238Hmm Weight: 6.4Kg.

CODE	DESCRIPTION	\$
943-A	Tomato Saber 4.7mm Slice (12 blades)	1495
943-B	Tomato Saber 6.3 mm Slice (9 blades)	1395



Replacement Blades can be purchased individually from our Spares/Parts Department, see chart.

SABER MODEL	CUT SIZE/ No of blades	PART CODE
	4.7 40.1.1	
943-A	4.7mm, 12 blade	943-038A

TOMATO CORE-IT

The fastest, safest way to easily core the tomato prior to slicing/dicing/cutting. Available singly or in bulk.

CODE	DESCRIPTION	\$
953	TOMATO CORE IT	12
950-1	Bulk Pack (Box of 144)	777



WEDGE WITCH

Citrus wedge slicers for the busiest bar/kitchen. Rugged blade construction and simple to use, with the choice of the heavy duty 908 model or the economical CW-6 (Yellow body) for smaller operations.

MODEL	DESCRIPTION	\$
908-A8	WEDGE WITCH (8 SECTION) ALL METAL	1105
CW-6	CITRUS SABER (8 SECTION) YELLOW POLYCARBONATE	330





DICE WITCH

The answer to heavy duty dicing, with sturdy frame, precision pusher head and cutter assembly.

MODEL	DESCRIPTION	\$
910-A	Dice Witch 3/8" (9.53mm) Square Cut	1210





ATTAINTING TO

PRINCE CASTLE GRILL BRUSHES & MAINTENANCE TOOLS

Essential equipment for every venue involved in heavy grilling/char grilling. These heavy duty brushes are available in Medium or Coarse grade to suit most grills.

CODE	E DESCRIPTION	
CC	Char-Brush (coarse)	175
CM	Char-Brush (medium)	190



BRUSH MODEL	REPLACEMENT HEAD
СС	CC-1
СМ	CM-1

REDI-GRILL GRILL MAINTENANCE TOOLS

Maintain food standards and quality with these professional grill tools. The heavy duty 161 Scraper makes light work of grill plate maintenance.

CODE	ODE DESCRIPTION	
161	Redi-Grill Scraper	235

Replacement Scraper
Blades can be purchased
from our Spares/Parts
Department (see chart).

SCRAPER
BLADE CODE
DESCRIPTION
161-HD
Heavy Duty
161-6DP
Disposable (Pk6)

can be purchased individually from our

Spares/Parts Department and come with replacement screws (see chart).

Quick cleanup of the grill plate surface during the day is made easy with this made-for-purpose heavy duty grill plate wiper.

CODE	DESCRIPTION	\$
233-71A	Grill wiper	310



WIPER MODEL	REPLACEMENT WIPER
233-71A	233-86C (Pk4)

BUTTER SPREADER/MELTING PAN

50

Dress Up Butter Spreader

LIST PRICE EA. \$399



MOP & BROOM STATIONS

918-B

Mop and Broom Station 450mm long

LIST PRICE EA. \$275



FRY SCOOPS

252-DH

Sturdy Dual Handle Fry Scoop.





PROLUXE



Double Your Output

Easily grill two separate menu items or double the output of a single entree.

COMPACT SIZE

(0)

HIGH PRODUCTION

EVEN HEAT DISTRIBUTION TECHNOLOGY

(:16)

GRILL IN SECONDS



EMBEDDED HEATING ELEMENT

Small Footprint, High Output

This compact split lid grill is the perfect machine to grill and seal quesadillas, sandwiches, burritos and more. Our exclusive manufacturing process casts the heating elements into the platen resulting in more even heat distribution and longer life expectancy. Backed with an exclusive heating element limited lifetime warranty.

MODEL	SL1266
TEMP CONTROL	Yes
NET WEIGHT	30kgs
DIMENSIONS	420W X 550H X 480Dmm
WATTS	1900
SUPPLIED WITH 10AMP PLUG	Yes
MAX HEAT	274°C
LIST PRICE	6990







San Jamar have been the innovators in quality solutions for food safety, counter service and washroom products- innovation driven by real world experience directly gained from its customers.

Products that are used throughout the world that make dispensing, food handling, transportation, safety and sanitation so vital to successful food and venue management.

With an ever increasing product range, San Jamar offer a high quality, reliable answer to the many needs in any establishment.

EZ-FIT CUP & LID DISPENSERS

HOLDS A SLEEVE OF CUPS

The most versatile and popular cup dispenser to accommodate cup sizes from 73-121mm diameter, with easy to change rubber gaskets. Easy to install, reliable and ideal for venues dispensing different size cups, or where the cup size requirements may change over time.

Comes with pack of 4 different size black gaskets (S, M, L, XL) and chrome finish ring.

C2410CBKFSM EZ-Fit One-Size-Fits-All Counter Mount CUP Dispenser

Metal finish trim ring, supplied with 4 pre-cut gaskets. **Suits Rim Diameters: 73-121 mm** Tube Length: 597 mm, 146mm counter hole diameter.

Companion Lid dispensers available

LIST PRICE EA. \$185



L2400CFSM Ez-Fit In-Counter LID Dispenser

(Companion to C2410 model dispensers)

Suits 95-115mm diameter lids, with "metal finish" trim ring. Tube length: 603mm. 146mm counter hole diameter.

LIST PRICE EA. \$220

Recommended for Horizontal mounting.



C2210CBKFSM EZ-Fit One-Size-Fits-All Counter Mount CUP Dispenser

Metal finish trim ring, supplied with 4 pre-cut gaskets. **Suits Rim Diameters:73-98 mm** Tube Length: 590 mm, 124mm counter hole diameter.

Companion Lid dispensers available

LIST PRICE EA. \$170



L2200CFSM Ez-Fit In-Counter LID Dispenser

(Companion to C2210 model dispensers)

Suits 70-95mm diameter lids, with "metal finish" trim ring. Tube length: 603mm. 124mm counter hole diameter.

LIST PRICE EA. \$220

Recommended for Horizontal mounting.



C2410SM Surface Mount CUP Dispenser

One-Size-Fits-All EZ-Fit model for installations where counter mounting is impractical, comes with sturdy wire frame for mounting. Rim Diameter 73-121 mm. Tube Length 597 mm. Supplied with 4 pre-cut gaskets.

LIST PRICE EA.

\$390







COUNTER MOUNT ADJUSTABLE COLLAR CUP DISPENSERS

C Series Counter Mount dispensers come with adjustable collars to accommodate a specific range of cup sizes. Durable stainless steel construction and available in Vertical, Horizontal or Foam cup models to suit demanding installations. Many busy fast food outlets enjoy the reliability of these models.

C3400 SERIES

FOR CUP RIM DIAMETERS 70-98MM

(Tube length 597mm, Counter hole dia. 119mm)

	CODE	MOUNT	CUP TYPE	\$
(C3400CH	Horizontal	Paper/plastic	175





C3500 SERIES

FOR CUP RIM DIAMETERS 101-123MM

(Tube length 597mm, Counter hole dia. 146mm)

CODE	MOUNT	CUP TYPE	\$
C3500CH	Horizontal	Paper/plastic	230

EZ-FIT HOT LID DISPENSER

Space-efficient:

The in-counter mount can be oriented horizontally or vertically, keeping countertops organised Sanitary:

Its one-at-a-time rubber dispensing gaskets safeguard lids from contamination User-friendly:

Compatible with a variety of lid shapes and sizes

Operational efficiency:

Reduces lid waste and eliminates messy stacks

Versatile Design:

Interchangeable rubber gaskets can fit a wide variety of lids

CODE	DESCRIPTION	SUITS RIM SIZE	\$
L2210	Hot Lid Dispenser - Small	76-95mm	180
L2410	Hot Lid Dispenser - Large	95-101mm	180









WALL MOUNT PULL TYPE FOAM CUP DISPENSERS

UNBREAKABLE POLYETHYLENE

San Jamar Foam Cup Dispensers in economical and unbreakable Polyethylene construction with an easy to install wall mount 'slide-on' system, in two sizes to suit a wide range of Foam Cups.

MODEL	CUP SIZE	RIM DIA.	\$	
C4210PFSD	120-300 ml	70-85 mm	110	
C4410PFSD	350-710 ml	82-98 mm	100	***

**While stocks last

STAINLESS STEEL

San Jamar Foam Cup Dispensers in Stainless Steel construction with an easy to install wall mount 'slide-on' system, in three sizes to suit a wide range of Foam Cups.

MODEL	CUP SIZE	RIM DIA.	\$
C4200PF	120-300 m	70-85 mm	160
C4400PF	350-710 ml	82-98 mm	180
C4500PF	950-1360 ml	98-123 mm	235

***While stocks last



WALL MOUNT PULL TYPE STAINLESS STEEL CUP DISPENSERS

San Jamar's stainless steel dispensers offer the high-end image that only stainless steel can provide, with the utmost durability. Our pull-type cup dispensers have San Jamar's patented, time-tested design for dependable one-at-a-time dispensing. These dispensers include 'slide-on' wall mount brackets. Suitable for plastic and paper.

MODEL	CUP SIZE	RIM DIA.	\$
C3200P	180-300 ml	50-80 mm	150
C3400P	350-710 ml	70-98 mm	155
C3500P	950-1360 ml	101-123 mm	235





WIREWORKS CUP DISPENSER & LID ORGANISER

Cost effective option for dispensing paper, plastic or foam cups one-at-a-time. Coils adjust to fit cups ranging from 3 to 4.5mm rim diameter. Comes with side panels to prevent contamination.

CODE	DESCRIPTION	\$
C8503WF	2 Cup dispensers, 1 lid organizer, NO side panels. NEW CODE	400
C8504WFD	3 Cup dispensers, 1 lid organizer, 2 side panels.	800

ACCESSORIES

CODE	DESCRIPTION	\$
C8500S	Optional straw caddy to suit both of the above models, sold separately.	45
X101987	Optional spindle to suit both above models, PACK OF 2.	54











LID DISPENSERS

L1014 - Counter or Wall Mounted Lid Organiser

Each compartment is adjustable to adapt to the lid size. Anti-slip feet ensure that unit will stay in place during counter-top use. Dimensions 165H x 362W x 133D

LIST PRICE EA. \$295



PCL3ADJ - Adjustable Portion Cup & Lid Organiser

2"-3" adjustable

Multi-channel adjustable design stores disposable portion cups and lids neatly in each unit Provides easy access and quick refilling of lids in high-traffic environments Faceplate can be switched out to accommodate different napkin styles Allows smooth one-at-a time dispensing down to the last napkin- even when overfilled Easy-to-clean clear plastic resists cracking and breaking for extended use Dimensions: 304H x 109W x 260Dmm

LIST PRICE EA. \$80



DIGITAL SCALES

SCDG33WD Digital Scale

Waterproof – IP67 rated scale can be completely submerged for quick cleaning and sanitizing Rechargeable Battery – Lasts up to 64 hours on a single charge eliminating the hassles of cords and dead batteries

Easy Read Display – Large screen features imperial (lb / oz) and metric (kg / g) units of measure for precise portioning

Convenient Taring – Quickly reset the scale to zero weight to measure multiple items in a single container

1g increments, 15kg capacity. Dimensions: 28L x25W x12Hcm 2kg







NAPKIN and STRAW DISPENSERS

H5003TBK COUNTER-TOP NAPKIN DISPENSER

San Jamar's Venue® line of napkin dispensers offer optimal dispensing for a variety of interfold napkin sizes.

Dispenser holds up to 550 interfold napkins reducing the need for frequent refilling Designed for storage convenience and high-volume dispensing in tight spaces Faceplate can be switched out to accommodate different napkin styles Allows smooth one-at-a time dispensing down to the last napkin- even when overfilled

Easy-to-clean clear plastic resists cracking and breaking for extended use

Dimensions: 184H x 209W x 413Dmm

LIST PRICE EA. \$170



H5000STBK COUNTER-TOP with Stand NAPKIN DISPENSER

San Jamar's Venue® Napkin Dispenser with Stand is an ideal choice for full-fold countertop napkin dispensing. The Venue® Napkin dispenser provides smooth, precise dispensing–even at maximum capacity. The stand feature enhances image and offers high-volume dispensing in tight spaces.

Patented one-at-a-time dispensing reduces napkin waste


33% more capacity than competing mini-fold and full-fold dispensers Stand model enhances image and saves counter space

otanu model ermances image and saves coun

Smooth dispensing down to the last napkin Impact-resistant plastic construction

Dimensions: 441H x 203W x 330Dmm

LIST PRICE EA. \$195





L320C

Organises straws or stirrers utilising a simple adjustable mounting ring to lock and secure the holder. Also doubles as a trash chute with removable bottom plate. Diameter: 136mm Tube Length: 152mm.

Counter hole diameter 106mm.

LIST PRICE EA. \$140



ALSO AVAILABLE (not illustrated) L360C Large Trash Chute 168mm Diameter \$108







PUMP SYSTEMS / BAR SUPPLIES / SAFETY WRAP

FRONTLINE PUMP SYSTEMS

Perfect for self-service areas where portion control is critical.

Ultra pumps dispense in 1 x 28.34g portions.

2.36 litre jars are removable for easy cleaning and refilling.

CONDIMENT PUMP SERVICE CENTRES

MODEL	WELLS/PUMPS	\$
P9712	2 well with 2 pumps	720
P9713	3 well with 3 pumps	935
P9715	5 well with 5 pumps	1490



THE DOME GARNISH CENTRE

BD4006S

The domed lid rotates back for easy access and increased capacity when closed.

Uses six standard size trays supplied to keep food chilled (or optional deep trays for extra capacity).

Complete unit is slanted towards the operator for convenience Integrated snap-on caddies store straws, stirrers and picks. Dimensions:

590mmW x 180mmH x 130mmD with Caddies 520mmW x 180mmH x 130mmD without Caddies

LIST PRICE EA. \$210



THE MINI DOME GARNISH CENTRE

BD2002

Connectors provide modularity between Mini Dome, Dome and snap-on caddies.

LIST PRICE EA. \$110



SAF-T-WRAP DISPENSER

Makes proper food rotation faster and easier by combining wrapping and date labelling tools in one convenient location.

Saf-T-Wrap® Station holds film or foil, dating labels and includes storage areas for box cutters, pens and markers. Safer and more sanitary than dirty film and foil boxes, Saf-T-Wrap® Station's commercial-grade suction cup feet hold securely to countertops during use, minimising cut injuries.

SW1218SC

Saves money by reducing labelling time and minimizing food waste by aiding in FIFO food rotation.

Dispenses dating labels in multiple sizes and configurations. Comes with slider safety blade for film, foil and paper.








ICE HANDLING SOLUTIONS

SI9000 - SAF-T-SCOOP & GUARDIAN

Ergonomic handle, contamination shield, tapered chute, sanitary storage caddy, easy to clean.

LIST PRICE EA. \$255



NINO AND

SI6000 - SAF-T-ICE TOTE

Ergonomic handle, drying and storage hook, clear identification

LIST PRICE EA. \$185

SILD6000 - LIGHT DUTY ICE TOTE

Ergonomic design, integrated hanger, recessed bottom, clear identification. 22L

LIST PRICE EA. \$90





IC222003 - Cateraide™ Ice Caddy

90kg ice capacity, 2 fixed and 2 swivel castors 1 with brake. Dimensions including handle 781L x 559W x 927Hmm

LIST PRICE EA. \$1885

OVEN MITTS

810CM15 - BESTGRIP CONVENTIONAL OVEN MITT

Heat protection up to 260°C, non-slip grip, integrated storage, easy to clean, ambidextrous design. Single mitt.

LIST PRICE EA. \$60



800FG17-BK - OVEN MITT BESTGUARD

Heat protection up to 230°C, Kevlar stitching, angled cuff, non-stick coating, ambidextrous design. Pair of mitts.

LIST PRICE EA. \$40



Heat protection up to 230°C, hanging loop, non-stick coating, ambidextrous design. Pair of mitts.









KLEEN-PAIL®

Kleen-Pail's meet HACCP dedicated use guidelines for cleaning and sanitising cloths used to wipe down surface areas. Kleen-Pails make it easy to separate containers used for food storage from those used for dangerous non-food purposes. They also eliminate potential confusion between cleaning and sanitising solution containers. Green Kleen-Pails are used for soap solutions and Red Kleen-Pails are used for sanitising solutions.

KPP256RD 7.5L Kleen-Pail® RED

KPP256GN 7.5L Kleen-Pail® GREEN

LIST PRICE EA. \$27

KPP196RD 5.6L Kleen-Pail® RED

KPP196GN 5.6L Kleen-Pail® GREEN

LIST PRICE EA. \$19

Each unit comes with volume indicators on the inside of the pail.





ALLERGEN SAFE-T-ZONE SYSTEM

ASZ121812SYS

Protects guests with food allergies

Special purple colour to alert all kitchen staff

Handy case includes Saf-T-Grip 305x457mm cutting board, tongs, turner and chef's knife.

Board and tools dishwasher safe

Works to avoid allergen cross-contact/contamination

Optional waterproof thermometer available (code ASZTHERMW)



ASZTHERMW Optional professional thermometer (waterproof and dishwasher safe) POA






DOCKET HOLDERS / SLIDE CHECK RAILS

Anodised Aluminium Docket Holders provide an easy-to-use system for check orders. Unique design allows for one handed check placement.

Aluminium slide check racks available in various lengths.

Glass marbles hold checks in place and will not melt even under the hottest of kitchen

temperatures.



HAND WASHING STATION COMBO - Hands Free & manual models

These Hand Washing Station Combo packs are the economical solution that ensures all the tools needed for employees to properly wash their hands are readily available. Controls towel usage per user and has completely hands free operation with the T1440TBK model with long-lasting battery power and manual override feature. Place these units wherever required to comply with regulations without the need for an electrician.

T1440TBK (Automatic Hands free)

Smart System **Touchless** battery powered towel dispenser dispenses any quality of paper automatically with sensors, easy to use and reduces wastage. Adjustable length & interval time.

Touchless Soap Dispenser battery-powered (up to 80,000 cycles/6 months) Dispense a wide variety of liquid, soaps, sanitisers (except pumice). Unique hybrid manual pump override when batteries run low Hand washing chart gives step-by-step instructions for proper hand washing.

LIST PRICE EA. \$790 ***While stocks last




T1430TBL (Touchless Towel Dispenser)

- ➤ Smart System Touchless battery powered towel dispenser
 Dispenses any quality of paper automatically with sensors, easy to
 use and reduces wastage.
- ▶ Bulk soap dispenser will dispense a wide variety of liquid and lotion, soaps (except pumice).
- ► Hand washing chart gives step-by-step instructions for proper hand washing.

LIST PRICE EA. \$640 ***While stocks last











Drop-In Freezer

MODEL	SKFDI
REFRIGERANT	R290
WEIGHT	35kgs
DIMENSIONS	454W X 454D X 671Hmm
POWER	240V
SUPPLIED WITH 10AMP PLUG	Yes
TEMP RANGE	-20.6 TO -15°C
LIST PRICE	6600

DUE IN APPROX EARLY APRIL 2024

Features

Eco-Friendly Refrigerant

R290 refrigerant with a global warming potential (GWP) of 3

Easy to Clean

Stainless steel interior with coved corners, finished edges, and removable lids

High-Density Insulation

Foamed-in-place, CFC-free polyurethane insulation for maximum strength, rigidity, and insulation

Cold Wall Refrigeration System

Optimized temperature control thanks to the cold wall refrigeration and top access

Heavy-Duty Construction

Stainless steel exterior plus galvanized lower cabinet and base reduce the risk of corrosion

Folding Hinged Lid


Insulated, front and back hinged lid for easy top access

Cabinet Capacity

Maximized interior storage area of 0.96ft³










415.14

[625.44]



304.80

[413.12]



A Proud Heritage of Quality, Value and Service

WINE Coolers

BUTLER SERIES

The Butler Series offers cost effective options for small, medium and large wine and beverage collections. Dual-pane, all-glass doors with black trim and stainless steel accents characterize these modern style fridges.



48-Bottle Single-Zone Wine Cooler

- Flexible free standing design can be used in almost any room
- · Exterior touch screen controls with LED display
- Set and monitor temperature between 39-65 °F (4-18 °C)
- · Interior light illuminates bottles
- · Insulated dual pane tinted glass door locks in the cold
- · Sturdy scallloped wire shelves extend 20%
- · Capacity: approx. 48 standard 750ml wine bottles



Wire Racks

EL-48TS

Certifications:



*Note: Bottle capacity based on standard Bordeaux style bottle approximately 11.5" x 2.9" dia.

PRODUCT NAME	COLOR	SKU	UPC	DIMS (mm W x D x H)	PRICE
48-Bottle Single-Zone Wine Cooler	Blk	EL-48TS	657433008471	541W x 545D x 830H	1095



155-Bottle Dual-Zone Wine Cooler

- standing wine cooler; great for kitchens, wet bars or pantrys
- · Incorporates inverter technology to reduce energy consumption by up to 20%
- Insulated dual pane glass door with stainless steel frame and matching handle



Metal Shelves with Stainless Lip

- Extra-large capacity built in or free Stores up to 78 bottles in the lower compartment and up to 77 bottles in the upper compartment; top shelf is removeable to store larger bottles
 - Temperature range: upper zone (40-55 °F) / lower zone (55-72 °F)
 - Stainless steel trimmed shelves extend 40%
 - Interior LED light illuminates bottles
 - · Security lock

Certifications:



PRODUCT NAME	COLOR	SKU	UPC	DIMS (mm W x D x H)	PRICE
155-Bottle Dual-Zone Wine Cooler	Stnlss Stl	EL-142SDST	657433015103	600W x 680D x 1860H	3850



184-Bottle French Door Wine Cooler

EL-36TD180

- Extra-large capacity built in or free standing wine cooler; great for kitchens, wet bars or pantrys
- Two separate and independently controled temperature zones
- Insulated dual pane frameless glass door with exterior touch screen controls
- Temperature range: left zone (39-65 °F) / right zone (39-65 °F)
 - · Blackwood trimmed shelves extend 40%
 - · Interior LED light illuminates bottles

• Stores up to 92 bottles in each zone

- Security lock
- · Capacity: approx. 184 standard 750ml wine bottles



Gliding Shelves with Wood Lip

Certifications:



PRODUCT NAME	COLOR	SKU	UPC	DIMS (mm W x D x H)	PRICE
184-Bottle French Door Wine Cooler	Blk	EL-36TD180	657433015752	886W x 630D x 1765H	4995

Butler Series WINE COOLERS



WINE Coolers

New model coming November 2024

BUTLER SERIES

98 Bottle/200 Can Dual-Zone Wine & Beverage Center

EL-100WBC-TS

Vinotemp's Dual-Zone Wine & Beverage Center brings an element of class and elegance to any room. This premium wine & beverage cooler will allow you to store your collection in the optimal conditions so that your wine and beverages can be kept at respective temperatures. An easy-to-use digital control panel with LED readout allows you to set the individual cooling zones at two different temperatures to ensure that your wine bottles and beverage cans are maintained properly. This unit features two dual-paned glass doors with recessed handle that separate the wine storage in the upper zone and beverage storage in the lower zone. Outfitted with 7 Ouzo™ gliding wire racks with black lip and 4 tempered glass shelves. this wine & beverage cooler can hold approximately 98 bottles and 200 cans in two separate cooling zones. Frameless cabinet with all-glass technology and dualpaned glass doors give a stylish look to this cooler while providing you with easy access to your favorite wine and beverages. This attractive and modern wine & beverage cooler is designed to be a worthy home for all of your finest collections.



Beverage Compartment



Digital Control Panel



Wine Compartment



Blue LED Side Lights



Features:

- Capacity: Holds approximately 98 bottles in the top section and 200 cans in the bottom section
- Dual-zone wine & beverage cooler
- Two-Door, Right-Hinge Unit
- · Easy-to-use control panel with digital display
- Seven gliding Ouzo[™] style wine racks with black wooden lip, a Vinotemp exclusive!*
- Four tempered glass shelves
- Frameless black cabinet with seamless, all-glass technology and pole handles
- · Front vent for built-in or freestanding installation
- Blue LED interior lights to best view your collection
- · Wine storage on upper zone and beverage storage on lower zone
- Temperature Range:
- Upper Zone (3.9-18.3°C) and Lower Zone (3.9-18.3°C) Dimensions: 608mm W x 680mm D x 1876mm H
- · Net weight: 116kg.

PRODUCT NAME	COLOF	R SKU	UPC	DIMS (mm W x D x H)	PRICE
98 Bottle/200 Can Dual Zone Wine & Beverage Centre	Blk	EL-100WBC-TS	657433015769	680W x 609D x 1877H	4450



WINE Coolers

CONNOISSEUR SERIES

Smooth, seamless trim provides a framework for these beautiful fridges in a variety of made-for-each-other wine and beverage combos. A wood lip brings a touch of elegance to the cooler's strong lines and bold details. Low- E glass and a compressor cooling system help maintain the perfect temperature for your precious collection.





46-Bottle Dual-Zone Wine Cooler

EL-46WCST

- 24" inch design for built in undercoutner Blue LED interior display light application, can also be free standing; pairs with EL-46WCBC-L
- Two independently controlled temperature zones with through the door digital display
- Set temperature between 40 56 °F in upper zone, 54 - 65 °F in lower zone
- Stores up to 16 wine bottles* in the upper zone and 30 bottles of wine in lower zone: shelves extend 40%
- Stainless steel door frame with matching pro handle
- Insulated dual pane glass door locks in
- · Integrated door lock secures contents
- · Right-hand swing

Perfect undercounter cooler for a medium-size wine collection



Grooved Shelves with Wood Lip

PRODUCT NAME	COLOR	SKU	UPC	DIMS (mm W x D x H)	PRICE
46-Bottle Dual-Zone Wine Cooler (R)	Stnlss Stl	EL-46WCST	657433013857	595W x 595D x 875H	2395

WINE & BEVERAGE COOLERS Connoisseur Series



WINE Coolers

Patented Backlit™ **Panel**

These showy units are all about creating a spectacular display for your best bottles. Streamlined patented stainless steel wine racks ensure that your bottles are properly secured while maximizing the visibility of wine bottle labels. Its patented interior Backlit™ panel has three different light-emitting diode (LED) options - Heliotrope, Amber and Vinotemp BioBlu™ (which helps reduce the growth of bacteria and mold) – and can be selected at any given time or the interior lighting can be turned off.

Patented Interior Backlit™ Panel: (U.S. Patent No. D868,849 S)

Patented Label Forward, VinBo™ Racks: (U.S. Patent No. D910,089 S)





188-Bottle Single-Zone Wine Cooler (Right Hinge)

- 30" inch commercial design for built in application, can also be free standing
- Digital controls with through-the- lock secures contents door LED display
- Set temperature between 41-64°F Includes charcoal air filter
- has 3 light colors and casts a soft . glow from the back of the unit

EL-300COMM

- VinBo™ secures the wine bottle horizontally with label visible, stores up
- Shelves extend 90%

- to 141 bottles* of wine Integrated door





Heliotrope

Vinotemp BioBlu™

PRODUCT NAME	COLOF	≀ SKU	UPC	DIMS (mm W x D x H)	PRICE
188-Bottle Backlit™ Comm. 300 Single-Zone Wine Cooler	Blk	EL-300COMM	657433013611	750W x 689D x 1880	5650

WINE COOLERS Backlit™ Panel









The VITO® Portable Oil Filter System is available in three capacities to suit your workload and fryer capacity. Simple to use drop-in unit - no need to drain oil from the fryer.

VITO® is the ONLY simple to use pressure filtration system that removes contaminants down to 5 microns in size - more efficient than in-built filters, and VITO® can easily pay for itself inside twelve months. And it switches off automatically so you can get on with other work. Dishwasher safe designed and manufactured in Germany.

Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.

Add a VITO® FT 440 Oil Tester to determine exactly when to change the oil and save even more.

VITO® OIL FILTER SYSTEM

CODE	VITO MODEL	FILTER TIME (Approx)	CAPACITY & DESCRIPTION	WEIGHT	DIMS WHDmm	\$
103404 (Was 101379)	VS Connect (WAS 30)	4.5 mins approx.	Suits fryers up to 12Litres volume. 300W (10Amp plug) Includes 10 Filters Wifi model - VITOconnect	6.3Kg	116 x 356 x 176	3165
103301 (Was 101380)	VM Connect (WAS 50)	4.5 mins approx.	Suits fryers up to 18 Litres volume. 300W (10Amp plug) Includes 10 Filters Wifi model - VITOconnect	7.7 K g	116 x 400 x 191	4695
103204	VL Connect	4.5 mins approx.	Suits fryers 20Litres volume upwards . 500W (10Amp plug) Includes 10 Filters. Wifi model - VITOconnect	8.8kg	116 x 502 x 187	5720





Exclusive In-Fryer Filtering With Automatic Shut Off

#VITOconnect

filter effectively, monitor smart



Connect

Connect the
VITO 80 with the local
Wifi network
in the kitchen.



Serve

Configurate the VITO
easily with the mobile phone,
tablet or PC.
For example the filtration
cycle time.



Select

Usage data can be analyzed directly, for example: number of filtration cycles, total run time, date of the last filtration.



View

Usage data can be viewed on different devices as well as via e-mail reports and the CRM system.









VITO X cleans the oil and stores it in its tank. It provides an easy and hygienic transport in the kitchen. Because of its innovative vacuum-filtration technology, particles remain in the filter medium in a dry condition. Like every VITO oil filter system the X provides a microfiltration ensuring the optimal quality of your oil is preserved. The unique design makes sure the X can handle temperatures up to 200°C and provides highest safety at work, due to avoiding direct contact with hot oil. After filtration the oil can easily be pumped back into the fryer automatically.

Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.

Add a VITO® FT 440 Oil Tester to determine exactly when to change the oil and save even more.

VITO® X VACUUM FILTRATION SYSTEM

CODE	DESCRIPTION	WEIGHT	DIMS WHDmm	\$
XS	Up to 35l/min filtration power and 40L tank (10amp)	45Kg	553 x 843 x 883	11190
XM	Up to 35l/min filtration power and 75L tank (10 amp)	56KG	553 x 1044 x 883	12160
XL	Up to 35l/min filtration power and 120L tank (10 amp)	64Kg	553 x 1334 x 883	13500



Additional Features

- The VITO X can operate at frying temperatures
- Adjustable top handle
- Automatic off Tank with built-in oillevel sensor
- Full stainless steel construction with cellulose filters (components used are food safe)
- Integrated heating for solid frying medium
- Big wheels with brakes
- Filter basket is dishwasher safe
- Easy off hose







VITO® OIL ACCESSORIES

34022090 FRYER BOIL-OUT TABS

Powerful, safe and easy cleaning of commercial deep fryers and stainless steel fryer accessories.

Product description:

- removes burnt-in grease and oil
- intensive cleaner packed as tabs for effective cleaning of commercial deep fryers
- individually packed, simple dose
- fryer accessories made of stainless steel can be cleaned as well
- easy to use, saves working time

1 tin = 15 tabs

LIST PRICE EA. \$120



FT 440 VITO OIL TESTER

Food oil quality monitor and temperature measurement system, including probe, case & instructions. Easy to use "traffic light" warning system as well as digital display. Make sure you only change the oil when necessary and maintain perfect frying oil condition, whilst saving money.



VITO® REPLACEMENT CELLULOSE FILTERS					
CODE	DESCRIPTION	ON		\$	
100112	V30 FILTERS	Box of 100		360	
100114	VM/VL(WAS 50/8	0) FILTERS	Box of 100	475	
101441	EILTEDS TO SUIT	T V CEDIEC	Doy of 50	460	





Yellow Brand Induction Units, one of the leaders in induction technology to the Australian market, now established and recognised as a highly efficient and safe cooking technology. Yellow Induction units are made to last and offer superior performance and quality compared to lesser units. And each Yellow Induction model comes with our exclusive 13 month warranty for absolute peace of mind when you next specify for that important project.

YELLOW INDUCTION HOBS

SINGLE PORTABLE COUNTER-TOP HOBS

ET-24M Counter Top Unit

Powerful portable table top unit plug-in self contained for use in kitchen / buffets. Touch Panel, LED Display, 9 power setting, Temperature Holding, Timer, Smart Fan.

Dimensions: 295W x 425D x 84Hmm Ceramic glass dimension: 294 x 275

2300 watts. 10 amp plug.

LIST PRICE EA. \$1820



ET-35M Counter Top Unit

High Power portable table top unit plug-in self contained for use in kitchen / buffets. Touch Panel, LED Display, 9 power setting, Temperature Holding, Timer, Smart Fan.

Dimensions: 295W x 425D x 84Hmm Ceramic glass dimension: 294 x 275

3400 watts. 15 amp plug.

\$2050 LIST PRICE EA.



Y3500TT Counter Top Unit - whilst stocks last

High Power portable table top unit plug-in self contained for use in kitchen /

buffets.

Dimensions: 385 x 520 x 177mm

Ceramic glass dimension: 300 x 300 x 6mm (thick).

3500 watts. 15 amp plug.

LIST PRICE EA. \$2770



Y1000WCS

Free Standing Unit mounted in attractive chrome stand with on-board

controls and rear chafer support. Dimensions: 385 x 385 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

1000 watts. 10 amp plug.







All Yellow Induction units offer Automatic Safety Shut-Off, Material Compatibility and small object Detector, Overheating Protection Device and Automatic Resetting. All these In-built/drop-in induction units have the same cut-out and require ventilation for optimum performance. Consult your FSM representative for more information.

SINGLE DROP-IN HOB UNITS

Y300 Fanless Induction Warmer

300 watt drop-in buffet/warmer. Can daisy chain up to 4 units. No ventilation under required Dimensions: 380 x 360 x 91.2mm 300 watts. 10 amp plug.

LIST PRICE EA. \$1290

Y300R Remote Controller LIST PRICE EA. \$65





Y1000NT Drop In Unit

Perfect drop-in unit for buffet warming. Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: $360 \times 380 \times 4 \text{mm}$ (thick).

Remote controller supplied with flex cord.

1000 watts. 10 amp plug.

LIST PRICE EA. \$1575





Y2000D Drop In Unit

Powerful 2000 Watts of power in a drop-in unit, ideal for buffet/kitchen/

holding with remote control.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2000 watts. 10 amp plug.

LIST PRICE EA. \$1770





Y2500AD Drop In Unit

High output 2500W drop-in unit for kitchen or buffet use.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2500 watts. 15 amp plug.







Yellow Induction built-in cooktops offer the rugged performance demanded of every commercial kitchen. Framed with stainless steel, these Dual Hob models have the capacity and versatility in one unit.

BUILT-IN COOKTOPS

Y3500DDSS

Built in Dual Hob Unit with remote controller for maximum performance and power, this dual unit offers versatility in a compact built-in unit.

Dimensions: 450 x 700 x 208mm

Comprises two 2 X 3500 watt cooking/warming surfaces.

Electrical: 7.2kw, 30 amp, Single phase. Unit supplied unplugged.

LIST PRICE EA. \$7860



MULTIZONE INDUCTION WARMER

YMC-2-1700

Versatile Multi Zone unit with 1700W for warming/holding flexibility. Glass touch control panel and 10 hour timer.

Dimension: 806W x 386D x 111mmH

Vitro-Ceramic Plate Dimension:

800W x 380D x 4mm (thick).







The new era of warming, MULTI-ZONE Induction technology that heats all points on the ceramic glass top. Newly developed technology can suit any shape and size of induction compatible display chafer, saucer, small utensils, pots and pans. Unlike normal Induction Units, these Yellow Multi-Zone units allow almost unlimited flexibility in pan size and placement and look fabulous in any setting.

MULTI-ZONE BUFFET DROP IN INDUCTION

YMC-2-2500

Versatile Multi Zone unit with two x 2500W units for warming/holding flexibility. Complete with remote generator rack and two (2) remote controller panels (as below).

Dimension: 800W x 380D x 66mmH

Ceramic Glass Dimension: 800W x 380D x 6mm (thick).

Supplied with 2 x 2500W generators with 15

amp plugs

LIST PRICE EA. \$9200



Two Remote controller panels supplied

5000 WATTS POWER



YMC-3-2500

Versatile Multi Zone unit with three x 2500W units for warming/holding flexibility. Complete with remote generator rack and three (3) remote controller panels (as below).

Dimension: 1180W x 380D x 66mmH

Ceramic Glass Dimension: 1180W x 380D x 6mm (thick).

Supplied with 3 x 2500W generators with 15

amp plugs



Three Remote controller panels supplied

7500 WATTS POWER

LIST PRICE EA.



REMOTE GENERATOR CONTROL & RACK (included with above)

Compact and remote type generator with easy access for maintenance and less interruption to daily operation. These units are supplied with the cooktops above and can be located within 3m of the cooking surface.

MODEL	DIMENSIONS	CABLE LENGTH	TOTAL POWER
YMC-2-2500	385W x 450D x 275mmH	3m*	5kw, 30 amp.
YMC-3-2500	385W x 450D x 387.5mmH	3m*	7.5kw, 45 amp.

*Max 3m remote cable between hob and generator. Each Generator is supplied with its own 15A plug. YMC-2-2500 = 2 power cords and 15A plugs. YMC-3-2500 = 3 power cords and 15A plugs. YMC-2-2500 GENERATOR RACK SHOWN MOUNTED REMOTELY



All Multi-zone Induction generator units require adequate ventilation for maximum performance.





YELLOW PLANETARY MIXER - STEPLESS VARIABLE DRIVE

Offering commercial quality at an affordable price is the Model B7C planetary mixer. With a wide range of accessories for flexibility and ease of use, including a wire whip, dough hook, flat beater, stainless bowl and integrated safety guard with unique dosing feeder. Plus the peace of mind of an Australia-wide 13 month parts and labour warranty.

B7C Commercial Planetary Mixer.

75-660 rpm variable speed.

Complete with wire whip, dough hook, flat beater, bowl and integrated safety guard with dosing

feeder.

Specifications:

Power: 270W (0.36HP) 1.5A

Bowl Volume: 7L

Mixing Speed: 75~660rpm

Dosing Feeder integrated with safety guard Dimensions: 410L x 230W x 420Hmm

Net Weight: 15kg

Supplied corded with 10A plug

Capacities:

Max. Flour: 1.5kg Max. Dough: 2.4kg-60% water

LIST PRICE EA. \$995 6 BUY PRICE EA. \$920



Accessories included











KITCHEN ACCESSORIES

YT5607 Tomato Stem Corer

Remove the stems from your fresh, juicy tomatoes without fear of bruising by using this tomato stem corer! This convenient tool comes equipped with sharp teeth that quickly remove the stem from any ripe or unripe tomato, or even cucumbers and potatoes. It can also be used to craft wavy melon balls for added versatility.

Dishwasher safe | Stainless Steel | Dims: 160 x 29 x 26mm



CODE	DESCRIPTION	\$
YT5607-1	Single Tomato Stem Corer	14
YT5607	Box 12 Tomato Stem Corer	156

YT43 Rectangular Fry Basket

Rectangular Fry Basket with Orange Vinyl Handle. Prepare French fries, chicken fingers, onion rings, and other delicious fried foods with this fryer basket. Color-coded comfort grip vinyl handle keeps cool when in use and aids for easy identification during service. Hand wash only | Nickel plated mesh

Dims: Basket Size 160 x 300 x 130mm (Length 625 incl handle)

LIST PRICE EA. \$58




YT8 French Fry Scoop

Dual Handle Fry Scoop, Plastic. Serve up some delicious fries and keep your hands clean with this french fry scoop! Use for bagging up to-go orders or portion-controlled plating for dine-in customers. Ideal for use in the fast-paced environment of any kitchen. Dual handle.

Dishwasher safe | Polypropylene | Dims: 235 x 207 x 50mm





SEE JETSTREAM ALTERNATIVES

YELLOW CODE	ALTERNATIVE JETSTREAM	PAGE
YH041	JET1500D	107
YHS021	JET1500D	107
YWS021	JET1500WCB	109
Y063-Y182	SUPPLIED WITH ALL JETSREAM MODELS	
YX315	JET3180WCB	115
YX315XYP112	JET3300WCB	115
YZ315	JET3300WCB	115
Y2047	JET2047W	113
Y015-Y182	JET3150D	114
YX307XYP012	JET330DCB	114
YZ307XYP012	JET3300DCB	114
KHR-1035-OSS-Y722	JET-1035-OSS-Y722	117
KHR-1035-O-Y722	JET-1035-O-Y722	117
KHR-1050-O-Y722	JET-1050-O-Y722	117

