



*Excellence since 1976*

**CATALOGUE / PRICE LIST  
NEW ZEALAND**

EFFECTIVE: 1 APRIL 2025

**OFFICE AND WAREHOUSE IN AUCKLAND**  
*SERVICE ACROSS NEW ZEALAND*







Excellence since 1976

WASTE MANAGEMENT





*Excellence since 1976*

***Welcome to our Catalogue / Price List  
(All prices are in NZ Dollars)***

## **KEY CONTACT LIST**

### **NEW ZEALAND HEAD OFFICE**

*Sales & Administration*

85-89 Leonard Road

Mt Wellington, Auckland 1060

Craig Roberts

NZ Sales Manager

**+64 21 423 360**

[croberts@fsm-pl.co.nz](mailto:croberts@fsm-pl.co.nz)

Heather Howard

NZ Customer Service

**+64 21 472 323**

[hhoward@fsm-pl.co.nz](mailto:hhoward@fsm-pl.co.nz)

[sales@fsm-pl.com.au](mailto:sales@fsm-pl.com.au)

[www.fsm-pl.com.au](http://www.fsm-pl.com.au)

***Visit our web site***

***[www.fsm-pl.co.nz](http://www.fsm-pl.co.nz)***

***for updates, the latest products, downloads and news.***

# CONTENTS

<b>WASTE MANAGEMENT</b>	<b>8-9</b>
EcoFast	8
Tidy Planet	9
<b>ATLAS VERDE</b>	<b>10</b>
Verde Box Kits	10
<b>BONN MICROWAVE OVENS</b>	<b>11-13</b>
Speed Oven	11
Heavy Duty	12
Medium Duty	13-14
Light Duty	15
<b>CARLISLE</b>	<b>16-40</b>
Foodservices Products	17-40
<b>DUKE</b>	<b>41-44</b>
Hot Holding Cabinets	41-44
Accessories	42
<b>EDLUND CAN OPENERS</b>	<b>45-46</b>
Manual & Electric Can Openers	45
Sanitation & Storage	46
<b>GBG MACHINES &amp; V-AIR</b>	<b>47-49</b>
GBG Granita Machines	47
V-Air Smart Machines	48
GBG Dairy Product Dispenser	49
<b>GENERAL FOOD EQUIPMENT</b>	<b>50</b>
Microwave	50
<b>HATCO</b>	<b>51-81</b>
Decorative Heat Lamps	51-53
Glo Max Strip Heaters	54
Glo Max Display Lights	55
Glo Ray Strip Heaters GRAH & GRAHL	56
Portable Heated Shelves	57
Drop-In Heated Shelves <b>NEW MODELS</b>	58
Drop-in Hot / Cold and Cold Shelves	59
Drop-in Frost Top	60
Heated Chutes	61

2-Go Heated Shelves	62-63
Portable Food Warmers / Chip Dumps	64
Fry Stations & Multi Product Warmers	65
Conveyor, Pop Up and Programmable Toasters	66-69
<b>NEW</b> Panini Grill	70
Plate Warmer	71
Free Standing Drawer Warmers	72-73
Decorative Carving Stations	74
Pasta Cooker & Accessories	75-76
Sanitising Sink Heater	76
Built-in Heated Wells (Rectangular & Round)	77
Salamanders	78
Buffet Induction Warmers	79
Drop-In Induction Cookers	80
Counter-Top Induction Warmers	81
<b>JACKSTACK</b>	<b>82</b>
Mobile Plate Racks & Covers	82
<b>JETSTREAM (NEW)</b>	<b>83-89</b>
Deck Mount Pre Rinse Models	83-84
Wall Mount Pre Rinse Models	85
Deck Mount Flick Mixers, Thermostatic Mixing	86
Hands Free & <b>NEW</b> Laser Sensor Models	87-88
Knee Operated Tap & Cleaners Sink Models	89
Pot Filler	89
Deck Mount Swing Faucet / Sink Sets	90
Wall Mount Swing Faucet / Sink Sets	91
<b>NEW</b> Low Line Series	92
Dispensers	93
Heavy Duty Hose Reels	94
<b>PRINCE CASTLE</b>	<b>95</b>
Vertical Toasters	95
<b>PROLUXE</b>	<b>96</b>
Compact Split Grill	96

# CONTENTS

<b>SILVERKING</b>	<b>97</b>
<b>NEW</b> Drop-In Freezer & Dipperwell	97
<b>NEW VITO</b>	<b>98-101</b>
<b>NEW</b> Portable Oil Filter Systems & Oil Tester	98
<b>NEW</b> Mobile Oil Filter System	99
<b>NEW</b> Transport Series	100
<b>NEW</b> Accessories & Bluetooth Tester	101
<b>YELLOW INDUCTION</b>	<b>102-105</b>
Portable Counter Top Hobs & New Drop-In	102
Drop-In Single Hob Units	103
Built-In Cooktop and <b>NEW</b> Boiling Table	104
Multi-Zone Buffet Induction & Remote Generators	105
<b>YELLOW MIXER</b>	<b>106</b>
<b>NEW</b> Planetary Mixer	106
<b>NEW ZESTI</b>	<b>107</b>
<b>NEW</b> Icarus Electric Chargrills	107

# TERMS AND CONDITIONS Effective 1 April 2025

The following Trading Terms supersede all previously terms and condition issued by Us.

## 1. Interpretation

In these Trading Terms and in any quotation, offer, current catalogue, website, price list produced by Us or other agreement with Us, the following definitions apply:

"Account Application Form" means the application form completed and provided by You for the purposes of opening a credit account with Us.

"Goods" means goods supplied by Us to You (and, where the context so permits, shall include any supply of Services) and described in any quotation, offer, current catalogue, website or price list produced by Us.

"Guarantor" means the guarantor(s) described in the Account Application Form, subject to acceptance by Us.

"GST" means the goods and services tax that applies in accordance with A New Tax System (Goods & Services) Act 1999 (Cth).

"Order" means any written, verbal or electronic purchase order made by You for Goods and/or Services.

"Prices" means the prices attributable to the Goods and Services as advised by Us in any quotation, offer, current catalogue, website or price list produced by Us and "Price" shall have a corresponding meaning.

"Services" means all services supplied by Us to You and includes any advice or recommendations (and where the context so permits shall include the supply and installation of any Goods).

"Trading Terms" means these terms and conditions of trade and includes any amendment or variation.

"We" and "Us" means F.S.M. [Food Service Machinery] Pty. Ltd. (. (NZBN 9429047406339) and includes any Related Bodies Corporate (as defined in the Corporations Act 2001 (Cth)) which supplies Goods and/or Services to You (whether or not the fact is disclosed to You) and "Our" means belonging or pertaining to Us.

"You" means the person, firm or company placing an order with Us for the Goods and "Your" means belonging or pertaining to You.

## 2. Application of Trading Terms

(a) These Trading Terms apply to every sale of Goods and/or supply of Services by Us to You. Each Order made by You and accepted by Us will be an individual contract for those Goods and/or Services in accordance with these Trading Terms.

(b) Subject to any special trading terms agreed to between You and Us and recorded in Your Account Application Form or separately in writing, these Trading Terms (together with any quotation, offer, current catalogue, or price list produced by Us) shall comprise in entirety Our terms and conditions of trade.

(c) In the event of any inconsistency between these Trading Terms and any other document, these Trading Terms shall prevail and any trading terms nominated by You are expressly excluded. Any warranty, representation or guarantee not included or provided for in these Trading Terms is of no effect.

(d) If any part of these Trading Terms, or the application of these Trading Terms to any person or circumstance, is or becomes invalid or enforceable, the remaining provisions of these Trading Terms are not affected and are valid and enforceable to the fullest extent permitted by law.

(e) We may amend these Trading Terms from time to time without notice to You and You will be deemed to have had knowledge of such amendments and have accepted these Trading Terms as amended if You continue to purchase Goods and/or Services from Us after such amendment. Each subsequent supply of Goods and/or Services by Us to You will be in accordance with these Trading Terms as amended.

## 3. Agreement

(a) Any quotation or offer produced by Us is subject to review, amendment or withdrawal at any time prior to acceptance by You or the expiry of the quotation or offer (whichever occurs first).

(b) Subject to (c) of this clause, Our quotation or offer will be deemed to have been accepted by You and a binding agreement entered into with You on the date We receive Your Order. Any Order which has been accepted by Us may not be cancelled by You without Our written consent (which We may withhold in Our absolute discretion) and then only on the basis that You will indemnify Us in full against all loss (including loss of profit), costs (including the cost of labour and materials used), damages, charges and expenses (including legal costs on a full indemnity basis) incurred by Us as a result of such cancellation. Cancellation of any Orders for Goods which are non-standard manufacture or non-stock items will not be accepted.

(c) We reserve the right to decline, in whole or in part, any Order received from You in Our absolute discretion.

(d) You are solely responsible for determining whether the Goods and Services are suitable for Your intended purposes and meet Your requirements and You acknowledge that no oral or written information, representation or advice given by Us (other than as contained in these Trading Terms) creates a warranty from Us or in any way increases the scope of these Trading Terms.

(e) You agree to notify Us in writing of any change in the ownership or control of Your business structure not less than 7 days prior to such change taking effect and You indemnify Us against any loss or damage We may incur as a result of Your failure to provide such notification.

## 4. Documents

Any clerical or typing errors, misprints or other similar errors in any document produced by Us in respect of Goods and/or Services are subject to correction by Us by either amending or re-issuing the affected document (as the case requires). We shall not be liable for any cost, expense or damage incurred by You as a result of any correction of any document produced by Us.

## 5. Intellectual Property

You acknowledge and agree that:

(a) any intellectual property rights in respect of the Goods and Services (including, but

not limited to, rights to design, copyright, patents or trademarks in respect of all drawings, designs, specifications and other information provided by Us in connection with any quotation, offer, current catalogue, website, price list produced by Us) remain Our sole and exclusive property and must remain confidential and You will not attempt to claim any such intellectual property rights in respect of either the Goods and Services or any modification or improvement of the Goods and Services;

(b) You must not attempt to modify or reverse engineer the Goods and Services; and

(c) in all cases where You have provided the design for any Goods and Services, We will not accept any responsibility for any infringement of any design, copyright, patents or trademarks or other intellectual property in connection with the execution of Your Order and You agree to indemnify Us against claims for infringement or unauthorised use of such intellectual property arising out of the manufacture or use of such Goods and Services.

## 6. Prices and Charges

(a) You agree to buy and We agree to sell the Goods and Services for the Prices.

(b) All Prices and all amounts payable to Us are exclusive of GST or any other applicable government tax or duty, unless otherwise indicated. You must pay all such taxes and duties in connection with those amounts.

(c) The Prices include the cost of Our standard packaging for the Goods. The cost of any special packaging materials or techniques requested by You in connection with the Goods must be paid for by You in addition to the Prices.

(d) We reserve the right, from time to time but prior to issuing any invoice to You, to increase the Prices:

(i) to take account of increases in the cost of supplying the Goods and/or Services to You (which may include, but are not limited to, increases in the cost of energy, materials, labour, equipment or delivery) which are due to any factor beyond Our reasonable control or are due to Your failure to provide adequate information or instructions; or

(ii) to correct, without any liability on Our part, any errors or omissions quotation, offer, current catalogue, website or price list produced by Us.

## 7. Payment

(a) We reserve the right to pass on to You any additional costs (including merchant fees) incurred by Us where You pay Us by credit card (if applicable).

(b) If We have not provided credit terms to You, You must pay for the Goods prior to delivery.

(c) If We have provided credit terms to You, You must pay for any Goods and/or Services provided to You within the time period stated in Our invoice or statement for such Goods and/or Services. If We have not stated a time period for payment, You must pay for the Goods and/or Services within 30 days of the end of the month in which we issued Our invoice or statement for the Goods and/or Services.

(d) We may set, alter or withdraw credit limits and terms in Our absolute discretion and without giving prior notice to You or providing reasons.

(e) Payments due to Us must be made without any deduction or set-off. We may apply the amounts paid to Us in payment of any amount owed by You. If You dispute Our invoice or statement, You must still pay the entire amount. We will refund any agreed amount following resolution of the dispute.

(f) If You fail to pay Our invoice or statement (whether in whole or in part) by the due date, without limiting any other provision in these Trading Terms, We may (in Our absolute discretion):

(i) suspend or cancel any further production and/or delivery of any Goods or supply of any Services (whether under an existing or new Order) until full payment of all outstanding amounts owed to Us (including accrued interest if applicable) has been made;

(ii) charge interest on any amount outstanding in respect of Our invoices, at the rate of 1.5% per month, such interest to be calculated daily and compounded monthly), until full payment has been made (such interest rate to be subject to amendment from time to time by Us in Our absolute discretion);

(iii) exercise a general lien on any of Your property within Our possession or control to cover the outstanding amount for the Goods and/or Services;

(iv) withdraw (in full or in part) any discount, concession, allowance or benefit which was previously offered to You; and

(v) recover from You, in addition to the outstanding amount, all costs incurred by Us arising out of or in connection with collecting the outstanding amount (including, but not limited to, expenses and fees associated with or paid to or on account of solicitors, legal advisers, mercantile agents and other agents acting on Our behalf) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

## 8. Security Interest and the Personal Property Securities Act 2009 ("PPSA")

If you have a current credit facility in place with Us, You acknowledge and agree that the following terms apply:

(a) We may require You to provide security for any Order placed by You as a condition of accepting Your Order and the terms of the Personal Property Securities Act 2009 (Cth) ("PPSA") apply to all transactions made under these Trading Terms.

(b) You acknowledge and agree that You will:

(i) grant a security interest in all present and after acquired Goods as security for all amounts owing now and in the future by You to Us;

(ii) do all things and sign all documents as are necessary and reasonably required to enable Us to acquire a perfected security interest in all Goods supplied;

(iii) provide such information as is required to enable registration of a 'Purchase Money Security Interest' (as that term is defined in the PPSA) ("PMSI");

(iv) not, without obtaining Our prior written consent, change Your name or initiate any change to any registered documentation, or act in any manner which would impact on Our registered security interest; and

(v) waive or exclude the application of such sections of the PPSA as We may require, subject to those sections being capable of exclusion.

(c) You further acknowledge that a PMSI is granted by You, in priority to all other

Continued >

# TERMS AND CONDITIONS (continued)

creditors, in favour of Us and in respect of all Goods We supply to You from time to time, as security for Your payment obligations to Us. You agree to indemnify Us for any liability for all costs (including legal costs on a full indemnity basis) incurred by Us in relation to any security interest granted by You (including, but not limited to, registration, maintenance, enforcement or discharge of any security interest).

(d) We reserve the right at any time to make such amendments, alterations to this 'Security Interest' clause as We may, in Our absolute discretion, determine are necessary to protect Our security interests.

## 9. Title and Risk

(a) Title to and ownership of the Goods shall not pass to You until We have received full payment for the Goods and for any other amounts owing by You in relation to any other matter (including payments in respect of other goods or services provided to You from time to time) and You shall hold the Goods (including where such Goods have been converted or changed by any process) as fiduciary bailee and agent for Us.

(b) Risk in the Goods shall pass to You upon completion of delivery in accordance with these Trading Terms.

(c) You acknowledge that We hold a PMSI (as defined in clause 8) in respect of any Goods supplied to You until We have received full payment in respect of such Goods. You must not pledge, or in any way charge by way of security or indebtedness, any of the Goods until We have received full payment.

(d) Upon taking delivery of the Goods and until We receive full payment for the Goods and for any other amounts owing by You in relation to any other matter, until the Goods are sold by You in the ordinary course of your business, You must:

(i) keep the Goods in Your control and custody and not permit any other person to have possession, custody or control of the Goods;

(ii) keep the Goods separate from any other items or goods in Your possession and mark the Goods to clearly show that the Goods belong to Us;

(iii) not pledge, or in any way charge by way of security or indebtedness, any of the Goods;

(iv) permit Our nominated representative to attend Your premises on prior notice to inspect the Goods; and

(v) deposit all proceeds from the sale of the Goods into a separate and identifiable account, not mix such sale proceeds with any other money and account to Us for such sale proceeds;

and We may trace all such sale proceeds received by You through the relevant account or any other account maintained by You. In addition, You irrevocably appoint Us as Your attorney to recover any such sale proceeds from any purchaser to whom You have on-sold the Goods and to exercise Your rights under any agreement with such purchaser (including rights of repossession and resale of the Goods) provided that We undertake not to exercise such rights as Your attorney unless You have failed to comply with Your payment obligations to Us under these Trading Terms.

(e) Without prejudice to any of Our other rights, if You fail to comply with these Trading Terms, if You cease to be able to pay Your debts as they become due or if You become subject to any form of insolvency administration:

(i) all amounts owing by You to Us shall immediately become due and payable;

(ii) We have the right to immediate possession of the Goods and You irrevocably authorise Us to enter any premises occupied by You at the time upon reasonable notice to You, without liability for trespass or any resulting damage, and take possession of the Goods. You agree to indemnify Us and hold Us harmless from all claims arising out of or in connection with Us taking possession of the Goods in accordance with this clause;

(iii) We may retain all amounts paid to us on account of the Goods and suspend or cancel any further production and delivery of Goods for You;

(iv) We shall be entitled, but not obligated, to resell any Goods repossessed by Us in accordance with this clause; and

(v) We may recover from You all reasonable costs incurred by Us in connection with any Goods repossessed under this clause (including legal costs on a full indemnity basis) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

(f) If, at the time We seek to take possession of the Goods in accordance with this clause, the Goods have been incorporated by You in any other item or goods, We will be treated as owners of such other items or goods together with You, as tenants in common in proportion to our respective contributions.

## 10. Delivery

(a) The delivery dates and completion times contained in any quotation, offer or price list provided to You are estimates only, unless expressly stated to be an essential term and may be varied at any time by Us depending upon the availability of Goods, materials, labour and other contingencies. All prices are quoted ex-warehouse Auckland.

## 11. Force Majeure

We will not be liable for any failure to perform, or delay in performance of, any obligation where such failure or delay is due to anything beyond Our reasonable control including, but not limited to, adverse weather or terrain, strikes, lockouts and other industrial action, material shortages, failure of any of Our suppliers to supply, accidents, power or data transmission failure, breakdowns of plant or machinery, war, changes of government, import or export regulations or embargoes.

## 12. Inspection and Return of Goods

(a) You will be deemed to have accepted the Goods, free from any defect or other non-conformity, unless We receive a substantiated claim from You within 7 days from the date of delivery and/or installation of the Goods in accordance with these Trading Terms.

(b) Except where Goods supplied by Us are defective and subject to any warranty:

(i) Goods will only be accepted for return if You have given prior written notice to Us (confirming Your reasons for returning the Goods and stating the applicable invoice number) of Your intention to return the Goods and We have notified You in writing with a completed GRN form that We will accept such return, and that a copy of the GRN Form

supplied by us accompanies the goods being returned;

(ii) We may refuse to accept Goods where they are used, no longer in their original packaging or are returned more than 2 weeks after delivery to You;

(iii) We will refuse to accept the return of any Goods which are non-standard manufacture or non-stock items where such Goods have been correctly delivered by Us;

(iv) delivery of all Goods returned by You must be arranged with Your carrier and is at Your expense and risk; and

(v) in the event that We agree to accept the return of any Goods, You will be required to agree to pay a minimum 15% restocking fee, such fee to be subject to amendment from time to time by Us in Our absolute discretion.

(c) We will only accept the return of Goods from You if the Goods are in the same condition as when the Goods were originally delivered to You, provided that Our acceptance of Goods returned by You is not an acceptance of or granting of credit to You.

## 13. Limitation of Liability and Warranties

(a) The Competition and Consumer Act 2010 (Cth) may imply certain conditions and warranties into these Trading Terms that cannot be excluded or modified. These Trading Terms do not exclude or modify any of those conditions if to do so would contravene that law or make any part of these Trading Terms void.

(b) Where our products are used in a Commercial environment, Subject to the provisions of this clause 13, We will repair or replace any Goods which are manufactured or imported by Us where We, in Our absolute discretion, determine that such Goods, having regard to the materials, workmanship and the reasonable and recommended conditions of use and maintenance, are defective within the period of Warranty (as specified below):

All products within 13 months (Parts & Labour), from the date of delivery to the original Purchaser with the exception of the following:

### Bonn Ovens / Microwaves:

**Bonn Models CM-2101T – On Site 24 months parts and 13 months labour.**

**Bonn Models CM-1052T – Back to Base 24 months parts and 13 months labour.**

**Bonn Models CM-902T and CM-1401G – Back to Base 13 months parts and 13 months labour warranty.**

**Duke models – On site 24 months parts and labour**

**Jetstream Tapware – Two Year on-site warranty - excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.**

**Yellow Induction – Back to Base Warranty models: All Countertop.**

**Zesti Icarus Grills – 2 year parts and labour.**

Subject to the following conditions:

(i) this warranty will cover parts and labour unless specified otherwise, subject to the following limitations:

(A) damage to cutting blades, toaster elements, light globes, infrared tubes, quartz tubes or any glass items;

(B) where FSM is not responsible for installation - damage caused by improper installation or improper connection to incorrect gas, voltage, incorrect pressure or poor quality water;

(C) damage caused during transit or by accident;

(D) damage caused by negligence, abuse, unauthorised repair or the use of unauthorised spare parts;

(E) damage caused by improper cleaning, maintenance or operation;

(F) damage caused by voltage or gas conversion, pilot light adjustments, thermostat calibrations or any unauthorised alteration or modification;

(G) FSM's liability under this warranty is limited to the repair or replacement of defective Goods and all other costs (including, without limitation, any travel costs, labour costs, overtime rates, installation costs, freight and delivery costs to and from FSM premises to the premises of an authorised repairer, or similar surcharges, fees and costs arising out of a warranty claim are excluded;

(ii) all warranty repair work will be performed between the hours of 8.30 am and 4.30 pm on normal working days;

On site warranty services are limited to sites within 50km from the nearest FSM authorised service agent.

With respect to "Back to Base" warranties, FSM can sell or dispose of any goods:

(i) Not collected by customer or

(ii) Where customer refuses to accept delivery of those goods within 60 days of FSM notifying customer goods are available for collection and/or delivery.

(iii) the warranty period in respect of any spare parts or replacement parts provided under this warranty is limited to 3 months from the delivery of such spare parts or the installation of such replacement parts;

(iv) where the payment terms under these Trading Terms have not been complied with, warranty claims will not be accepted in respect of such Goods;

(v) Risk in any Goods shall remain with You while such Goods are in Our possession for the purposes of assessing a warranty claim and FSM, its servants and agents will not be responsible for any damage caused to the Goods while in Our possession.

(vi) To obtain the benefit of this warranty, You must notify Us in writing immediately upon becoming aware of the alleged defect and in any event within 13 months (or other period as stipulated under item 13) of delivery of the Goods to You (3 months from the delivery of any spare parts or the installation of replacement parts under this warranty).

Continued >



# TERMS AND CONDITIONS (continued)

To the extent that any Goods are not covered under the warranty described in this clause 13(b) but are subject to the original manufacturer's or the original supplier's warranty, FSM will pass on the benefit of such warranty to the extent permitted by law.

(c) Subject to (a) and (b) of this clause 13 and without limiting the terms of any written warranty given separately by Us, all warranties and conditions that may be implied into these Trading Terms are excluded and Our liability for breach of any implied condition or warranty that cannot be excluded is limited (at Our option) to:

(i) in respect of Goods: the repair or replacement of those Goods or reimbursement of the cost of having those Goods repaired or replaced or refunding to You any payments made in respect of the Goods; and

(ii) in respect of Services: the re-supply of the Services or reimbursement of the cost of supplying the Services again or refunding to You any payments made in respect of the Services.

(d) Despite any other provision of these Trading Terms, to the extent permitted by law, We have no liability to You nor will You be entitled to claim against Us in respect of:

(i) any loss or damage caused by delay in delivery of the Goods or supply of the Services;

(ii) any death or injury arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity;

(iii) any consequential loss or damage (including, but not limited to, loss of profit, loss of revenue, loss of expected savings and opportunity costs) arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity; and

(iv) (if applicable) any loss or damage to Your property or any premises occupied by You arising out of or in connection with Our reasonable installation of the Goods and it is Your responsibility to provide adequate facilities to Us during such installation and to arrange the removal of all waste and hazardous material in connection with the installation process.

(e) You acknowledge that You have not relied on any representation made by Us which is not expressly stated in these Trading Terms.

(f) You acknowledge that You must ensure that the Goods are used and installed (if applicable) in a prudent and professional manner and in accordance with any specifications or instructions which were supplied with the Goods. You indemnify Us against all loss, liability, cost (including legal costs on a full indemnity basis) and expense incurred by Us as a result of any claim made or action brought in connection with the Goods or their use, other than a claim or action brought by You under these Trading Terms or a condition or warranty implied by law which is not excluded by these Trading Terms.

(g) You acknowledge that the exclusions and limitations in this clause are customary for suppliers of goods and services equivalent to the Goods and Services and are fair and reasonable given the nature of the Goods and Services and the applicable Prices.

(h) This clause shall survive termination of these Trading Terms

## 14. Consent to credit check and Privacy Act

(a) By signing the Account Application form, You acknowledge and agree that the Privacy Act 1988 (Cth) allows Us to give a credit reporting agency certain personal information about You at any time after signing such form for the purpose of assessing Your credit worthiness.

(b) You further acknowledge and agree that We may contact any trade reference provided by You or any credit provider and We may acquire information from them or provide information to them in relation to Your credit worthiness.

## 15. Guarantee and Indemnity

(a) The Guarantor hereby guarantees the due and punctual payment by signature of all monies that becomes due and payable by You to Us under these Trading Terms and also the due and punctual performance by You of Your obligations pursuant to these Trading Terms (the "Guarantee").

(b) In consideration for Us entering into these Trading Terms with You, the Guarantor hereby charges in Our favour the whole of the Guarantor's estate and interest, legal and equitable, in the Guarantor's personal and real property to secure the Guarantor's obligations pursuant to these Trading Terms.

(c) Without limiting Our rights under these Trading Terms, the Guarantor acknowledges and agrees that the charge on the Guarantor's property shall provide a caveatable interest in Our favour and the Guarantor consents to Us registering Our interest in the Guarantor's property, including by way of a caveat.

(d) The Guarantee is a continuing guarantee and shall not be discharged in whole or in part by the payment at any time of any part of the money payable by You pursuant to these Trading Terms or by settlement of account, intervening payment, or other matter or thing whatsoever.

(e) The Guarantee shall not be affected or prejudiced by any variation or modification at any time to these Trading Terms.

(f) The Guarantee shall at all times be valid and enforceable against the Guarantor notwithstanding:

(i) that no demand for payment has been made to You; and

(ii) that You were prohibited (whether expressly or by implication) by law, contract or otherwise from entering into these Trading Terms or lacked capacity, power or authority to enter into these Trading Terms.

(g) The Guarantee is irrevocable and shall not be affected by the death, bankruptcy or incapacity of any of the Guarantors.

(h) If any payment made by You to Us is subsequently avoided or set aside by reason of any statutory provision or otherwise, such payment shall not prejudice or otherwise affect the Guarantee, or Our rights pursuant to this clause 15, to the intent that We shall, with respect to its rights recover pursuant to this clause 15 any monies secured, be restored to the same position in which We would have been had such payment not been made.

(i) In addition, the Guarantor agrees to indemnify Us in respect of all costs, charges and expenses whatsoever, which We may incur by reason of any default by You under or in relation to these Trading Terms.

(j) The Guarantor is liable to pay, and indemnify Us for, Our reasonable expenses incurred in enforcing the Guarantee.

(k) If more than one party signs as Guarantor, in this clause 15 each reference to "Guarantor" is a reference to them jointly and each of the individually.

## 16. General

(a) We may sub-contract the production, manufacture, supply or delivery of all or some of the Goods and Services.

(b) Any failure by Us to insist on strict compliance with these Trading Terms or any delay by Us in exercising Our rights under these Trading Terms will not constitute a variation or waiver of any provision of these Trading Terms or of any right available to us.

(c) If part of all of any provision of these Trading Terms or its application to any person or circumstance is held to be illegal or unenforceable, the provision will be interpreted so as to ensure it is not illegal or unenforceable. If any provision or part of it cannot be so interpreted, the provision or relevant part of it will be severed from these Trading Terms and the remaining provisions of these Trading Terms will continue in force.

(d) Where You are comprised of 2 or more persons, an agreement or obligation to be performed or observed by You binds those persons jointly and each of them severally.

(e) Any notice or document required to be served under these Trading Terms will be sufficiently served if delivered or posted by pre-paid post to the address of that party as notified by that party from time to time in writing. If the notice or document is posted, service will be deemed to have been effected 3 days after the date on which the document or notice was posted.

## 17. Governing Law

These Trading Terms are governed by the laws of New Zealand. All parties submit to the non-exclusive jurisdiction of the Courts of Auckland, New Zealand.

# WASTE MANAGEMENT

No matter how efficiently you manage your supply chain and logistics, food service inevitably generates food waste that needs proper handling. Without effective processing, every kilogram of food waste produces six liters of harmful methane in a landfill.

Regulatory changes are on the horizon. In 2023, the government announced plans to require businesses to separate food scraps from general waste by 2030.

FSM is here to help you find the right solution for your business. Let us assist you in navigating these changes and managing your food waste sustainably.

**ecofast**  
ENVIRONMENTAL

Model D1000



This standalone food waste processing station, or 'wastestation', benefits from Ecofast's unique macerating system and incorporates a host of sensors to ensure that it can't be operated and/or damaged through use either without water or with incorrect phasing. This reduces potentially costly errors during installation and operation. It uses nearly 30% less water than its nearest competitor and, with special filters, can be connected to recycled rainwater. The automatic cleaning system reduces labour time and odours but increases reliability.



Model D700



The D700 has a 100-litre hopper where food waste can be stored ready to be processed whenever the operator chooses, with little or no labour. The D700 automatically delivers the food waste into the macerating chamber where it is ground and pumped either to the holding tank and then to the dewatering system, or directly to the D610 Dewatering product. The D700 also utilises the cutting and grinding system making it a truly automated option.

Model D600



The D600 mini dewaterer is perfect for compact kitchen environments where quantities of food waste can build up during busy periods. These units link seamlessly with the D390 and D450 Inlet Stations enabling the dewaterer to be sited adjacent to them or remotely. Thanks to the Dehydra™ cleaning system the operator has minimal interaction with the unit which reduces labour time during operation.






**Smart  
food waste  
solutions**


## A700 Rocket Composter

*The A700 is often used at schools, colleges and hotels. The A700 Rocket is loaded by hand, has only one moving part and all organic contact parts are made from stainless steel. Can process 100 litres of food waste per day.*




## A900 Rocket Composter

*The most popular composters, the A900 can process up to 215 litres of food waste per day\* and can often be found on larger scale sites such as; Universities, office complexes, luxury or large hotels, oil field worker camps and community collection projects of 250–500 houses.*



## A500 Rocket Composter

*The smallest in the range of in vessel composting systems, the A500 is ideal for use at schools, outdoor activity centres and small community projects. Easy to maintain and portable, this unit can be installed in most locations. Can process up to 40 litres of food waste per day.*



- Reduced waste collections and cost
- Typical ROI under 2 years from waste collection savings
- Reduction in required storage
- Improved hygiene and reduction of vermin

- A real Green/ Environmental message
- Future-proofing kitchen designs to meet Environmental Waste legislation
- Reduction in staffing time to handle waste

4 SHELF WIRE SHELVING BOX KITS



WHAT'S IN THE BOX:  
4 x POSTS  
4 x WIRE SHELVES  
4 x PACKS OF SPLIT SLEEVES

4-SHELF EPOXY  
WIRE SHELVING  
UNIT

- Wire design allows for air circulation and minimal dust buildup
- Shelves easily adjust to your exact needs
- 544kg load capacity per unit (136kg per shelf)
- Ideal storage solution for any commercial, food service, medical setting, or home application
- Shelves and posts manufactured with antimicrobial green epoxy finish
- Includes posts, shelves, and all needed hardware
- No tools required for super easy assembly



verde

ASSEMBLES IN MINUTES

CODE	455 DEEP - 4 SHELF BOX KITS	\$
V18307SET	760mm SHELVES (18X30") x1830mmH	290
V18367SET	915mm SHELVES (18X36") x1830mmH	340
V18427SET	1065mm SHELVES (18X42") x1830mmH	360
V18487SET	1220mm SHELVES (18X48") x1830mmH	390

NEW FEATURE

Posts are now half size for easier shipping!

### ✓ USER FRIENDLY

- + Touch mode interface with smart menu system, controls are intuitive and simple to use.
- + **Easy to clean:** Infra-red elements tilt-up for cleaning.
- + Removable metal rack and bottom jetplate.
- + Allows the use of the metal trays, pans, screens, simplifies cooking.
- + Built-in self-diagnostics.

### ✓ HIGH SPEED WITH LESS NOISE

- + Quick heat up.
- + Variable-speed, vertically recirculated air convection and impingement, can heat, brown, and crisp powerfully and intelligently with low noise.
- + supplied with 15 amp cord + plug.
- + Stirrer to help ensure even distribution of air and microwave.
- + 383Wmm x 693Dmm x 610Hmm

### ✓ DURABLE AND LONG LASTING

- + Exterior 430 stainless steel.
- + Interior 304 stainless steel.
- + Insulated cook chamber.

### ✓ CONVENIENT AND ADAPTABLE TO YOUR NEEDS

- + Three "Set TEMP" modes to meet different temperature requirement.
- + Temperature setting: 0-280°C.
- + Total 432 recipes with multi-stage programming (Up to 6 stages for each recipe).
- + Edit recipe and image on both oven and PC.
- + USB port to load recipes and photos.
- + Mounts almost flush to wall.
- + Bake, roast, toast, brown, and crisp foods. You pick!

### ✓ CONSISTENT RESULTS ALWAYS

- + The Bonn oven is a combination of forced convection, high speed tuned impinged air, top launched microwave that guarantees even and consistent results.
- + Built-in catalytic converter breaks down grease-laden vapors, allowing for ventless operation.



### ACCESSORIES INCLUDED

Teflon basket, rack, baking stone, non-stick baking pad, paddle

SCIQ2

LIST PRICE EA. \$14,990





## HIGH PERFORMANCE SERIES MICROWAVES

### Bonn CM-2101T

- 2100 Watts of Cooking Power
- 15 Amp plug single phase
- 18L Capacity
- Digital Touch-Pad Controls with LED Lighted Display
- 100 Program Menu Settings
- 4 Stages of Cooking
- Commercial Grade Performance
- Made for Continuous Operation
- Stainless Steel Body & Cavity
- Dual Magnetron
- Heavy Duty Metal Handle & Durable Interlock System
- Stackable (2 high)
- 420W x 563D x 340H mm | Weight: 31kgs



LIST PRICE EA.


**\$3290**

### CPS3A MicroSave Dishwasher Safe Cavity Liner - purchased seperately:

LIST PRICE EA.

**\$400**

(Save \$20.00 when purchased with oven)



### Bonn CM-1401G

- 1400W Microwave Output, 5 Power Levels
- Spacious 34L Capacity
- Digital Touch-Pad Controls
- 100 Program Menu Settings
- 3 Stages of Cooking
- 60 Minute Maximum Cook Time
- Commercial Grade Performance
- Made for Continuous Operation
- Stainless Steel Body & Cavity
- Heavy Duty Metal Handle
- Durable Interlock System
- 10 Amp plug single phase
- Door construction: Toughened Glass, Commercial quality Hinges and handle
- External Dimensions 553W x 488D x 343H mm | Weight: 25Kgs

**ONLY  
REQUIRES  
10A POWER**



LIST PRICE EA.


**\$2490**

### CPS6A MicroSave Dishwasher Safe Cavity Liner - purchased seperately:

LIST PRICE EA.

**\$400**

(Save \$20.00 when purchased with oven)



# Bonn

The Bonn Performance Series Microwaves offer users preset programming, ceramic base, full stainless steel construction, generous 21 litre capacity and a choice of output power.

Incorporating the latest generation high efficiency Magnetron, these models incorporate many of the design features from the Bonn High Performance Range of ovens, including Direct Ducted Magnetron cooling, motorised stirrer fan for even heating along with all the safety features such as toughened inner door glass, heavy duty door safety latches and double-strengthened door hinges - all part of Bonn's stringent total safety philosophy.

Get commercial quality and speed with ease of operation and superior Bonn quality.

Supplied with 24 Month Parts / 13 Month Labour Back to Base Warranty\*

## Performance Range Features


### Grab'n'Go Door Handle

Heavy Duty trigger-less metal door handle for years of reliable use.



### Direct Ducted Magnetron Cooling Design

Industry leading magnetron life span. Unique ducted design by Bonn. Cold air is plumbed directly into the magnetron, with hot exhaust air plumbed to exit the oven achieving maximum cooling efficiency.



### Programmable Touch Pad

20 programmable presets for easy, rapid heating of meals.



### High Efficiency Magnetron

Latest generation magnetron design enabling power output up to 1200 watts.



### Heavy Duty Door Safety Latch

Heavy Duty nylon door latches, guarantees maximum safety to user.



### Safety

Toughened glass (not film) inner door screen protects door grill, preventing possible microwave leakage and maximum safety to user.




### Motorised Stirrer Fan

Concealed Stirrer Fan for even heating of food.



### Ceramic Base

Easy clean up of spills and larger useable space when compared to rotating glass turntable.





## PERFORMANCE SERIES MICROWAVES

### Bonn CM-1043T

- **1200W** Microwave Output, **5** Power Levels
- 10 Amp plug single phase (Max. Draw 8.5A)
- **27 Litre Internal capacity**
- 20 Preset Memories, Digital Display
- Full Stainless Steel Interior/Exterior
- Door construction: Toughened Glass, Commercial quality Hinges and handle
- **External Dimensions** 511W x 382D x 330Hmm
- **Internal Dimensions** 330W x 330D x 212Hmm
- **Carton Dimensions** 590W x 465D x 395Hmm
- Net Weight: 17.5Kgs Ship Weight 21kg

NEW  
MODEL



LIST PRICE EA.

**\$1590**

### Bonn CM-1052T

- **1000W** Microwave Output, **4** Power Levels
- 10 Amp plug single phase (Max. Draw 7.6A)
- **25 Litre Internal capacity**
- 10 Preset Memories, Digital Display
- Full Stainless Steel Interior/Exterior
- Door construction: Toughened Glass, Commercial quality Hinges and handle
- **External Dimensions** 510W x 382D x 330Hmm
- **Internal Dimensions** 330W x 330D x 212Hmm
- Weight: 17.5Kgs



LIST PRICE EA.

**\$1120**

## LIGHT DUTY SERIES MICROWAVES

The Bonn Light Duty Microwave Series offers the smaller users preset programming (10 presets), ceramic base, stainless steel exterior, large 25 litre capacity and 900 Watt output.

Incorporating several of the design features from the Bonn Performance Range of ovens, including motorised stirrer fan for even heating and ceramic base.

This entry level commercial oven offers ease of operation and Bonn quality.

Supplied with our exclusive 13 month Back to Base labour and parts warranty\*.

### Bonn CM-902T

- 900W Microwave Output, 4 Power Levels
- 10 Amp plug single phase (Max. Draw 6.5A)
- 25 Litre Internal capacity
- 10 Preset Memories, Digital Display
- Programmable 1 to 3 stage cooking
- Rugged hinges and door handle
- Stainless Steel Exterior
- Stainless Steel Interior with Ceramic base
- External Dimensions 510W x 380D x 335H mm
- Internal Dimensions 330W x 330D x 212H mm
- Weight: 15 Kgs

LIST PRICE EA.

**\$699**



# CARLISLE®

FOODSERVICE PRODUCTS



Foodservice Trays



Catering Equipment



Food Bars & Convenience



Bar Supplies



Kitchen Accesories



Storage & Handling



Floor & Restroom Care



Warewashing



Waste Management



Cleaning Tools



Brushes & Accessories



Dishware & Disposables






**Peace of Mind at a Glance**

CoolCheck has all of the features of standard Coldmaster pans with the added benefit of color changing technology. Hold contents at or below the food safe temperature of 40°F for up to 6-8 hours. When the unit is no longer at a safe temperature, the color change indicates it's time to exchange the CoolCheck with a fresh one.



**Benefits**



**Color Changing Technology**  
Color fades from blue to white when temperatures are no longer safe

**Maintain Food Safe Temperatures**  
6-8 hours of hold time for maximum food protection

**Convenient and Clean**  
StorPlus EZ Access  
Hinged Lids available

**Fast and Efficient**  
Store temperature-sensitive food in-line for ultra-fast service

CODE	DESCRIPTION - White / Blue	Pack Size	Dimensions	\$ EA
CM1100C1402	Coldmaster® CoolCheck® Full-Size Food Pan 1/1	1	323W x 525L x 163H	343.00
CM1101C1402	Coldmaster® CoolCheck® Half-Size Food Pan 1/2	1	263W x 323L x 153H	285.00
CM1102C1402	Coldmaster® CoolCheck® Third-Size Food Pan 1/3	1	175W x 323L x 153H	163.00
CM1104C1402	Coldmaster® CoolCheck® Sixth-Size Food Pan 1/6 Size	1	158W x 173L x 150H	145.00
CODE	DESCRIPTION - White / Blue	Pack Size	Dimensions	\$ EA
CM104902	Coldmaster® Full size 153mm Deep Coldpan with Organizer White   9 ninth-size food pans (pans not included)	1	407W x 610L x 190H	859.00



## Ultimate Durability & Timeless Classic

Carlisle Polycarbonate pitchers are break resistant and come in a variety of sizes and shapes. An industry favorite for decades, this timeless design looks great and takes the drama out of serving and pouring.



## Benefits



### Polycarbonate Construction

Resists staining, breaking and chipping



### Tapered Lip

Makes pouring with ice easy



### Ergonomic Handle & Thumb Grip

Aids in control of pitcher while pouring



### Optimised Wall Thickness

More strength and durability without the weight

Code	Description	Pack Size	Dimensions	\$ PACK
554007	Versapour® Pitcher - Polycarbonate 1.77L   Sure Grip handle   Base Diameter 92mm   Top Diameter 127mm	6	127W x 127L x 210Hmm	128.00







Benefits



Made of chip-,  
shatter-, and  
break-resistant  
SAN



Dishwasher safe



Attractive exteriors



Made to stack

Code	Description	Pack Size	Dimensions	\$ PACK
580807	Louis™ SAN Tumbler 240ml   Stackable design   Dishwasher safe   Bottom Diameter 58mm   Top Diameter 77mm	24	76W x 76L x 86Hmm	174.00
581007	Louis™ SAN Tumbler 300ml   Stackable design   Dishwasher safe   Bottom Diameter 55mm   Diameter 73mm	24	74W x 74L x 116Hmm	145.00
400807	Crystalon® Stack-All® SAN Tumbler   Stackable design   Dishwasher safe   Bottom Diameter 53mm   Top Diameter 71mm	48	71W x 71L x 103Hmm	159.00



# Square Bowls



## Benefits



Made of chip-,  
shatter-, and  
break-resistant  
SAN



Dishwasher safe





Easy content  
identification



Space saving  
square shape fits  
corner of trays

Code	Description	Pack Size	Dimensions	\$ PACK
DXSB607	Dinex Square Bowl 175ml - Clear   Look of china with the durability and cost savings of plastic   Dishwasher safe	96	104W x 104L x 36Hmm	376.00
DXSB1203	Dinex Square Bowl 350ml - Black   Look of china with the durability and cost savings of plastic   Dishwasher safe	48	104W x 104L x 59Hmm	403.00
DX11840174	Dome Lid for Square Bowl - Clear (Fits DXSB607 & DXSB1203) Stack count 100   NSF Certified Facility	1000	104W x 104L x 7Hmm	374.00
DXSQD1007	Dinex Square Bowl 290ml - Reuseable clear dish and disposable dome lid for easy content identification	48	102W x 102L x 45Hmm	263.00
Code	Description	Pack Size	Dimensions	\$ PACK
DXSWC507	Dinex Tulip Cup- Swirl 150ml - Clear   Diameter 95mm	96	89W x 89L x 83Hmm	360.00



# Clear Plate Cover



## Benefits



Highly heat- and break-resistant (190007 Image)



Dishwasher safe (198907 Image)



Polycarbonate (PC) is resistant to staining, breaking and chipping



Clear covers for easy viewing of food

Code	Description	Pack Size	Dimensions	\$ PACK
190007	Clear Plate Cover   Polycarbonate (PC)	12	238W x 238L x 65Hmm	190.00
198907	Clear Plate Cover   Polycarbonate (PC)	12	270W x 270L x 77Hmm	230.00

## Foodservice Products

Code	Description	Pack Size	Dimensions	\$ PACK
WPM8538	Chrome Tapered, Medium Flow - Chrome	12	26W x 26L x 77Hmm	100.00
OP30500	Pour Free Economical Free Flow Pourer - Red; BPA free *	12	26W x 26L x 76Hmm	13.00


\* Available whilst stock lasts








Benefits



Offers easy measuring of wet ingredients (4314107 Image)



Oval shape facilitates pouring from non-spouted side



Nest for storage (4314207 Image)



Made of durable, dishwasher safe polycarbonate

Code	Description	Pack Size	Dimensions	\$ PACK
4314107	Commercial Measuring Cup 250ml   NSF approved	12	111W x 102L x 84Hmm	163.00
4314207	Commercial Measuring Cup 500ml   NSF approved	6	130W x 121L x 107Hmm	140.00
4314307	Commercial Measuring Cup 1000ml   NSF approved	6	161W x 147L x 135Hmm	163.00

Foodservice Products



Code	Description	Pack Size	Dimensions	\$ PACK
430607	Polycarbonate Scoop 180ml   Clear	12	82W x 276L x 56Hmm	110.00



## GripLite® An Economical Alternative

Quality construction ensures limited slipping and sliding of glasses and dinnerware.



### Benefits

**Sturdy**

Polypropylene copolymer construction

**Fewer Spills**

Molded-in rubber liner prevents slipping and sliding

**Stain & Odor Resistant**

Maintains appearance longer

**Alternative to Cork**

A more sanitary alternative to cork trays

Code	Description	Pack Size	\$ PACK
1400GL004	GripLite® Round Tray 360mm - Black	12	257.00
1600GL004	GripLite® Round Tray 420mm - Black	12	435.00

## Griptite™ Best Grip

Built from the ground up; the Griptite 2 tray is unmatched. The long-life, non-skid surface grips drinkware and plates better – reducing spills, breakage, and cost. The coated tray edge is a bumper against heavy daily use. We take our trays through rigorous testing to ensure they excel in both function and durability.



### Benefits

**Less Slip & Tip**

Holds a full glass at a steeper angle than ever before

**Durable Materials**

Impact and drop tested for superior performance

**Beautiful Surface**

Looks great longer by resisting stains

**Long Lasting**

Field-tested to withstand years of high-demand serving

CODE	DESCRIPTION	Pack Size	\$ PACK
1400GR2004	Griptite™ Round Tray 360mm - Black	12	585.00
1600GR2004	Griptite™ Round Tray 420mm - Black	12	798.00






## Durability and Cleanability at an Affordable Price

Glasteel Fiberglass Trays are engineered to be the most durable fiberglass tray available.



## Benefits



### Heavy-Duty

Metal reinforcing rods provide extra strength and eliminate warping (DX1089M23 image)

### Chemical Resistant

Thick, fiberglass core mats provide strength and chemical resistance

### Reduced Dry Time

Air flow corner reinforcements and stacking lugs (DXSMC1520NSQ44 image)

### Added Stability

Reinforced core mats add strength and stability (DXSMC1520NSQ44 image)

Code	Description	Pack Size	Min Order Qty	\$ PACK
DX1089M23	Glasteel™ Flat Tray 381 x 508mm - Gray   Top-of-the-line Glasteel construction   Dishwasher safe	12	12	638.00
DXSMC1520N-SQ44	Glasteel™ Quarry Non-Skid Tray 381 x 508mm - Graphite Grey   Stain, scratch & odor resistant   Dishwasher safe and easy to clean	12	12	1091.00
2015FG002	Glasteel™ Fiberglass Tray 381 x 514mm - Smoke Grey   Top-of-the-line Glasteel construction   Dishwasher safe	12	360	720.00





**Sparta® Galaxy™ Pastry Brushes**

One piece plastic handles are easy to clean  
Bristles are epoxy-set to ferrules to prevent bacteria harboring air pockets  
Available with soft flagged nylon bristles or double-boiled, bleached, sterilized premium boar bristles  
Select brushes also available with Blue nylon bristles for added contrast in working with white frosting or other white foodsyour foodservice operation.



CODE	DESCRIPTION	Pack Size	\$ PACK
4039002	Galaxy™ Flat Brush w/Nylon Bristles 38mm - White, Soft White Nylon bristles have high fluid retaining capacity	12	258.00

**Sparta® Chef Series Brushes**

Sparta® Chef Series Brushes are ideal for using in a multitude of kitchen and food prep applications. High-quality, lacquered hardwood handles detail each brush and are ergonomically shaped for easy one-handed use. The professional brushes offer bleached nylon or sterilized boar bristles which are epoxy-set to prevent the harboring of bacteria.



CODE	DESCRIPTION	Pack Size	\$ PACK
4037400	Sparta® Flat Boar Bristle Brush 50mm   Boar Bristles – Sterilized, natural bristles provide excellent fluid retention and are epoxy-set to prevent harboring of bacteria	12	300.00
4037800	Sparta® Meteor ® Boar Bristle Basting Brush 50mm   Molded hook protects brush from heat damage and allows brush to rest on container rim	12	307.00



**Sparta® Grill Bricks & Polishing Pads**

Apply with cooking oil to protect the grill cure and remove excess cooked-on foods

40710 Grill Brick is a fast, efficient, and sanitary way to clean hot or cold grills

Plastic wrapping on Grill Brick dissolves to eliminate mess

40713 Grill Screen and 40711 Grill Polishing Pad attach to the 40712 Grill Pad Holder for a complete grill maintenance system



CODE	DESCRIPTION	Pack Size	\$ PACK
4071000	Sparta® Grill Brick 8", 4", 3-1/2" - Black	12	133.00
4071100	Sparta® Grill Polishing Pads 5", 4", 1/4" - Red*	6	140.00

\* Available whilst stock lasts

**Sparta® Wire Brushes & Scrapers**

Wire brushes and Stainless Steel metal Scrapers make quick and easy removal of heavy Carbon deposits, rust, and burned-on food build up

Available with wood handles for cleaning hot grills and ovens



CODE	DESCRIPTION	Pack Size	\$ EA
4029000	Sparta® Broiler Master; Stainless steel wire bristles and scrapers; Excellent for removing heavy carbon deposits, rust and burned on food build up. One side of the brush has semi stiff and the other with coarse bristles; Head 216W x 127H x 775Lmm; Bristle length 25mm	6 (available as each)	110.00
4029300	Pizza Oven Brush with Scraper; Crimped Brass wire bristles and a full length Aluminum Scraper; 89mm wide; Bristle length 32mm	12 (available as each)	68.00
4067100	Sparta® Scratch Brush and Scraper; Blue; Carbon Steel Bristles; Bristle length 32mm; Brush size 140mm; Total length 291mm	12 (available as each)	23.00





**Food Holding Day After Day**

Perfect for all cold applications including buffets, cold wells, service line applications, and fridge/freezer storage



**Benefits**



**Smooth Interior**  
Makes clean-up easy



**Reinforced Corners**  
Prevent chips and cracks and stand up to drops and use day after day



**Universally Stackable**  
Stackable with all food pan products on the market



**Spoonable Bottoms**  
Remove contents easier and reduce food waste

CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
10200B07	StorPlus™ Food Pan Full-Size 65mm deep	1	324W X 527L   6.6L	26.00
10201B07	StorPlus™ Food Pan Full-Size 100mm deep	1	324W X 527L   13.3L	34.00
10202B07	StorPlus™ Food Pan Full-Size 150mm deep	1	324W X 527L   24.1L	45.00
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
10202B03	StorPlus™ Food Pan Half-Size 150mm deep	1	324W X 527L   24.1L	43.00

# StorPlus™ Polycarbonate Food Pans



CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
10220B07	StorPlus™ Food Pan Half-Size 65mm deep	1	324W X 264L   3.12L	15.00
10221B07	StorPlus™ Food Pan Half-Size 100mm deep	1	324W X 264L   5.7L	18.00
10222B07	StorPlus™ Food Pan Half-Size 150mm deep	1	324W X 264L   8L	23.00
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
10220B03	StorPlus™ Food Pan Half-Size 65mm deep*	1	324W X 264L   3.12L	15.00
10221B03	StorPlus™ Food Pan Half-Size 100mm deep	1	324W X 264L   5.7L	18.00
10222B03	StorPlus™ Food Pan Half-Size 150mm deep	1	324W X 264L   8L	23.00

\* Available whilst stock lasts

CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
3066007	StorPlus™ Food Pan 1/3 Size 65mm deep	1	324W X 175L   2.6L	11.00
3066107	StorPlus™ Food Pan 1/3 Size 100mm deep	1	324W X 175L   3.6L	14.00
3066207	StorPlus™ Food Pan 1/3 Size 150mm deep	1	324W X 175L   5.3L	17.00
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
3066003	StorPlus™ Food Pan 1/3 Size 65mm deep*	1	324W X 175L   2.6L	11.00
3066103	StorPlus™ Food Pan 1/3 Size 100mm deep	1	324W X 175L   3.6L	14.00
3066203	StorPlus™ Food Pan 1/3 Size 150mm deep	1	324W X 175L   5.3L	17.00

\* Available whilst stock lasts

CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
3068007	StorPlus™ Food Pan 1/4 Size 65mm deep	1	162W X 175L   1.8L	11.00
3068107	StorPlus™ Food Pan 1/4 Size 100mm deep	1	162W X 175L   2.7L	13.00
3068207	StorPlus™ Food Pan 1/4 Size 150mm deep	1	162W X 175L   4.3L	15.00
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
3068003	StorPlus™ Food Pan 1/4 Size 65mm deep*	1	162W X 175L   1.8L	11.00
3068103	StorPlus™ Food Pan 1/4 Size 100mm deep*	1	162W X 175L   2.7L	13.00
3068203	StorPlus™ Food Pan 1/4 Size 150mm deep*	1	162W X 175L   4.3L	14.00

\* Available whilst stock lasts




CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
3068307	StorPlus™ Food Pan 1/6 Size 65mm deep	1	137W X 151L   0.95L	9.00
3068407	StorPlus™ Food Pan 1/6 Size 100mm deep	1	137W X 151L   1.9L	10.00
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
3068303	StorPlus™ Food Pan 1/6 Size 65mm deep*	1	137W X 151L   0.95L	9.00
3068403	StorPlus™ Food Pan 1/6 Size 100mm deep	1	137W X 151L   1.9L	10.00
3068503	StorPlus™ Food Pan 1/6 Size 150mm deep	1	137W X 151L   2.4L	12.00

\* Available whilst stock lasts

CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
3068607	StorPlus™ Food Pan 1/9 Size 65mm deep	1	108W X 175L   0.68L	9.00
3068707	StorPlus™ Food Pan 1/9 Size 100mm deep	1	108W X 175L   1.09L	13.00
3068807	StorPlus™ Food Pan 1/9 Size 150mm deep	1	108W X 175L   1.32L	12.00
CODE	DESCRIPTION - Polycarbonate Black	Pack Size	Dims (mm)	\$ EA
3068703	StorPlus™ Food Pan 1/9 Size 100mm deep	1	108W X 175L   1.09L	10.00
3068803	StorPlus™ Food Pan 1/9 Size 150mm deep* ST	1	108W X 175L   1.32L	16.00

\* Available whilst stock lasts

Full Size



Size Inches	Size mm
2 1/2"	65
4"	100
6"	150
8"	200"







CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ EA
1021507	StorPlus™ Drain Shelf 1/1 Size 15mm deep	1	251W x 451L	20.00
1023507	StorPlus™ Drain Shelf 1/2 Size 15mm deep	1	194W x 254L	10.00
3067007	StorPlus™ Drain Shelf 1/3 Size 15mm deep	1	121W x 264L	9.00
3069507	StorPlus™ Drain Shelf 1/4 Size 14mm deep	1	107W x 206L	7.00
3068907	StorPlus™ Drain Shelf 1/6 Size 13mm deep	1	108W x 121L	4.00
1033507	StorPlus™ Drain Shelf 1/9 Size 16mm deep	1	61W x 127L	4.00



CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ PACK
10210U07	StorPlus™ Handled Lid 1/1 Size	6	251W x 451L	126.00



CODE	DESCRIPTION - Polycarbonate Clear	Pack Size	Dims (mm)	\$ PACK
10279Z07	StorPlus™ EZ Access Hinged Notched Universal Food Pan Lid 1/3 Size	6	178W x 324L x 28Hmm	119.00
10319Z07	StorPlus™ EZ Access Hinged Notched Universal Food Pan Lid 1/6 Size	6	160W x 175L x 28Hmm	67.00
10339Z07	StorPlus™ EZ Access Hinged Notched Universal Food Pan Lid 1/9 Size	6	110W x 175L x 28Hmm	70.00

# StorPlus™ High Heat Food Pans



- High heat pans excel in high temperature applications (-40°F to 375°F)
- Reinforced top and bottom corners on both pan and lid helps prevent chipping and cracking
- Spoonable bottoms makes removal of contents easier and helps prevent food waste
- Molded-in capacity indicators are listed in both quarts and liters
- Textured non-slip finish on corners, sides, bottom and lid reduce scratches
- Smooth interior finish makes clean-up easy
- Food Pan sizes meet specifications for use in food bars and steam tables
- Pans meet EN 631-1 Euro Norm standards for inter-stacking with existing pans
- NSF Listed; dishwasher safe



CODE	DESCRIPTION - High Heat Amber	Pack Size	\$
30860HH13	StorPlus™ Food Pan Double Handle 1/3 Size 65mm	1	87.00
30861HH13	StorPlus™ Food Pan Double Handle 1/3 Size 102mm	1	103.00
30860H13	StorPlus™ Food Pan Single Handle 1/3 Size 65mm	1	85.00
30861H13	StorPlus™ Food Pan Single Handle 1/3 Size 102mm	1	100.00
30860HH13	StorPlus™ Food Pan Double Handle 1/3 Size 65mm	12	998.00
30861HH13	StorPlus™ Food Pan Double Handle 1/3 Size 102mm	12	1131.00
30860H13	StorPlus™ Food Pan Single Handle 1/3 Size 65mm	12	975.00
30861H13	StorPlus™ Food Pan Single Handle 1/3 Size 102mm	12	1108.00

CODE	DESCRIPTION - High Heat Amber	Pack Size	\$EA
10400B13	StorPlus™ Food Pan 1/1 Size 65mm deep	1	134.00
10401B13	StorPlus™ Food Pan 1/1 Size 100mm deep	1	165.00
10420B13	StorPlus™ Food Pan 1/2 Size 65mm deep	1	68.00
10421B13	StorPlus™ Food Pan 1/2 Size 100mm deep	1	89.00










CODE	DESCRIPTION	Pack Size	Image	\$ EA
BIN2702	Ingredient Bin; Capacity 102 Litre; Colour White; Heavy duty non-marking castors. Lids slide for easy opening; 724L x 322W x 708Hmm	1		696.00
BIN3602	Ingredient Bin; Capacity 136 Litre; Colour White; Heavy duty non-marking castors. Lids slide for easy opening; 750 L x 390 W x 718Hmm	1		754.00
34201523	TrimLine™ Rectangle Waste Container; Capacity 57L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 508L x 267W x 629Hmm	1		120.00
34202323	TrimLine™ Rectangle Waste Container Capacity 87L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	1		157.00
34202303	TrimLine™ Rectangle Waste Container; Capacity 87L; Colour Black; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm	1		157.00
36921003	"TrimLine™ Dolly Colour Black; To suit 34202303 / 34201523; 330W x 560Lmm with 76mm castors"	1		230.00
34202403	"TrimLine™ Rectangle Swing Top Waste Container Lid; Colour Black; 513L x 294W x 114Hmm"	1		114.00





CODE	DESCRIPTION	Pack Size	Image	\$ EA
84101023	Bronco™ Grey Round Waste Bin; Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm OLD CODE 34103223	1		105.00
34101023	Bronco™ Grey Round Bin; Capacity 37L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 317mm x 432Hmm; Top dia 410mm; Top dia with handles 446mm	6		47.00
34102003	Bronco™ Black Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	6		82.00
34102023	Bronco™ Grey Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm	6		82.00
34102123	Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour Grey; Dimensions: 508mm dia x 32Hmm	1		24.00
3691103	Bronco™ Round Waste Container Dolly; Suits Bronco™ Round Waste Bins; Simple twist-to- lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm	2		151.00



CODE	DESCRIPTION	Pack Size	Image	\$ EA
UC452523	Large Bin Top Utility Cart; Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Weight capacity per shelf 113kg; 76mm high "lip" prevents objects from falling during transit. 1143L x 685W x 838Hmm	1		870.00
UC194023	Flat Shelf Utility Cart; Colour Grey; Durable, chemical resistant polypropylene construction; Dent, rust & chip resistant. Weight capacity per shelf 113kg; 1026L x 483W x 830Hmm	1		638.00
JC1945L23	Long Platform Janitorial Cart; Colour Grey; 125L x 54W x 99Hmm; Versatile organisation; Rugged polyethylene; 68mm non-marking castors in front with 204mm non-marking wheels in the rear; Convenient waste collection.	1		650.00
SBC203103	Large Fold 'N Go® Cart; Colour Black; Unfolded dimensions 520W x 1016L x 1099Hmm; Collapses to 267W x 1016Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Weight capacity per shelf 53kg;	1		1996.00
SBC152103	Small Fold 'N Go® Cart; Colour Black; Unfolded dimensions 406W x 749L x 908Hmm; Collapses to 229W x 749Lmm; Easy to store in limited space; Non-marking castors; 20mm solid aluminium legs; Weight capacity per shelf 53kg;	1		1450.00



CODE	DESCRIPTION	Pack Size	Image	\$ EA
XT500003	Cateraide™ Insulated Beverage Server; Capacity 19L; Colour Black; Stain & scratch resistant polyethylene exterior; Temperature retention for 6-8 Hr; Max temp 82.2°C; Spout clearance 127mm; 430L x 267W x 654Hmm	1		638.00
IT40003	Cateraide™ IT End Loading Insulated Food Pan Carrier Colour Black; 676L x 460W x 740Hmm; Temperature retention for 6+ Hr; Capacity: 6 x Full size 65mm pans (12 x half size) OR 4 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pans	1		1416.00
IT41003	Cateraide™ Dolly to Suit IT40003 Pan Carrier; Colour Black; 76mm non-marking wheels; 676L x 473W x 245Hmm	1		534.00
PC600N03	Cateraide™ 2-Door Insulated Food Pan Carrier; Colour Black; 616L x 432W x 1270Hmm; Temperature retention for 6+ Hr; 127mm non-marking castors; Capacity: 10 x Full size 65mm pans (20 x half size) OR 6 x Full size 100mm pans (12 x half size) OR 4 x Full size 150mm pans (8 x half size) OR 1 x Full size 200mm pan	1		2877.00
PC300N03	Cateraide™ Insulated Front Loading Food Pan Carrier Colour Black; 616L x 432W x 641Hmm Temperature retention for 6+ Hr; Nylex Latches; Capacity: 5 x Full size 65mm pans (10 x half size) OR 3 x Full size 100mm pans (8 x half size) OR 2 x Full size 150mm pans (4 x half size) OR 1 x Full size 200mm pan	1		1253.00



CODE	DESCRIPTION	Pack Size	Image	\$ EA
PC66014	CaterCooler™ Exclusive CaterCooler; Colour: Blue; Designed to slide into a Cateraide™ Insulated Carriers (PC300N03, PC600N03) Once charged overnight, keeps food cold for up to 8 hrs	1		250.00
IC225003	Cateraide™ Ice Caddy on Castors; 56kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 711L x 565W x 730Hmm	1		2494.00
IC222003	Cateraide™ Ice Caddy on Castors; 90kg ice capacity; 2 fixed and 2 swivel castors 1 with brake; Dimensions including handle 781L x 559W x 927Hmm	1		2784.00
LD250N03	Cateraide™ LD Insulated Beverage Server; Colour Black; Capacity 9.5L; Keeps beverages hot or cold for up to 4-6 hours; Nylex II Latches; Dimensions 419L x 229 x 457Hmm	1		604.00
XDL3000 H03	Cateraide™ Dolly with Handle; Colour Black; 100mm heavy duty non-marking castors; Holds up to 2 XT3000R Pan Carriers when stacked; Holds all Cateraide™ Top Loader Pan Carriers except PC180N and PC188N. Dimensions 730L x 570W x 994Hmm	1		662.00





**Spread, Scoop & Serve Perfect Portions**

With Color-Coded Measure Misers®, you can spread, scoop and serve perfect portions of food with ease and precision. Choose a solid cup bottom for thicker foods or a perforated bottom for dishing out juicy vegetables and other side dishes. Varying handle lengths lend themselves use in a variety of bin bins and pots—perfect for a busy catering environment or restaurant. Each miser color is dedicated to a certain size, so make food service quicker by dishing out precise portions with ease!



**Benefits**



**Precise Portioning**

Measured cup creates consistent proportions



**Color-Coded**

Color represents a specific measurement for convenient serving



**Perforated & Solid Bottoms**

Drain excess liquid from food and spread sauce with ease



**Varying Handle Lengths**

Tailor miser lengths to various food pan depths

CODE	DESCRIPTION - Measuring spoons	Pack Size	Capacity   Colour	\$
492104	Measure Miser® Solid Short Handle	12	30ml   Yellow	163.00
492304	Measure Miser® Perforated Short Handle	12	30ml   Yellow	163.00
492201	Measure Miser® Solid Short Handle	12	45ml   Brown	198.00
492405	Measure Miser® Solid Short Handle	12	60ml   Red	232.00
496205	Measure Miser® Perforated Short Handle	12	60ml   Red	232.00

# Color Coded Measure Misers®



CODE	DESCRIPTION - Measuring spoons	Pack Size	Capacity   Colour	\$
492602	Measure Miser® Solid Short Handle	12	90ml   White	256.00
492808	Measure Miser® Solid Short Handle	12	120ml   Forest Green	261.00
492908	Measure Miser® Perforated Short Handle	12	120ml   Forest Green	261.00
493306	Measure Miser® Solid Short Handle	12	150ml   Beige	273.00
496606	Measure Miser® Perforated Short Handle - WHILST STOCKS LAST	12	150ml   Beige	244.00
493114	Measure Miser® Solid Short Handle	12	240ml   Blue	331.00

CODE	DESCRIPTION - Measuring spoons	Pack Size	Capacity   Colour	\$
396005	Measure Miser® Solid Long Handle	12	60ml   Red	221.00
397002	Measure Miser® Solid Long Handle - WHILST STOCKS LAST	12	90ml   White	193.00
398008	Measure Miser® Solid Long Handle	12	120ml   Forest Green	227.00
399003	Measure Miser® Solid Long Handle	12	180ml   Black	290.00
399103	Measure Miser® Perforated Long Handle - WHILST STOCKS LAST	12	180ml   Black	256.00
399214	Measure Miser® Solid Long Handle	12	240ml   Blue	360.00




Measure Miser® Solid Short Handle - 492104

Measure Miser® Perforated Short Handle - 496205

Measure Miser® Perforated Long Handle - 398108






## Clean Rack. Clean Dishes

From the most fragile tableware to heavy-duty kitchen items such as utensils and cutlery, OptiClean Dish Racks offer the safest sanitary cleaning option. OptiClean Racks are engineered to flow. The honeycomb design ensures durability and the open wall ensures a free flow of water and soap. Wash, dry and hold with OptiClean Dish Racks.




## Benefits



### Honeycomb Design

Ensures durability, weight dispersion and the free flow of water and soap.




### Rounded Edges

Discourages clinging food particles and releases dirty water



### Secure Universal Stacking

Ensures a smooth transition to Carlisle washracks from other industry racks without




### Comfort Curve Handles

Comfortable carrying on all four sides of rack

CODE	DESCRIPTION	Pack Size	\$ EA
RP14	OptiClean™ All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 63mm; Space between pegs 45mm	1	56.00
ROP14	OptiClean™ Open Side All-Purpose Peg Dish Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm	1	81.00
RTP14	OptiClean™ Open Bowl Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Space between pegs 45mm	1	57.00
RB14	OptiClean™ Open Bowl Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm	1	45.00

# OptiClean Dish Racks



CODE	DESCRIPTION	Pack Size	\$ EA
RF14	OptiClean™ Flatware Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; 464mm compartment Tight enough to keep small items contained	1	49.00
RFP14	OptiClean™ Food Pan or Insulated-Meal-Delivery- Tray Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm;	1	209.00
RC20-114	OptiClean™ 20 Compartment Divided Rack with one open extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 110L x 87Wmm Open Tilted Design – Compartments hold cups in a tilted position, promoting even and thorough washing, drying and draining	1	68.00
RG25-114	OptiClean™ 25 Compartment Divided Rack with one 25 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 90L x 90Wmm	1	82.00
RG36-114	OptiClean™ 36 Compartment Divided Rack with one 36 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 74L x 74Wmm	1	82.00
RG49-114	"OptiClean™ 49 Compartment Divided Rack with one 49 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 60L x 60Wmm"	1	65.00
C32P214	"Perma-Sil™ 8-Compartment Dishwash Cutlery Storage Basket; Colour Blue; Open weave basket design for optimum air and water flow for efficient washing & drying; 433L x 197W x 175Hmm; Compartment 90L x 90Wmm"	1	70.00
RE2514	"OptiClean™ 25-Compartment Divided Rack Extender Colour Blue; 500L x 500W x 45Hmm; Compartment 90L x 90Wmm"	1	23.00
RE3614	"OptiClean™ 36-Compartment Divided Rack Extender Colour Blue; 500L x 500W x 45Hmm; Compartment 74L x 74Wmm"	1	23.00
C223614	"E-Z Glide™ Warewashing Rack Dolly Without Handle; Wt Capacity 150 kg; Holds any std 500mm racks; Colour Blue; 572L x 572W x 203Hmm"	1	372.00
C223703	E-Z Glide™ Handle for C223614; Colour Black; Material Steel	1	464.00
RDC07	"OptiClean™ Dust Cover for ware washing racks Colour – Clear; 533L x 533W x 914Hmm"	1	157.00





# Product Holding Units

## 5 Reasons to choose Duke Hot Holding

1. Ultimate Holding Environment
2. Broad Menu Flexibility
3. Intuitive Touchscreen
4. Recipe Management
5. Built-in Connectivity

**Warranty:**  
2 year onsite  
parts and labour




CODE	DESCRIPTION	Pans	Lids	Amp	\$
RFHU-22-DL042GM	Duke hot hold cabinet, 2 high 2 wide, 65mm deep	4	Dedicated	10	10585
RFHU-22-DL044GM	Duke hot hold cabinet, 2 high 2 wide, 100mm deep	4	Dedicated	10	11620
RFHU-23-FL034GM	Duke hot hold cabinet, 2 high, 3 wide, 100mm deep	6	Flexi	10	13155
RFHU-24-FL042GM	Duke hot hold cabinet, 2 high, 4 wide, 65mm deep	8	Flexi	10	13920
RFHU-24-DL082GM	Duke hot hold cabinet, 2 high, 4 wide, 65mm deep	8	Dedicated	10	13920
RFHU-24-FL044GM	Duke hot hold cabinet, 2 high, 4 wide, 100mm deep	8	Flexi	10	15470
RFHU-24-DL084GM	Duke hot hold cabinet, 2 high, 4wide, 100mm deep	8	Dedicated	10	15470
RFHU-32-FL034GM	Duke hot hold cabinet, 3 high, 2 wide, 100mm deep	6	Flexible	10	15470

Order pans separately

### PANS FOR USE IN CABINETS - save \$\$ with the 12 pack

CODE	DESCRIPTION	\$ each	\$ 12 pack
30860HH13	Double Handled Amber Pans, 1/3 size, 64mm	87	998
30860H13	Single Handled Amber Pans, 1/3 size, 64mm	85	975
10420B13	Half Size Amber Pan, 1/2 size, 64mm	68	-
10400B13	Full Size Amber Pan, full size, 64mm	165	-

CODE	DESCRIPTION	\$ each	\$ 12 pack
30861HH13	Double Handled Amber Pans, 1/3 size, 102mm	103	1131
30861H13	Single Handled Amber Pans, 1/3 size, 102mm	100	1108
10421B13	Half Size Amber Pan, 1/2 size, 102mm	89	-
10401B13	Full Size Amber Pan, full size, 102mm	165	-



Double Handle Pan for pass-through operations





# Product Holding Units

Two year parts and labour warranty

## Accessories

**#1092-0569K**

Stainless Steel RFHU Solid Lid  
w/o pan guide (Flexible Unit)

**LIST PRICE EA 140**



**#1092-0570K**

Stainless Steel RFHU Solid Lid  
w pan guide (Flexible Unit)

**LIST PRICE EA 145**



**#169769**

Duke GN Half Long Pan  
63mm deep Amber high heat

**LIST PRICE EA 185**

**#217530**

Duke GN Half Long Pan  
102mm deep Amber high heat

**LIST PRICE EA 230**



**#1092-0571K**

Stainless Steel RFHU Ventid Lid  
w/o pan guide (Flexible Unit)

**LIST PRICE EA 174**



**#1092-0572K**

Stainless Steel RFHU Ventid Lid  
w pan guide (Flexible Unit)

**LIST PRICE EA 192**



**#1092-0568**

Stainless Steel RFHU Cover Fixed  
(Dedicated Unit)

**LIST PRICE EA 122**



**#3087013**

Plastic 1/3 size trivet  
*Fried Product*

**LIST PRICE EA 40**



**#1043513**

Plastic 1/2 size trivet  
*Fried Product*

**LIST PRICE EA 49**



**#217514**

Stainless Steel 1/3 size trivet  
*Fried Product*

**LIST PRICE EA 49**



**#165844**

Half Size Pan Carrier


**LIST PRICE EA 94**



**#158368**

Full Size Pan Trivet

**LIST PRICE EA 242**





# Product Holding Units

Two year parts and labour warranty

The Duke ReadyFlex™ Hot Holding Cabinets delivers outstanding food quality. The food is always hot, fresh and ready to serve where and when you need it. Change your recipes and hold configurations from breakfast to lunch to dinner with easy to learn touchscreens. The built in Wi-Fi, Ethernet and Bluetooth connectivity means ReadyFlex is ready to connect through the Duke Connected Equipment Platform. Speak with the sales team about all the options and features available.

## Standard Size

64mm Deep Pan Model

102mm Deep Pan Model



RFHU-22



RFHU-23



RFHU-24



RFHU-32



RFHU-34



RFHU-41



RFHU-42




## A configuration to fit any space!


No matter what size space you have and what volume of food you need to maintain, there is a ReadyFlex configuration for you. ReadyFlex is stackable and easy to fit into your lineup.



## Standard vs. Full



STANDARD  
RFHU-22



FULL  
RFHU-21F





# Product Holding Units

Two year parts and labour warranty

## NEW configuration options

### Full Size

64mm Deep Pan Model



RFHU-21F



RFHU-22F



RFHU-23F

102mm Deep Pan Model



RFHU-31F



RFHU-41F



RFHU-51F



RFHU-52F

Hybrid Model



Hybrid models have both 64mm and 102mm depths available in the same full size unit.





## Can Openers

### MANUAL & ELECTRIC CAN OPENERS

Edlund are the industry leaders in quality, reliable can opening solutions and produce a wide range to suit any work load. Made tough with quality components, yet easy and safe to operate.

► Quality manufactured in USA ► Parts remove easily for replacement and cleaning ► Edlund blades are reversible for longer life ► Knife edges are intentionally dull and rounded to fold metal not cut it, thereby providing a smooth rim edge for greater safety.

#### MODEL 1

Nickel plated opener and sturdy base with standard length bar, suitable for cans up to 280mm tall.

4 cans per minute.

Recommended daily use up to 15 cans.

Overall Height: 530mm

Weight packed: 8.1Kgs

LIST PRICE EA. **\$565**

MEDIUM USAGE



### ELECTRIC CAN OPENERS

► Effortless electric operation to eliminate fatigue ► Spring-loaded mechanism opens even dented cans ► Replaceable knife and gear provide long life ► Sleek stainless steel construction provides durable operation and easy cleaning.

#### 266

Single Speed Electric Can Opener

4-7 cans per minute.

Recommended daily use up to 75 cans.

Most suitable for size #10 cans.

Dimensions: 111Wmm x 178Dmm x 305Hmm

Weight: 5.57Kgs

Electrical: 120W 0.5A Supplied with 10 amp plug.

LIST PRICE EA. **\$3390**

EFFORTLESS  
MEDIUM to HIGH  
USAGE



### CROWN PUNCH CAN OPENERS – PNEUMATIC

#### 610

Unit complete with knife and guard ring locator for one standard size #10 round can.

All stainless steel including mechanism.

8-12 cans per minute.

Recommended daily use up to 400 cans.

(Note: Compressor not included).

LIST PRICE EA. **\$21850**

HIGH  
PRODUCTION



## SANITATION & STORAGE

The patented KSUV-18 Knife Sterilizer Cabinet provides superior sterilization compared to other methods or products using magnetic bars or metal racks to secure the knives. The exclusive non-filtering clear slotted knife holder and special mirrored interior walls eliminate shadows on knife surfaces within the cabinet that could prevent complete sterilization. The easy to operate mechanical timer can be set for up to 15 minutes, but the KSUV-18 will safely sterilize your knives in as little as 3 minutes with 99% efficacy\*\*. It's like a SPF-99 (Sterilization Protection Factor) for your knives.



\*Note: Knives not included

- 15 minute belled timer
- Holds up to 12 knives plus steel\*
- Stainless steel construction
- LED lights indicate when door is closed and sterilization is in process
- UV filtered plexiglass door with lockable keyed handle
- Exclusive non UV filtering slotted knife holder
- 2 Larger slots to accommodate cleavers
- Safety interlock door

CODE	W X D X Hmm	KG	\$
KSUV-18	483 x 150 x 610	13.7	5300

## CONTACT US FOR OTHER ITEMS AVAILABLE IN THE RANGE



625



625M



625T



625A



CH-5000

Heavy Duty Crown Punch Can Openers

Can Crushers - Electric (pictured), air powered and manual available



## GRANITIME GRANITA MACHINES

### Granitime

The simplicity you need in a small space

The compact machine. Perfect for any type of business where simplicity, durability and professional performance is the most important thing.



#### Speed Up Service

Fast freeze technology that cuts down preparation times. Ideal for fast turnover in slush sales.



#### Stainless Steel

Robust and elegant appearance guaranteeing many years of service.



#### Reduce Operation time

Clean the P&P tap in one piece. Easy bowl Sealing.



#### Various types of drinks

Slush drinks, cold drinks, sorbets, frozen cocktails and other refreshing drinks.

- 1 PRACTICAL AND COMPACT DESIGN
- 2 TEMPERATURE DISPLAY
- 3 ADJUSTABLE CONSISTENCY
- 4 STANDBY MODE TO **SAVE ENERGY**



refrigerant gas  
**R290**

CODE	W X D X Hmm	KG	POWER REQUIREMENTS	WATTS	CAPACITY	\$
GRANITIME 1	210 x 500 x 900	30	10amp	800	1 x 12ltr bowl	4170
GRANITIME 2	420 x 500 x 900	55	10amp	1000	2 x 12ltr bowl	6140
GRANITIME 3	620 x 500 x 900	70	10amp	1200	3 x 12ltr bowl	8600



# V-AIR


BY GBG

## V-AIR by GBG

  
Ventilation  
Vertical


  
Refrigerator  
ECO

  
Control  
Remote

  
Cyclic  
Reverse

**15 L**  
LARGE Tank  
capacity

- Designed for better use of space
- Automatic modes
- Easy access filter
- Illuminated tanks (12 colours)
- Faucet with bayonet system
- Quick and easy cleaning



Just 215mm width

CODE	W X D X Hmm	KG	POWER	WATTS	CAPACITY		\$
SMART PLUS 1	215 x 600 x 850	25	10amp	350	1 x 15ltr bowl	All units come with Lid Flavour Tag Remote Control with App Full Lights	6850
SMART PLUS 2	430 x 600 x 850	50	10amp	700	2 x 15ltr bowl		9990
SMART PLUS 3	650 x 600 x 850	70	10amp	1200	3 x 15ltr bowl		13250





## DRINK MAGIC

### Refrigerated drink dispenser suitable for dairy products



#### Mix & Quality

Its continuous rotary system keeps the product well mixed and consistently blended for the best cold drink experience.



#### Push & Flow Tap

You can serve your drinks with only one hand, just press the glass against the tap to get the drink. It features high level of hygiene and simple to dismantle and clean.



#### Enhanced Cleaning Process

Features an easy bowl release system that, without the need for any tools, decreases time spent during assembly and disassembly process.



#### Easy to Cold

Easy to use two-switch control panel. There is a mixer switch and cooling switch, simply flipping up these two switches starts the mixer motor and begins the cooling process.



#### Durable Design

Made of hard and resistant plastic, ensures long life cycle in your premises. The plastic parts won't rust like metal drink dispensers, keeping its professional appearance.



#### Right Temperature, Boost Flavour

For most people, right temperature can enhance flavours. It is equipped with a digital temperature control that allows to adjust the cooling temperature between 0°C - 10°C



#### Crystal Clear Bowls

The unit features durable, crystal clear poly-carbonate bowls. Maximise the visibility while minimizes the risk of



MODEL	DRINK MAGIC 20-1
BOWL CAPACITY	400 x 770 x 830
NET WEIGHT	16.6KG
POWER REQUIREMENTS	10AMP
WATTS	160
TEMP CONTROL	ADJUSTABLE
CAPACITY	1 x 20ltr bowl
LIST PRICE	2435





## GENERAL FOOD EQUIPMENT – MICROWAVE

**Designed for light to medium duty use in coffee shops, pizzerias, sandwich shops, self service areas, lunch break rooms, student lounges and more. Complete cooking and reheating of foods utilising up to 1000 watts of power with programmable 2 stage cooking.**

### GEW1050E

- 1000 Watts Cooking Power
- All Stainless steel exterior and interior
- 10 Power Levels
- Audible alarm when timed cycle is complete
- Large easy grip polished handle
- Reinforced flexible door latches to reduce breakage
- Electronic touch sensitive pad for programming, **2 stage cooking** and digital time display,
- Double or Triple quantity Function
- 28.3 Litres Internal Capacity
- 10 programs, ½ GN size
- 508W x 356D x 305Hmm External Dimensions
- 327W x 330D x 195Hmm Internal Dimensions
- 17Kg net/ 19Kg packed
- 6.3A (1500W). Supplied with 10A plug



**LIST PRICE EA.                \$999**

**5 BUY PRICE                    \$899**





**Hatco, the world's leaders in food warming and holding technology, continue to lead the way with high quality, reliable and aesthetically correct Decorative Heat Lamps. With 21 shade styles, 24 colour and finish options, plus a choice of 4 mounting style and 3 switch options, there will be a model to suit your project or restaurant perfectly. Hatco Decorative Heat Lamps are perfect for enhancing your food pass/servery. Choose the lamps that the experts choose.**

## DECORATIVE HEAT LAMPS - IN STOCK - all others to order

### DL-600-CL/BCOPPER

Hatco Decorative Heat Lamp  
Features flexible cord mount to canopy.  
Overall length is 1829mm. (Longer length available on application).  
Black cord standard.  
Switch on lamp housing.  
**Bright Copper plated finish.**  
Supplied unplugged

**LIST PRICE EA. \$1350**



### DL-400-CL/BOLDBLACK

Hatco Decorative Lamp  
Features flexible cord mount to canopy.  
Overall length is 1829mm (Longer length available on application).  
Black cord standard.  
Switch on lamp housing.  
**Bold Black finish.**  
Supplied unplugged

**LIST PRICE EA. \$985**



### DL-500-RL-CH/BK

Hatco **Retractable** Decorative Heat Lamp  
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.  
Black cord is standard.  
Switch on lamp housing.  
**Glossy grey finish.**  
Supplied unplugged

**LIST PRICE EA. \$1595**



### DL-775-RPL-BN/BK

Hatco **Retractable** Decorative Heat Lamp  
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.  
Black cord is standard.  
Switch on lamp housing.  
**Bright Nickel finish.**  
Supplied unplugged

**LIST PRICE EA. \$1980**



### DL-500-CL-CH/BK

Hatco Decorative Lamp  
Features flexible cord mount to canopy.  
Overall length is 1829mm (Longer length available on application).  
Black cord standard.  
Switch on lamp housing.  
**Glossy grey finish.**  
Supplied unplugged

**LIST PRICE EA. \$985**



### DL-750-RL/BOLDBLACK

Hatco **Retractable** Decorative Heat Lamp  
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.  
Black cord is standard.  
Switch on lamp housing.  
**Bold Black finish.**  
Supplied unplugged

**LIST PRICE EA. \$1695**



All lamps supplied with 250watt Food Grade Teflon-coated heat lamp to meet Australian Food Standard regulations.  
(Spare Part N02.30.100.00)

Recommended height is no more than 350mm from target surface from underside of lamp.



## NEW RETRACTABLE CORD MOUNT - DL-750-RCL/BOLD BLACK

### DL-750-RCL-BOLD BLACK

Features a cord which adjusts the lamp up and down from 610 mm to 1829 mm.

Black cord is standard.

Switch on lamp housing.

**Bold Black finish.**

Supplied unplugged

LIST PRICE EA. **\$2195**

Smooth operation and improved reliability


Easier cleaning

AVAILABLE DECEMBER 2024




## NEW RETRACTABLE CORD MOUNT - SPECIAL ORDER OPTIONS

### 1 SELECT SHADE STYLE



### 2 SELECT COLOUR/FINISH

#### DESIGNER COLORS



#### GLOSS FINISHES



#### PLATED FINISHES




Shade color/finishes available for DL-1500 only  
Select a different color or finish for the rest of the unit.



### 3 NEW MOUNTING TYPE

**RC Mount®**  
Retractable  
Cord Mount.



### 4 SELECT SWITCH LOCATION

(N)-None  
Supplied by installer

(L)-Lower  
Switch  
(Horizontal toggle)


Not available on:  
• DLH (High Watt models)  
• 2X00 shade styles






## HOW TO ORDER NON STOCK LAMPS - Contact us for a quote

### 1 SELECT SHADE STYLE



**NOTE:**  
DL-2100, -2200,  
2300 or 2400  
Not available with:  
• Lower switch  
• R or RT Mounting  
• RC or RCT Mounting  
• C or CT Mounting




### 2 SELECT COLOUR/FINISH

Hatco is proud to introduce IFS **antimicrobial** powder coatings to the paint process for designer colours and gloss finishes - fighting germs to keep customers happy, healthy and **safe**.

IFS antimicrobial coatings use naturally-occurring, environmentally sustainable, silver ions to help inhibit the growth of microbes on the powder coated surface.

#### DESIGNER COLORS




#### GLOSS FINISHES



Only available for shades. Select a different option for the rest of the unit.

#### PLATED FINISHES




Shade color/finishes available for DL-1500 only  
Select a different color or finish for the rest of the unit.




### 3 SELECT MOUNTING TYPE


**C Mount®**  
Cord Mount  
to canopy.




**R Mount®**  
Coiled Retractable  
Cord Mount.




**RC Mount®**  
Retractable  
Cord Mount.



**S Mount®**  
Rigid Stem  
Mount  
to canopy.



**AS Mount®**  
At install only,  
limited height  
adjustments  
with Rigid  
Stem Mount  
to canopy.




### 4 SELECT SWITCH LOCATION


**(N)-None**  
Supplied by installer

**(L)-Lower  
Switch**  
(Horizontal toggle)


Not available on:  
• DLH (High Watt  
models)  
• 2X00 shade styles



**(R)-Remote Switch**  
• Accommodates 16 amps  
• Up to seven 250W lamps,  
or five 375W lamps  
maximum per remote switch



**(U)-Upper Switch**  
Not available on:  
• DLH (High Watt models)  
• R, RC Mounts  
• Track Mounts (CT, RT, RCT, ST, AST)







## GLO-MAX® GM5AH CURVED INFRARED STRIP HEATERS

This stylish, patented design, based on our signature Glo-Max® strip heaters, is the perfect solution for your front-of-the-house applications. Superb for buffet and serving lines, the sleek curved design minimizes its size while accenting and warming the products below. GM5AHL, with versatile LED lighting options, provides perfect coloring and coverage while lowering energy costs.

CODE	VOLTAGE	WATTS	AMPS	DIMENSIONS	WEIGHT	\$
GM5AH-30	230 ~ 240	606 ~ 660	2.8	762W x 150D x 50Hmm	5Kg	830
GM5AHL-30	230 ~ 240	606 ~ 660	2.8		6Kg	1310
GM5AH-36	230 ~ 240	735 ~ 800	3.3	915W x 150D x 50Hmm	6Kg	885
GM5AHL-36	230 ~ 240	756 ~ 812	3.4		6Kg	1430
GM5AH-42	230 ~ 240	872 ~ 950	4.0	1067W x 150D x 50Hmm	7Kg	960
GM5AHL-42	230 ~ 240	885 ~ 964	4.0		7Kg	1690
GM5AH-48	230 ~ 240	1010 ~ 1100	4.6	1220W x 150D x 50Hmm	7Kg	1020
GM5AHL-48	230 ~ 240	1025 ~ 1116	4.7		8Kg	1680
GM5AH-54	230 ~ 240	1148 ~ 1250	5.2	1372W x 150D x 50Hmm	8Kg	1030
GM5AHL-54	230 ~ 240	1163 ~ 1267	5.3		8Kg	1840
GM5AH-66	230 ~ 240	1433 ~ 1560	6.5	1675W x 150D x 50Hmm	9Kg	1200
GM5AHL-66	230 ~ 240	1450 ~ 1579	6.6		10Kg	1930
GM5AH-78	230 ~ 240	1736 ~ 1890	7.9	1981W x 150D x 50Hmm	10Kg	1400
GM5AHL-78	230 ~ 240	1754 ~ 1910	8.0		11Kg	2560







Shown on optional stand (NTL5-16)

Clear anodized is the standard housing color, black anodized is an optional extra

Angle brackets are standard, non-adjustable tubular stands, 406 mm (16"), are an optional extra

Warm LED light (3000K)

Power wire lead length is 1524 mm





## GLO-MAX® HLC5 LED CURVED DISPLAY LIGHTS



A stylish choice for illuminating your serving area. The HLC5 LED Display Light offers the highest light output that is ideal for illuminating food products with a cool white light (4000K). The sleek, curved design is patented and the LED lighting delivers significant savings with lower energy consumption and greater reliability.

CODE	VOLTAGE	WATTS	AMPS	WEIGHT	DIMENSIONS	\$
HLC5-30	220 ~ 240	11	0.05	4kg	762 x 150 x 50 mm	1000
HLC5-36	220 ~ 240	14	0.06	4kg	915 x 150 x 50 mm	1040
HLC5-42	220 ~ 240	15~16	0.07	5kg	1067 x 150 x 50 mm	1090
HLC5-48	220 ~ 240	17	0.08	6kg	1220 x 150 x 50 mm	1130
HLC5-54	220 ~ 240	19	0.08	7kg	1372 x 150 x 50 mm	1240
HLC5-66	220 ~ 240	22	0.09~0.1	8kg	1675 x 150 x 50 mm	1360
HLC5-78	220 ~ 240	24	0.1~0.11	8kg	1981 x 150 x 50 mm	1535

Clear anodized is the standard housing color, black anodized is an optional extra  
 Angle brackets are standard, non-adjustable tubular stands, 406 mm (16"), are an optional extra  
 Rocket Switch, location: under unit on power side  
 Power wire lead length: 1524mm



Shown on optional stand.





Acknowledged world leaders in food holding and warming solutions, Hatco offer a breadth of products and solutions that answer almost any heating/warming/holding requirement.

And Hatco lead the way in merchandising solutions with high quality - high visibility products. Call to discuss your special requirements or project needs - Hatco has a quality solution and Hatco products are covered by our exclusive 13 month warranty on parts and labour.


## GLO RAY FOOD WARMER GRAH Heat only

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern (See schematic below). Safety wire guards, mounting brackets and 1800mm cord with 10A plug standard. **All units 150mmW x 64mmH**

MODEL	\$	LENGTH	WATTAGE	MODEL-IC	LENGTH	\$
GRAH-18	785	460mm	350W	GRAH-18-IC	460mm	990
GRAH-24	825	610mm	500W	GRAH-24-IC	610mm	1025
GRAH-30	875	760mm	660W	GRAH-30-IC	760mm	1065
GRAH-36	920	910mm	800W	GRAH-36-IC	910mm	1115
GRAH-42	975	1070mm	950W	GRAH-42-IC	1070mm	1170
GRAH-48	1030	1220mm	1100W	GRAH-48-IC	1220mm	1220
GRAH-54	1085	1370mm	1250W	GRAH-54-IC	1370mm	1280
GRAH-60	1150	1520mm	1400W	GRAH-60-IC	1520mm	1350
GRAH-66	1250	1680mm	1560W	GRAH-66-IC	1680mm	1450
GRAH-72	1395	1830mm	1725W	GRAH-72-IC	1830mm	1600
GRAH-84	1600	2130mm	1900W	GRAH-84-IC	2130mm	1670
GRAH-96	1815	2440mm	2400W	GRAH-96-IC	2440mm	1995



FOR INFINITE  
CONTROL  
MODELS SEE  
"IC" COLUMN  
←



Typical Glo Ray  
installation shown  
above stainless  
steel benchtop.

## GLO RAY FOOD WARMER GRAHL Heat & Light

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern. Includes Incandescent lighting, safety wire guards, mounting brackets and 1800mm cord with 10A or 15A\* plug standard. **All units 230mmW x 64mmH**

MODEL	\$	LENGTH	WATTAGE	MODEL-IC	LENGTH	\$
GRAHL-18	1080	460mm	470W	GRAHL-18-IC	460mm	1280
GRAHL-24	1120	610mm	620W	GRAHL-24-IC	610mm	1320
GRAHL-30	1250	760mm	780W	GRAHL-30-IC	760mm	1450
GRAHL-36	1395	910mm	980W	GRAHL-36-IC	910mm	1590
GRAHL-42	1490	1070mm	1130W	GRAHL-42-IC	1070mm	1685
GRAHL-48	1665	1220mm	1340W	GRAHL-48-IC	1220mm	1850
GRAHL-54	1780	1370mm	1490W	GRAHL-54-IC	1370mm	1990
GRAHL-60	1990	1520mm	1700W	GRAHL-60-IC	1520mm	2180
GRAHL-66	2130	1680mm	1860W	GRAHL-66-IC	1680mm	2330
GRAHL-72	2420	1830mm	2085W	GRAHL-72-IC	1830mm	2610
GRAHL-84	2830	2130mm	2470W* 15A	GRAHL-84-IC	2130mm	3050
GRAHL-96	3120	2440mm	2880W* 15A	GRAHL-96-IC	2440mm	3330

FOR INFINITE  
CONTROL  
MODELS SEE  
"IC" COLUMN  
←

## REMOTE CONTROLS & IC UNITS

Use 1 Infinite Control per Glo Ray element

MODEL	DESCRIPTION	\$
RMB-3CE	Remote Control Enclosure with 1 Infinite Control	450
RMB-7CE	Remote Control Enclosure with 2 Infinite Controls	625




RMB-3CE



Dual Remote Control RMB-7CE





**Hatco heated shelves are the benchmark for quality, reliability and style when it comes to holding food at serving temperatures.**

**Choose from portable table-top models, drop-in or flush mount models to suit any project or venue requirement, and serve with style and practicality.**

## HEATED BLACK GLASS **PORTABLE** SHELVES 400mm DEEP

### HGSM-4060

Hatco's Heated Glass Shelf Modular units feature black ceramic glass to create uniform heat across the entire surface to hold hot food at safe-serving temperatures for longer without affecting product quality. Modular design allows for multiple units to be placed side-by-side and for easy cleaning and maintenance.


Includes thermostatic controls with five temperature settings of 55°C, 65°C, 75°C, 85°C and 95°C. Touch Panel Control.

Constructed with a durable stainless steel housing.

Weight: 7.5Kgs Dimensions: 400W X 600D X 56Hmm

Electrical: 300 Watts, 1.3 amp. supplied with corded 10amp plug.

**LIST PRICE EA. \$1450**




## GLO-RAY® GRS **PORTABLE** HEATED SHELF 495mm DEEP

Convenient portable heated shelf units 495mm 'deep', that offer the flexibility of use when and where needed. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times.

Temperature Range: 27-82°C. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-24-I	610 mm long x 495 mm deep	380	10Kg	2220
GRS-30-I	762 mm long x 495 mm deep	490	12Kg	2390
GRS-36-I	914 mm long x 495 mm deep	598	13Kg	2545
GRS-42-I	1067 mm long x 495 mm deep	652	15Kg	2865
GRS-48-I	1219 mm long x 495 mm deep	760	17Kg	2990
GRS-54-I	1372 mm long x 495 mm deep	870	20Kg	3220



All models supplied corded with 10amp plug.




Shown with optional pan guards.


## GLO-RAY® GRS **PORTABLE** HEATED SHELF 305mm DEEP

Convenient portable heated shelf units 305mm 'deep' models, perfect for burger or product make-up and holding on the one bench space. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times. Designer colours to order.

CODE	DIMENSIONS	WATTS	WEIGHT	\$
GRS-60-D	1524 mm long x 305 mm wide	600	16Kg	2675
GRS-72-D	1829 mm long x 305 mm wide	700	17Kg	2830



All the above supplied corded with 10amp plug.



## GLO-RAY® GRSBF DROP-IN FLUSH TOP HEATED SHELF

Satin Black hard coated aluminium finish with flush mount, for a smooth professional finish, includes remote temperature control and ON/OFF switch.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. They feature a thermostatically-controlled blanket-type foil element heated surface to help hold your food hot and delicious with consistent temperatures across the shelf. Adjustable thermostat controls allow surface temperature for the GRSBF to range from 27°to 82°C.

CODE	DIMENSIONS (all 60mm height)	WATTS	WEIGHT	\$
GRSBF-24-I	648mm long x 533 mm wide	550	13Kg	3850
GRSBF-30-I	800 mm long x 533 mm wide	665	14Kg	4275
GRSBF-36-I	953 mm long x 533 mm wide	780	14Kg	4700
GRSBF-42-I	1105 mm long x 533 mm wide	885	15Kg	4940
GRSBF-48-I	1257 mm long x 533 mm wide	1000	18Kg	5060
GRSBF-54-I	1372 mm long x 533 mm wide	1220	22Kg	5310
GRSBF-60-I	1562 mm long x 533 mm wide	1220	22Kg	5560
GRSBF-72-I	1867 mm long x 533 mm wide	1440	24Kg	6000



All the above supplied corded with 10amp plug.

Please note: depths/widths other than 533mm available on request: 432, 648, 800mm.

## GLO-RAY® HBGBHC DROP-IN HEATED BLACK CERAMIC GLASS

For a dramatic and professional food serving area, the Hatco Heated Black Glass Shelf has a heated ceramic glass surface to create uniform heat across the entire surface and display food perfectly.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. Surface colour is black ceramic glass and they feature a thermostatically-controlled heated ceramic glass surface to help hold your food hot and delicious. Food can be placed directly on the glass surface. Supplied with an attached stainless steel trim mounting ring for drop in installations.

Adjustable thermostat controls allow surface temperature for the HBGB to range from 25°to 125°C. Recommended for installation in metallic surfaces.

CODE	DIMENSIONS* (all 65mm Height)	WATTS	WEIGHT	\$
HBGBHC-2418	649 mm long x 498 mm wide	425	15Kg	3240
HBGBHC-3018	802 mm long x 498 mm wide	525	17Kg	3660
HBGBHC-3618	954 mm long x 498 mm wide	630	19Kg	4050
HBGBHC-4818	1258 mm long x 498 mm wide	850	23Kg	4590
HBGBHC-6018	1564 mm long x mm 498 wide	1050	29Kg	5450
HBGBHC-7218	1859 mm long x 498 mm wide	1260	34Kg	6180



\* Outer dimensions of the stainless steel trim. All the above supplied corded with 10amp plug. **Controller dimensions 232x60x102mm.** Note: HBGBHC Units over 955 mm are constructed of two equal size pieces of glass. Recommended for use in a metallic countertop. For other surfaces, verify that the material is suitable for temperatures up to 130°C.






## HATCO HOT OR COLD SHELF

Serve hot buffet or cool salads/sweets on the same shelf space easily and quickly with flexibility to suit your venue. These units come in traditional Hardcoat finish or Swanstone® Simulated Stone Finish to match any decor, available as a Drop-In Flush mount. Save space and maximise the space you already have.

From the world-wide leaders in food holding solutions this versatile shelf satisfies your differing serving needs at the touch of a button. Patent-pending thermal break technology and renowned Hatco reliability - Hot OR Cold and now available Cold Only.

- Easily change between Hot or Cold in under an hour (approx) to suit your needs
- **Temperature Range:** -12°C to 82°C
- Control Box can be remotely mounted up to 1229mm from centre of the shelf
- Maximise the usage of your available space for hot or cold servings
- Durable Hardcoat Aluminium Finish Drop-In Flush Mount or...
- Swanstone® food safe simulated stone colours available to match your decor and other Hatco Heated Shelves
- Famous Hatco performance and reliability
- Patent-pending thermal break reduces condensation and temperature transfer.
- Includes a remote-mountable control enclosure, with a three position power switch and two digital temperature controllers.



Traditional hard coat aluminium drop-in Flush Mount Cold only with remote control




Swanstone® Granite Gray simulated stone drop-in Flush Mount Hot or Cold with remote control



Hot or Cold Remote control with three position switch and two electronic temperature controls


### Stone Colours



Gray Granite



Bermuda Sand



Night Sky

\*Swanstone Colour must be specified at time of order.

**Available as a Cold Only or a Hot/Cold shelf.**

Hatco's CSBF Cold Shelf Built-In Flush Top is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving. Features patent-pending thermal break that reduces condensation. Includes a power On/Off switch and digital temperature controller. Has a hardcoat aluminum surface and is designed to be top mounted.

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
HCSBF-24-I	Drop-In <b>Hot / Cold</b> Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	804 / 3.5	1/4HP	58Kg	18530
HCSBF-36-I	Drop-In <b>Hot / Cold</b> Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	1044 / 4.5	1/3HP	68Kg	19210
HCSBF-48-I	Drop-In <b>Hot / Cold</b> Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	1044 / 4.5	1/3HP	84Kg	21373
HCSSBF-24-I	Drop-In <b>Hot / Cold</b> Shelf - Swanstone*	610W x 495mmD	804 / 3.5	1/4HP	67Kg	19210
HCSSBF-36-I	Drop-In <b>Hot / Cold</b> Shelf - Swanstone*	914W x 495mmD	1044 / 4.5	1/3HP	76Kg	19776
HCSSBF-48-I	Drop-In <b>Hot / Cold</b> Shelf - Swanstone*	1219W x 495mmD	1044 / 4.5	1/3HP	92Kg	21806
CSBF-24-I	Drop-In <b>Cold</b> Shelf - Hardcoat	610W x 495mmD / 648W x 533mmD	816/3.5	1/3HP	53KG	16141
CSBF-36-I	Drop-In <b>Cold</b> Shelf - Hardcoat	914W x 495mmD / 953W x 533mmD	816/3.5	1/3HP	62Kg	16435
CSBF-48-I	Drop-In <b>Cold</b> Shelf - Hardcoat	1219W x 495mmD / 1257W x 533mmD	816/3.5	1/3HP	71Kg	18386






## HATCO® DROP-IN SLIM FROST TOP

Convenience meets style with the Hatco Drop-In Slim Frost Tops. Perfect for quick turn products on self-serve buffets. Save space and maximise the space you already have.

Hatco Drop-in Slim Frost Tops keep pre-chilled beverages, snacks, hors d'oeuvres and side dishes cool and ready to serve. Slim configuration provides wider access to your customers.

- Available in 2- and 3-pan slim configurations
- NSF 7 approved cold wall construction utilizes a refrigerant that keeps food product cold without drying it out
- Auto-defrost is activated through an advanced programmable electronic controller
- Matches the Hatco line of Heated Wells for an integrated look
- The condensing unit, mounted on the centre of the unit, rotates
- 180° (movable in some models)
- Long, flexible refrigerant line (ability to pull out condensing unit) for service



FTB-S2 Drop-In Slim Frost Top

CODE	DESCRIPTION	DIMENSIONS: (heated-cooled/overall)	Watts / Amps	Compressor	Weight	\$
FTB-S2	Drop-In Slim Frost-Top	1395W x 535D x 437Hmm	804 / 6.7	1/4HP	83Kg	18400
FTB-S3	Drop-In Slim Frost-Top	2053W x 535D x 437Hmm	804 / 6.7	1/4HP	108Kg	19420

## HATCO® GOLD UNDERMOUNT SHELF

Hatco's CSU Cold Undermount Shelf is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving.

- Undermount shelves have the amazing benefit of being able to be installed under the counter top of your choice\*\*\*
- Long, flexible refrigerant line (ability to pull out condensing unit) for service
- Electronic Temperature Control Box with a 1219 mm lead wire
- Anodized aluminum surface



\*\*\*Approved materials include granite and quartz up to 30 mm, Swanstone® (provided by Hatco), and certain stainless steel or aluminum surfaces approved by Hatco. Please contact FSM for applications with other material

CODE	DESCRIPTION	DIMENSIONS:	Watts / Amps	Compressor	Weight	\$
CSU-24-I	Cold Undermount Shelf	697W x 579D x 257Hmm	1296 / 5.4	1/3HP	52Kg	15600
CSU-36-I	Cold Undermount Shelf	998W x 579D x 257Hmm	984 / 4.1	3/8HP	64Kg	15850
CSU-48-I	Cold Undermount Shelf	1303W x 579D x 257Hmm	984 / 4.1	3/8HP	70kg	17270



## GLO-RAY® HEATED DISPLAY WARMERS

**Boost impulse sales by showcasing your hot foods in the Hatco Glo-Ray merchandising warmers. Designed specifically for displaying wrapped or boxed product, these warmers hold hot food safely at proper serving temperatures and are seen in many of the best known venues around the world.**

- ▶ Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- ▶ Convenient for self-serve or quick-serve areas
- ▶ Available in two-tier models with horizontal or slanted shelves
- ▶ Adjustable product divider rods sort food displays for convenience and product appeal
- ▶ Thermostatically controlled hard-coated heated base extends holding times
- ▶ Food grade Teflon coated incandescent lights illuminate the holding areas and product for maximum visibility.

### GRSDS *Slant* Model - all 617 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GRSDS-24D	Dual Shelf - 610 mmW	1.34kw	5.6 amp	52Kg	13680
GRSDS-30D	Dual Shelf - 760 mmW	1.53kw	6.4 amp	64Kg	14550
GRSDS-36D	Dual Shelf - 910 mmW	1.81kw	7.6 amp	73Kg	15400
GRSDS-41D	Dual Shelf - 1040 mmW	2.12kw	8.8 amp	82Kg	16550
GRSDS-52D*	Dual Shelf - 1320 mmW	2.73kw	11.4 amp	98Kg	19200
GRSDS-60D*	Dual Shelf - 1520 mmW	3.34kw	14 amp	108Kg	20250

Units 24D - 41D supplied corded with 10A plug.

\*Units 52D - 60D supplied corded with 15A plug.




### GR2SDH *Horizontal* Model **DESIGNER SERIES** - All 687 mm deep

CODE	DESCRIPTION	KW	AMP	WEIGHT	\$
GR2SDH-24D	Dual Shelf - 770 mmW	1.64kw	6.9 amp	57Kg	16200
GR2SDH-30D	Dual Shelf - 920 mmW	2.04kw	8.5 amp	72Kg	17300
GR2SDH-36D*	Dual Shelf - 1070 mmW	2.44kw	10.2 amp	93Kg	18450
GR2SDH-42D*	Dual Shelf - 1220 mmW	2.98kw	12.5 amp	102Kg	20100
GR2SDH-48D*	Dual Shelf - 1380 mmW	3.38kw	14.1 amp	115Kg	21750
GR2SDH-54D^	Dual Shelf - 1530 mmW	3.78kw	15.8 amp	124Kg	23500
GR2SDH-60D^	Dual Shelf - 1680 mmW	4.42kw	18.4 amp	149Kg	25050

Units 24D - 30D supplied corded with 10A plug.

\*Units 36D - 48D supplied corded with 15A plug. ^Units 54D - 60D supplied unplugged.



Horizontal models also available to order.  
**Please specify colour at time of ordering, otherwise colour inserts and cap ends will be supplied in black.**



## GLO-RAY® 2-GO HEATED SHELVES

Hatco's GRS2G Glo-Ray 2-Go™ Heated Shelf, designed specifically with delivery and carry-out needs in mind, is capable of holding a great quantity of hot food items at optimum serving temperatures.

- Holds bags and boxes of food for up to 30 minutes with a high temperature range up to 93°C.
- Touchscreen control with digital readout indicates separate heat and timer for each shelf.
- Features shelves with heated bases that are thermostatically-controlled and has a stainless steel frame.
- The cord is recessed into the bottom shelf at a 45° angle, allowing the unit to be flush against the wall.



GRS2G-3920-4 shown

CODE	DESCRIPTION	DIMENSIONS:	Watts / Amps	Weight	\$
GRS2G-3920-2	2 Heated shelves	1093W x 508D x 546Hmm	766 / 3.2	69Kg	7690
GRS2G-3920-3	3 Heated shelves	1093W x 508D x 908Hmm	1148 / 4.8	80Kg	9690
GRS2G-3920-4	4 Heated shelves	1093W x 508D x 1270Hmm	1529 / 6.4	91kg	11500

Optional side and back panels are one panel per shelf, giving you the flexibility to customize your unit.

CODE	DESCRIPTION	\$
CONTROL-GRS2G-R	Controls and permanent panel on ride side in leaiu of standard left side	No charge
S PANEL GRS2G S	Side Panel for GRS2G-3920 One panel per open shelf -2 shelves require 1 side panel -3 shelves require 2 side panels -4 shelves require 3 side panels	70
B PANEL GRS2G S	Back Panel for GRS2G-3920 One panel per open shelf -2 shelves require 1 back panel -3 shelves require 2 back panels -4 shelves require 3 back panels	140



GRS2G-3920-3 with optional side panel (SPANEL-GRS2G3)





## GLO-RAY® 2-GO HEATED SHELVES - C MODELS

- Holds bags and boxes of food for up to 30 minutes with a high temperature range up to 93°C.
- Shelves are 507 mm deep and 986 mm wide, with a 289 mm clearance between shelves that is large enough to fit a variety of carry out/delivery bags and boxes.
- Each shelf features a digital temperature control, a power On/Off switch, and jumper power cords.
- Units feature stainless steel shelves with heated bases that are thermostatically-controlled.
- Supplied flat packed
- Includes 10amp plug



GRS2GC-3920-4 shown

CODE	DESCRIPTION	DIMENSIONS:	Watts / Amps	Weight	\$
GRS2GC-3920-2	2 Heated shelves	986W x 507D x 475Hmm	824 / 3.4	21Kg	4060
GRS2GC-3920-4	4 Heated shelves	986W x 507D x 1135Hmm	1648 / 6.9	40kg	7150



Digital temperature control on each shelf



Power On/Off switch with jumper cords for each shelf



## GLO-RAY® PORTABLE FOOD WARMERS/CHIP DUMPS

With heat from above, below or both, Hatco Glo Ray® food warmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows, and service areas that require frequent and easy access, these units keep product at serving temperature and optimum quality.

### GR-FFB

This excellent Food Warmer/Chip Dump has a preset heated base that conducts heat from the bottom while an adjustable infrared element heats from above.

A swing-away top provides fast and easy access to food pans.

Weight: 12Kgs

Dimensions: 324 x 610 x 508mm

Electrical: 750 Watts, 3 amp. supplied with corded 10amp plug.

**LIST PRICE EA.      \$2330**



### GMFFL

Hatco's latest Portable Food Warmer has a sleek rounded design and its black colour finish fits into any decor. This portable Food Warmer has heat and light from above in powder-coat black and comes with a sign holder on the front lower panel (sign not included) to maximise sales potential.

Suits 1/1 Gastronorm pan 100mm deep (not included).

Weight: 9.2Kgs

Dimensions: 329 x 644 x 445mm

Electrical: 610 Watts, 2.5 amp supplied with corded 10amp plug.

**LIST PRICE EA.      \$830**





## GLO-RAY® PORTABLE FRY STATIONS & MULTI PRODUCT

Designed with ample handling space between the heat source and the holding area to empty baskets, Glo-Ray Fry Holding Stations maintain 'just made' food temperatures. Ceramic elements direct radiant heat from above, while a preset thermostatically controlled heated base (adjustable on the MPWS-36) maintains uniform holding temperature from below. The slotted holding bin allows the rising heat to envelop the food, preventing soggy product. A sectional divider permits holding of multiple products simultaneously.

**A range of options are available to customise each model to suit your own operation. Call your FSM representative.**

### GRFHS-21

Glo-Ray Portable Fry Station  
Dimensions 540 x 700 x 550mm  
Weight: 30Kgs  
Electrical: 1200watts, 5 amp.  
Supplied corded with a 10amp plug.

**LIST PRICE EA.      \$7550**



Shown With Optional Fry Ribbon

### MPWS-36 with MPWS-36 BIN

**Glo-Ray Multi-Product Warming Station** – the ultimate in hot fried food holding with six thermostatically controlled high power overhead ceramic heating elements and base element complemented by food grade teflon coated incandescent lamps for enhanced product display.

Choose from a wide range of optional extras including pleated ribbons, angled risers, bag and tong holders and fry bin inserts to customise the warming station for your operation. Unit comes standard with MPWS-36BIN accessory (Full Fry Bin insert; drip tray, perforated insert, three dividers) and detachable side panel insert for left or right installations.

Dimensions: 947 x 626 x 832mm

Weight: 79Kgs

Electrical: 3075watts, 13 amp.

Supplied corded with 15amp plug.

**LIST PRICE EA.      \$11200**



Shown With Optional Scoop Holder





## HIGH WATT 4 SLOT **POP-UP** TOASTER 1 OR 2 SIDED TOASTING!

**TPT-230-4-10** up to 160 toast slices per hour  
Perfect for self-serve areas, care facilities and light-medium volume applications.

The Hatco Pop-Up Toaster provides even golden toasting of a variety of bread products.

Durable stainless steel housing

Four self-centering slots (32mmW)

Two toasting controls with bagel/bun button for **one-sided** toasting

Removable crumb tray.

Two separate toasting controls

This productive and versatile unit enables the toasting of two lots of two slices of bread individually or together.

Electrical: 2.25Kw, 9.5 amps. Supplied with 10amp plug.

Dimensions: 378 x 330 x 235 mm

Weight: 8Kgs



**LIST PRICE EA. \$1095**

Pop Up Toaster with either two lots of two or four slices toasted simultaneously.

## Are You Buying the Right Commercial Toaster for Your Foodservice Operation?

What makes someone the “toast of the town?” Typically, it’s because they’re pretty incredible (or toast-worthy). But funny enough, the saying works for toast itself.

There’s nothing quite like a slice of hot, buttered toast; the comfort-food meter is off the charts (especially if you add a little cinnamon and sugar). Breakfast isn’t complete without a side of crispy toast or a delicious bagel — and a BBQ pork sandwich, BLT or cheeseburger doesn’t measure up without a crisped bun. Toasted products are a staple for almost every operation out there.

### What to know about pop-up toasters

The benefits of a pop-up toaster:

A pop-up toaster is one of the most common types of toasters, and it’s also the least expensive on the market. Operation is simple with a standard dial to determine the preferred shade of toast, and a straightforward on-demand, push-down lever to “start” the unit up. These toasters typically use less energy and have a smaller footprint than other models.

Where a pop-up toaster shines

It’s familiar and easy-to-use controls make pop-up toasters perfect for front-of-the-house operations such as continental breakfasts, cafeterias or buffets. These settings (as well as coffee shops, small diners, and other establishments that demand less volume of toasted products) are the perfect candidates for a pop-up toaster. Look for a well-crafted, durable toaster with a removable crumb tray for easy cleanup. And longer, wider slots should be considered for increased versatility to toast items like bagels and hoagie buns. Lastly, if you plan to use a pop-up toaster in a front-of-house capacity, be aware of the aesthetics and choose one that not only functions well but also looks great.



## TOAST-MAX **CONVEYOR** TOASTER

The Hatco Toast-Max entry-level conveyor toaster offers the flexibility and performance to perfectly toast bread and buns fast. Utilising conveyor speed, not temperature, to determine toasting colour, this allows for instant adjustment of toasting time to maintain quality.

### TM-10H **up to 6 slices/minute**

4 position toast selector switch:  
off / toast / buns / standby mode.  
89mm clearance to accommodate high profile bread products.  
easy-to-load rack with front or rear discharging.  
V-shaped reflectors help capture and redirect heat.  
Long lasting serpentine metal sheathed heating elements.  
102mm adjustable legs.  
Pilot light signals unit is in operation.  
Discharge & crumb trays are removable.  
Electrical: 1900watts, 8 amps. Supplied with 10amp plug.  
Dimensions: 368 x 387 x 419 mm  
Shipping weight: 19Kgs

**LIST PRICE EA.      \$2290**



### TM3-10H/BLACK

"Color Guard" system assures toast uniformity  
Power-save mode with indicator light saves energy during off-peak period  
Bread and bun toast options  
300-400 slices per hour toast capacity  
2" and 3" opening height  
Built-in fan provides cool surface temperature

Electrical: 1900watts, 8 amps. Supplied with 10amp plug.  
Dimensions: 368 x 411 x 535 mm  
Shipping weight: 20Kgs

**LIST PRICE EA.      \$3480**





## TQ SERIES HIGH WATT **CONVEYOR** TOASTERS

The Hatco High Watt Conveyor toasters toast high moisture content bread product to a rich golden colour. Sheathed heating elements are featured in all models. Toast-Qwik models have a conveyor feed guide and front or rear discharge with toast tray.

This provides the flexibility and performance to perfectly toast bread products. The exclusive **ColorGuard® sensing system** monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.

Power save mode conserves energy and saves money and the insulation and interior fan provide cooler surface temperatures.

### TQ3-500H TOAST-QWIK

**up to 500 toast slices/hour**

Touch screen controller - easy to see and use

Twelve programmable settings

USB port for software updates. Black finish standard.

Programmable power save function.

Unique toast delivery rack moves toast to the storage tray each and every time.

Suitable for front discharge with tray extended.

Exclusive *Colorgard* system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 2.22 kW, 9.3A. Supplied corded with 10 amp plug.

Dimensions: 373W x 524D x 435H mm

Delivery tray extends to 591 mm total depth

Height of opening 76mm

Weight: 25Kgs

**LIST PRICE EA. \$6590**

**DIGITAL  
PROGRAMMABLE  
MODEL**  
With Touch  
Screen control  
and Exclusive  
*Colorguard*  
technology  
maintains  
toast colour



### TQ-805 TOAST-QWIK

**up to 600 toast slices/Hour**

Suitable for front or rear discharge.

Exclusive *Colorgard* system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 3.6 kW, 15A. Supplied corded with 15 amp plug.

Dimensions: 368W x 578D x 422H mm

Weight: 28Kgs

Includes tray extensions.

Rear tray extends 165 mm.

**LIST PRICE EA. \$8300**

**Exclusive  
*Colorguard*  
technology  
maintains  
toast colour**



### TQ2-SECURITY COVER

Hinged Control Cover to suit TQ-805 units, can be retro fitted.

**LIST PRICE EA. \$290**



**Optional TQ2-Security  
Cover for TQ805  
Model Toaster**





## TQ SERIES HIGH WATT **CONVEYOR** TOASTERS

### TQ-1800H TOAST-QWIK

**up to 1200 toast slices/hour**

- ▶ Suitable for front or rear discharge.
- ▶ Exclusive **Colorgard®** system controls toast quality by constantly monitoring toasting chamber temperatures and adjusting conveyor speed automatically.
- ▶ Toasts bread, buns, muffins and sandwiches.
- ▶ Adjustable Upper & Lower Heating Elements,
- ▶ Power-Save Mode,
- ▶ 367mm WIDE throat

Electrical: 4.65 kW, 20 amp. Supplied unplugged.

Dimensions - 470 x 578 x 422mm

Includes tray extensions.

Rear tray extends 165 mm

Shipping Weight 33Kg

**LIST PRICE EA.**

**\$8980**

**MASSIVE  
PERFORMANCE  
with Exclusive  
Colorguard technology  
that maintains  
toast colour**



TQ Series Conveyor Toasters provide total control of the toasting of bread products. Individual controls are provided for top heat, bottom heat, conveyor speed and a stand-by switch to maximise quality and throughput. Colorgard sensing technology maintains toast quality through quiet or busy serving times. For those situations where you need to avoid patrons adjusting these controls unnecessarily, choose the TQ2 Security Cover for the TQ-805 Model.

The exclusive **ColorGuard® sensing system** monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.





## PANINI GRILL

The Hatco® Panini Grill will help expand your menu and your sales. Available with a grooved (on request) or flat surfaces to accommodate all of your grilling needs. Perfect for making anything from sandwiches, tortillas and quesadillas to chicken and steak. Basically anything that can be grilled can be done right on your countertop without having to have a dedicated grill space. Digital control for both time and temperature for simple operation. A great addition to any kitchen set up.

### PG14F-1

Adjustable time/temperature controls enable operators to cook continuous, consistent quality products

Exclusive heating elements provide exceptional heat distribution throughout the entire cooking plate, ensuring even cooking of each product

Compact design is suitable for any location and stainless steel frame provides durability and easy cleaning

Can use on products up to 76mm thick

Maximum temperature of 260°C

Comes with a scraper and removable grease trough for easy clean up between uses

Convenient handles on either side of unit make it easy to move from one location to another



**LIST PRICE EA.      \$4295**



## PLATE WARMER

Hatco's PW Plate Warmer is designed to hold easily accessible pre-heated serving plates, as serving hot food on pre-heated plates helps extend the holding times of most foods.

### PWC-12/BLACK

Doorless, open design allows for easy retrieval, loading and cleaning.  
Can hold 25 plates up to 305 mm in diameter.  
Features a power On/Off switch and a covered digital temperature control with an adjustable range of 40°C to 50°C.  
Energy efficient LED lighting illuminates the interior from the top.  
Ability to daisy-chain up to three units (do not stack)  
Available as countertop or wall mounted.  
Electrical: 240 volt, 463 watts, supplied with 10amp plug, 1829mm power cord  
Dimensions - 427 x 441 x 568mm  
Opening Dimensions - 320 x 400mm  
Shipping Weight 29Kg

**Doorless design with a heated air curtain system**



**LIST PRICE EA.      \$3150**





## HATCO FREE STANDING DRAWER WARMERS

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers, 12-gauge stainless steel slides and heavy-duty hardware in Standard or Narrow model to suit your kitchen space. *Unique features include:*

ALL drawers have an individual on/off switch, thermostatic control and adjustable sliding vents for humidity control providing superior quality control and versatility.

Each drawer has the capacity to accept a pan 1/1x150mm deep or 2x1/2 or 3x1/3. (Pans not included).

Supplied with 102mm legs, 1829mm cord and 10A plug. Castor option available on ALL models.

### HDW-1

1-drawer model

749W x 575D x 279Hmm (excluding legs)

Supplied with cord and 10 amp plug.

450watts / 2 Amp. Weight: 44Kg

**LIST PRICE EA. \$6480**



**CONTROLLERS**

### HDW-2

2-drawer model

749W x 575D x 537Hmm (excluding legs)

Supplied with cord and 10 amp plug.

900watts 3.8 Amp. Weight: 76Kg

**LIST PRICE EA. \$10880**



### HDW-CASTER 2"

Option All Models

Hatco Heavy Duty Castor kit,  
51mm Diameter

Add mobility to your drawer warmer with the Hatco **HDW-CASTER 2"** option.

These castors easily change-over with the standard legs, enabling moving for routine cleaning/ maintenance etc. (PACK OF 4)

**LIST PRICE EA. \$455**



### HDW-3

3-drawer model

749W x 575D x 794Hmm (excluding legs)

Supplied with cord and 10 amp plug.

1350watts / 5.7 Amp. Weight: 106Kg

**LIST PRICE EA. \$15800**



Shown With Optional Casters

## HATCO FREE STANDING NARROW DRAWER WARMERS

### HDW-1N

1-drawer Narrow model

530W x 686D x 279Hmm (excluding legs)

Supplied corded with 10 amp plug.

450watts / 2 Amp. Weight: 44Kg

**LIST PRICE EA. \$6480**



### HDW-2N

2-drawer Narrow model

530W x 686D x 537Hmm (excluding legs)

Supplied corded with 10 amp plug.

900watts / 3.8 Amp Weight: 76Kg

**LIST PRICE EA. \$10880**





## HATCO FREE STANDING DRAWER WARMER

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers.

Unique features include:

- Top-of-the-unit Touchscreen Controller is positioned at an angle for greater visibility
- Controller allows individual temperature control and hold timer per drawer with both visual and audio alerts
- Robust stainless steel construction inside and out.
- Easy-to-clean seamless, interior core with snap out out side panels make this unit easy to service
- Each drawer has adjustable vents for varying moisture levels in individual drawers
- Drawer frame can accommodate varying pan configurations, including 1/1 GN, 1/3 GN, 1/3 GN up to 152 mm deep, with or without lids (pans not included).

### HDWTC-2

2-drawer model

622W x 650D x 573Hmm

Supplied on 51mm Castors

Add 38mm to depth for door handles

Supplied with cord and 10 amp plug.

766watts / 3.2 Amp. Weight: 81Kg

**LIST PRICE EA. \$13500**



## HATCO DRAWERMAX® DRAWER WARMERS

2 drawer freestanding model built with rugged construction and heavy-duty hardware to keep variety of foods hot and fresh until served. Unique features include:

- ALL drawers have an individual on/off switch and independent temperature control, and adjustable vents for humidity control providing superior quality control and versatility.
- Includes two full-size stainless steel 150mm food pans
- Supplied with 102mm legs, 1829mm cord and 10A plug. Castor option available.
- Easy to clean

### HDM-2

2-drawer model

749W x 576D x 614Hmm (including legs)

Supplied with cord and 10 amp plug.

984watts / 2 Amp. Weight: 74Kg

**LIST PRICE EA. \$5690**



Black powdercoated exterior - 2 drawer model shown

ALSO AVAILABLE AS A 1 DRAWER AND 3 DRAWER

### HDM-1

1-drawer model

749W x 576D x 380Hmm

(including legs)

Supplied with cord and 10 amp

plug. 984watts / 2 Amp.

Weight: 44Kg

**LIST PRICE EA. \$3470**

### HDM-3

3-drawer model

749W x 576D x 849Hmm

(including legs)

Supplied with cord and 10 amp

plug. 984watts / 2 Amp.

Weight: 105Kg

**LIST PRICE EA. \$9030**



## GLO-RAY® DECORATIVE CARVING STATIONS

The Glo-Ray Decorative Carving Stations are the ideal way to display, hold and serve food and to extend food holding times during serving periods. With a wide range of options and styles, Hatco have a unit that will complement your servery and decor perfectly with reliable quality.

### DCS400-1-BN

Freestanding overhead height adjustable heat lamp supported by a sturdy 203mm square base.

527D x Variable Height 864-1168Hmm

Shown in Bright Nickel.

Also available in *Bright Brass and Antique Bronze*.

Weight: 15Kg

Supplied corded with 10amp plug. 250watts 1 Amp.

**LIST PRICE EA. \$3995**



### DCSB400-2420-1-NSBN

Overhead height adjustable heat lamp supported by a rectangular Swanstone heated base with sneeze guard.

608W x 506D x Height 864 - 1168Hmm.

Shown in Night Sky Base with Bright Nickel posts and lamp.

Also available in *Bright Brass/Antique Bronze post and lamp and Gray Granite/Bermuda Sand decorative base stone colours.*

Weight: 48Kg

Supplied corded with 10 amp plug. 750watts / 3.2 Amp.

**LIST PRICE EA. \$9600**



### DCSB400-3624-2-GGBN

Dual overhead heat lamps - height adjustable, supported by a rectangular Swanstone heated base with sneeze guard.

911W x 610D x Height 864 - 1168Hmm.

Shown in Bright Nickel post and lamp and Gray Granite base.

Also available in *Antique Bronze/Bright Brass post and lamp and Bermuda Sand/Night Sky decorative base stone colours.*

Weight: 70Kg

Supplied corded with 10 amp plug. 1300watts / 5.5Amp.

**LIST PRICE EA. \$13970**



## COLOUR SWATCHES



Plated Colours:

Bright Nickel, Bright Brass and Antique Bronze



Stone Colours:

Gray Granite, Bermuda Sand and Night Sky





## HATCO PASTA COOKERS

### BOIL, STEAM, WARM

The multi-purpose HEAT-MAX well offers the flexibility of a food warmer, soup kettle, bain marie heater, steamer and pasta cooker all in one!

With a range of temperature settings, HEAT-MAX can boil pasta and soup noodles, steam dim sum, keep food warm, hold soups, curries, gravies and toppings at safe serving temperatures.

#### RCTHW2-3 (NEW MODEL)

Heat-Max Rectangular Single Heated Well to take 1/1 Gastronorm pan (not supplied). Three settings, low/medium/high, each with it's own temperature setting range of 40-65°C, 65-80°C and 80-95°C.

Electronic control panel

Energy saving Low Power mode

Convenient Drain control

Also available in Built-in Model with remote.

Electrical: 3Kw, 12.5 amps.

Supplied corded with 15amp plug.

**LIST PRICE EA. \$1990**



#### COUNTERTOP

##### RCTHW2-6\*

Heat-Max Pasta Cooker  
Free Standing

to take 1/1 Gastronorm pan (not supplied).

Touch panel for three temperature set points:

**LOW:** 40-65°C **MED:** 65-80°C

**HIGH:** 80-95°C

Energy saving Low Power mode

Convenient Drain control

Autofill & Pasta Plate

Insulated stainless steel design

Electrical: 6Kw, 25 amps.

No cord or plug supplied.

**LIST PRICE EA. \$3550**



#### BUILT-IN

##### RCTHW2-6B\*

Heat-Max Pasta Cooker  
Built-In

to take 1/1 Gastronorm pan (not supplied).

Touch panel for three temperature set points:

**LOW:** 40-65°C **MED:** 65-80°C

**HIGH:** 80-95°C

Energy saving Low Power mode

Convenient Drain control

Autofill & Pasta Plate

Insulated stainless steel design

Electrical: 6Kw, 25 amps.

No cord or plug supplied.

**LIST PRICE EA. \$3750**

## SPECIFICATIONS

MODEL	OUTER DIMENSION MM	Kw	SHIP WEIGHT
RCTHW-1E	368W X 583L x 283H	3.0	9.6KG
RCTHW-6	368W X 582L x 290H	6.0	14KG
RCTHW-6B	368W X 582L x 302H	6.0	15KG

\*New code 1 FEBRUARY 2024



## ACCESSORIES

### RCTHW-BASKET

RCTHW Stainless Steel Noodle Basket  
125mm diameter  
(six required per unit)

LIST PRICE EA. **\$85**



### RCTHW-PC

Pasta Cooker Tray

LIST PRICE EA. **\$595**



RCTHW-1E shown with optional Pasta Cooker Tray & Noodle Baskets

## 3CS-9B SANITISING SINK HEATER **Balanced three phase**

Maintaining a continuous supply of sanitising rinse water without taking up valuable space, the 3CS makes manual ware-washing faster and more convenient. Designed to fit under the sink, the 3CS is perfect for three or four compartment sinks, pot and pan sinks and bar sinks. Drain may be plumbed to open-sight waste drain.

### 3CS-9B SANITISING SINK HEATER

Weight: 15Kgs. Electrical: 9 Kw, 3 phase.  
Supplied uncorded and unplugged.  
Dimensions: 203W x 435D x 321Hmm

LIST PRICE EA. **\$7995**



Pictured: 3CS-9 with optional temperature monitor



## HATCO BUILT-IN HEATED WELLS

Hatco Built-In Heated Wells hold heated foods at safe serving temperatures. Compared to other models, these Hatco units offer larger drains with flat drain screens, more consistent holding temperatures through superior element design, heavier stainless steel construction, easier-to-service design for quick-change of components, and a remote thermostat with separate power switch. Suitable for wet or dry operation.

All units are supplied with a control panel and connected with a 918mm flexible conduit for remote mounting and include a 3/4"NPT drain fitting.

### BUILT-IN RECTANGULAR HEATED WELL - FULL SIZE

#### HWB-FULD

Heated Well with drain – 1/1 Gastronorm.

Dimensions: 348W x 553D x 218Hmm

Controller dimensions: 161W x 92D x 196Hmm

Electrical: 1.2kw, 5 amp


Weight: 10Kg

Drain: 3/4"NPT fitting

**LIST PRICE EA. \$2050**



Remote control with 918mm conduit for convenient fitting



(Pictured with accessory food pan).

### BUILT-IN ROUND HEATED WELLS with drain fitting

CODE	DESCRIPTION	KW	AMP	WT	\$
HWB-4QTD	3.8Litre (4 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	1975
HWB-7QTD	6.6Litre (7 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	2030
HWB-11QTD	10.1Litre (11 Quart) Heated Well with drain.	0.6kw	2.5A	5Kg	2050

All wells come with 3/4"NPT drain fitting.



(Pictured with accessory pans see below ).

### OPTIONAL PAN INSERTS & LIDS (not supplied with wells above)

CODE	DESCRIPTION	\$
4QT-PAN&LID	4 Quart (3.8L) Round Well and Notched Lid.	395
7QT-PAN&LID	7 Quart (6.65L) Round Well and Notched Lid.	460
11QT-PAN&LID	11 Quart (10.41L) Round Well and Notched Lid.	520







## HATCO SALAMANDERS

Hatco's Salamander range is specially designed for versatility in the kitchen with the capabilities to cook, grill, and reheat food. With the patented movable heat unit housing, maximum thermal transfer is achieved and maximum power is only consumed whilst actually in cook mode. The unparalleled start-up speed is a result of Hatco's "INSTANT ON" heating elements located in the upper housing. Hatco® Salamanders offer unrivalled energy efficiency and easy operation to suit the most demanding requirements - of fine dining restaurants to fast food outlets.

### TMS-1H THERMAX SALAMANDER

**Movable upper housing to reduce the heat loss to food areas.**

- The high powered heating elements are ready for use within 10 seconds.
  - Two sets of independently controlled heating element sections give the benefits of flexibility and energy conservation.
  - Cook mode selection switch controls left, right or both locations.
  - Includes a hold mode switch that reduces power to 25% and keeps food at proper serving temperatures.
  - Unit can be placed on a counter-top or mounted to any non-combustible wall with appropriate rigidity.
  - Unit comes standard with grill, drip pan and wall mounting bracket.
- Weight: 70Kgs. Dimensions: 600W x 503D x 515Hmm.  
Electrical: 4Kw 17.4 amp. Supplied with cord but no plug.

**LIST PRICE EA.      \$6450**



### TMS2-1H SALAMANDER - DIGITAL CONTROL

**Optimum temperature is reached instantly and efficiently when food products are placed on the grill plate.**

- Instant-On heating elements located in the upper housing
  - Plate detection feature activates the Instant-On heating elements when a food plates is placed on the grill plate, and deactivates when removed
  - Heating elements are only on when in use, eliminating residual heat in the kitchen
  - Made of stainless steel for easy cleaning and durability
  - Can be placed on a countertop or wall-mounted
  - Hold mode could be adjusted to save 25-50% power
  - Adjustable upper housing giving 170mm of vertical movement
  - Flat, tactile control panel
- Ship Weight: 80Kgs Overall Dimensions: 630W x 505D x 568Hmm.  
Electrical: 4.1kw 17.2 amp. Supplied with cord but no plug.

**LIST PRICE EA.      \$7500**






## HATCO **BUFFET** INDUCTION WARMERS

### IWRM-B1-1313-05 DROP-IN INDUCTION WARMER

- Adaptable for buffets and many other front-of the-house applications to give the most attractive and visible food presentations
  - Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
  - Once installed the glass-ceramic top never needs to be removed. For service or replacement, the lower housing can be removed separately
  - Features a control panel with a standby key, temperature control arrow keys and temperature setting indicators
  - Energy efficient, quiet and safe operation
  - Black glass-ceramic top which is durable and easy to clean
  - Features for both safety and convenience, such as the automatic shut-off to prevent overheating
  - Includes remote control panel and cord
  - 1800 mm cord with plug and a 1000 mm detachable control cable
- Unit Weight: 5Kgs. Dimensions: 330W x 330D x 108Hmm.  
Electrical: 500 Watts. Supplied with 10amp plug.



**LIST PRICE EA.      \$2450**

### IWRM-CD1-05 COUNTERTOP INDUCTION WARMER

- Portable and adaptable for buffets and many other front-of thehouse applications to give the most attractive and visible food presentations
  - Energy efficient, quiet and safe operation with no open flames as with traditional warming presentations
  - Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
  - Contemporary, low-profile design with a Bold Black housing and durable, black glass-ceramic top that is easy to clean
  - Features a control panel with a standby key, temperature control arrow keys and temperature setting indicators
  - Automatic shut-off to prevent overheating
  - 1800 mm cord with plug and a 432mm interconnecting cord
- Unit Weight: 5Kgs. Dimensions: 330W x 450D x 57Hmm.  
Electrical: 500 Watts. Supplied with 10amp plug.



(Pictured with three (3) units daisy chained to one power cord ).

**LIST PRICE EA.      \$2750**



## HATCO DROP-IN INDUCTION COOKERS

### IRNG-PB1-36 DROP-IN HEAVY DUTY INDUCTION

- Four surface temperature sensors offer the most accurate control in its class
  - Culinary equivalent of up to 31,000 BTUs gas
  - High resolution TFT (thin film transistor) display instantly advises the operator of precise power (1 to 100), temperature (°C in one degree increments) and time control (30 seconds to 10 hours)
  - Programmable mode so the operator can create preset programs for consistent cooking cycles
  - Large adaptive control for precise, fine control (slow turns) to spanning the full range in a single twist (fast turns)
  - Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
  - Patterned, glass-ceramic top that is durable, easy to clean and helps scratches from heavy use become less noticeable
  - Automatic shut-off to prevent overheating
  - Withstands high ambient kitchen temperatures (up to 51°C)
  - USB port for downloading updates
  - Includes a remote control panel and cord
  - 1300 mm cables from base unit with 1800mm cord (no plug) and a food temperature probe
- Unit Weight: 10Kgs. Dimensions: 343W x 368D x 91Hmm.  
Electrical: 3600 Watts.



LIST PRICE EA. **\$5395**

CODE	DESCRIPTION	\$
TRIM-PB1-36	Trim Ring in Stainless Steel (holds unit nearly flush on a stainless steel or similar material countertop)	180

### IRNG-PB2 DROP-IN HEAVY DUTY INDUCTION **DUAL**

- Food temperature probes for more accurate cooking
  - Timers (up to 10 hours, more if in program mode)
  - Power (0-100) or temperature (°F or °C modes)
  - Heavy gauge stainless steel housing with side impact protection for the top
  - Eight surface temperature sensors
  - Culinary equivalent of up to 31,000 BTUs gas per burner
  - Grease filters
  - Highest ambient tolerance on the market 51°C- it's tough
  - Numerous options to suit available power circuits, including the unique "IA" models that deliver the highest available power from lower amperage circuits
  - USB ports for downloading updates
  - 2 x 700 mm cables from base unit with 1800mm cord (no plug) and a food temperature probe
- Unit Weight: 18Kgs. Dimensions: 350W x 669D x 157Hmm.



CODE	DESCRIPTION	Total Watts / Amps	\$
IRNG-PB2-18	Heavy Duty Dual Induction	3600 / 15 / 1 phase	8850
IRNG-PB2-36	Heavy Duty Dual Induction	7200 / 30 / 1 phase	9950

CODE	DESCRIPTION	\$
TRIM-PB2-SS	Trim Ring in Stainless Steel (holds unit nearly flush on a stainless steel or similar material countertop)	300





## HATCO COUNTER-TOP INDUCTION COOKERS

### IRNG-PC1-36 COUNTER HEAVY DUTY INDUCTION

- Commercial kitchen ready. Heavy gauge stainless steel housing with side impact protection for the top
- Four surface temperature sensors offer the most accurate control in its class
- Culinary equivalent of up to 31,000 BTUs gas
- High resolution TFT (thin film transistor) display instantly advises the operator of precise power (1 to 100), temperature (°C in one degree increments) and time control (30 seconds to 10 hours)
- Programmable mode so the operator can create preset programs for consistent cooking cycles
- Includes a grease filter and conformal-coated boards
- Easy to use colour-coded selectable functions
- Large adaptive control for precise, fine control (slow turns) to spanning the full range in a single twist (fast turns)
- Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
- Patterned, glass-ceramic top that is durable, easy to clean and helps scratches from heavy use become less noticeable
- Easy to clean, fully-sealed top stops grease or moisture from penetrating the unit, even if the top gets broken
- Automatic shut-off to prevent overheating
- Withstands high ambient kitchen temperatures (up to 51°C)
- USB port for downloading updates
- 1800mm cord (no plug) and a food temperature probe
- Unit Weight: 9Kgs. Dimensions: 352W x 471D x 94Hmm.
- Electrical: 3600 Watts.



Includes a temperature probe which facilitates highly accurate cooking



LIST PRICE EA.

**\$4995**

### IRNG-PC2 COUNTER HEAVY DUTY INDUCTION **DUAL**

- Food temperature probes for more accurate cooking
- Timers (up to 10 hours, more if in program mode)
- High resolution colour displays
- Power (0-100) or temperature (°C modes)
- Heavy gauge stainless steel housing with side impact protection for the top
- Eight surface temperature sensors
- Culinary equivalent of up to 31,000 BTUs gas per burner
- Grease filters
- Highest ambient tolerance on the market 51°C- it's tough
- Numerous options to suit available power circuits, including the unique "IA" models that deliver the highest available power from lower amperage circuits
- USB ports for downloading updates
- 1800mm cord (no plug) and two food temperature probe



IRNG-PC2S-36  
(Front-to-back)



IRNG-PC2S-36  
(Side-to-side)

CODE	DESCRIPTION	Dimensions	Total Watts / Amps	Ship Weight	\$
IRNG-PC2F-18	Heavy Duty <b>Dual</b> Induction Front to Back	356W x 753D x 133H mm	3600 / 15 / 1 phase	18	9690
IRNG-PC2F-36	Heavy Duty <b>Dual</b> Induction Front to Back	356W x 753D x 133H mm	7200 / 30 / 1 phase	18	10780
IRNG-PC2S-18	Heavy Duty <b>Dual</b> Induction Side to Side	630W x 484D x 114H mm	3600 / 15 / 1 phase	17	9690
IRNG-PC2S-36	Heavy Duty <b>Dual</b> Induction Side to Side	630W x 484D x 114H mm	7200 / 30 / 1 phase	17	10780

Tight for space and storage of meals for peak periods?

JACKSTACK offers so many advantages in storage, preparation and serving, you'll wonder how you did without it.

JACKSTACK is the world leader in the efficient storage and transport of up to 104 plates in minimum time from kitchen to storage or banquet areas.

Generous 150mm diameter wheels allow for easy maneuverability of the Jackstack anywhere, and the plate racks are easily adjustable to suit all applications - even mixing plate sizes.

Models provide 50mm spacing between plate supports and they can be loaded and unloaded from four sides, and carry up to 400 empty plates to the dishwasher.



Designed by Chefs, for chefs

## JACKSTACK Model JS104

Makes it possible to stack between 12 to 104 plates of any size. Different size plates can be accommodated by adjusting the racks to suit. (For pizza applications, a special 'P' model longer arm unit is available at extra cost).

The unit comes with four castors (two with brakes), and easy to follow assembly instructions.

**Assembled Dimensions:** 600W x 600D x 1790Hmm

**Shipping Dimensions:** 800W x 620D x 300Hmm

**Weight:** 28Kg

CODE	CAPACITY	SPACING	DIMENSION	\$
JS104	104 plates	50mm	600x600x1790mmH	3390



## JACKSTACK OPTIONS

### Thermocover for JS104

Preserves 72-104 plates in transit with warm or cold food.

Made of industrial High Tenacity PES fabric, with polyester fibre centre layer.

Includes special arm extensions.

Complete with 4 horizontal and 4 vertical zippers.

Washable - hygienic in use.

Dimensions: 720 x 720 x 1590Hmm.

Shipping Dimensions: 430 x 310 x 260Hmm

Weight: 6Kg

MODEL	DESCRIPTION	\$
JS104TC	Thermal covers available on request (pictured)	2135
JS901PC	Non thermal covers for 104 plate unit	420



MODEL JS104TC Thermal Cover

The Jetstream range of quality tapware and pre-rinse units heralds a new era of reliable, quality tapware to the New Zealand market with a two year on-site parts and labour warranty – designed by professionals with the features you would expect for your kitchen.

Features like 256mm swing faucet on full height pre-rinse models, six star Wels rated spray gun and quality construction with 100mm levers with a choice of 100 or 200mm flick mixers and more.

Watermark approved and Wels rated to comply with all Australian regulations, and supplied with our two year on-site parts and labour warranty for real peace of mind.

All units come packed with full instructions, fittings and hose connections (model dependant).

### DECK MOUNT PRE RINSE MODELS

#### JET1500D DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 256mm. Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Single hole mount. Overall height: 1073mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

LIST PRICE EA. **\$1275**

6 BUY PRICE EA. **\$1240**

12 BUY PRICE EA. **\$1198**

**Stainless Steel**



#### JET1500DLH DECK MOUNT LOW HEIGHT

Deck Mount Pre Rinse, Low Height Model, complete with wall bracket, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Single hole mount. Overall height: 734mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

LIST PRICE EA. **\$1150**

6 BUY PRICE EA. **\$1120**

12 BUY PRICE EA. **\$1085**

**Stainless Steel**



(Deck Mount units continued...)

\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



### JET1200D DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 256mm swing faucet, single lever flow and temperature control, and **6 Star** rated spray gun, 4 Star rated pot filler. Single hole mount. Overall height: 960-1030mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

**LIST PRICE EA. \$1200**

**6 BUY PRICE EA. \$1175**

**12 BUY PRICE EA. \$1150**

**Stainless Steel**



### Jetstream features

- NEW stainless steel options are LEAD FREE.
- Pre-rinses come in showroom ready boxes
- Pre-rinses are assembled for easy installation
- NEW products - towel and soap dispenser
- Five year onsite parts and labour warranty

### WALL MOUNT PRE RINSE MODELS

#### JET1500W WALL MOUNT EXPOSED BREECH

Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Two hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. Overall height: 1023mm.

LIST PRICE EA. **\$1715**

6 BUY PRICE EA. **\$1690**

12 BUY PRICE EA. **\$1665**



#### JET1500WCB WALL MOUNT CONCEALED BREECH

Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps **6 Star** rated spray gun, 4 Star rated pot filler as shown. Three hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others). Overall height: 713mm.

LIST PRICE EA. **\$1465**

6 BUY PRICE EA. **\$1440**

12 BUY PRICE EA. **\$1415**



\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

### DECK MOUNT FLICK MIXER MODELS

#### JET5200D DECK MOUNT FLICK MIXER 200mm swing spout

Deck Mount Flick Mixer, complete with 200mm Swing Spout, **4 Star** rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia. Operating water pressure Min 50kPA, Max 350kPA.

LIST PRICE EA. **\$275**

6 BUY PRICE EA. **\$265**

12 BUY PRICE EA. **\$260**

**Stainless Steel**



#### JET5100D DECK MOUNT FLICK MIXER 100mm spout

Deck Mount Flick Mixer, complete with 100mm Fixed Spout, **4 Star** rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia. Operating water pressure Min 50kPA, Max 350kPA.

LIST PRICE EA. **\$282**

6 BUY PRICE EA. **\$268**

12 BUY PRICE EA. **\$255**

**Stainless Steel**



#### JET6000 THERMOSTATIC MIXING VALVE 15/20mm

Critical for supplying safe/desirable water temperatures to a Hands Free or Time Flow tapset. Output temperature range 35-50°C. Operating water pressure Min 20kPA, Max 350kPA.

LIST PRICE EA. **\$468**

6 BUY PRICE EA. **\$450**

12 BUY PRICE EA. **\$435**





### HANDS FREE & TIME FLOW MODELS

#### JET4001D DECK MOUNT HANDS-FREE SENSOR TAP

Modern Deck Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied).

LIST PRICE EA. **\$930**  
6 BUY PRICE EA. **\$920**  
12 BUY PRICE EA. **\$910**



#### JET4003W WALL MOUNT HANDS-FREE SENSOR TAP

Modern Wall Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kPA, Max 350kPA.

LIST PRICE EA. **\$944**  
6 BUY PRICE EA. **\$933**  
12 BUY PRICE EA. **\$921**



#### JET745D DECK MOUNT TIME FLOW TAP

Deck mounted Time Flow Tap. 15 Seconds. Single hole mount, 6 Star rating. Includes one connection tail and hardware.

Supplied with Blue Red and Yellow button. Operating water pressure Min 50kPA, Max 350kPA. Optimum 250-350kPA.

LIST PRICE EA. **\$290**  
6 BUY PRICE EA. **\$278**  
12 BUY PRICE EA. **\$266**



\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

### JET1100D

#### LASER SENSOR

Digital sensor technology, low voltage, internal integrated sensor, hygiene flush programming available, single temperature (max 50°C). Battery and mains power. Recommended working pressure 350kPa

LIST PRICE EA.

\$1335

**Stainless Steel**



### JET2600W

#### LASER SENSOR

Digital sensor technology, low voltage, internal integrated sensor, hygiene flush programming available, single temperature (max 50°C). Battery and mains power. Recommended working pressure 350kPa

LIST PRICE EA.

\$1335

**Stainless Steel**



\* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

### KNEE OPERATED & CLEANERS SINK

#### JET780D KNEE OPERATED TIMER BASIN TAP SET

Includes deck mount fixed gooseneck outlet, 325mm lever / knee operated time-flow and connections. Six Star rated.

LIST PRICE EA. \$495



#### JET1836W CLEANERS SINK FAUCET SET with wall bracket support

Quality Wall mounted Cleaners Sink model with cable supported Spout and Bucket Hook. 4 Star rated.

LIST PRICE EA. \$1710



### POT FILLER

#### JET2047W WALL MOUNT POT & KETTLE FILLING FAUCET

double jointed with spout on-off control

Premium Pot filler with 457mm swing arm, double jointed, includes convenient on/off control on spout.

LIST PRICE EA. \$1365



\* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



### DECK MOUNT FAUCET/SINK SETS

#### JET3150D DECK MOUNT FAUCET WITH 180MM SPOUT

Deck Mounted 180mm Swing Faucet, with 100mm Lever operation, one hole mount, complete with flexible fittings. Ceramic cartridges, 1/4 turn levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA.

LIST PRICE EA. **\$673**

6 BUY PRICE EA. **\$667**

12 BUY PRICE EA. **\$655**



#### JET3300DCB DECK MOUNT WITH 300MM SPOUT

Deck Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breach by others).

LIST PRICE EA. **\$585**

6 BUY PRICE EA. **\$573**

12 BUY PRICE EA. **\$561**



(Tap detail common to all Concealed Breech models, see next page for drawing).

#### JET3000D

Deck Mounted 180mm Swing Faucet with lever tap. Lead free. Soft close operation. 4 Star rated. Operating water pressure Min 50kPA, Max 500kPA - recommended 350kPA.

LIST PRICE EA. **\$355**

6 BUY PRICE EA. **\$340**



### WALL MOUNT FAUCET/SINK SETS

#### JET3300WCB WALL MOUNT WITH 300MM SPOUT

Wall Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others).



LIST PRICE EA.	\$640
6 BUY PRICE EA.	\$625
12 BUY PRICE EA.	\$615



### LOW LINE SERIES

#### JET3560D DECK MOUNT WITH 300MM SPOUT

Deck Mounted 300mm Swing Faucet Sink Mixer with Lever operation, one hole mount complete with flexible fittings, ceramic cartridges, 1/4 turn levers, brushed stainless steel. Wells Rated 4 star.

LIST PRICE EA. **\$680**

6 BUY PRICE EA. **\$670**

12 BUY PRICE EA. **\$660**



#### JET3550W DECK MOUNT WITH 180MM SPOUT

Deck Mounted 180mm Swing Faucet Sink Mixer with Lever operation, one hole mount complete with flexible fittings, ceramic cartridges, 1/4 turn levers, brushed stainless steel. Wells Rated 4 star.

LIST PRICE EA. **\$630**

6 BUY PRICE EA. **\$620**

12 BUY PRICE EA. **\$610**



#### JET3560W WALL MOUNT WITH 300MM SPOUT

Deck Mounted 300mm Swing Faucet with Lever operation, three hole mount, concealed breech, 1/4 turn 100mm levers, brushed stainless steel. (Breech by others). Wells Rated 4 star.

LIST PRICE EA. **\$865**

6 BUY PRICE EA. **\$855**

12 BUY PRICE EA. **\$845**



\* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.





### DISPENSERS

#### JET8000 TOWEL DISPENSER

The surface-mounted towel dispenser is supplied with four mounting screws  
Unit dispenses C-fold or multifold paper towels 64-97mm deep  
Durable, heavy-duty product  
Slots in cabinet indicate refill time  
Stainless steel construction  
Recommended for any commercial project


**LIST PRICE EA.      \$225**



#### JET7000 SOAP DISPENSER

The dispenser is supplied with a mounting bracket fixed to the wall and the dispenser slides into the mounting bracket, so it is easily removed for rinsing.  
Durable, heavy-duty product  
Stainless steel  
Recommended for any commercial project  
Refillable from the top  
Manually operated soap dispenser  
Front inspection window

**LIST PRICE EA.      \$145**



Jetstream Heavy Duty Retractable Hose Reels are manufactured to commercial grade standards with heavy gauge steel construction and springs/latches for reliable operation. Available in various hose lengths as well as stainless steel option (kHR 1035 Models). Positive latch system holds hose at desired length. Wall, ceiling or floor mount. All hoses are suitable for up to 82°C and up to 500kpa. On-site 13 month warranty\* on parts and labour.

## HEAVY DUTY HOSE REELS

### JET-1035-OSS-Y722

#### 11m HOSE

##### STAINLESS STEEL CONSTRUCTION

Open Hose Reel Assembly

11m (35') hose supplied with Y722 spray gun.

Shipping weight 17Kg

**13 MONTH WARRANTY\***

LIST PRICE EA.      \$3455

### JET-1035-O-Y722

#### 11m HOSE

##### GREY POWDER COATED

Open Hose Reel Assembly

11m (35') hose supplied with Y722 spray gun.

Shipping weight 17Kg

**13 MONTH WARRANTY\***

LIST PRICE EA.      \$2958

### JET-1050-O-Y722

#### 15.3m HOSE

##### GREY POWDER COATED

Open Hose Reel Assembly

15.3m (50') hose supplied with Y722 spray gun

Shipping weight 22Kg

**13 MONTH WARRANTY\***

LIST PRICE EA.      \$4635



\* 13 month parts and 13 month labour warranty covers manufacturing defects only.

## 297-SW16 VERTICAL CONTACT BUN TOASTER - *COMPACT SIZE*

When maximum throughput speed is essential, Prince Castle Vertical Bun Toasters offer up to 750 buns per hour capacity for venues that have high demand. The NEW 297-SW16 model is up to 20% smaller in footprint compared to previous models, and includes the 'Air Flapper' heat and energy saving device and new Front Safety Shield for operator safety and comfort.

### 297-SW16

**Slim-Line Vertical Bun Toaster** – up to 750 Buns per hour.  
 New Air Flapper increases bun temperatures by up to 3°C and saves energy.  
 New operator heat shield provides greater operator safety.  
 Adjustable platen temperature up to 304°C.  
 Includes Teflon Kit, Air Flapper & Safety Shield.  
 Dimensions: 515W x 590H x 206Dmm  
 Weight: 32Kg  
 Electrical: 1890W, 8Amp.  
 Supplied with 10A plug.

**LIST PRICE EA. \$6295**



297-5110 Top Mounting Bun Dresser  
**LIST PRICE EA \$620**

## CTS-WCE SLIM-LINE VERTICAL TOASTER

Introducing Prince Castle's CTS-WCE Mini Slim-Line Vertical Contact Toaster. A revolutionary new design that increases toasting versatility, maximises space savings, and provides perfect caramelisation with the convenience of vertical contact toasting. The unique two-level platen design allows the operators to toast thicker bun crowns and thinner bun heels at the same time. The variable speed motor is adjustable to allow for toasting speeds up to 2200 buns per hour.

### CTS-WCE

**Sim-Line Vertical Bun Toaster** – up to 2200 Buns per hour.  
 Small footprint of 514 x 184mm saves space  
 Adjustable toasting time from 9-40 seconds to customise product  
 Digital display and electronic controls make for precise and repeatable settings complete with wire belt  
 Simple to remove conveyor makes cleaning quick and easy  
 Dual compression adjustment knobs allow for maximum product flexibility  
 Accommodates all buns up to 1397mm in diameter  
 Heat Shield for cooler surfaces ensuring safer operation  
 Durable stainless steel construction makes the product easy-to-clean and maintain  
 Dimensions: 514W x 559H x 184Dmm  
 Weight: 30Kg  
 Electrical: 1500W, 6.25Amp.

**LIST PRICE EA. \$12325**



### 511-140

**Top Mounting Bun Dresser** – perfect solution to your buttering needs for CTS-WCE model only.  
 Dimensions: 137W x 745H x 300Lmm  
 Weight: 2Kg  
 Electrical: 1500W, 6.25Amp.

**LIST PRICE EA. \$1400**












## Double Your Output

Easily grill two separate menu items or double the output of a single entree.

-  COMPACT SIZE
-  HIGH PRODUCTION
-  EVEN HEAT DISTRIBUTION TECHNOLOGY
-  GRILL IN SECONDS
-  EMBEDDED HEATING ELEMENT

## Small Footprint, High Output

This compact split lid grill is the perfect machine to grill and seal quesadillas, sandwiches, burritos and more. Our exclusive manufacturing process casts the heating elements into the platen resulting in more even heat distribution and longer life expectancy. Backed with an exclusive heating element limited lifetime warranty.

MODEL	SL1266TBCED
TEMP CONTROL	Yes
NET WEIGHT	30kgs
DIMENSIONS	420W X 550H X 480Dmm
WATTS	1900
SUPPLIED WITH 10AMP PLUG	Yes
MAX HEAT	274°C
LIST PRICE	7850



MODEL	SKFDI
REFRIGERANT	R290
WEIGHT	35kgs
DIMENSIONS	454W X 454D X 671Hmm
POWER	240V
SUPPLIED WITH 10AMP PLUG	Yes
TEMP RANGE	-20.6 TO -15°C
LIST PRICE	7655

DUE IN APPROX EARLY APRIL 2024

## Features

### Eco-Friendly Refrigerant

R290 refrigerant with a global warming potential (GWP) of 3

### Easy to Clean

Stainless steel interior with coved corners, finished edges, and removable lids

### High-Density Insulation

Foamed-in-place, CFC-free polyurethane insulation for maximum strength, rigidity, and insulation

### Cold Wall Refrigeration System

Optimized temperature control thanks to the cold wall refrigeration and top access

### Heavy-Duty Construction

Stainless steel exterior plus galvanized lower cabinet and base reduce the risk of corrosion

### Folding Hinged Lid


Insulated, front and back hinged lid for easy top access

### Cabinet Capacity


Maximized interior storage area of 0.96ft<sup>3</sup>

### Integrated Design

Fitted flange design ensures the fit within any countertop



MODEL	K30-1010
DESCRIPTION	Dipperwell Assembly: Stainless Steel Dipperwell complete with inner and outer shell, Stainless Steel drain, highly polished chrome plated faucet, chrome plated brass tailpiece. Suits 150mm cutout.
LIST PRICE	530





**The VITO® Portable Oil Filter System is available in three capacities to suit your workload and fryer capacity. Simple to use drop-in unit - no need to drain oil from the fryer.**  
**VITO® is the ONLY simple to use pressure filtration system that removes contaminants down to 5 microns in size - more efficient than in-built filters, and VITO® can easily pay for itself inside twelve months. And it switches off automatically so you can get on with other work.**  
**Dishwasher safe designed and manufactured in Germany.**  
**Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.**  
**Add a VITO® FT 440 Oil Tester to determine exactly when to change the oil and save even more.**

## VITO® OIL FILTER SYSTEM

CODE	VITO MODEL	FILTER TIME (Approx)	CAPACITY & DESCRIPTION	WEIGHT	DIMS WHDmm	\$
103404 (Was 101379)	VS Connect (WAS 30)	4.5 mins approx.	Suits fryers up to 12L litres volume. 300W (10Amp plug) Includes 10 Filters Wifi model - VITOconnect	6.3Kg	116 x 356 x 176	3550
103301 (Was 101380)	VM Connect (WAS 50)	4.5 mins approx.	Suits fryers up to 18 L litres volume. 300W (10Amp plug) Includes 10 Filters Wifi model - VITOconnect	7.7Kg	116 x 400 x 191	5250
103204	VL Connect	4.5 mins approx.	Suits fryers 20L litres volume upwards. 500W (10Amp plug) Includes 10 Filters. Wifi model - VITOconnect	8.8kg	116 x 502 x 187	6460



VITO VS

VITO VM

VITO VL



Exclusive In-Fryer Filtering  
With Automatic Shut Off

## #VITOconnect

filter effectively, monitor smart



### Connect

Connect the VITO 80 with the local Wifi network in the kitchen.



### Serve

Configure the VITO easily with the mobile phone, tablet or PC. For example the filtration cycle time.



### Select

Usage data can be analyzed directly, for example: number of filtration cycles, total run time, date of the last filtration.



### View

Usage data can be viewed on different devices as well as via e-mail reports and the CRM system.





**VITO X cleans the oil and stores it in its tank. It provides an easy and hygienic transport in the kitchen. Because of its innovative vacuum-filtration technology, particles remain in the filter medium in a dry condition. Like every VITO oil filter system the X provides a microfiltration ensuring the optimal quality of your oil is preserved. The unique design makes sure the X can handle temperatures up to 200°C and provides highest safety at work, due to avoiding direct contact with hot oil. After filtration the oil can easily be pumped back into the fryer automatically.**

**Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.**

**Add a VITO® FT 440 Oil Tester to determine *exactly* when to change the oil and save even more.**

## VITO® X VACUUM FILTRATION SYSTEM

CODE	DESCRIPTION	WEIGHT	DIMS WHDmm	\$
XS	Up to 35l/min filtration power and 40L tank (10amp)	45Kg	553 x 843 x 883	12450
XM	Up to 35l/min filtration power and 75L tank (10 amp)	56KG	553 x 1044 x 883	13500
XL	Up to 35l/min filtration power and 120L tank (10 amp)	64Kg	553 x 1334 x 883	15000



### Additional Features

- **The VITO X can operate at frying temperatures**
- **Adjustable top handle**
- **Automatic off - Tank with built-in oillevel sensor**
- **Full stainless steel construction with cellulose filters (components used are food safe)**
- **Integrated heating for solid frying medium**
- **Big wheels with brakes**
- **Filter basket is dishwasher safe**
- **Easy off hose**



## VITO® T-SERIES TRANSPORT SYSTEM


CODE	DESCRIPTION	WEIGHT	DIMS WHDmm	\$
TS	Transport pump   40L tank (10amp)	43Kg	555 x 843 x 723	8120
TM	Transport pump   75L tank (10amp)	56KG	553 x 1044 x 723	10850
TL	Transport pump   120L tank (10amp)	64Kg	553 x 1334 x 723	11960

### Functionality:

VITO TS transports your used oil in an easy and fast way.  
It sucks the oil out of your fryer, and stores it inside its tank.  
From there, it can be safely transported on flat floors.  
The oil can then either be pumped back into the deep fryer, or simply disposed of.

### Features:

- ▲ Operating temperature up to 200°C
- ▲ Vacuum extraction
- ▲ Automatic off - VITO has built-in oil level sensor
- ▲ Automatic safety off - extraction/return 5min
- ▲ VITO made out of stainless steel
- ▲ Adjustable height of the handle
- ▲ Lockable castors
- ▲ Internal sieve to remove coarse debris





## VITO® OIL ACCESSORIES

### FT CONNECT BRIDGE OIL TESTER

FT CONNECT provides a fast, easy and reliable way to determine the quality of your frying oil. It measures the Total Polar Material (TPM) content and displays it as a percentage value. A three-colour alarm system simplifies the evaluation process by clearly indicating the oil's condition. Integrated with the VITOconnect platform, the FT CONNECT automatically creates an online HACCP list from your measured data via bluetooth. Bridge unit included.

LIST PRICE EA. **\$1932**



**34022090**

### FRYER BOIL-OUT TABS

Powerful, safe and easy cleaning of commercial deep fryers and stainless steel fryer accessories.

Product description:

- removes burnt-in grease and oil
- intensive cleaner packed as tabs for effective cleaning of commercial deep fryers
- individually packed, simple dose
- fryer accessories made of stainless steel can be cleaned as well
- easy to use, saves working time

1 tin = 15 tabs

LIST PRICE EA. **\$132**



### FT 440 OIL TESTER

Food oil quality monitor and temperature measurement system, including probe, case & instructions. Easy to use "traffic light" warning system as well as digital display. Make sure you only change the oil when necessary and maintain perfect frying oil condition, whilst saving money.

LIST PRICE EA. **\$1430**



### VITO® REPLACEMENT CELLULOSE FILTERS

CODE	DESCRIPTION	\$
100112	VS (WAS 30) FILTERS Box of 100	405
100114	VM/VL(WAS 50/80) FILTERS Box of 100	495
101441	FILTERS TO SUIT X SERIES Box of 50	520



Yellow Brand Induction Units, one of the leaders in induction technology to the Australian market, now established and recognised as a highly efficient and safe cooking technology. Yellow Induction units are made to last and offer superior performance and quality compared to lesser units. And each Yellow Induction model comes with our exclusive 13 month warranty for absolute peace of mind when you next specify for that important project.

## YELLOW INDUCTION HOBS

### SINGLE PORTABLE COUNTER-TOP HOBS

#### ET-24M Counter Top Unit

Powerful portable table top unit plug-in self contained for use in kitchen / buffets. Touch Panel, LED Display, 9 power setting, Temperature Holding, Timer, Smart Fan.

Dimensions: 295W x 425D x 84Hmm

Ceramic glass dimension: 294 x 275

2300 watts. 10 amp plug.

**LIST PRICE EA. \$2110**



#### ET-35M Counter Top Unit

High Power portable table top unit plug-in self contained for use in kitchen / buffets. Touch Panel, LED Display, 9 power setting, Temperature Holding, Timer, Smart Fan.

Dimensions: 295W x 425D x 84Hmm

Ceramic glass dimension: 294 x 275

3400 watts. 15 amp plug.

**LIST PRICE EA. \$2375**



#### Y1000WCS

Free Standing Unit mounted in attractive chrome stand with on-board controls and rear chafer support.

Dimensions: 385 x 385 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

1000 watts. 10 amp plug.

**LIST PRICE EA. \$2320**



All Yellow Induction units offer Automatic Safety Shut-Off, Material Compatibility and small object Detector, Overheating Protection Device and Automatic Resetting. All these In-built/drop-in induction units have the same cut-out and require ventilation for optimum performance. Consult your FSM representative for more information.

## SINGLE DROP-IN HOB UNITS

### Y1000NT Drop In Unit

Perfect drop-in unit for buffet warming.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

1000 watts. 10 amp plug.

**LIST PRICE EA. \$1830**



### Y2000D Drop In Unit

Powerful 2000 Watts of power in a drop-in unit, ideal for buffet/kitchen/holding with remote control.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2000 watts. 10 amp plug.

**LIST PRICE EA. \$2060**



### Y2500AD Drop In Unit

High output 2500W drop-in unit for kitchen or buffet use.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2500 watts. 15 amp plug.

**LIST PRICE EA. \$2400**



Note: all these drop-In units have the same cutout dimensions

Yellow Induction built-in cooktops offer the rugged performance demanded of every commercial kitchen. Framed with stainless steel, these Dual Hob models have the capacity and versatility in one unit.

## BUILT-IN COOKTOPS

### Y3500DDSS

Built in Dual Hob Unit with remote controller for maximum performance and power, this dual unit offers versatility in a compact built-in unit.

Dimensions: 450 x 700 x 208mm

Comprises two 2 X 3500 watt cooking/warming surfaces.

Electrical: 7.2kw, 30 amp, Single phase. Unit supplied unplugged.

LIST PRICE EA. **\$9220**



**2 x  
3500  
WATTS  
POWER**

## BOILING TABLE

### 2Y3500DDSSBT

Yellow induction boiling table. Includes 4 x 3.5kw induction hobs, built in controls to stainless steel bench.

Dimensions: 1100 x 900 x 900Hmm

Comprises two 2 X Y3500DDSS built in cooktops

Electrical: 14.4w, 2 x 30 amp, Single phase. Outlets required. Supplied with cord no plug

LIST PRICE EA. **\$20450**





The new era of warming, **MULTI-ZONE** Induction technology that heats all points on the ceramic glass top. Newly developed technology can suit any shape and size of induction compatible display chafer, saucer, small utensils, pots and pans. Unlike normal Induction Units, these Yellow Multi-Zone units allow almost unlimited flexibility in pan size and placement and look fabulous in any setting.

## MULTI-ZONE BUFFET INDUCTION

### YMC-2-2500

Versatile Multi Zone unit with two x 2500W units for warming/holding flexibility. Complete with remote generator rack and two (2) remote controller panels (as below).  
Dimension: 800W x 380D x 66mmH  
Ceramic Glass Dimension: 800W x 380D x 6mm (thick).

**LIST PRICE EA. \$10730**



Two Remote controller panels supplied

**5000  
WATTS  
POWER**



### YMC-3-2500

Versatile Multi Zone unit with three x 2500W units for warming/holding flexibility. Complete with remote generator rack and three (3) remote controller panels (as below).  
Dimension: 1180W x 380D x 66mmH  
Ceramic Glass Dimension: 1180W x 380D x 6mm (thick).

**LIST PRICE EA. \$15100**



Three Remote controller panels supplied

**7500  
WATTS  
POWER**



## REMOTE GENERATOR CONTROL & RACK (included with above)

Compact and remote type generator with easy access for maintenance and less interruption to daily operation. These units are supplied with the cooktops above and can be located within 3m of the cooking surface.

MODEL	DIMENSIONS	CABLE LENGTH	TOTAL POWER
YMC-2-2500	385W x 450D x 275mmH	3m*	5kw, 30 amp.
YMC-3-2500	385W x 450D x 387.5mmH	3m*	7.5kw, 45 amp.

\*Max 3m remote cable between hob and generator.  
Each Generator is supplied with its own 15A plug.  
YMC-2-2500 = 2 power cords and 15A plugs.  
YMC-3-2500 = 3 power cords and 15A plugs.

All Multi-zone Induction generator units require adequate ventilation for maximum performance.

YMC-2-2500  
GENERATOR RACK  
SHOWN  
MOUNTED REMOTELY



## YELLOW PLANETARY MIXER – NEW GEAR DRIVEN MODEL

Offering commercial quality at an affordable price is the Model MY7 planetary mixer. With a wide range of accessories for flexibility and ease of use, including a wire whip, dough hook, flat beater, stainless bowl and integrated safety guard with unique dosing feeder. Plus the peace of mind of an Australia-wide 13 month parts and labour warranty.

### MY7 Commercial Planetary Mixer.

Gear Driven

0-11 precision speed adjustments for variable speed control

Peacock blue coloured LED on controller

User friendly head design for easier lift

Very quiet operation

Fully enclosed gear drive to reduce wear for longer life

304 food grade stainless steel accessories to ensure the food safety

#### Specifications:

Rated Power: 35kW

Bowl Volume: 7L

Dimensions: 409D x 236W x 421Hmm

Net Weight: 15kg

Supplied corded with 10A cord and plug

#### Accessories included:

Wire whipper

Hook

Beater

Safety cover



\*STOCK DUE IN APPROX APRIL 2025

LIST PRICE EA. \$1155

6 BUY PRICE EA. \$1068



## ELECTRIC CHARGRILLS

The Icarus Electric CharGrills have been engineered to replicate the intense heat of Woodfired and charcoal cooking. This high temperature, combined with the penetrating heat and true natural flames of the Icarus technology, not only gives the meat an amazing natural flavour but also tenderises meats in a way that traditional gas grills can't match, providing an unmatched grilling experience.

### 2 YEAR PARTS & LABOUR WARRANTY



#### Key Features :

**Heat Technology:** Proprietary Icarus Heat system reaches over 500°C for authentic chargrilled flavour, and penetrating heat.

**Refractory Floor:** Unique fat-vaporising system turns drippings into dust, for easy cleanup.

**Stainless Steel Resting Rack:** second-tier resting/grilling rack or optimal heat control and versatile cooking. Rest cooked or raw produce there to get to temperature.

**Temperature Control:** Adjustment for precision grilling, with an automatic element shutdown for safety.

**Control the Heat with the percentage dial.**

**Removable Components:** Easy-to-clean design with removable grilling racks and garnish rails

MODEL	DIMENSIONS WDH	POWER	COOKING ZONES	LIST PRICE
IG600	600 X 730 (without garnish rail, 840 with) X 780mm	1 phase 240V 20amp 4.8kw	Single	20995
IG900	900 X 730 (without garnish rail, 840 with) X 780mm	2 phase 240V 20amp 9.6kw	Dual	28500
IG900PRO	900 X 730 (without garnish rail, 840 with) X 780mm	3 phase 240V 20amp 14.4kw	Triple	33300
IG1200	1200 x 730 (without garnish rail, 840 with) X 780mm	3 phase 240V 20amp 14.4kw	Triple	37450

#### Accessories:

MODEL	DIMENSIONS WDH	DESCRIPTION	LIST PRICE
IGP300	300 X 485 X 85MM	DROP ON FLAT PLATE: a versatile accessory designed to enhance the cooking capability. Compatible with all models. Easy maintenance - simply lift off and clean	1480
IG600FS		FIXED STAND - to suit IG600	1960
IG900FS		FIXED STAND - to suit IG900/PRO	2180
IG1200FS		FIXED STAND - to suit IG1200	2415
IG600MS		MOBILE STAND - to suit IG600	1960
IG900MS		MOBILE STAND - to suit IG900/PRO	2180
IG1200MS		MOBILE STAND - to suit IG1200	2415

