

CLASSIC

Machine specifications



January 2026

Europe



CLASSIC

CLASSIC



Vertical
Ventilation



R290
ECO
Refrigerant



HOT
GAS



Works with
alcohol



Electric
motor



High temp.
suitable



5 years
warranty*



Smart
design



User-centred



CLASSIC

 **48**

250 ml portions
per bowl

up to
12 l.

MEDIUM
bowl capacity

- Space-saving design
- Automatic modes
- Easy access filter
- Consistency electronic control
- Hinged lid
- Fast & easy cleaning

CLASSIC



CLASSIC TECHNICAL SUMMARY

CLASSIC

Production	Frozen Drinks	
Refrigerant Gas	R290 	
Volts	220 -240V / 50Hz	
Production Speed (4°C product temperature)	Product ready in 40 minutes	
Capacity	24 l. (2 bowls x 12 l.)	36 l. (3 bowls x 12 l.)
Dimensions W x D x H	45.5 x 62 x 90 cm	67 x 62 x 90 cm
Packaging dimensions W x D x H	52 x 61 x 95 cm	72 x 61 x 95 cm
Feet distance W x D	42 x 34 cm	59 x 34 cm
Weight	56 kg	70 kg
Watt	750 W	1000 W
Amp	4.5 A	5.5 A
Electrical Consumption (At 25°C Room temperature)	Freezing: 650 W/h Maintenance: 300 W/h Storage: 30 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h



CLASSIC

CLASSIC

PREVENTIVE MAINTENANCE

Ensure the best **performance** of your CLASSIC and a longer **lifetime** easily and economically with our preventive maintenance kits.



6 months maintenance kit
SL310R6VCSO



12 months maintenance kit
SL310R1VCSO





21-23 AGOSTA DRIVE,
LAVERTON NORTH, VIC 3026

MELBOURNE | SYDNEY | BRISBANE | PERTH | AUCKLAND

E: sales@fsm-pl.com.au W: www.fsm-pl.com.au P: 03 9368 2300