



**CATALOGUE / PRICE LIST**  
**NEW ZEALAND**

EFFECTIVE: 1 NOVEMBER 2026

**OFFICE AND WAREHOUSE IN AUCKLAND**  
*SERVICE ACROSS NEW ZEALAND*





Excellence since 1976

WASTE MANAGEMENT



BOX SHELVING



COMMERCIAL MICROWAVES



FOODSERVICE PRODUCTS



CAN OPENERS



DRINK & GRANITA MACHINES



LEADERS IN FOOD WARMING & HOLDING



SPACE SAVING PLATE STACKERS



NEW GENERATION TAPWARE



FOOD PROCESSING & HOLDING



FOOD SERVICE, SAFETY & DISPENSING



THE ONLY IN-FRYER FILTER SYSTEM



QUALITY INDUCTION COOKING



MIXERS - COMMERCIAL



ELECTRIC CHARGRILLS



*Excellence since 1976*

***Welcome to our Catalogue / Price List  
(All prices are in NZ Dollars)***

## **KEY CONTACT LIST**

### **NEW ZEALAND HEAD OFFICE**

*Sales & Administration*

85-89 Leonard Road

Mt Wellington, Auckland 1060

Craig Roberts

NZ Sales Manager

**+64 21 423 360**

[croberts@fsm-pl.co.nz](mailto:croberts@fsm-pl.co.nz)

Heather Howard

NZ Customer Service

**+64 21 472 323**

[hhoward@fsm-pl.co.nz](mailto:hhoward@fsm-pl.co.nz)

[sales@fsm-pl.com.au](mailto:sales@fsm-pl.com.au)

[www.fsm-pl.com.au](http://www.fsm-pl.com.au)

***Visit our web site***

***[www.fsm-pl.co.nz](http://www.fsm-pl.co.nz)***

***for updates, the latest products, downloads and news.***



# CONTENTS

|                                            |              |
|--------------------------------------------|--------------|
| <b>WASTE MANAGEMENT</b>                    | <b>10</b>    |
| EcoFast                                    | 10           |
| <b>ATLAS VERDE</b>                         | <b>11</b>    |
| Verde Box Kits                             | 11           |
| <b>BONN MICROWAVE OVENS</b>                | <b>12-15</b> |
| Heavy Duty                                 | 12           |
| Medium Duty                                | 13-14        |
| Light Duty                                 | 15           |
| <b>CARLISLE</b>                            | <b>16-24</b> |
| Foodservices Products                      | 16-24        |
| <b>EDLUND CAN OPENERS</b>                  | <b>25-26</b> |
| Manual & Electric Can Openers              | 25           |
| Sanitation & Storage                       | 26           |
| <b>GBG &amp; V-AIR MACHINES</b>            | <b>27-29</b> |
| GBG Granitime Easy Slush Machines          | 27           |
| V-Air Smart Machines                       | 28           |
| GBG Dairy Product Dispenser                | 29           |
| <b>HATCO</b>                               | <b>30-62</b> |
| Decorative Heat Lamps                      | 30-32        |
| Glo Max Strip Heaters                      | 33           |
| Glo Max Display Lights                     | 34           |
| Glo Ray Strip Heaters GRAH & GRAHL         | 35           |
| <b>NEW</b> Sneezeguards                    | 36           |
| Portable Heated Shelves                    | 37           |
| Drop-In Heated Shelves                     | 38           |
| Drop-in Hot / Cold and Cold Shelves        | 39           |
| Drop-in Frost Top                          | 40           |
| Heated Chutes                              | 41           |
| 2-Go Heated Shelves                        | 42-43        |
| Portable Food Warmers / Chip Dumps         | 44           |
| Fry Stations & Multi Product Warmers       | 45           |
| Conveyor, Pop Up and Programmable Toasters | 46-49        |

|                                              |              |
|----------------------------------------------|--------------|
| Panini Gill                                  | 50           |
| Plate Warmer                                 | 51           |
| Free Standing Drawer Warmers                 | 52-53        |
| Decorative Carving Stations                  | 54           |
| Pasta Cooker & Accessories                   | 55-56        |
| Sanitising Sink Heater                       | 56           |
| <b>NEW</b> Round Heated Wells                | 57           |
| Built-in Heated Wells (Rectangular & Round)  | 58           |
| Salamanders                                  | 59           |
| Buffet Induction Warmers                     | 60           |
| Drop-In Induction Cookers                    | 61           |
| Counter-Top Induction Warmers                | 62           |
| <b>JACKSTACK</b>                             | <b>63</b>    |
| Mobile Plate Racks & Covers                  | 63           |
| <b>JETSTREAM (NEW)</b>                       | <b>64-75</b> |
| Deck Mount Pre Rinse Models                  | 64-65        |
| Wall Mount Pre Rinse Models                  | 66           |
| Deck Mount Flick Mixers, Thermostatic Mixing | 67           |
| Hands Free & Laser Sensor Models             | 68-69        |
| Knee Operated Tap & Cleaners Sink Models     | 70           |
| Pot Filler                                   | 70           |
| Deck Mount Swing Faucet / Sink Sets          | 71           |
| Wall Mount Swing Faucet / Sink Sets          | 72           |
| Low Line Series                              | 73           |
| Dispensers                                   | 74           |
| Heavy Duty Hose Reels                        | 75           |
| <b>PRINCE CASTLE</b>                         | <b>76-80</b> |
| Vertical Bun Toasters                        | 76           |
| Dedicated Holding Bins                       | 77           |
| Condiment Dispensers                         | 78           |
| Tomato Saber, Core-It, Wedge & Dice Witch    | 79           |
| Grill Brushes, Maintenance Tools, Fry Scoops | 80           |

# CONTENTS

|                                                  |                |
|--------------------------------------------------|----------------|
| <b>NEW SAN JAMAR</b>                             | <b>81-89</b>   |
| Ez-Fit Cup & Lid Dispensers                      | 81             |
| C-Series & Ez-Fit Hot Lid Dispenser              | 82             |
| Wall Mount Foam Cup Dispensers & Wire Works      | 83             |
| Lid Dispensers & Scales                          | 84             |
| Napkin & Straw Dispensers / Organisers           | 85             |
| Pump Systems, Bar Supplies & Safety Wrap         | 86             |
| Ice Handling Solutions & Oven Mitts              | 87             |
| Kleen-Pail & Allergen Safe-T-Zone System         | 88             |
| Docket Holder & Hand Washing Station Combo's     | 89             |
| <b>VITO</b>                                      | <b>90-94</b>   |
| Portable Oil Filter Systems & Oil Tester         | 90             |
| <b>NEW</b> VM Battery                            | 91             |
| Mobile Oil Filter System                         | 92             |
| Transport Series                                 | 93             |
| Accessories & Bluetooth Tester                   | 94             |
| <b>YELLOW INDUCTION</b>                          | <b>95-</b>     |
| Portable Counter Top Hobs & New Drop-In          | 95             |
| Drop-In Single Hob Units                         | 96             |
| Built-In Cooktop and <b>NEW</b> Boiling Table    | 97             |
| Multi-Zone Buffet Induction & Remote Generators  | 98             |
| <b>YELLOW MIXER</b>                              | <b>99</b>      |
| Planetary Mixer                                  | 99             |
| <b>ZESTI</b>                                     | <b>100-101</b> |
| Icarus Electric Chargrills                       | 100            |
| Icarus Electric Drop In Chargrills & Accessories |                |

# TERMS AND CONDITIONS Effective 1 November 2026

The following Trading Terms supersede all previously terms and condition issued by Us.

## 1. Interpretation

In these Trading Terms and in any quotation, offer, current catalogue, website, price list produced by Us or other agreement with Us, the following definitions apply:

"Account Application Form" means the application form completed and provided by You for the purposes of opening a credit account with Us.

"Goods" means goods supplied by Us to You (and, where the context so permits, shall include any supply of Services) and described in any quotation, offer, current catalogue, website or price list produced by Us.

"Guarantor" means the guarantor(s) described in the Account Application Form, subject to acceptance by Us.

"GST" means the goods and services tax that applies in accordance with A New Tax System (Goods & Services) Act 1999 (Cth).

"Order" means any written, verbal or electronic purchase order made by You for Goods and/or Services.

"Prices" means the prices attributable to the Goods and Services as advised by Us in any quotation, offer, current catalogue, website or price list produced by Us and "Price" shall have a corresponding meaning.

"Services" means all services supplied by Us to You and includes any advice or recommendations (and where the context so permits shall include the supply and installation of any Goods).

"Trading Terms" means these terms and conditions of trade and includes any amendment or variation.

"We" and "Us" means F.S.M. [Food Service Machinery] Pty. Ltd. (. (NZBN 9429047406339) and includes any Related Bodies Corporate (as defined in the Corporations Act 2001 (Cth)) which supplies Goods and/or Services to You (whether or not the fact is disclosed to You) and "Our" means belonging or pertaining to Us.

"You" means the person, firm or company placing an order with Us for the Goods and "Your" means belonging or pertaining to You.

## 2. Application of Trading Terms

(a) These Trading Terms apply to every sale of Goods and/or supply of Services by Us to You. Each Order made by You and accepted by Us will be an individual contract for those Goods and/or Services in accordance with these Trading Terms.

(b) Subject to any special trading terms agreed to between You and Us and recorded in Your Account Application Form or separately in writing, these Trading Terms (together with any quotation, offer, current catalogue, or price list produced by Us) shall comprise in entirety Our terms and conditions of trade.

(c) In the event of any inconsistency between these Trading Terms and any other document, these Trading Terms shall prevail and any trading terms nominated by You are expressly excluded. Any warranty, representation or guarantee not included or provided for in these Trading Terms is of no effect.

(d) If any part of these Trading Terms, or the application of these Trading Terms to any person or circumstance, is or becomes invalid or enforceable, the remaining provisions of these Trading Terms are not affected and are valid and enforceable to the fullest extent permitted by law.

(e) We may amend these Trading Terms from time to time without notice to You and You will be deemed to have had knowledge of such amendments and have accepted these Trading Terms as amended if You continue to purchase Goods and/or Services from Us after such amendment. Each subsequent supply of Goods and/or Services by Us to You will be in accordance with these Trading Terms as amended.

## 3. Agreement

(a) Any quotation or offer produced by Us is subject to review, amendment or withdrawal at any time prior to acceptance by You or the expiry of the quotation or offer (whichever occurs first).

(b) Subject to (c) of this clause, Our quotation or offer will be deemed to have been accepted by You and a binding agreement entered into with You on the date We receive Your Order. Any Order which has been accepted by Us may not be cancelled by You without Our written consent (which We may withhold in Our absolute discretion) and then only on the basis that You will indemnify Us in full against all loss (including loss of profit), costs (including the cost of labour and materials used), damages, charges and expenses (including legal costs on a full indemnity basis) incurred by Us as a result of such cancellation. Cancellation of any Orders for Goods which are non-standard manufacture or non-stock items will not be accepted.

(c) We reserve the right to decline, in whole or in part, any Order received from You in Our absolute discretion.

(d) You are solely responsible for determining whether the Goods and Services are suitable for Your intended purposes and meet Your requirements and You acknowledge that no oral or written information, representation or advice given by Us (other than as contained in these Trading Terms) creates a warranty from Us or in any way increases the scope of these Trading Terms.

(e) You agree to notify Us in writing of any change in the ownership or control of Your business structure not less than 7 days prior to such change taking effect and You indemnify Us against any loss or damage We may incur as a result of Your failure to provide such notification.

## 4. Documents

Any clerical or typing errors, misprints or other similar errors in any document produced by Us in respect of Goods and/or Services are subject to correction by Us by either amending or re-issuing the affected document (as the case requires). We shall not be liable for any cost, expense or damage incurred by You as a result of any correction of any document produced by Us.

## 5. Intellectual Property

You acknowledge and agree that:

(a) any intellectual property rights in respect of the Goods and Services (including, but

not limited to, rights to design, copyright, patents or trademarks in respect of all drawings, designs, specifications and other information provided by Us in connection with any quotation, offer, current catalogue, website, price list produced by Us) remain Our sole and exclusive property and must remain confidential and You will not attempt to claim any such intellectual property rights in respect of either the Goods and Services or any modification or improvement of the Goods and Services;

(b) You must not attempt to modify or reverse engineer the Goods and Services; and  
(c) in all cases where You have provided the design for any Goods and Services, We will not accept any responsibility for any infringement of any design, copyright, patents or trademarks or other intellectual property in connection with the execution of Your Order and You agree to indemnify Us against claims for infringement or unauthorised use of such intellectual property arising out of the manufacture or use of such Goods and Services.

## 6. Prices and Charges

(a) You agree to buy and We agree to sell the Goods and Services for the Prices.

(b) All Prices and all amounts payable to Us are exclusive of GST or any other applicable government tax or duty, unless otherwise indicated. You must pay all such taxes and duties in connection with those amounts.

(c) The Prices include the cost of Our standard packaging for the Goods. The cost of any special packaging materials or techniques requested by You in connection with the Goods must be paid for by You in addition to the Prices.

(d) We reserve the right, from time to time but prior to issuing any invoice to You, to increase the Prices:

(i) to take account of increases in the cost of supplying the Goods and/or Services to You (which may include, but are not limited to, increases in the cost of energy, materials, labour, equipment or delivery) which are due to any factor beyond Our reasonable control or are due to Your failure to provide adequate information or instructions; or

(ii) to correct, without any liability on Our part, any errors or omissions quotation, offer, current catalogue, website or price list produced by Us.

## 7. Payment

(a) We reserve the right to pass on to You any additional costs (including merchant fees) incurred by Us where You pay Us by credit card (if applicable).

(b) If We have not provided credit terms to You, You must pay for the Goods prior to delivery.

(c) If We have provided credit terms to You, You must pay for any Goods and/or Services provided to You within the time period stated in Our invoice or statement for such Goods and/or Services. If We have not stated a time period for payment, You must pay for the Goods and/or Services within 30 days of the end of the month in which we issued Our invoice or statement for the Goods and/or Services.

(d) We may set, alter or withdraw credit limits and terms in Our absolute discretion and without giving prior notice to You or providing reasons.

(e) Payments due to Us must be made without any deduction or set-off. We may apply the amounts paid to Us in payment of any amount owed by You. If You dispute Our invoice or statement, You must still pay the entire amount. We will refund any agreed amount following resolution of the dispute.

(f) If You fail to pay Our invoice or statement (whether in whole or in part) by the due date, without limiting any other provision in these Trading Terms, We may (in Our absolute discretion):

(i) suspend or cancel any further production and/or delivery of any Goods or supply of any Services (whether under an existing or new Order) until full payment of all outstanding amounts owed to Us (including accrued interest if applicable) has been made;

(ii) charge interest on any amount outstanding in respect of Our invoices, at the rate of 1.5% per month, such interest to be calculated daily and compounded monthly), until full payment has been made (such interest rate to be subject to amendment from time to time by Us in Our absolute discretion);

(iii) exercise a general lien on any of Your property within Our possession or control to cover the outstanding amount for the Goods and/or Services;

(iv) withdraw (in full or in part) any discount, concession, allowance or benefit which was previously offered to You; and

(v) recover from You, in addition to the outstanding amount, all costs incurred by Us arising out of or in connection with collecting the outstanding amount (including, but not limited to, expenses and fees associated with or paid to or on account of solicitors, legal advisers, mercantile agents and other agents acting on Our behalf) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

## 8. Security Interest and the Personal Property Securities Act 2009 ("PPSA")

If you have a current credit facility in place with Us, You acknowledge and agree that the following terms apply:

(a) We may require You to provide security for any Order placed by You as a condition of accepting Your Order and the terms of the Personal Property Securities Act 2009 (Cth) ("PPSA") apply to all transactions made under these Trading Terms.

(b) You acknowledge and agree that You will:

(i) grant a security interest in all present and after acquired Goods as security for all amounts owing now and in the future by You to Us;

(ii) do all things and sign all documents as are necessary and reasonably required to enable Us to acquire a perfected security interest in all Goods supplied;

(iii) provide such information as is required to enable registration of a 'Purchase Money Security Interest' (as that term is defined in the PPSA) ("PMSI");

(iv) not, without obtaining Our prior written consent, change Your name or initiate any change to any registered documentation, or act in any manner which would impact on Our registered security interest; and

(v) waive or exclude the application of such sections of the PPSA as We may require, subject to those sections being capable of exclusion.

(c) You further acknowledge that a PMSI is granted by You, in priority to all other

Continued >

# TERMS AND CONDITIONS (continued)

creditors, in favour of Us and in respect of all Goods We supply to You from time to time, as security for Your payment obligations to Us. You agree to indemnify Us for any liability for all costs (including legal costs on a full indemnity basis) incurred by Us in relation to any security interest granted by You (including, but not limited to, registration, maintenance, enforcement or discharge of any security interest).

(d) We reserve the right at any time to make such amendments, alterations to this 'Security Interest' clause as We may, in Our absolute discretion, determine are necessary to protect Our security interests.

## 9. Title and Risk

(a) Title to and ownership of the Goods shall not pass to You until We have received full payment for the Goods and for any other amounts owing by You in relation to any other matter (including payments in respect of other goods or services provided to You from time to time) and You shall hold the Goods (including where such Goods have been converted or changed by any process) as fiduciary bailee and agent for Us.

(b) Risk in the Goods shall pass to You upon completion of delivery in accordance with these Trading Terms.

(c) You acknowledge that We hold a PMSI (as defined in clause 8) in respect of any Goods supplied to You until We have received full payment in respect of such Goods. You must not pledge, or in any way charge by way of security or indebtedness, any of the Goods until We have received full payment.

(d) Upon taking delivery of the Goods and until We receive full payment for the Goods and for any other amounts owing by You in relation to any other matter, until the Goods are sold by You in the ordinary course of your business, You must:

(i) keep the Goods in Your control and custody and not permit any other person to have possession, custody or control of the Goods;

(ii) keep the Goods separate from any other items or goods in Your possession and mark the Goods to clearly show that the Goods belong to Us;

(iii) not pledge, or in any way charge by way of security or indebtedness, any of the Goods;

(iv) permit Our nominated representative to attend Your premises on prior notice to inspect the Goods; and

(v) deposit all proceeds from the sale of the Goods into a separate and identifiable account, not mix such sale proceeds with any other money and account to Us for such sale proceeds;

and We may trace all such sale proceeds received by You through the relevant account or any other account maintained by You. In addition, You irrevocably appoint Us as Your attorney to recover any such sale proceeds from any purchaser to whom You have on-sold the Goods and to exercise Your rights under any agreement with such purchaser (including rights of repossession and resale of the Goods) provided that We undertake not to exercise such rights as Your attorney unless You have failed to comply with Your payment obligations to Us under these Trading Terms.

(e) Without prejudice to any of Our other rights, if You fail to comply with these Trading Terms, if You cease to be able to pay Your debts as they become due or if You become subject to any form of insolvency administration:

(i) all amounts owing by You to Us shall immediately become due and payable;

(ii) We have the right to immediate possession of the Goods and You irrevocably authorise Us to enter any premises occupied by You at the time upon reasonable notice to You, without liability for trespass or any resulting damage, and take possession of the Goods. You agree to indemnify Us and hold Us harmless from all claims arising out of or in connection with Us taking possession of the Goods in accordance with this clause;

(iii) We may retain all amounts paid to us on account of the Goods and suspend or cancel any further production and delivery of Goods for You;

(iv) We shall be entitled, but not obligated, to resell any Goods repossessed by Us in accordance with this clause; and

(v) We may recover from You all reasonable costs incurred by Us in connection with any Goods repossessed under this clause (including legal costs on a full indemnity basis) and the amount payable will be a debt due and payable without demand from the date on which We incur liability for the cost, expense or fee.

(f) If, at the time We seek to take possession of the Goods in accordance with this clause, the Goods have been incorporated by You in any other item or goods, We will be treated as owners of such other items or goods together with You, as tenants in common in proportion to our respective contributions.

## 10. Delivery

(a) The delivery dates and completion times contained in any quotation, offer or price list provided to You are estimates only, unless expressly stated to be an essential term and may be varied at any time by Us depending upon the availability of Goods, materials, labour and other contingencies. All prices are quoted ex-warehouse Auckland.

## 11. Force Majeure

We will not be liable for any failure to perform, or delay in performance of, any obligation where such failure or delay is due to anything beyond Our reasonable control including, but not limited to, adverse weather or terrain, strikes, lockouts and other industrial action, material shortages, failure of any of Our suppliers to supply, accidents, power or data transmission failure, breakdowns of plant or machinery, war, changes of government, import or export regulations or embargoes.

## 12. Inspection and Return of Goods

(a) You will be deemed to have accepted the Goods, free from any defect or other non-conformity, unless We receive a substantiated claim from You within 7 days from the date of delivery and/or installation of the Goods in accordance with these Trading Terms.

(b) Except where Goods supplied by Us are defective and subject to any warranty:

(i) Goods will only be accepted for return if You have given prior written notice to Us (confirming Your reasons for returning the Goods and stating the applicable invoice number) of Your intention to return the Goods and We have notified You in writing with a completed GRN form that We will accept such return, and that a copy of the GRN Form

supplied by us accompanies the goods being returned;

(ii) We may refuse to accept Goods where they are used, no longer in their original packaging or are returned more than 2 weeks after delivery to You;

(iii) We will refuse to accept the return of any Goods which are non-standard manufacture or non-stock items where such Goods have been correctly delivered by Us;

(iv) delivery of all Goods returned by You must be arranged with Your carrier and is at Your expense and risk; and

(v) in the event that We agree to accept the return of any Goods, You will be required to agree to pay a minimum 15% restocking fee, such fee to be subject to amendment from time to time by Us in Our absolute discretion.

(c) We will only accept the return of Goods from You if the Goods are in the same condition as when the Goods were originally delivered to You, provided that Our acceptance of Goods returned by You is not an acceptance of or granting of credit to You.

## 13. Limitation of Liability and Warranties

(a) The Competition and Consumer Act 2010 (Cth) may imply certain conditions and warranties into these Trading Terms that cannot be excluded or modified. These Trading Terms do not exclude or modify any of those conditions if to do so would contravene that law or make any part of these Trading Terms void.

(b) Where our products are used in a Commercial environment, Subject to the provisions of this clause 13, We will repair or replace any Goods which are manufactured or imported by Us where We, in Our absolute discretion, determine that such Goods, having regard to the materials, workmanship and the reasonable and recommended conditions of use and maintenance, are defective within the period of Warranty (as specified below):

All products within 13 months (Parts & Labour), from the date of delivery to the original Purchaser with the exception of the following:

### Bonn Ovens / Microwaves:

**Bonn Models CM-2101T – On Site 24 months parts and 13 months labour.**

**Bonn Models CM-1052T – Back to Base 24 months parts and 13 months labour.**

**Bonn Models CM-902T and CM-1401G – Back to Base 13 months parts and 13 months labour warranty.**

**Jetstream Tapware – Two Year on-site warranty - excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.**

**Yellow Induction – Back to Base Warranty models: All Countertop.**

**Zesti Icarus Grills – 2 year parts and labour.**

Subject to the following conditions:

(i) this warranty will cover parts and labour unless specified otherwise, subject to the following limitations:

(A) damage to cutting blades, toaster elements, light globes, infrared tubes, quartz tubes or any glass items;

(B) where FSM is not responsible for installation - damage caused by improper installation or improper connection to incorrect gas, voltage, incorrect pressure or poor quality water;

(C) damage caused during transit or by accident;

(D) damage caused by negligence, abuse, unauthorised repair or the use of unauthorised spare parts;

(E) damage caused by improper cleaning, maintenance or operation;

(F) damage caused by voltage or gas conversion, pilot light adjustments, thermostat calibrations or any unauthorised alteration or modification;

(G) FSM's liability under this warranty is limited to the repair or replacement of defective Goods and all other costs (including, without limitation, any travel costs, labour costs, overtime rates, installation costs, freight and delivery costs to and from FSM premises to the premises of an authorised repairer, or similar surcharges, fees and costs arising out of a warranty claim are excluded;

(ii) all warranty repair work will be performed between the hours of 8.30 am and 4.30 pm on normal working days;

On site warranty services are limited to sites within 50km from the nearest FSM authorised service agent.

With respect to "Back to Base" warranties, FSM can sell or dispose of any goods:

(i) Not collected by customer or

(ii) Where customer refuses to accept delivery of those goods within 60 days of FSM notifying customer goods are available for collection and/or delivery.

(iii) the warranty period in respect of any spare parts or replacement parts provided under this warranty is limited to 3 months from the delivery of such spare parts or the installation of such replacement parts;

(iv) where the payment terms under these Trading Terms have not been complied with, warranty claims will not be accepted in respect of such Goods;

(v) Risk in any Goods shall remain with You while such Goods are in Our possession for the purposes of assessing a warranty claim and FSM, its servants and agents will not be responsible for any damage caused to the Goods while in Our possession.

(vi) To obtain the benefit of this warranty, You must notify Us in writing immediately upon becoming aware of the alleged defect and in any event within 13 months (or other period as stipulated under item 13) of delivery of the Goods to You (3 months from the delivery of any spare parts or the installation of replacement parts under this warranty).

Continued >

# TERMS AND CONDITIONS (continued)

To the extent that any Goods are not covered under the warranty described in this clause 13(b) but are subject to the original manufacturer's or the original supplier's warranty, FSM will pass on the benefit of such warranty to the extent permitted by law.

(c) Subject to (a) and (b) of this clause 13 and without limiting the terms of any written warranty given separately by Us, all warranties and conditions that may be implied into these Trading Terms are excluded and Our liability for breach of any implied condition or warranty that cannot be excluded is limited (at Our option) to:

(i) in respect of Goods: the repair or replacement of those Goods or reimbursement of the cost of having those Goods repaired or replaced or refunding to You any payments made in respect of the Goods; and

(ii) in respect of Services: the re-supply of the Services or reimbursement of the cost of supplying the Services again or refunding to You any payments made in respect of the Services.

(d) Despite any other provision of these Trading Terms, to the extent permitted by law, We have no liability to You nor will You be entitled to claim against Us in respect of:

(i) any loss or damage caused by delay in delivery of the Goods or supply of the Services;

(ii) any death or injury arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity;

(iii) any consequential loss or damage (including, but not limited to, loss of profit, loss of revenue, loss of expected savings and opportunity costs) arising out of or in connection with the supply of the Goods and/or Services or otherwise at law or in equity; and

(iv) (if applicable) any loss or damage to Your property or any premises occupied by You arising out of or in connection with Our reasonable installation of the Goods and it is Your responsibility to provide adequate facilities to Us during such installation and to arrange the removal of all waste and hazardous material in connection with the installation process.

(e) You acknowledge that You have not relied on any representation made by Us which is not expressly stated in these Trading Terms.

(f) You acknowledge that You must ensure that the Goods are used and installed (if applicable) in a prudent and professional manner and in accordance with any specifications or instructions which were supplied with the Goods. You indemnify Us against all loss, liability, cost (including legal costs on a full indemnity basis) and expense incurred by Us as a result of any claim made or action brought in connection with the Goods or their use, other than a claim or action brought by You under these Trading Terms or a condition or warranty implied by law which is not excluded by these Trading Terms.

(g) You acknowledge that the exclusions and limitations in this clause are customary for suppliers of goods and services equivalent to the Goods and Services and are fair and reasonable given the nature of the Goods and Services and the applicable Prices.

(h) This clause shall survive termination of these Trading Terms

## 14. Consent to credit check and Privacy Act

(a) By signing the Account Application form, You acknowledge and agree that the Privacy Act 1988 (Cth) allows Us to give a credit reporting agency certain personal information about You at any time after signing such form for the purpose of assessing Your credit worthiness.

(b) You further acknowledge and agree that We may contact any trade reference provided by You or any credit provider and We may acquire information from them or provide information to them in relation to Your credit worthiness.

## 15. Guarantee and Indemnity

(a) The Guarantor hereby guarantees the due and punctual payment by signature of all monies that becomes due and payable by You to Us under these Trading Terms and also the due and punctual performance by You of Your obligations pursuant to these Trading Terms (the "Guarantee").

(b) In consideration for Us entering into these Trading Terms with You, the Guarantor hereby charges in Our favour the whole of the Guarantor's estate and interest, legal and equitable, in the Guarantor's personal and real property to secure the Guarantor's obligations pursuant to these Trading Terms.

(c) Without limiting Our rights under these Trading Terms, the Guarantor acknowledges and agrees that the charge on the Guarantor's property shall provide a caveatable interest in Our favour and the Guarantor consents to Us registering Our interest in the Guarantor's property, including by way of a caveat.

(d) The Guarantee is a continuing guarantee and shall not be discharged in whole or in part by the payment at any time of any part of the money payable by You pursuant to these Trading Terms or by settlement of account, intervening payment, or other matter or thing whatsoever.

(e) The Guarantee shall not be affected or prejudiced by any variation or modification at any time to these Trading Terms.

(f) The Guarantee shall at all times be valid and enforceable against the Guarantor notwithstanding:

(i) that no demand for payment has been made to You; and

(ii) that You were prohibited (whether expressly or by implication) by law, contract or otherwise from entering into these Trading Terms or lacked capacity, power or authority to enter into these Trading Terms.

(g) The Guarantee is irrevocable and shall not be affected by the death, bankruptcy or incapacity of any of the Guarantors.

(h) If any payment made by You to Us is subsequently avoided or set aside by reason of any statutory provision or otherwise, such payment shall not prejudice or otherwise affect the Guarantee, or Our rights pursuant to this clause 15, to the intent that We shall, with respect to its rights recover pursuant to this clause 15 any monies secured, be restored to the same position in which We would have been had such payment not been made.

(i) In addition, the Guarantor agrees to indemnify Us in respect of all costs, charges and expenses whatsoever, which We may incur by reason of any default by You under or in relation to these Trading Terms.

(j) The Guarantor is liable to pay, and indemnify Us for, Our reasonable expenses incurred in enforcing the Guarantee.

(k) If more than one party signs as Guarantor, in this clause 15 each reference to "Guarantor" is a reference to them jointly and each of the individually.

## 16. General

(a) We may sub-contract the production, manufacture, supply or delivery of all or some of the Goods and Services.

(b) Any failure by Us to insist on strict compliance with these Trading Terms or any delay by Us in exercising Our rights under these Trading Terms will not constitute a variation or waiver of any provision of these Trading Terms or of any right available to us.

(c) If part of all of any provision of these Trading Terms or its application to any person or circumstance is held to be illegal or unenforceable, the provision will be interpreted so as to ensure it is not illegal or unenforceable. If any provision or part of it cannot be so interpreted, the provision or relevant part of it will be severed from these Trading Terms and the remaining provisions of these Trading Terms will continue in force.

(d) Where You are comprised of 2 or more persons, an agreement or obligation to be performed or observed by You binds those persons jointly and each of them severally.

(e) Any notice or document required to be served under these Trading Terms will be sufficiently served if delivered or posted by pre-paid post to the address of that party as notified by that party from time to time in writing. If the notice or document is posted, service will be deemed to have been effected 3 days after the date on which the document or notice was posted.

## 17. Governing Law

These Trading Terms are governed by the laws of New Zealand. All parties submit to the non-exclusive jurisdiction of the Courts of Auckland, New Zealand.



# WASTE MANAGEMENT

No matter how efficiently you manage your supply chain and logistics, food service inevitably generates food waste that needs proper handling. Without effective processing, every kilogram of food waste produces six liters of harmful methane in a landfill.

Regulatory changes are on the horizon. In 2023, the government announced plans to require businesses to separate food scraps from general waste by 2030.

FSM is here to help you find the right solution for your business. Let us assist you in navigating these changes and managing your food waste sustainably.



Model D1000



This standalone food waste processing station, or 'wastestation', benefits from Ecofast's unique macerating system and incorporates a host of sensors to ensure that it can't be operated and/or damaged through use either without water or with incorrect phasing. This reduces potentially costly errors during installation and operation. It uses nearly 30% less water than its nearest competitor and, with special filters, can be connected to recycled rainwater. The automatic cleaning system reduces labour time and odours but increases reliability.



Model D700



The D700 has a 100-litre hopper where food waste can be stored ready to be processed whenever the operator chooses, with little or no labour. The D700 automatically delivers the food waste into the macerating chamber where it is ground and pumped either to the holding tank and then to the dewatering system, or directly to the D610 Dewatering product. The D700 also utilises the cutting and grinding system making it a truly automated option.

Model D600



The D600 mini dewaterer is perfect for compact kitchen environments where quantities of food waste can build up during busy periods. These units link seamlessly with the D390 and D450 Inlet Stations enabling the dewaterer to be sited adjacent to them or remotely. Thanks to the Dehydra™ cleaning system the operator has minimal interaction with the unit which reduces labour time during operation.

4 SHELF WIRE SHELVING BOX KITS



WHAT'S IN THE BOX:  
4 x POSTS  
4 x WIRE SHELVES  
4 x PACKS OF SPLIT SLEEVES

4-SHELF EPOXY  
WIRE SHELVING  
UNIT

- Wire design allows for air circulation and minimal dust buildup
- Shelves easily adjust to your exact needs
- 544kg load capacity per unit (136kg per shelf)
- Ideal storage solution for any commercial, food service, medical setting, or home application
- Shelves and posts manufactured with antimicrobial green epoxy finish
- Includes posts, shelves, and all needed hardware
- No tools required for super easy assembly



verde

ASSEMBLES IN MINUTES

| CODE      | 455 DEEP - 4 SHELF BOX KITS      | \$  |
|-----------|----------------------------------|-----|
| V18307SET | 760mm SHELVES (18X30") x1830mmH  | 290 |
| V18367SET | 915mm SHELVES (18X36") x1830mmH  | 340 |
| V18427SET | 1065mm SHELVES (18X42") x1830mmH | 360 |
| V18487SET | 1220mm SHELVES (18X48") x1830mmH | 390 |

NEW FEATURE

Posts are now half size for easier shipping!

## HIGH PERFORMANCE SERIES MICROWAVES

### Bonn CM-2101T

- 2100 Watts of Cooking Power
- 15 Amp plug single phase
- 18L Capacity
- Digital Touch-Pad Controls with LED Lighted Display
- 100 Program Menu Settings
- 4 Stages of Cooking
- Commercial Grade Performance
- Made for Continuous Operation
- Stainless Steel Body & Cavity
- Dual Magnetron
- Heavy Duty Metal Handle & Durable Interlock System
- Stackable (2 high)
- 420W x 563D x 340H mm | Weight: 31kgs



LIST PRICE EA.


**\$3290**

### CPS3A MicroSave Dishwasher Safe Cavity Liner - purchased seperately:

LIST PRICE EA.

**\$400**

(Save \$20.00 when purchased with oven)



### Bonn CM-1401G

- 1400W Microwave Output, 5 Power Levels
- Spacious 34L Capacity
- Digital Touch-Pad Controls
- 100 Program Menu Settings
- 3 Stages of Cooking
- 60 Minute Maximum Cook Time
- Commercial Grade Performance
- Made for Continuous Operation
- Stainless Steel Body & Cavity
- Heavy Duty Metal Handle
- Durable Interlock System
- 10 Amp plug single phase
- Door construction: Toughened Glass, Commercial quality Hinges and handle
- External Dimensions 553W x 488D x 343H mm | Weight: 25Kgs

**ONLY  
REQUIRES  
10A POWER**



LIST PRICE EA.

**\$2490**

### CPS6A MicroSave Dishwasher Safe Cavity Liner - purchased seperately:

LIST PRICE EA.

**\$400**

(Save \$20.00 when purchased with oven)





# Bonn

The Bonn Performance Series Microwaves offer users preset programming, ceramic base, full stainless steel construction, generous 21 litre capacity and a choice of output power.

Incorporating the latest generation high efficiency Magnetron, these models incorporate many of the design features from the Bonn High Performance Range of ovens, including Direct Ducted Magnetron cooling, motorised stirrer fan for even heating along with all the safety features such as toughened inner door glass, heavy duty door safety latches and double-strengthened door hinges - all part of Bonn's stringent total safety philosophy.

Get commercial quality and speed with ease of operation and superior Bonn quality.

Supplied with 24 Month Parts / 13 Month Labour Back to Base Warranty\*

## Performance Range Features


### Grab'n'Go Door Handle

Heavy Duty trigger-less metal door handle for years of reliable use.



### Direct Ducted Magnetron Cooling Design

Industry leading magnetron life span. Unique ducted design by Bonn. Cold air is plumbed directly into the magnetron, with hot exhaust air plumbed to exit the oven achieving maximum cooling efficiency.



### Programmable Touch Pad

20 programmable presets for easy, rapid heating of meals.



### High Efficiency Magnetron

Latest generation magnetron design enabling power output up to 1200 watts.



### Heavy Duty Door Safety Latch

Heavy Duty nylon door latches, guarantees maximum safety to user.



### Safety

Toughened glass (not film) inner door screen protects door grill, preventing possible microwave leakage and maximum safety to user.



### Motorised Stirrer Fan

Concealed Stirrer Fan for even heating of food.



### Ceramic Base

Easy clean up of spills and larger useable space when compared to rotating glass turntable.



## PERFORMANCE SERIES MICROWAVES

### Bonn CM-1043T

- **1200W** Microwave Output, **5** Power Levels
- 10 Amp plug single phase (Max. Draw 8.5A)
- **27 Litre Internal capacity**
- 20 Preset Memories, Digital Display
- Full Stainless Steel Interior/Exterior
- Door construction: Toughened Glass, Commercial quality Hinges and handle
- **External Dimensions** 511W x 382D x 330Hmm
- **Internal Dimensions** 330W x 330D x 212Hmm
- **Carton Dimensions** 590W x 465D x 395Hmm
- Net Weight: 17.5Kgs Ship Weight 21kg

NEW  
MODEL



LIST PRICE EA.

**\$1590**

### Bonn CM-1052T

- **1000W** Microwave Output, **4** Power Levels
- 10 Amp plug single phase (Max. Draw 7.6A)
- **25 Litre Internal capacity**
- 10 Preset Memories, Digital Display
- Full Stainless Steel Interior/Exterior
- Door construction: Toughened Glass, Commercial quality Hinges and handle
- **External Dimensions** 510W x 382D x 330Hmm
- **Internal Dimensions** 330W x 330D x 212Hmm
- Weight: 17.5Kgs



LIST PRICE EA.

**\$1120**

## LIGHT DUTY SERIES MICROWAVES

The Bonn Light Duty Microwave Series offers the smaller users preset programming (10 presets), ceramic base, stainless steel exterior, large 25 litre capacity and 900 Watt output.

Incorporating several of the design features from the Bonn Performance Range of ovens, including motorised stirrer fan for even heating and ceramic base.

This entry level commercial oven offers ease of operation and Bonn quality.

Supplied with our exclusive 13 month Back to Base labour and parts warranty\*.

### Bonn CM-902T

- 900W Microwave Output, 4 Power Levels
- 10 Amp plug single phase (Max. Draw 6.5A)
- 25 Litre Internal capacity
- 10 Preset Memories, Digital Display
- Programmable 1 to 3 stage cooking
- Rugged hinges and door handle
- Stainless Steel Exterior
- Stainless Steel Interior with Ceramic base
- External Dimensions 510W x 380D x 335H mm
- Internal Dimensions 330W x 330D x 212H mm
- Weight: 15 Kgs

LIST PRICE EA.

**\$699**





# CARLISLE®

FOODSERVICE PRODUCTS



Foodservice Trays



Catering Equipment



Food Bars & Convenience



Bar Supplies



Kitchen Accesories



Storage & Handling




Floor & Restroom Care



Warewashing



Waste Management



Cleaning Tools



Brushes & Accessories



Dishware & Disposables




**Peace of Mind at a Glance**

CoolCheck has all of the features of standard Coldmaster pans with the added benefit of color changing technology. Hold contents at or below the food safe temperature of 40°F for up to 6-8 hours. When the unit is no longer at a safe temperature, the color change indicates it's time to exchange the CoolCheck with a fresh one.



**Benefits**



**Color Changing Technology**

Color fades from blue to white when temperatures are no longer safe

**Maintain Food Safe Temperatures**

6-8 hours of hold time for maximum food protection

**Convenient and Clean**

StorPlus EZ Access  
Hinged Lids available

**Fast and Efficient**

Store temperature-sensitive food in-line for ultra-fast service

| CODE        | DESCRIPTION - White / Blue                          | Pack Size | Dimensions         | \$ EA  |
|-------------|-----------------------------------------------------|-----------|--------------------|--------|
| CM1100C1402 | Coldmaster® CoolCheck® Full-Size Food Pan 1/1       | 1         | 323W x 525L x 163H | 360.00 |
| CM1101C1402 | Coldmaster® CoolCheck® Half-Size Food Pan 1/2       | 1         | 263W x 323L x 153H | 299.00 |
| CM1102C1402 | Coldmaster® CoolCheck® Third-Size Food Pan 1/3      | 1         | 175W x 323L x 153H | 174.00 |
| CM1104C1402 | Coldmaster® CoolCheck® Sixth-Size Food Pan 1/6 Size | 1         | 158W x 173L x 150H | 155.00 |





**Sparta® Grill Bricks & Polishing Pads**

Apply with cooking oil to protect the grill cure and remove excess cooked-on foods

40710 Grill Brick is a fast, efficient, and sanitary way to clean hot or cold grills

Plastic wrapping on Grill Brick dissolves to eliminate mess

40713 Grill Screen and 40711 Grill Polishing Pad attach to the 40712 Grill Pad Holder for a complete grill maintenance system



| CODE    | DESCRIPTION                                      | Pack Size | \$ PACK |
|---------|--------------------------------------------------|-----------|---------|
| 4071000 | Sparta® Grill Brick 8", 4", 3-1/2" - Black       | 12        | 150.00  |
| 4071100 | Sparta® Grill Polishing Pads 5", 4", 1/4" - Red* | 6         | 148.00  |

\* Available whilst stock lasts

**Sparta® Wire Brushes & Scrapers**

Wire brushes and Stainless Steel metal Scrapers make quick and easy removal of heavy Carbon deposits, rust, and burned-on food build up

Available with wood handles for cleaning hot grills and ovens



| CODE    | DESCRIPTION                                                                                                                                                                                                                                                                 | Pack Size                 | \$ EA  |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------|
| 4029000 | Sparta® Broiler Master; Stainless steel wire bristles and scrapers; Excellent for removing heavy carbon deposits, rust and burned on food build up. One side of the brush has semi stiff and the other with coarse bristles; Head 216W x 127H x 775Lmm; Bristle length 25mm | 6<br>(available as each)  | 120.00 |
| 4029300 | Pizza Oven Brush with Scraper; Crimped Brass wire bristles and a full length Aluminum Scraper; 89mm wide; Bristle length 32mm                                                                                                                                               | 12<br>(available as each) | 70.00  |
| 4067100 | Sparta® Scratch Brush and Scraper; Blue; Carbon Steel Bristles; Bristle length 32mm; Brush size 140mm; Total length 291mm                                                                                                                                                   | 12<br>(available as each) | 25.00  |



# StorPlus™ High Heat Food Pans



- High heat pans excel in high temperature applications (-40°F to 375°F)
- Reinforced top and bottom corners on both pan and lid helps prevent chipping and cracking
- Spoonable bottoms makes removal of contents easier and helps prevent food waste
- Molded-in capacity indicators are listed in both quarts and liters
- Textured non-slip finish on corners, sides, bottom and lid reduce scratches
- Smooth interior finish makes clean-up easy
- Food Pan sizes meet specifications for use in food bars and steam tables
- Pans meet EN 631-1 Euro Norm standards for inter-stacking with existing pans
- NSF Listed; dishwasher safe



| CODE      | DESCRIPTION - High Heat Amber                   | Pack Size | \$      |
|-----------|-------------------------------------------------|-----------|---------|
| 30860HH13 | StorPlus™ Food Pan Double Handle 1/3 Size 65mm  | 1         | 91.00   |
| 30861HH13 | StorPlus™ Food Pan Double Handle 1/3 Size 102mm | 1         | 108.00  |
| 30860H13  | StorPlus™ Food Pan Single Handle 1/3 Size 65mm  | 1         | 89.00   |
| 30861H13  | StorPlus™ Food Pan Single Handle 1/3 Size 102mm | 1         | 105.00  |
| 30860HH13 | StorPlus™ Food Pan Double Handle 1/3 Size 65mm  | 12        | 1050.00 |
| 30861HH13 | StorPlus™ Food Pan Double Handle 1/3 Size 102mm | 12        | 1190.00 |
| 30860H13  | StorPlus™ Food Pan Single Handle 1/3 Size 65mm  | 12        | 1025.00 |
| 30861H13  | StorPlus™ Food Pan Single Handle 1/3 Size 102mm | 12        | 1165.00 |

| CODE     | DESCRIPTION - High Heat Amber          | Pack Size | \$EA   |
|----------|----------------------------------------|-----------|--------|
| 10400B13 | StorPlus™ Food Pan 1/1 Size 65mm deep  | 1         | 140.00 |
| 10401B13 | StorPlus™ Food Pan 1/1 Size 100mm deep | 1         | 175.00 |
| 10420B13 | StorPlus™ Food Pan 1/2 Size 65mm deep  | 1         | 72.00  |
| 10421B13 | StorPlus™ Food Pan 1/2 Size 100mm deep | 1         | 94.00  |





| CODE     | DESCRIPTION                                                                                                                                                                            | Pack Size | Image | \$ EA  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|--------|
| 34201523 | TrimLine™ Rectangle Waste Container; Capacity 57L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 508L x 267W x 629Hmm  | 1         |       | 140.00 |
| 34202323 | TrimLine™ Rectangle Waste Container Capacity 87L; Colour Grey; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm   | 1         |       | 175.00 |
| 34202303 | TrimLine™ Rectangle Waste Container; Capacity 87L; Colour Black; Fits narrow spaces; Self-venting for easier bag removal; Handle helper on base for easy lifting; 510L x 280W x 762Hmm | 1         |       | 175.00 |
| 34202403 | "TrimLine™ Rectangle Swing Top Waste Container Lid; Colour Black; 513L x 294W x 114Hmm"                                                                                                | 1         |       | 125.00 |
| 36921003 | "TrimLine™ Dolly Colour Black; To suit 34202303 / 34201523; 330W x 560Lmm with 76mm castors"                                                                                           | 1         |       | 265.00 |



| CODE     | DESCRIPTION                                                                                                                                                                                                                   | Pack Size | Image                                                                                 | \$ EA  |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------|--------|
| 3691103  | Bronco™ Round Waste Container Dolly; Suits Bronco™ Round Waste Bins; Simple twist-to- lock feature attaches dolly to container; Five 76mm castors; 454mm dia x 127Hmm                                                         | 2         |    | 160.00 |
| 84101023 | Bronco™ Grey Round Waste Bin; Capacity 121L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 457mm x 705Hmm; Top dia 579mm; Top dia with handles 648mm<br>OLD CODE 34103223 | 1         |    | 130.00 |
| 34101023 | Bronco™ Grey Round Bin; Capacity 37L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 317mm x 432Hmm; Top dia 410mm; Top dia with handles 446mm                             | 6         |  | 55.00  |
| 84102003 | Bronco™ Black Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm                            | 6         |  | 90.00  |
| 84102023 | Bronco™ Grey Round Bin; Capacity 75L; Heavy duty construction with double reinforced stress ribs; Drag skids for durability; Bottom dia 413mm x 585Hmm; Top dia 508mm; Top dia with handles 585mm                             | 6         |  | 90.00  |
| 34102123 | Bronco™ Round Waste Bin Lid to Suit 75 Litre Bronco™ Round Waste Bin; Colour Grey; Dimensions: 508mm dia x 32Hmm                                                                                                              | 1         |  | 28.00  |

# Color Coded Measure Misers®



| CODE   | DESCRIPTION - Measuring spoons                                 | Pack Size | Capacity   Colour    | \$     |
|--------|----------------------------------------------------------------|-----------|----------------------|--------|
| 492808 | Measure Miser® Solid Short Handle                              | 12        | 120ml   Forest Green | 292.00 |
| 493306 | Measure Miser® Solid Short Handle                              | 12        | 150ml   Beige        | 320.00 |
| 496606 | Measure Miser® Perforated Short Handle -<br>WHILST STOCKS LAST | 12        | 150ml   Beige        | 260.00 |
| 493114 | Measure Miser® Solid Short Handle                              | 12        | 240ml   Blue         | 400.00 |

| CODE   | DESCRIPTION - Measuring spoons                                | Pack Size | Capacity   Colour    | \$     |
|--------|---------------------------------------------------------------|-----------|----------------------|--------|
| 396005 | Measure Miser® Solid Long Handle                              | 12        | 60ml   Red           | 230.00 |
| 397002 | Measure Miser® Solid Long Handle -<br>WHILST STOCKS LAST      | 12        | 90ml   White         | 210.00 |
| 398008 | Measure Miser® Solid Long Handle                              | 12        | 120ml   Forest Green | 230.00 |
| 399103 | Measure Miser® Perforated Long Handle -<br>WHILST STOCKS LAST | 12        | 180ml   Black        | 265.00 |


Measure Miser® Solid Short Handle - 492808



Measure Miser® Solid Long Handle - 396005







## Clean Rack. Clean Dishes

From the most fragile tableware to heavy-duty kitchen items such as utensils and cutlery, OptiClean Dish Racks offer the safest sanitary cleaning option. OptiClean Racks are engineered to flow. The honeycomb design ensures durability and the open wall ensures a free flow of water and soap. Wash, dry and hold with OptiClean Dish Racks.




## Benefits



### Honeycomb Design

Ensures durability, weight dispersion and the free flow of water and soap.



### Rounded Edges

Discourages clinging food particles and releases dirty water



### Secure Universal Stacking

Ensures a smooth transition to Carlisle washracks from other industry racks without



### Comfort Curve Handles

Comfortable carrying on all four sides of rack

| CODE  | DESCRIPTION                                                                                                                                                                              | Pack Size | \$ EA |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|
| RP14  | OptiClean™ All-Purpose Peg Dish Rack; Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 63mm; Space between pegs 45mm          | 1         | 62.00 |
| ROP14 | OptiClean™ Open Side All-Purpose Peg Dish Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Peg height 76mm; Space between pegs 45mm | 1         | 90.00 |
| RTP14 | OptiClean™ Open Bowl Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; Space between pegs 45mm                                       | 1         | 63.00 |
| RB14  | OptiClean™ Open Bowl Rack Colour Blue; Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm                                                                | 1         | 50.00 |

# OptiClean Dish Racks



| CODE     | DESCRIPTION                                                                                                                                                                                                                                                                             | Pack Size | \$ EA  |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| RF14     | OptiClean™ Flatware Rack; Colour Blue;<br>Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm; 464mm compartment Tight enough to keep small items contained                                                                                              | 1         | 54.00  |
| RFP14    | OptiClean™ Food Pan or Insulated-Meal-Delivery- Tray Rack; Colour Blue;<br>Open design for even and thorough washing, drying & draining; 500L x 500W x 102Hmm;                                                                                                                          | 1         | 230.00 |
| RC20-114 | OptiClean™ 20 Compartment Divided Rack with one open extender;<br>Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 110L x 87Wmm<br>Open Tilted Design – Compartments hold cups in a tilted position, promoting even and thorough washing, drying and draining | 1         | 75.00  |
| RG25-114 | OptiClean™ 25 Compartment Divided Rack with one 25 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 90L x 90Wmm                                                                                                                 | 1         | 91.00  |
| RG36-114 | OptiClean™ 36 Compartment Divided Rack with one 36 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 74L x 74Wmm                                                                                                                 | 1         | 91.00  |
| RG49-114 | "OptiClean™ 49 Compartment Divided Rack with one 49 compartment divided extender; Colour Blue; 500L x 500W x 140Hmm with extender; Compartment 120mm depth x 60L x 60Wmm"                                                                                                               | 1         | 72.00  |
| C32P214  | "Perma-Sil™ 8-Compartment Dishwash Cutlery Storage Basket;<br>Colour Blue; Open weave basket design for optimum air and water flow for efficient washing & drying; 433L x 197W x 175Hmm; Compartment 90L x 90Wmm"                                                                       | 1         | 77.00  |
| RE2514   | "OptiClean™ 25-Compartment Divided Rack Extender<br>Colour Blue; 500L x 500W x 45Hmm; Compartment 90L x 90Wmm"                                                                                                                                                                          | 1         | 26.00  |
| RE3614   | "OptiClean™ 36-Compartment Divided Rack Extender<br>Colour Blue; 500L x 500W x 45Hmm; Compartment 74L x 74Wmm"                                                                                                                                                                          | 1         | 26.00  |
| C223614  | "E-Z Glide™ Warewashing Rack Dolly Without Handle;<br>Wt Capacity 150 kg; Holds any std 500mm racks;<br>Colour Blue; 572L x 572W x 203Hmm"                                                                                                                                              | 1         | 410.00 |
| C223703  | E-Z Glide™ Handle for C223614; Colour Black; Material Steel                                                                                                                                                                                                                             | 1         | 511.00 |
| RDC07    | "OptiClean™ Dust Cover for ware washing racks Colour – Clear;<br>533L x 533W x 914Hmm"                                                                                                                                                                                                  | 1         | 173.00 |



## MANUAL & ELECTRIC CAN OPENERS

Edlund are the industry leaders in quality, reliable can opening solutions and produce a wide range to suit any work load. Made tough with quality components, yet easy and safe to operate.

► Quality manufactured in USA ► Parts remove easily for replacement and cleaning ► Edlund blades are reversible for longer life ► Knife edges are intentionally dull and rounded to fold metal not cut it, thereby providing a smooth rim edge for greater safety.

### MODEL 1

Nickel plated opener and sturdy base with standard length bar, suitable for cans up to 280mm tall.

4 cans per minute.

Recommended daily use up to 15 cans.

Overall Height: 530mm

Weight packed: 8.1Kgs

LIST PRICE EA. **\$590**

MEDIUM USAGE



## ELECTRIC CAN OPENERS

► Effortless electric operation to eliminate fatigue ► Spring-loaded mechanism opens even dented cans ► Replaceable knife and gear provide long life ► Sleek stainless steel construction provides durable operation and easy cleaning.

### 266

Single Speed Electric Can Opener

4-7 cans per minute.

Recommended daily use up to 75 cans.

Most suitable for size #10 cans.

Dimensions: 111Wmm x 178Dmm x 305Hmm

Weight: 5.57Kgs

Electrical: 120W 0.5A Supplied with 10 amp plug.

LIST PRICE EA. **\$3490**

EFFORTLESS  
MEDIUM to HIGH  
USAGE



## CROWN PUNCH CAN OPENERS – PNEUMATIC

### 610

Unit complete with knife and guard ring locator for one standard size #10 round can.

All stainless steel including mechanism.

8-12 cans per minute.

Recommended daily use up to 400 cans.

(Note: Compressor not included).

LIST PRICE EA. **\$22550**

HIGH  
PRODUCTION





## SANITATION & STORAGE

The patented KSUV-18 Knife Sterilizer Cabinet provides superior sterilization compared to other methods or products using magnetic bars or metal racks to secure the knives. The exclusive non-filtering clear slotted knife holder and special mirrored interior walls eliminate shadows on knife surfaces within the cabinet that could prevent complete sterilization. The easy to operate mechanical timer can be set for up to 15 minutes, but the KSUV-18 will safely sterilize your knives in as little as 3 minutes with 99% efficacy\*\*. It's like a SPF-99 (Sterilization Protection Factor) for your knives.



\*Note: Knives not included

- 15 minute belled timer
- Holds up to 12 knives plus steel\*
- Stainless steel construction
- LED lights indicate when door is closed and sterilization is in process
- UV filtered plexiglass door with lockable keyed handle
- Exclusive non UV filtering slotted knife holder
- 2 Larger slots to accommodate cleavers
- Safety interlock door

| CODE    | W X D X Hmm     | KG   | \$   |
|---------|-----------------|------|------|
| KSUV-18 | 483 x 150 x 610 | 13.7 | 5480 |

## CONTACT US FOR OTHER ITEMS AVAILABLE IN THE RANGE



Heavy Duty Crown Punch Can Openers

Can Crushers - Electric (pictured), air powered and manual available



# GBG EASY SLUSH

## GBG GRANITIME EASY SLUSH MACHINES



**PUSH & PULL  
TAP**  
for an easier  
serving

**STAINLESS  
STEEL PANELS**

**CLIMATE  
CLASS T**  
Works up to  
43°C

**INCREASED  
ENERGY  
SAVING**  
in standby  
mode

**BUILT IN  
LIGHTS**

The best features of our machinery range  
gather together in a **NEW MODEL** to bring you  
the most reliable professional slush machine.



**Fast freeze**



**12 l. tank**



**Perfect mix**



**Reduced  
cleaning  
time**

### PRODUCTION

Slush, Sherbet, Sorbet, Drinks, Frozen Cocktails

**NEW**  
**2026**  
**NEW**


| CODE        | W X D X Hmm     | KG | POWER REQUIREMENTS | WATTS | CAPACITY       | \$    |
|-------------|-----------------|----|--------------------|-------|----------------|-------|
| GRANITIME 1 | 220 x 420 x 720 | 26 | 10amp              | 800   | 1 x 12ltr bowl | 5090  |
| GRANITIME 2 | 420 x 420 x 720 | 45 | 10amp              | 1000  | 2 x 12ltr bowl | 7500  |
| GRANITIME 3 | 620 x 420 x 720 | 60 | 10amp              | 1200  | 3 x 12ltr bowl | 10495 |



BY GBG



## V-AIR by GBG - CLASSIC



| MODEL                    | W X D X Hmm     | KG | POWER | WATTS | CAPACITY | \$    |
|--------------------------|-----------------|----|-------|-------|----------|-------|
| CLASSIC 2 - SL9V2230026A | 455 x 620 x 900 | 56 | 10amp | 750   | 2 x 12L  | 10300 |
| CLASSIC 3 - SL9V1330000F | 670 x 620 x 900 | 70 | 10amp | 1000  | 3 x 12L  | 13770 |

## PREVENTIVE MAINTENANCE

Ensure the best **performance** of your CLASSIC and a longer **lifetime** easily and economically with our preventive maintenance kits.



6 months maintenance kit  
SL310R6VCS0



12 months maintenance kit  
SL310R1VCS0





## DRINK MAGIC

### Refrigerated drink dispenser suitable for dairy products




#### Mix & Quality

Its continuous rotary system keeps the product well mixed and consistently blended for the best cold drink experience.



#### Push & Flow Tap

You can serve your drinks with only one hand, just press the glass against the tap to get the drink. It features high level of hygiene and simple to dismantle and clean.



#### Enhanced Cleaning Process

Features an easy bowl release system that, without the need for any tools, decreases time spent during assembly and disassembly process.



#### Easy to Cold

Easy to use two-switch control panel. There is a mixer switch and cooling switch, simply flipping up these two switches starts the mixer motor and begins the cooling process.




#### Durable Design

Made of hard and resistant plastic, ensures long life cycle in your premises. The plastic parts won't rust like metal drink dispensers, keeping its professional appearance.



#### Right Temperature, Boost Flavour

For most people, right temperature can enhance flavours. It is equipped with a digital temperature control that allows to adjust the cooling temperature between 0°C - 10°C



#### Crystal Clear Bowls

The unit features durable, crystal clear poly-carbonate bowls. Maximise the visibility while minimizes the risk of



| MODEL              | DRINK MAGIC 20-1 |
|--------------------|------------------|
| BOWL CAPACITY      | 400 x 770 x 830  |
| NET WEIGHT         | 16.6KG           |
| POWER REQUIREMENTS | 10AMP            |
| WATTS              | 160              |
| TEMP CONTROL       | ADJUSTABLE       |
| CAPACITY           | 1 x 20ltr bowl   |
| LIST PRICE         | 2990             |







**Hatco, the world's leaders in food warming and holding technology, continue to lead the way with high quality, reliable and aesthetically correct Decorative Heat Lamps. With 21 shade styles, 24 colour and finish options, plus a choice of 4 mounting style and 3 switch options, there will be a model to suit your project or restaurant perfectly. Hatco Decorative Heat Lamps are perfect for enhancing your food pass/servery. Choose the lamps that the experts choose.**

## DECORATIVE HEAT LAMPS - IN STOCK - all others to order

### DL-600-CL/BCOPPER

Hatco Decorative Heat Lamp  
Features flexible cord mount to canopy.  
Overall length is 1829mm. (Longer length available on application).  
Black cord standard.  
Switch on lamp housing.  
**Bright Copper plated finish.**  
Supplied unplugged

**LIST PRICE EA. \$1350**



### DL-400-CL/BOLDBLACK

Hatco Decorative Lamp  
Features flexible cord mount to canopy.  
Overall length is 1829mm (Longer length available on application).  
Black cord standard.  
Switch on lamp housing.  
**Bold Black finish.**  
Supplied unplugged

**LIST PRICE EA. \$985**



### DL-500-RL-CH/BK

Hatco **Retractable** Decorative Heat Lamp  
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.  
Black cord is standard.  
Switch on lamp housing.  
**Glossy grey finish.**  
Supplied unplugged

**LIST PRICE EA. \$1595**



### DL-775-RPL-BN/BK

Hatco **Retractable** Decorative Heat Lamp  
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.  
Black cord is standard.  
Switch on lamp housing.  
**Bright Nickel finish.**  
Supplied unplugged

**LIST PRICE EA. \$1980**



### DL-500-CL-CH/BK

Hatco Decorative Lamp  
Features flexible cord mount to canopy.  
Overall length is 1829mm (Longer length available on application).  
Black cord standard.  
Switch on lamp housing.  
**Glossy grey finish.**  
Supplied unplugged

**LIST PRICE EA. \$985**



### DL-750-RL/BOLDBLACK

Hatco **Retractable** Decorative Heat Lamp  
Features a cord which adjusts the lamp up and down from 762 mm to 1740 mm.  
Black cord is standard.  
Switch on lamp housing.  
**Bold Black finish.**  
Supplied unplugged

**LIST PRICE EA. \$1695**



All lamps supplied with 250watt Food Grade Teflon-coated heat lamp to meet Australian Food Standard regulations.  
(Spare Part N02.30.100.00)

Recommended height is no more than 350mm from target surface from underside of lamp.





## NEW RETRACTABLE CORD MOUNT - DL-750-RCL/BOLD BLACK

### DL-750-RCL-BOLD BLACK

Features a cord which adjusts the lamp up and down from 610 mm to 1829 mm.

Black cord is standard.

Switch on lamp housing.

**Bold Black finish.**

Supplied unplugged

LIST PRICE EA. **\$2375**




**Smooth operation and improved reliability**  
**Easier cleaning**




## NEW RETRACTABLE CORD MOUNT - SPECIAL ORDER OPTIONS

### 1 SELECT SHADE STYLE



### 2 SELECT COLOUR/FINISH

#### DESIGNER COLORS



#### GLOSS FINISHES



#### PLATED FINISHES




Shade color/finishes available for DL-1500 only  
Select a different color or finish for the rest of the unit.



### 3 NEW MOUNTING TYPE

**RC Mount®**  
Retractable  
Cord Mount.



### 4 SELECT SWITCH LOCATION

**(N)-None**  
Supplied by installer

**(L)-Lower  
Switch**  
(Horizontal toggle)


Not available on:  
• DLH (High Watt models)  
• 2X00 shade styles






## HOW TO ORDER NON STOCK LAMPS - Contact us for a quote

### 1 SELECT SHADE STYLE



#### NOTE:

DL-2100, -2200, 2300 or 2400  
Not available with:  
• Lower switch  
• R or RT Mounting  
• RC or RCT Mounting  
• C or CT Mounting




### 2 SELECT COLOUR/FINISH


Hatco is proud to introduce IFS **antimicrobial** powder coatings to the paint process for designer colours and gloss finishes - fighting germs to keep customers happy, healthy and **safe**.

IFS antimicrobial coatings use naturally-occurring, environmentally sustainable, silver ions to help inhibit the growth of microbes on the powder coated surface.

#### DESIGNER COLORS




#### GLOSS FINISHES



Only available for shades. Select a different option for the rest of the unit.

#### PLATED FINISHES




Shade color/finishes available for DL-1500 only  
Select a different color or finish for the rest of the unit.




### 3 SELECT MOUNTING TYPE


**C Mount®**  
Cord Mount  
to canopy.




**R Mount®**  
Coiled Retractable  
Cord Mount.




**RC Mount®**  
Retractable  
Cord Mount.



**S Mount®**  
Rigid Stem  
Mount  
to canopy.



**AS Mount®**  
At install only,  
limited height  
adjustments  
with Rigid  
Stem Mount  
to canopy.




### 4 SELECT SWITCH LOCATION

**(N)-None**  
Supplied by installer

**(L)-Lower  
Switch**  
(Horizontal toggle)


Not available on:  
• DLH (High Watt models)  
• 2X00 shade styles



**(R)-Remote Switch**  
• Accommodates 16 amps  
• Up to seven 250W lamps,  
or five 375W lamps  
maximum per remote switch



**(U)-Upper Switch**  
Not available on:  
• DLH (High Watt models)  
• R, RC Mounts  
• Track Mounts (CT, RT, RCT, ST, AST)





## GLO-MAX® GM5AH CURVED INFRARED STRIP HEATERS

This stylish, patented design, based on our signature Glo-Max® strip heaters, is the perfect solution for your front-of-the-house applications. Superb for buffet and serving lines, the sleek curved design minimizes its size while accenting and warming the products below. GM5AHL, with versatile LED lighting options, provides perfect coloring and coverage while lowering energy costs.

| CODE      | VOLTAGE   | WATTS       | AMPS | DIMENSIONS           | WEIGHT | \$   |
|-----------|-----------|-------------|------|----------------------|--------|------|
| GM5AH-30  | 230 ~ 240 | 606 ~ 660   | 2.8  | 762W x 150D x 50Hmm  | 5Kg    | 830  |
| GM5AHL-30 | 230 ~ 240 | 606 ~ 660   | 2.8  |                      | 6Kg    | 1310 |
| GM5AH-36  | 230 ~ 240 | 735 ~ 800   | 3.3  | 915W x 150D x 50Hmm  | 6Kg    | 885  |
| GM5AHL-36 | 230 ~ 240 | 756 ~ 812   | 3.4  |                      | 6Kg    | 1430 |
| GM5AH-42  | 230 ~ 240 | 872 ~ 950   | 4.0  | 1067W x 150D x 50Hmm | 7Kg    | 960  |
| GM5AHL-42 | 230 ~ 240 | 885 ~ 964   | 4.0  |                      | 7Kg    | 1690 |
| GM5AH-48  | 230 ~ 240 | 1010 ~ 1100 | 4.6  | 1220W x 150D x 50Hmm | 7Kg    | 1020 |
| GM5AHL-48 | 230 ~ 240 | 1025 ~ 1116 | 4.7  |                      | 8Kg    | 1680 |
| GM5AH-54  | 230 ~ 240 | 1148 ~ 1250 | 5.2  | 1372W x 150D x 50Hmm | 8Kg    | 1030 |
| GM5AHL-54 | 230 ~ 240 | 1163 ~ 1267 | 5.3  |                      | 8Kg    | 1840 |
| GM5AH-66  | 230 ~ 240 | 1433 ~ 1560 | 6.5  | 1675W x 150D x 50Hmm | 9Kg    | 1200 |
| GM5AHL-66 | 230 ~ 240 | 1450 ~ 1579 | 6.6  |                      | 10Kg   | 1930 |
| GM5AH-78  | 230 ~ 240 | 1736 ~ 1890 | 7.9  | 1981W x 150D x 50Hmm | 10Kg   | 1400 |
| GM5AHL-78 | 230 ~ 240 | 1754 ~ 1910 | 8.0  |                      | 11Kg   | 2560 |







Shown on optional stand (NTL5-16)

Clear anodized is the standard housing color, black anodized is an optional extra

Angle brackets are standard, non-adjustable tubular stands, 406 mm (16"), are an optional extra

Warm LED light (3000K)

Power wire lead length is 1524 mm





## GLO-MAX® HLC5 LED CURVED DISPLAY LIGHTS



A stylish choice for illuminating your serving area. The HLC5 LED Display Light offers the highest light output that is ideal for illuminating food products with a cool white light (4000K). The sleek, curved design is patented and the LED lighting delivers significant savings with lower energy consumption and greater reliability.

| CODE    | VOLTAGE   | WATTS | AMPS     | WEIGHT | DIMENSIONS         | \$   |
|---------|-----------|-------|----------|--------|--------------------|------|
| HLC5-30 | 220 ~ 240 | 11    | 0.05     | 4kg    | 762 x 150 x 50 mm  | 1080 |
| HLC5-36 | 220 ~ 240 | 14    | 0.06     | 4kg    | 915 x 150 x 50 mm  | 1124 |
| HLC5-42 | 220 ~ 240 | 15~16 | 0.07     | 5kg    | 1067 x 150 x 50 mm | 1178 |
| HLC5-48 | 220 ~ 240 | 17    | 0.08     | 6kg    | 1220 x 150 x 50 mm | 1221 |
| HLC5-54 | 220 ~ 240 | 19    | 0.08     | 7kg    | 1372 x 150 x 50 mm | 1340 |
| HLC5-66 | 220 ~ 240 | 22    | 0.09~0.1 | 8kg    | 1675 x 150 x 50 mm | 1469 |
| HLC5-78 | 220 ~ 240 | 24    | 0.1~0.11 | 8kg    | 1981 x 150 x 50 mm | 1658 |

Clear anodized is the standard housing color, black anodized is an optional extra  
 Angle brackets are standard, non-adjustable tubular stands, 406 mm (16"), are an optional extra  
 Rocket Switch, location: under unit on power side  
 Power wire lead length: 1524mm



Shown on optional stand.







Acknowledged world leaders in food holding and warming solutions, Hatco offer a breadth of products and solutions that answer almost any heating/warming/holding requirement.

And Hatco lead the way in merchandising solutions with high quality - high visibility products. Call to discuss your special requirements or project needs - Hatco has a quality solution and Hatco products are covered by our exclusive 13 month warranty on parts and labour.


## GLO RAY FOOD WARMER GRAH Heat only

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern (See schematic below). Safety wire guards, mounting brackets and 1800mm cord with 10A plug standard. **All units 150mmW x 64mmH**

| MODEL   | \$   | LENGTH | WATTAGE | MODEL-IC   | LENGTH | \$   |
|---------|------|--------|---------|------------|--------|------|
| GRAH-18 | 785  | 460mm  | 350W    | GRAH-18-IC | 460mm  | 1020 |
| GRAH-24 | 825  | 610mm  | 500W    | GRAH-24-IC | 610mm  | 1056 |
| GRAH-30 | 875  | 760mm  | 660W    | GRAH-30-IC | 760mm  | 1097 |
| GRAH-36 | 920  | 910mm  | 800W    | GRAH-36-IC | 910mm  | 1149 |
| GRAH-42 | 975  | 1070mm | 950W    | GRAH-42-IC | 1070mm | 1206 |
| GRAH-48 | 1030 | 1220mm | 1100W   | GRAH-48-IC | 1220mm | 1257 |
| GRAH-54 | 1085 | 1370mm | 1250W   | GRAH-54-IC | 1370mm | 1319 |
| GRAH-60 | 1150 | 1520mm | 1400W   | GRAH-60-IC | 1520mm | 1391 |
| GRAH-66 | 1250 | 1680mm | 1560W   | GRAH-66-IC | 1680mm | 1494 |
| GRAH-72 | 1395 | 1830mm | 1725W   | GRAH-72-IC | 1830mm | 1648 |
| GRAH-84 | 1600 | 2130mm | 1900W   | GRAH-84-IC | 2130mm | 1721 |
| GRAH-96 | 1815 | 2440mm | 2400W   | GRAH-96-IC | 2440mm | 2055 |



FOR INFINITE  
CONTROL  
MODELS SEE  
"IC" COLUMN  
←



Typical Glo Ray  
installation shown  
above stainless  
steel benchtop.

## GLO RAY FOOD WARMER GRAHL Heat & Light

Sturdy cast aluminium housing with patented metal sheathed heating rods and designed heat deflectors to control heat pattern. Includes Incandescent lighting, safety wire guards, mounting brackets and 1800mm cord with 10A or 15A\* plug standard. **All units 230mmW x 64mmH**

| MODEL    | \$   | LENGTH | WATTAGE    | MODEL-IC    | LENGTH | \$   |
|----------|------|--------|------------|-------------|--------|------|
| GRAHL-18 | 1080 | 460mm  | 470W       | GRAHL-18-IC | 460mm  | 1319 |
| GRAHL-24 | 1120 | 610mm  | 620W       | GRAHL-24-IC | 610mm  | 1360 |
| GRAHL-30 | 1250 | 760mm  | 780W       | GRAHL-30-IC | 760mm  | 1494 |
| GRAHL-36 | 1395 | 910mm  | 980W       | GRAHL-36-IC | 910mm  | 1638 |
| GRAHL-42 | 1490 | 1070mm | 1130W      | GRAHL-42-IC | 1070mm | 1736 |
| GRAHL-48 | 1665 | 1220mm | 1340W      | GRAHL-48-IC | 1220mm | 1906 |
| GRAHL-54 | 1780 | 1370mm | 1490W      | GRAHL-54-IC | 1370mm | 2050 |
| GRAHL-60 | 1990 | 1520mm | 1700W      | GRAHL-60-IC | 1520mm | 2246 |
| GRAHL-66 | 2130 | 1680mm | 1860W      | GRAHL-66-IC | 1680mm | 2400 |
| GRAHL-72 | 2420 | 1830mm | 2085W      | GRAHL-72-IC | 1830mm | 2689 |
| GRAHL-84 | 2830 | 2130mm | 2470W* 15A | GRAHL-84-IC | 2130mm | 3142 |
| GRAHL-96 | 3120 | 2440mm | 2880W* 15A | GRAHL-96-IC | 2440mm | 3430 |

FOR INFINITE  
CONTROL  
MODELS SEE  
"IC" COLUMN  
←

## REMOTE CONTROLS & IC UNITS

Use 1 Infinite Control per Glo Ray element

| MODEL   | DESCRIPTION                                       | \$  |
|---------|---------------------------------------------------|-----|
| RMB-3CE | Remote Control Enclosure with 1 Infinite Control  | 486 |
| RMB-7CE | Remote Control Enclosure with 2 Infinite Controls | 675 |



RMB-3CE



Dual Remote Control RMB-7CE



## FLAV-R-SHIELD® DOUBLE-SIDED SELF-SERVICE SNEEZE GUARD

Enhance and protect food products simultaneously with Hatco's Flav-R-Shield® Sneeze Guards – ES53 for stationary double-sided self-service applications.

These stylish yet functional Sneeze Guards, with several patented features, are ideal for buffet lines and serving stations. They provide all the requirements to safeguard your foods.


### Standard features

- Stylish 25 mm Diameter 304 brushed stainless steel Posts
- 50 mm Diameter stainless steel finish Flanges with unique tight-fitting Flange Covers that hide mounting screws and maximize cleanability
- Durable 10 mm Thick tempered glass construction with 19 mm radius corners and flat polished edges for a clean look throughout
- Unit consists of Top Panel(s)
- All units H X D MM
- Mounts to stainless steel, natural and engineered solid stone surfaces and laminate countertops

Pricing for fitting a sneeze guard to any GM5AH/L or HLC5 unit is available on request

| CODE      | DIMENSIONS                    | \$   |
|-----------|-------------------------------|------|
| ES53-1400 | To suit 1070mm (42inch) unit  | 2240 |
| ES53-1550 | To suit 1220 mm (48inch) unit | 2395 |
| ES53-1700 | To suit 1370mm (54inch) unit  | 2595 |





**Hatco heated shelves are the benchmark for quality, reliability and style when it comes to holding food at serving temperatures.**

**Choose from portable table-top models, drop-in or flush mount models to suit any project or venue requirement, and serve with style and practicality.**

## HEATED BLACK GLASS **PORTABLE** SHELVES 400mm DEEP

### HGSM-4060

Hatco's **Heated Glass Shelf Modular** units feature black ceramic glass to create uniform heat across the entire surface to hold hot food at safe-serving temperatures for longer without affecting product quality. Modular design allows for multiple units to be placed side-by-side and for easy cleaning and maintenance.


Includes thermostatic controls with five temperature settings of 55°C, 65°C, 75°C, 85°C and 95°C. Touch Panel Control.

Constructed with a durable stainless steel housing.

Weight: 7.5Kgs Dimensions: 400W X 600D X 56Hmm

Electrical: 300 Watts, 1.3 amp. supplied with corded 10amp plug.

**LIST PRICE EA. \$1450**




## GLO-RAY® GRS **PORTABLE** HEATED SHELF 495mm DEEP

Convenient portable heated shelf units 495mm 'deep', that offer the flexibility of use when and where needed. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times.

Temperature Range: 27-82°C. Designer colours to order.

| CODE     | DIMENSIONS                 | WATTS | WEIGHT | \$   |
|----------|----------------------------|-------|--------|------|
| GRS-24-I | 610 mm long x 495 mm deep  | 380   | 10Kg   | 2590 |
| GRS-30-I | 762 mm long x 495 mm deep  | 490   | 12Kg   | 2789 |
| GRS-36-I | 914 mm long x 495 mm deep  | 598   | 13Kg   | 2969 |
| GRS-42-I | 1067 mm long x 495 mm deep | 652   | 15Kg   | 3343 |
| GRS-48-I | 1219 mm long x 495 mm deep | 760   | 17Kg   | 3489 |
| GRS-54-I | 1372 mm long x 495 mm deep | 870   | 20Kg   | 3757 |



All models supplied corded with 10amp plug.




Shown with optional pan guards.


## GLO-RAY® GRS **PORTABLE** HEATED SHELF 305mm DEEP

Convenient portable heated shelf units 305mm 'deep' models, perfect for burger or product make-up and holding on the one bench space. Hatco's unique blanket element design provides even temperature across the shelf for extended product serving/holding times. Designer colours to order.

| CODE     | DIMENSIONS                 | WATTS | WEIGHT | \$   |
|----------|----------------------------|-------|--------|------|
| GRS-60-D | 1524 mm long x 305 mm wide | 600   | 16Kg   | 3125 |
| GRS-72-D | 1829 mm long x 305 mm wide | 700   | 17Kg   | 3300 |



All the above supplied corded with 10amp plug.



## GLO-RAY® GRSBF DROP-IN FLUSH TOP HEATED SHELF

Satin Black hard coated aluminium finish with flush mount, for a smooth professional finish, includes remote temperature control and ON/OFF switch.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. They feature a thermostatically-controlled blanket-type foil element heated surface to help hold your food hot and delicious with consistent temperatures across the shelf. Adjustable thermostat controls allow surface temperature for the GRSBF to range from 27° to 82°C.

| CODE       | DIMENSIONS (all 60mm height) | WATTS | WEIGHT | \$   |
|------------|------------------------------|-------|--------|------|
| GRSBF-24-I | 648mm long x 533 mm wide     | 550   | 13Kg   | 4491 |
| GRSBF-30-I | 800 mm long x 533 mm wide    | 665   | 14Kg   | 4987 |
| GRSBF-36-I | 953 mm long x 533 mm wide    | 780   | 14Kg   | 5483 |
| GRSBF-42-I | 1105 mm long x 533 mm wide   | 885   | 15Kg   | 5763 |
| GRSBF-48-I | 1257 mm long x 533 mm wide   | 1000  | 18Kg   | 5903 |
| GRSBF-54-I | 1372 mm long x 533 mm wide   | 1220  | 22Kg   | 6194 |
| GRSBF-60-I | 1562 mm long x 533 mm wide   | 1220  | 22Kg   | 6486 |
| GRSBF-72-I | 1867 mm long x 533 mm wide   | 1440  | 24Kg   | 6999 |



All the above supplied corded with 10amp plug.

Please note: depths/widths other than 533mm available on request: 432, 648, 800mm.

## GLO-RAY® HBGBHC DROP-IN HEATED BLACK CERAMIC GLASS

For a dramatic and professional food serving area, the Hatco Heated Black Glass Shelf has a heated ceramic glass surface to create uniform heat across the entire surface and display food perfectly.

Ideal for use on pass-through areas, buffet lines and as hors d'oeuvre displays. Surface colour is black ceramic glass and they feature a thermostatically-controlled heated ceramic glass surface to help hold your food hot and delicious. Food can be placed directly on the glass surface. Supplied with an attached stainless steel trim mounting ring for drop in installations.

Adjustable thermostat controls allow surface temperature for the HBGB to range from 25° to 125°C. Recommended for installation in metallic surfaces.

| CODE        | DIMENSIONS* (all 65mm Height) | WATTS | WEIGHT | \$   |
|-------------|-------------------------------|-------|--------|------|
| HBGBHC-2418 | 649 mm long x 498 mm wide     | 425   | 15Kg   | 3850 |
| HBGBHC-3018 | 802 mm long x 498 mm wide     | 525   | 17Kg   | 4349 |
| HBGBHC-3618 | 954 mm long x 498 mm wide     | 630   | 19Kg   | 4812 |
| HBGBHC-4818 | 1258 mm long x 498 mm wide    | 850   | 23Kg   | 5454 |
| HBGBHC-6018 | 1564 mm long x mm 498 wide    | 1050  | 29Kg   | 6475 |
| HBGBHC-7218 | 1859 mm long x 498 mm wide    | 1260  | 34Kg   | 7343 |

\* Outer dimensions of the stainless steel trim. All the above supplied corded with 10amp plug. **Controller dimensions 232x60x102mm.** Note: HBGBHC Units over 955 mm are constructed of two equal size pieces of glass. Recommended for use in a metallic countertop. For other surfaces, verify that the material is suitable for temperatures up to 130°C.







## HATCO HOT OR COLD SHELF


Serve hot buffet or cool salads/sweets on the same shelf space easily and quickly with flexibility to suit your venue. These units come in traditional Hardcoat finish or Swanstone® Simulated Stone Finish to match any decor, available as a Drop-In Flush mount. Save space and maximise the space you already have.

From the world-wide leaders in food holding solutions this versatile shelf satisfies your differing serving needs at the touch of a button. Patent-pending thermal break technology and renowned Hatco reliability - Hot OR Cold and now available Cold Only.

- Easily change between Hot or Cold in under an hour (approx) to suit your needs
- **Temperature Range:** -12°C to 82°C
- Control Box can be remotely mounted up to 1229mm from centre of the shelf
- Maximise the usage of your available space for hot or cold servings
- Durable Hardcoat Aluminium Finish Drop-In Flush Mount or Swanstone® food safe simulated stone colours available to match your decor and other Hatco Heated Shelves
- Famous Hatco performance and reliability
- Patent-pending thermal break reduces condensation and temperature transfer.
- Includes a remote-mountable control enclosure, with a three position power switch and two digital temperature controllers.



HCSBFR model with remote condensing unit




CSBFP model in traditional hardcoat with R290 integral compressor

Available as a Cold Only shelf.


NEW SWANSTONE COLOUR OPTIONS 2026




Hot or Cold Remote control with three position switch and two electronic temperature controls



ICE



BIRCH



ASH GRAY

\*Swanstone Colour must be specified at time of order.

Hatco's CSBF Cold Shelf Built-In Flush Top is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving. Features patent-pending thermal break that reduces condensation. Includes a power On/Off switch and digital temperature controller. Has a hardcoat aluminum surface and is designed to be top mounted.

### NEW MODEL WITH REMOTE COMPRESSOR

| CODE         | DESCRIPTION                           | DIMENSIONS: (heated-cooled/overall) | Watts / Amps | Compressor | Weight | \$    | REMO<br>SUITABLE FOR R-513A GAS |
|--------------|---------------------------------------|-------------------------------------|--------------|------------|--------|-------|---------------------------------|
| HCSBFR-24-I  | Drop-In Hot / Cold Shelf - Hardcoat   | 610W x 495mmD / 648W x 533mmD       | 804 / 3.5    | 1/4HP      | 58Kg   | 17985 |                                 |
| HCSBFR-36-I  | Drop-In Hot / Cold Shelf - Hardcoat   | 914W x 495mmD / 953W x 533mmD       | 1044 / 4.5   | 1/3HP      | 68Kg   | 18469 |                                 |
| HCSBFR-48-I  | Drop-In Hot / Cold Shelf - Hardcoat   | 1219W x 495mmD / 1257W x 533mmD     | 1044 / 4.5   | 1/3HP      | 84Kg   | 20570 |                                 |
| HCSSBFR-24-I | Drop-In Hot / Cold Shelf - Swanstone* | 610W x 495mmD                       | 804 / 3.5    | 1/4HP      | 67Kg   | 18469 |                                 |
| HCSSBFR-36-I | Drop-In Hot / Cold Shelf - Swanstone* | 914W x 495mmD                       | 1044 / 4.5   | 1/3HP      | 76Kg   | 19058 |                                 |
| HCSSBFR-48-I | Drop-In Hot / Cold Shelf - Swanstone* | 1219W x 495mmD                      | 1044 / 4.5   | 1/3HP      | 92Kg   | 20966 |                                 |

### NEW MODEL WITH INTEGRAL COMPRESSOR

| CODE       | DESCRIPTION                   | DIMENSIONS: (cooled/overall)    | Watts / Amps | Compressor | Weight | \$    | R290 GAS |
|------------|-------------------------------|---------------------------------|--------------|------------|--------|-------|----------|
| CSBFP-24-I | Drop-In Cold Shelf - Hardcoat | 610W x 495mmD / 648W x 533mmD   | 816/3.5      | 1/3HP      | 53KG   | 15510 |          |
| CSBFP-36-I | Drop-In Cold Shelf - Hardcoat | 914W x 495mmD / 953W x 533mmD   | 816/3.5      | 1/3HP      | 62Kg   | 15796 |          |
| CSBFP-48-I | Drop-In Cold Shelf - Hardcoat | 1219W x 495mmD / 1257W x 533mmD | 816/3.5      | 1/3HP      | 71Kg   | 17688 |          |



## HATCO® DROP-IN SLIM FROST TOP

Convenience meets style with the Hatco Drop-In Slim Frost Tops. Perfect for quick turn products on self-serve buffets. Save space and maximise the space you already have.

Hatco Drop-in Slim Frost Tops keep pre-chilled beverages, snacks, hors d'oeuvres and side dishes cool and ready to serve. Slim configuration provides wider access to your customers.

- Available in 2- and 3-pan slim configurations
- NSF 7 approved cold wall construction utilizes a refrigerant that keeps food product cold without drying it out
- Auto-defrost is activated through an advanced programmable electronic controller
- Matches the Hatco line of Heated Wells for an integrated look
- The condensing unit, mounted on the centre of the unit, rotates 180° (movable in some models)
- Long, flexible refrigerant line (ability to pull out condensing unit) for service
- Famous Hatco performance and reliability



FTBP-S2 Drop-In Slim Frost Top

### NEW MODEL WITH INTEGRAL COMPRESSOR


| CODE    | DESCRIPTION             | DIMENSIONS: (heated-cooled/overall) | Watts / Amps | Compressor | Weight | \$    | R290 GAS |
|---------|-------------------------|-------------------------------------|--------------|------------|--------|-------|----------|
| FTBP-S2 | Drop-In Slim Frost- Top | 1395W x 535D x 437Hmm               | 804 / 6.7    | 1/4HP      | 83Kg   | 18305 |          |
| FTBP-S3 | Drop-In Slim Frost- Top | 2053W x 535D x 437Hmm               | 804 / 6.7    | 1/4HP      | 108Kg  | 19230 |          |

## HATCO® GOLD UNDERMOUNT SHELF

Hatco's CSU Cold Undermount Shelf is a foodsafe shelf that is designed to keep pre-chilled food products in the perfect chill zone for serving.

- Undermount shelves have the amazing benefit of being able to be installed under the counter top of your choice\*\*\*
- Long, flexible refrigerant line (ability to pull out condensing unit) for service
- Electronic Temperature Control Box with a 1219 mm lead wire
- Anodized aluminum surface

\*\*\*Approved materials include granite and quartz up to 30 mm, Swanstone® (provided by Hatco), and certain stainless steel or aluminum surfaces approved by Hatco. Please contact FSM for applications with other material



### NEW MODEL WITH INTEGRAL COMPRESSOR

| CODE      | DESCRIPTION           | DIMENSIONS:           | Watts / Amps | Compressor | Weight | \$    | R290 GAS |
|-----------|-----------------------|-----------------------|--------------|------------|--------|-------|----------|
| CSUP-24-I | Cold Undermount Shelf | 697W x 579D x 257Hmm  | 1296 / 5.4   | 1/3HP      | 52Kg   | 15510 |          |
| CSUP-36-I | Cold Undermount Shelf | 998W x 579D x 257Hmm  | 984 / 4.1    | 3/8HP      | 64Kg   | 15710 |          |
| CSUP-48-I | Cold Undermount Shelf | 1303W x 579D x 257Hmm | 984 / 4.1    | 3/8HP      | 70kg   | 17105 |          |



## GLO-RAY® HEATED DISPLAY WARMERS

**Boost impulse sales by showcasing your hot foods in the Hatco Glo-Ray merchandising warmers. Designed specifically for displaying wrapped or boxed product, these warmers hold hot food safely at proper serving temperatures and are seen in many of the best known venues around the world.**

- ▶ Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- ▶ Convenient for self-serve or quick-serve areas
- ▶ Available in two-tier models with horizontal or slanted shelves
- ▶ Adjustable product divider rods sort food displays for convenience and product appeal
- ▶ Thermostatically controlled hard-coated heated base extends holding times
- ▶ Food grade Teflon coated incandescent lights illuminate the holding areas and product for maximum visibility.

### GRSDS *Slant* Model - all 617 mm deep

| CODE       | DESCRIPTION           | KW     | AMP      | WEIGHT | \$    |
|------------|-----------------------|--------|----------|--------|-------|
| GRSDS-24D  | Dual Shelf - 610 mmW  | 1.34kw | 5.6 amp  | 52Kg   | 14775 |
| GRSDS-30D  | Dual Shelf - 760 mmW  | 1.53kw | 6.4 amp  | 64Kg   | 15714 |
| GRSDS-36D  | Dual Shelf - 910 mmW  | 1.81kw | 7.6 amp  | 73Kg   | 16632 |
| GRSDS-41D  | Dual Shelf - 1040 mmW | 2.12kw | 8.8 amp  | 82Kg   | 17874 |
| GRSDS-52D* | Dual Shelf - 1320 mmW | 2.73kw | 11.4 amp | 98Kg   | 20736 |
| GRSDS-60D* | Dual Shelf - 1520 mmW | 3.34kw | 14 amp   | 108Kg  | 21870 |

Units 24D - 41D supplied corded with 10A plug.

\*Units 52D - 60D supplied corded with 15A plug.




### GR2SDH *Horizontal* Model **DESIGNER SERIES** - All 687 mm deep

| CODE        | DESCRIPTION           | KW     | AMP      | WEIGHT | \$    |
|-------------|-----------------------|--------|----------|--------|-------|
| GR2SDH-24D  | Dual Shelf - 770 mmW  | 1.64kw | 6.9 amp  | 57Kg   | 17496 |
| GR2SDH-30D  | Dual Shelf - 920 mmW  | 2.04kw | 8.5 amp  | 72Kg   | 18684 |
| GR2SDH-36D* | Dual Shelf - 1070 mmW | 2.44kw | 10.2 amp | 93Kg   | 19926 |
| GR2SDH-42D* | Dual Shelf - 1220 mmW | 2.98kw | 12.5 amp | 102Kg  | 21708 |
| GR2SDH-48D* | Dual Shelf - 1380 mmW | 3.38kw | 14.1 amp | 115Kg  | 23490 |
| GR2SDH-54D^ | Dual Shelf - 1530 mmW | 3.78kw | 15.8 amp | 124Kg  | 25380 |
| GR2SDH-60D^ | Dual Shelf - 1680 mmW | 4.42kw | 18.4 amp | 149Kg  | 27054 |

Units 24D - 30D supplied corded with 10A plug.

\*Units 36D - 48D supplied corded with 15A plug. ^Units 54D - 60D supplied unplugged.



Horizontal models also available to order.  
**Please specify colour at time of ordering, otherwise colour inserts and cap ends will be supplied in black.**





## GLO-RAY® 2-GO HEATED SHELVES

Hatco's GRS2G Glo-Ray 2-Go™ Heated Shelf, designed specifically with delivery and carry-out needs in mind, is capable of holding a great quantity of hot food items at optimum serving temperatures.

- Holds bags and boxes of food for up to 30 minutes with a high temperature range up to 93°C.
- Touchscreen control with digital readout indicates separate heat and timer for each shelf.
- Features shelves with heated bases that are thermostatically-controlled and has a stainless steel frame.
- The cord is recessed into the bottom shelf at a 45° angle, allowing the unit to be flush against the wall.



GRS2G-3920-4 shown

| CODE         | DESCRIPTION      | DIMENSIONS:            | Watts / Amps | Weight | \$    |
|--------------|------------------|------------------------|--------------|--------|-------|
| GRS2G-3920-2 | 2 Heated shelves | 1093W x 508D x 546Hmm  | 766 / 3.2    | 69Kg   | 8306  |
| GRS2G-3920-3 | 3 Heated shelves | 1093W x 508D x 908Hmm  | 1148 / 4.8   | 80Kg   | 10466 |
| GRS2G-3920-4 | 4 Heated shelves | 1093W x 508D x 1270Hmm | 1529 / 6.4   | 91kg   | 12420 |

Optional side and back panels are one panel per shelf, giving you the flexibility to customize your unit.

| CODE            | DESCRIPTION                                                                                                                                                      | \$        |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| CONTROL-GRS2G-R | Controls and permanent panel on ride side in leaiu of standard left side                                                                                         | No charge |
| S PANEL GRS2G S | Side Panel for GRS2G-3920<br>One panel per open shelf<br>-2 shelves require 1 side panel<br>-3 shelves require 2 side panels<br>-4 shelves require 3 side panels | 76        |
| B PANEL GRS2G S | Back Panel for GRS2G-3920<br>One panel per open shelf<br>-2 shelves require 1 back panel<br>-3 shelves require 2 back panels<br>-4 shelves require 3 back panels | 152       |



GRS2G-3920-3 with optional side panel (SPANEL-GRS2G3)





## GLO-RAY® 2-GO HEATED SHELVES - C MODELS

- Holds bags and boxes of food for up to 30 minutes with a high temperature range up to 93°C.
- Shelves are 507 mm deep and 986 mm wide, with a 289 mm clearance between shelves that is large enough to fit a variety of carry out/delivery bags and boxes.
- Each shelf features a digital temperature control, a power On/Off switch, and jumper power cords.
- Units feature stainless steel shelves with heated bases that are thermostatically-controlled.
- Supplied flat packed
- Includes 10amp plug



GRS2GC-3920-4 shown

| CODE          | DESCRIPTION      | DIMENSIONS:           | Watts / Amps | Weight | \$   |
|---------------|------------------|-----------------------|--------------|--------|------|
| GRS2GC-3920-2 | 2 Heated shelves | 986W x 507D x 475Hmm  | 824 / 3.4    | 21Kg   | 4385 |
| GRS2GC-3920-4 | 4 Heated shelves | 986W x 507D x 1135Hmm | 1648 / 6.9   | 40kg   | 7725 |



Digital temperature control on each shelf



Power On/Off switch with jumper cords for each shelf



## GLO-RAY® PORTABLE FOOD WARMERS/CHIP DUMPS

With heat from above, below or both, Hatco Glo Ray® food warmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows, and service areas that require frequent and easy access, these units keep product at serving temperature and optimum quality.

### GR-FFB

This excellent Food Warmer/Chip Dump has a preset heated base that conducts heat from the bottom while an adjustable infrared element heats from above.

A swing-away top provides fast and easy access to food pans.

Weight: 12Kgs

Dimensions: 324 x 610 x 508mm

Electrical: 750 Watts, 3 amp. supplied with corded 10amp plug.

**LIST PRICE EA.      \$2517**



### GMFFL

Hatco's latest Portable Food Warmer has a sleek rounded design and its black colour finish fits into any decor. This portable Food Warmer has heat and light from above in powder-coat black and comes with a sign holder on the front lower panel (sign not included) to maximise sales potential.

Suits 1/1 Gastronorm pan 100mm deep (not included).

Weight: 9.2Kgs

Dimensions: 329 x 644 x 445mm

Electrical: 610 Watts, 2.5 amp supplied with corded 10amp plug.

**LIST PRICE EA.      \$830**





## GLO-RAY® PORTABLE FRY STATIONS & MULTI PRODUCT

Designed with ample handling space between the heat source and the holding area to empty baskets, Glo-Ray Fry Holding Stations maintain 'just made' food temperatures. Ceramic elements direct radiant heat from above, while a preset thermostatically controlled heated base (adjustable on the MPWS-36) maintains uniform holding temperature from below. The slotted holding bin allows the rising heat to envelop the food, preventing soggy product. A sectional divider permits holding of multiple products simultaneously.

**A range of options are available to customise each model to suit your own operation. Call your FSM representative.**

### GRFHS-21

Glo-Ray Portable Fry Station  
Dimensions 540 x 700 x 550mm  
Weight: 30Kgs  
Electrical: 1200watts, 5 amp.  
Supplied corded with a 10amp plug.

**LIST PRICE EA.      \$8155**



Shown With Optional Fry Ribbon

### MPWS-36 with MPWS-36 BIN

**Glo-Ray Multi-Product Warming Station** – the ultimate in hot fried food holding with six thermostatically controlled high power overhead ceramic heating elements and base element complemented by food grade teflon coated incandescent lamps for enhanced product display.

Choose from a wide range of optional extras including pleated ribbons, angled risers, bag and tong holders and fry bin inserts to customise the warming station for your operation. Unit comes standard with MPWS-36BIN accessory (Full Fry Bin insert; drip tray, perforated insert, three dividers) and detachable side panel insert for left or right installations.

Dimensions: 947 x 626 x 832mm

Weight: 79Kgs

Electrical: 3075watts, 13 amp.

Supplied corded with 15amp plug.

**LIST PRICE EA.      \$12096**



Shown With Optional Scoop Holder



## HIGH WATT 4 SLOT **POP-UP** TOASTER 1 OR 2 SIDED TOASTING!

**TPT-230-4-10** up to 160 toast slices per hour  
Perfect for self-serve areas, care facilities and light-medium volume applications.

The Hatco Pop-Up Toaster provides even golden toasting of a variety of bread products.

Durable stainless steel housing

Four self-centering slots (32mmW)

Two toasting controls with bagel/bun button for **one-sided** toasting

Removable crumb tray.

Two separate toasting controls

This productive and versatile unit enables the toasting of two lots of two slices of bread individually or together.

Electrical: 2.25Kw, 9.5 amps. Supplied with 10amp plug.

Dimensions: 378 x 330 x 235 mm

Weight: 8Kgs



**LIST PRICE EA. \$1095**

Pop Up Toaster with either two lots of two or four slices toasted simultaneously.

## Are You Buying the Right Commercial Toaster for Your Foodservice Operation?

What makes someone the “toast of the town?” Typically, it’s because they’re pretty incredible (or toast-worthy). But funny enough, the saying works for toast itself.

There’s nothing quite like a slice of hot, buttered toast; the comfort-food meter is off the charts (especially if you add a little cinnamon and sugar). Breakfast isn’t complete without a side of crispy toast or a delicious bagel — and a BBQ pork sandwich, BLT or cheeseburger doesn’t measure up without a crisped bun. Toasted products are a staple for almost every operation out there.

### What to know about pop-up toasters

The benefits of a pop-up toaster:

A pop-up toaster is one of the most common types of toasters, and it’s also the least expensive on the market. Operation is simple with a standard dial to determine the preferred shade of toast, and a straightforward on-demand, push-down lever to “start” the unit up. These toasters typically use less energy and have a smaller footprint than other models.

Where a pop-up toaster shines

It’s familiar and easy-to-use controls make pop-up toasters perfect for front-of-the-house operations such as continental breakfasts, cafeterias or buffets. These settings (as well as coffee shops, small diners, and other establishments that demand less volume of toasted products) are the perfect candidates for a pop-up toaster. Look for a well-crafted, durable toaster with a removable crumb tray for easy cleanup. And longer, wider slots should be considered for increased versatility to toast items like bagels and hoagie buns. Lastly, if you plan to use a pop-up toaster in a front-of-house capacity, be aware of the aesthetics and choose one that not only functions well but also looks great.





## TOAST-MAX **CONVEYOR** TOASTER

The Hatco Toast-Max entry-level conveyor toaster offers the flexibility and performance to perfectly toast bread and buns fast. Utilising conveyor speed, not temperature, to determine toasting colour, this allows for instant adjustment of toasting time to maintain quality.

### TM-10H **up to 6 slices/minute**

4 position toast selector switch:  
off / toast / buns / standby mode.  
89mm clearance to accommodate high profile bread products.  
easy-to-load rack with front or rear discharging.  
V-shaped reflectors help capture and redirect heat.  
Long lasting serpentine metal sheathed heating elements.  
102mm adjustable legs.  
Pilot light signals unit is in operation.  
Discharge & crumb trays are removable.  
Electrical: 1900watts, 8 amps. Supplied with 10amp plug.  
Dimensions: 368 x 387 x 419 mm  
Shipping weight: 19Kgs

**LIST PRICE EA.      \$2290**



### TM3-10H/BLACK

"Color Guard" system assures toast uniformity  
Power-save mode with indicator light saves energy during off-peak period  
Bread and bun toast options  
300-400 slices per hour toast capacity  
2" and 3" opening height  
Built-in fan provides cool surface temperature

Electrical: 1900watts, 8 amps. Supplied with 10amp plug.  
Dimensions: 368 x 411 x 535 mm  
Shipping weight: 20Kgs

**LIST PRICE EA.      \$3480**





## TQ SERIES HIGH WATT **CONVEYOR** TOASTERS

The Hatco High Watt Conveyor toasters toast high moisture content bread product to a rich golden colour. Sheathed heating elements are featured in all models. Toast-Qwik models have a conveyor feed guide and front or rear discharge with toast tray.

This provides the flexibility and performance to perfectly toast bread products. The exclusive **ColorGuard® sensing system** monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.

Power save mode conserves energy and saves money and the insulation and interior fan provide cooler surface temperatures.

### TQ3-500H TOAST-QWIK

**up to 500 toast slices/hour**

Touch screen controller - easy to see and use

Twelve programmable settings

USB port for software updates. Black finish standard.

Programmable power save function.

Unique toast delivery rack moves toast to the storage tray each and every time.

Suitable for front discharge with tray extended.

Exclusive *Colorgard* system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 2.22 kW, 9.3A. Supplied corded with 10 amp plug.

Dimensions: 373W x 524D x 435H mm

Delivery tray extends to 591 mm total depth

Height of opening 76mm

Weight: 25Kgs

**LIST PRICE EA. \$7118**

**DIGITAL  
PROGRAMMABLE  
MODEL**  
With Touch  
Screen control  
and Exclusive  
*Colorguard*  
technology  
maintains  
toast colour



### TQ-805 TOAST-QWIK

**up to 600 toast slices/Hour**

Suitable for front or rear discharge.

Exclusive *Colorgard* system controls toast quality Toasts bread, buns, muffins and sandwiches.

Electrical: 3.6 kW, 15A. Supplied corded with 15 amp plug.

Dimensions: 368W x 578D x 422H mm

Weight: 28Kgs

Includes tray extensions.

Rear tray extends 165 mm.

**LIST PRICE EA. \$8965**

**Exclusive  
*Colorguard*  
technology  
maintains  
toast colour**



### TQ2-SECURITY COVER

Hinged Control Cover to suit TQ-805 units, can be retro fitted.

**LIST PRICE EA. \$314**



**Optional TQ2-Security  
Cover for TQ805  
Model Toaster**



## TQ SERIES HIGH WATT **CONVEYOR** TOASTERS

### TQ-1800H TOAST-QWIK

**up to 1200 toast slices/hour**

- ▶ Suitable for front or rear discharge.
- ▶ Exclusive **Colorgard®** system controls toast quality by constantly monitoring toasting chamber temperatures and adjusting conveyor speed automatically.
- ▶ Toasts bread, buns, muffins and sandwiches.
- ▶ Adjustable Upper & Lower Heating Elements,
- ▶ Power-Save Mode,
- ▶ 367mm WIDE throat

Electrical: 4.65 kW, 20 amp. Supplied unplugged.

Dimensions - 470 x 578 x 422mm

Includes tray extensions.

Rear tray extends 165 mm

Shipping Weight 33Kg

**LIST PRICE EA.**

**\$9699**

**MASSIVE  
PERFORMANCE  
with Exclusive  
Colorguard technology  
that maintains  
toast colour**



TQ Series Conveyor Toasters provide total control of the toasting of bread products. Individual controls are provided for top heat, bottom heat, conveyor speed and a stand-by switch to maximise quality and throughput. Colorgard sensing technology maintains toast quality through quiet or busy serving times. For those situations where you need to avoid patrons adjusting these controls unnecessarily, choose the TQ2 Security Cover for the TQ-805 Model.

The exclusive **ColorGuard® sensing system** monitors cabinet temperature and adjusts conveyor speed during high usage periods to assure uniform toast, improving customer satisfaction and reducing waste.





## PANINI GRILL

The Hatco® Panini Grill will help expand your menu and your sales. Available with a grooved (on request) or flat surfaces to accommodate all of your grilling needs. Perfect for making anything from sandwiches, tortillas and quesadillas to chicken and steak. Basically anything that can be grilled can be done right on your countertop without having to have a dedicated grill space. Digital control for both time and temperature for simple operation. A great addition to any kitchen set up.

### PG14F-1

Adjustable time/temperature controls enable operators to cook continuous, consistent quality products

Exclusive heating elements provide exceptional heat distribution throughout the entire cooking plate, ensuring even cooking of each product

Compact design is suitable for any location and stainless steel frame provides durability and easy cleaning

Can use on products up to 76mm thick

Maximum temperature of 260°C

Comes with a scraper and removable grease trough for easy clean up between uses

Convenient handles on either side of unit make it easy to move from one location to another



**LIST PRICE EA.      \$4639**





## PLATE WARMER

Hatco's PW Plate Warmer is designed to hold easily accessible pre-heated serving plates, as serving hot food on pre-heated plates helps extend the holding times of most foods.

### PWC-12/BLACK

Doorless, open design allows for easy retrieval, loading and cleaning.  
Can hold 25 plates up to 305 mm in diameter.  
Features a power On/Off switch and a covered digital temperature control with an adjustable range of 40°C to 50°C.  
Energy efficient LED lighting illuminates the interior from the top.  
Ability to daisy-chain up to three units (do not stack)  
Available as countertop or wall mounted.  
Electrical: 240 volt, 463 watts, supplied with 10amp plug, 1829mm power cord  
Dimensions - 427 x 441 x 568mm  
Opening Dimensions - 320 x 400mm  
Shipping Weight 29Kg

**Doorless design with a heated air curtain system**



**LIST PRICE EA.      \$3402**



## HATCO FREE STANDING DRAWER WARMERS

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers, 12-gauge stainless steel slides and heavy-duty hardware in Standard or Narrow model to suit your kitchen space. *Unique features include:*

**ALL** drawers have an individual on/off switch, thermostatic control and adjustable sliding vents for humidity control providing superior quality control and versatility.

Each drawer has the capacity to accept a pan 1/1x150mm deep or 2x1/2 or 3x1/3. (Pans not included).

Supplied with 102mm legs, 1829mm cord and 10A plug. Castor option available on ALL models.

### HDW-1

1-drawer model

749W x 575D x 279Hmm (excluding legs)

Supplied with cord and 10 amp plug.

450watts / 2 Amp. Weight: 44Kg

**LIST PRICE EA. \$6999**



### HDW-2

2-drawer model

749W x 575D x 537Hmm (excluding legs)

Supplied with cord and 10 amp plug.

900watts 3.8 Amp. Weight: 76Kg

**LIST PRICE EA. \$11755**



### HDW-3

3-drawer model

749W x 575D x 794Hmm (excluding legs)

Supplied with cord and 10 amp plug.

1350watts / 5.7 Amp. Weight: 106Kg

**LIST PRICE EA. \$17065**



Shown With Optional Casters

### HDW-CASTER 2"

**Option All Models**

Hatco Heavy Duty Castor kit,  
51mm Diameter

Add mobility to your drawer  
warmer with the Hatco  
**HDW-CASTER 2"** option.

These castors easily change-over  
with the standard legs, enabling  
moving for routine cleaning/  
maintenance etc. (PACK OF 4)

**LIST PRICE EA. \$490**



## HATCO FREE STANDING NARROW DRAWER WARMERS

### HDW-1N

1-drawer Narrow model

530W x 686D x 279Hmm (excluding legs)

Supplied corded with 10 amp plug.

450watts / 2 Amp. Weight: 44Kg

**LIST PRICE EA. \$6999**



### HDW-2N

2-drawer Narrow model

530W x 686D x 537Hmm (excluding legs)

Supplied corded with 10 amp plug.

900watts / 3.8 Amp Weight: 76Kg

**LIST PRICE EA. \$11755**





## HATCO FREE STANDING DRAWER WARMER

Available in 1, 2 & 3 drawer freestanding models built of rugged stainless steel with durable nylon drawer rollers.

Unique features include:

- Top-of-the-unit Touchscreen Controller is positioned at an angle for greater visibility
- Controller allows individual temperature control and hold timer per drawer with both visual and audio alerts
- Robust stainless steel construction inside and out.
- Easy-to-clean seamless, interior core with snap out out side panels make this unit easy to service
- Each drawer has adjustable vents for varying moisture levels in individual drawers
- Drawer frame can accommodate varying pan configurations, including 1/1 GN, 1/3 GN, 1/3 GN up to 152 mm deep, with or without lids (pans not included).

### HDWTC-2

2-drawer model

622W x 650D x 573Hmm

Supplied on 51mm Castors

Add 38mm to depth for door handles

Supplied with cord and 10 amp plug.

766watts / 3.2 Amp. Weight: 81Kg

**LIST PRICE EA. \$14580**



## HATCO DRAWERMAX® DRAWER WARMERS

2 drawer freestanding model built with rugged construction and heavy-duty hardware to keep variety of foods hot and fresh until served. Unique features include:

- ALL drawers have an individual on/off switch and independent temperature control, and adjustable vents for humidity control providing superior quality control and versatility.
- Includes two full-size stainless steel 150mm food pans
- Supplied with 102mm legs, 1829mm cord and 10A plug. Castor option available.
- Easy to clean

### HDM-2

2-drawer model

749W x 576D x 614Hmm (including legs)

Supplied with cord and 10 amp plug.

984watts / 2 Amp. Weight: 74Kg

**LIST PRICE EA. \$5690**



Black powdercoated exterior - 2 drawer model shown

ALSO AVAILABLE AS A 1 DRAWER AND 3 DRAWER

### HDM-1

1-drawer model

749W x 576D x 380Hmm

(including legs)

Supplied with cord and 10 amp

plug. 984watts / 2 Amp.

Weight: 44Kg

**LIST PRICE EA. \$3470**

### HDM-3

3-drawer model

749W x 576D x 849Hmm

(including legs)

Supplied with cord and 10 amp

plug. 984watts / 2 Amp.

Weight: 105Kg

**LIST PRICE EA. \$9030**



## GLO-RAY® DECORATIVE CARVING STATIONS

The Glo-Ray Decorative Carving Stations are the ideal way to display, hold and serve food and to extend food holding times during serving periods. With a wide range of options and styles, Hatco have a unit that will complement your servery and decor perfectly with reliable quality.

### DCS400-1-AGBN

Freestanding overhead height adjustable heat lamp supported by a sturdy 203mm square base.

527D x Variable Height 864-1168Hmm

Shown in Bright Nickel with Ash Gray Base.

Lamp also available in *Bright Brass and Antique Bronze*.

Weight: 15Kg

Supplied corded with 10amp plug. 250watts 1 Amp.

**LIST PRICE EA. \$4130**



### DCSB400-2420-1-AGBN

Overhead height adjustable heat lamp supported by a rectangular Swanstone heated base with sneeze guard.

608W x 506D x Height 864 - 1168Hmm.

Shown in Night Sky Base with Bright Nickel posts and lamp.

Also available in *Bright Brass/Antique Bronze post and lamp and Gray Granite/Bermuda Sand decorative base stone colours.*

Weight: 48Kg

Supplied corded with 10 amp plug. 750watts / 3.2 Amp.

**LIST PRICE EA. \$9600**



### DCSB400-3624-2-AGBN

Dual overhead heat lamps - height adjustable, supported by a rectangular Swanstone heated base with sneeze guard.

911W x 610D x Height 864 - 1168Hmm.

Shown in Bright Nickel post and lamp and Gray Granite base.

Also available in *Antique Bronze/Bright Brass post and lamp and Bermuda Sand/Night Sky decorative base stone colours.*

Weight: 70Kg

Supplied corded with 10 amp plug. 1300watts / 5.5Amp.

**LIST PRICE EA. \$13970**




## COLOUR SWATCHES




Plated Colours:


Bright Nickel, Bright Brass and Antique Bronze



ICE



BIRCH



ASH GRAY

\*Colours must be specified at time of order.

**NEW SWANSTONE COLOUR OPTIONS 2026**





## HATCO PASTA COOKERS

### BOIL, STEAM, WARM

The multi-purpose HEAT-MAX well offers the flexibility of a food warmer, soup kettle, bain marie heater, steamer and pasta cooker all in one!

With a range of temperature settings, HEAT-MAX can boil pasta and soup noodles, steam dim sum, keep food warm, hold soups, curries, gravies and toppings at safe serving temperatures.

#### RCTHW2-3 - COUNTERTOP

Heat-Max Rectangular Single Heated Well - to take 1/1 Gastronorm pan (not supplied).

Touch panel for three temperature set points: **LOW:** 40-65°C **MED:** 65-80°C **HIGH:** 80-95°C

Electronic control panel | Energy saving Low Power mode | Convenient Drain control

Electrical: 3Kw, 12.5 amps | Supplied corded with 15amp plug.

368W x 582L x 290H Ship Weight 12kg

**LIST PRICE EA. \$1990**

#### RCTHW2-6 - COUNTERTOP (pictured)

Heat-Max Rectangular Single Heated Well - to take 1/1 Gastronorm pan (not supplied).

Touch panel for three temperature set points: **LOW:** 40-65°C **MED:** 65-80°C **HIGH:** 80-95°C

Energy saving Low Power mode | Convenient Drain control | Autofill & Pasta Plate

Insulated stainless steel design

Electrical: 6Kw, 25 amps | No cord or plug supplied.

368W x 582L x 290H Ship Weight 14kg

**LIST PRICE EA. \$3550**



#### RCTHW2-3B - BUILT-IN (pictured)

Heat-Max Rectangular Single Heated Well - to take 1/1 Gastronorm pan (not supplied).

Touch panel for three temperature set points: **LOW:** 40-65°C **MED:** 65-80°C **HIGH:** 80-95°C

Energy saving Low Power mode | Convenient Drain control

Electrical: 3Kw, 12.5 amps | Supplied corded with 15amp plug.

368W x 582 x 302H Shop Weight 15kg

**LIST PRICE EA. \$1950**

#### RCTHW2-6B - BUILT-IN

Heat-Max Rectangular Single Heated Well - to take 1/1 Gastronorm pan (not supplied).

Touch panel for three temperature set points: **LOW:** 40-65°C **MED:** 65-80°C **HIGH:** 80-95°C

Energy saving Low Power mode | Convenient Drain control | Autofill & Pasta Plate

Insulated stainless steel design

Electrical: 6Kw, 25 amps | No cord or plug supplied.

368W x 582 x 302H Shop Weight 15kg

**LIST PRICE EA. \$3750**





## ACCESSORIES

### RCTHW-BASKET

RCTHW Stainless Steel Noodle Basket  
125mm diameter  
(six required per unit)

LIST PRICE EA.      \$92



### RCTHW-PC

Pasta Cooker Tray

LIST PRICE EA.      \$645



RCTHW-1E shown with optional Pasta Cooker Tray & Noodle Baskets

## 3CS-9B SANITISING SINK HEATER Balanced three phase

Maintaining a continuous supply of sanitising rinse water without taking up valuable space, the 3CS makes manual ware-washing faster and more convenient. Designed to fit under the sink, the 3CS is perfect for three or four compartment sinks, pot and pan sinks and bar sinks. Drain may be plumbed to open-sight waste drain.

### 3CS-9B SANITISING SINK HEATER

Weight: 15Kgs. Electrical: 9 Kw, 3 phase.  
Supplied uncorded and unplugged.  
Dimensions: 203W x 435D x 321Hmm

LIST PRICE EA.      \$8635



Pictured: 3CS-9 with optional temperature monitor



## HATCO ROUND HEATED WELLS

### BOIL, STEAM, WARM

Hatco's Round Heated Well is a multi-purpose, insulated, dry well that offers the flexibility of being a foodwarmer, soup kettle, Bain-Marie heater, steamer and pasta cooker all in one. Heat is evenly distributed throughout the unit to hold foods at desired temperatures, and the insulated, stainless steel design provides easy maintenance and durable performance. The heating element temperature is monitored by an electronic controller for optimum results.

#### Standard features

- Upgraded electronic thermostatic control, set temperature range from 40-95°C in Hold mode.
- Default 100°C in Heat mode.
- Countdown timer, set time from 1-360 minutes in Hold mode, 1-120 minutes in Heat mode.
- Toggle from Heat to Hold mode automatically upon countdown of timer in Heat mode.
- Actual temperature display.
- Audible alert in case of a dry pan.
- Special steam plate accessory for fast steaming and rethermalizing.
- Available in single or dual 10-liters (11-quarts) models.
- Available in free-standing or built-in models.



RHW2-1



RHW2-1B



RHW2-2

| CODE    | DESCRIPTION              | KW     | AMP   | WT   | \$   |
|---------|--------------------------|--------|-------|------|------|
| RHW2-1  | Single 10L free standing | 1.25kw | 5.4A  | 12Kg | 2180 |
| RHW2-2  | Double 10L free standing | 2.50kw | 10.9A | 14Kg | 3500 |
| RHW2-1B | Single 10L built in      | 1.25kw | 5.4A  | 12Kg | 2120 |





## HATCO BUILT-IN HEATED WELLS

Hatco Built-In Heated Wells hold heated foods at safe serving temperatures. Compared to other models, these Hatco units offer larger drains with flat drain screens, more consistent holding temperatures through superior element design, heavier stainless steel construction, easier-to-service design for quick-change of components, and a remote thermostat with separate power switch. Suitable for wet or dry operation.

All units are supplied with a control panel and connected with a 918mm flexible conduit for remote mounting and include a 3/4"NPT drain fitting.

### BUILT-IN RECTANGULAR HEATED WELL - FULL SIZE

#### HWB-FULD

Heated Well with drain – 1/1 Gastronorm.

Dimensions: 348W x 553D x 218Hmm

Controller dimensions: 161W x 92D x 196Hmm

Electrical: 1.2kw, 5 amp


Weight: 10Kg

Drain: 3/4"NPT fitting

**LIST PRICE EA. \$2215**



Remote control with 918mm conduit for convenient fitting



(Pictured with accessory food pan).

### BUILT-IN ROUND HEATED WELLS with drain fitting

| CODE      | DESCRIPTION                                  | KW    | AMP  | WT  | \$   |
|-----------|----------------------------------------------|-------|------|-----|------|
| HWB-4QTD  | 3.8Litre (4 Quart) Heated Well with drain.   | 0.6kw | 2.5A | 5Kg | 2135 |
| HWB-7QTD  | 6.6Litre (7 Quart) Heated Well with drain.   | 0.6kw | 2.5A | 5Kg | 2195 |
| HWB-11QTD | 10.1Litre (11 Quart) Heated Well with drain. | 0.6kw | 2.5A | 5Kg | 2215 |

All wells come with 3/4"NPT drain fitting.



(Pictured with accessory pans see below ).

### OPTIONAL PAN INSERTS & LIDS (not supplied with wells above)

| CODE         | DESCRIPTION                                   | \$  |
|--------------|-----------------------------------------------|-----|
| 4QT-PAN&LID  | 4 Quart (3.8L) Round Well and Notched Lid.    | 428 |
| 7QT-PAN&LID  | 7 Quart (6.65L) Round Well and Notched Lid.   | 498 |
| 11QT-PAN&LID | 11 Quart (10.41L) Round Well and Notched Lid. | 562 |







## HATCO SALAMANDERS

Hatco's Salamander range is specially designed for versatility in the kitchen with the capabilities to cook, grill, and reheat food. With the patented movable heat unit housing, maximum thermal transfer is achieved and maximum power is only consumed whilst actually in cook mode. The unparalleled start-up speed is a result of Hatco's "INSTANT ON" heating elements located in the upper housing. Hatco® Salamanders offer unrivalled energy efficiency and easy operation to suit the most demanding requirements - of fine dining restaurants to fast food outlets.

### TMS-1H THERMAX SALAMANDER

**Movable upper housing to reduce the heat loss to food areas.**

- The high powered heating elements are ready for use within 10 seconds.
  - Two sets of independently controlled heating element sections give the benefits of flexibility and energy conservation.
  - Cook mode selection switch controls left, right or both locations.
  - Includes a hold mode switch that reduces power to 25% and keeps food at proper serving temperatures.
  - Unit can be placed on a counter-top or mounted to any non-combustible wall with appropriate rigidity.
  - Unit comes standard with grill, drip pan and wall mounting bracket.
- Weight: 70Kgs. Dimensions: 600W x 503D x 515Hmm.  
Electrical: 4Kw 17.4 amp. Supplied with cord but no plug.

**LIST PRICE EA.      \$6966**



### TMS2-1H SALAMANDER - DIGITAL CONTROL

**Optimum temperature is reached instantly and efficiently when food products are placed on the grill plate.**

- Instant-On heating elements located in the upper housing
  - Plate detection feature activates the Instant-On heating elements when a food plates is placed on the grill plate, and deactivates when removed
  - Heating elements are only on when in use, eliminating residual heat in the kitchen
  - Made of stainless steel for easy cleaning and durability
  - Can be placed on a countertop or wall-mounted
  - Hold mode could be adjusted to save 25-50% power
  - Adjustable upper housing giving 170mm of vertical movement
  - Flat, tactile control panel
- Ship Weight: 80Kgs Overall Dimensions: 630W x 505D x 568Hmm.  
Electrical: 4.1kw 17.2 amp. Supplied with cord but no plug.

**LIST PRICE EA.      \$8100**






## HATCO **BUFFET** INDUCTION WARMERS

### IWRM-B1-1313-05 DROP-IN INDUCTION WARMER

- Adaptable for buffets and many other front-of the-house applications to give the most attractive and visible food presentations
  - Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
  - Once installed the glass-ceramic top never needs to be removed. For service or replacement, the lower housing can be removed separately
  - Features a control panel with a standby key, temperature control arrow keys and temperature setting indicators
  - Energy efficient, quiet and safe operation
  - Black glass-ceramic top which is durable and easy to clean
  - Features for both safety and convenience, such as the automatic shut-off to prevent overheating
  - Includes remote control panel and cord
  - 1800 mm cord with plug and a 1000 mm detachable control cable
- Unit Weight: 5Kgs. Dimensions: 330W x 330D x 108Hmm.  
Electrical: 500 Watts. Supplied with 10amp plug.



**LIST PRICE EA.      \$2646**

### IWRM-CD1-05 COUNTERTOP INDUCTION WARMER

- Portable and adaptable for buffets and many other front-of thehouse applications to give the most attractive and visible food presentations
  - Energy efficient, quiet and safe operation with no open flames as with traditional warming presentations
  - Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
  - Contemporary, low-profile design with a Bold Black housing and durable, black glass-ceramic top that is easy to clean
  - Features a control panel with a standby key, temperature control arrow keys and temperature setting indicators
  - Automatic shut-off to prevent overheating
  - 1800 mm cord with plug and a 432mm interconnecting cord
- Unit Weight: 5Kgs. Dimensions: 330W x 450D x 57Hmm.  
Electrical: 500 Watts. Supplied with 10amp plug.



(Pictured with three (3) units daisy chained to one power cord ).

**LIST PRICE EA.      \$2970**



## HATCO DROP-IN INDUCTION COOKERS

### IRNG-PB1-36 DROP-IN HEAVY DUTY INDUCTION

- Four surface temperature sensors offer the most accurate control in its class
  - Culinary equivalent of up to 31,000 BTUs gas
  - High resolution TFT (thin film transistor) display instantly advises the operator of precise power (1 to 100), temperature (°C in one degree increments) and time control (30 seconds to 10 hours)
  - Programmable mode so the operator can create preset programs for consistent cooking cycles
  - Large adaptive control for precise, fine control (slow turns) to spanning the full range in a single twist (fast turns)
  - Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
  - Patterned, glass-ceramic top that is durable, easy to clean and helps scratches from heavy use become less noticeable
  - Automatic shut-off to prevent overheating
  - Withstands high ambient kitchen temperatures (up to 51°C)
  - USB port for downloading updates
  - Includes a remote control panel and cord
  - 1300 mm cables from base unit with 1800mm cord (no plug) and a food temperature probe
- Unit Weight: 10Kgs. Dimensions: 343W x 368D x 91Hmm.  
Electrical: 3600 Watts.



LIST PRICE EA. **\$5827**

| CODE        | DESCRIPTION                                                                                                | \$  |
|-------------|------------------------------------------------------------------------------------------------------------|-----|
| TRIM-PB1-36 | Trim Ring in Stainless Steel (holds unit nearly flush on a stainless steel or similar material countertop) | 195 |

### IRNG-PB2 DROP-IN HEAVY DUTY INDUCTION **DUAL**

- Food temperature probes for more accurate cooking
  - Timers (up to 10 hours, more if in program mode)
  - Power (0-100) or temperature (°F or °C modes)
  - Heavy gauge stainless steel housing with side impact protection for the top
  - Eight surface temperature sensors
  - Culinary equivalent of up to 31,000 BTUs gas per burner
  - Grease filters
  - Highest ambient tolerance on the market 51°C- it's tough
  - Numerous options to suit available power circuits, including the unique "IA" models that deliver the highest available power from lower amperage circuits
  - USB ports for downloading updates
  - 2 x 700 mm cables from base unit with 1800mm cord (no plug) and a food temperature probe
- Unit Weight: 18Kgs. Dimensions: 350W x 669D x 157Hmm.



| CODE        | DESCRIPTION               | Total Watts / Amps  | \$    |
|-------------|---------------------------|---------------------|-------|
| IRNG-PB2-18 | Heavy Duty Dual Induction | 3600 / 15 / 1 phase | 9558  |
| IRNG-PB2-36 | Heavy Duty Dual Induction | 7200 / 30 / 1 phase | 10745 |

| CODE        | DESCRIPTION                                                                                                | \$  |
|-------------|------------------------------------------------------------------------------------------------------------|-----|
| TRIM-PB2-SS | Trim Ring in Stainless Steel (holds unit nearly flush on a stainless steel or similar material countertop) | 324 |



## HATCO COUNTER-TOP INDUCTION COOKERS

### IRNG-PC1-36 COUNTER HEAVY DUTY INDUCTION

- Commercial kitchen ready. Heavy gauge stainless steel housing with side impact protection for the top
- Four surface temperature sensors offer the most accurate control in its class
- Culinary equivalent of up to 31,000 BTUs gas
- High resolution TFT (thin film transistor) display instantly advises the operator of precise power (1 to 100), temperature (°C in one degree increments) and time control (30 seconds to 10 hours)
- Programmable mode so the operator can create preset programs for consistent cooking cycles
- Includes a grease filter and conformal-coated boards
- Easy to use colour-coded selectable functions
- Large adaptive control for precise, fine control (slow turns) to spanning the full range in a single twist (fast turns)
- Pan Sense Technology (PST) activates the unit only when a suitable pan is placed on top
- Patterned, glass-ceramic top that is durable, easy to clean and helps scratches from heavy use become less noticeable
- Easy to clean, fully-sealed top stops grease or moisture from penetrating the unit, even if the top gets broken
- Automatic shut-off to prevent overheating
- Withstands high ambient kitchen temperatures (up to 51°C)
- USB port for downloading updates
- 1800mm cord (no plug) and a food temperature probe
- Unit Weight: 9Kgs. Dimensions: 352W x 471D x 94Hmm.
- Electrical: 3600 Watts.



Includes a temperature probe which facilitates highly accurate cooking



LIST PRICE EA.

**\$5395**

### IRNG-PC2 COUNTER HEAVY DUTY INDUCTION **DUAL**

- Food temperature probes for more accurate cooking
- Timers (up to 10 hours, more if in program mode)
- High resolution colour displays
- Power (0-100) or temperature (°C modes)
- Heavy gauge stainless steel housing with side impact protection for the top
- Eight surface temperature sensors
- Culinary equivalent of up to 31,000 BTUs gas per burner
- Grease filters
- Highest ambient tolerance on the market 51°C- it's tough
- Numerous options to suit available power circuits, including the unique "IA" models that deliver the highest available power from lower amperage circuits
- USB ports for downloading updates
- 1800mm cord (no plug) and two food temperature probe



IRNG-PC2S-36  
(Front-to-back)



IRNG-PC2S-36  
(Side-to-side)

| CODE         | DESCRIPTION                                    | Dimensions            | Total Watts / Amps  | Ship Weight | \$    |
|--------------|------------------------------------------------|-----------------------|---------------------|-------------|-------|
| IRNG-PC2F-18 | Heavy Duty <b>Dual</b> Induction Front to Back | 356W x 753D x 133H mm | 3600 / 15 / 1 phase | 18          | 10465 |
| IRNG-PC2F-36 | Heavy Duty <b>Dual</b> Induction Front to Back | 356W x 753D x 133H mm | 7200 / 30 / 1 phase | 18          | 11645 |
| IRNG-PC2S-18 | Heavy Duty <b>Dual</b> Induction Side to Side  | 630W x 484D x 114H mm | 3600 / 15 / 1 phase | 17          | 10465 |
| IRNG-PC2S-36 | Heavy Duty <b>Dual</b> Induction Side to Side  | 630W x 484D x 114H mm | 7200 / 30 / 1 phase | 17          | 11645 |



Tight for space and storage of meals for peak periods?

JACKSTACK offers so many advantages in storage, preparation and serving, you'll wonder how you did without it.

JACKSTACK is the world leader in the efficient storage and transport of up to 104 plates in minimum time from kitchen to storage or banquet areas.

Generous 150mm diameter wheels allow for easy maneuverability of the Jackstack anywhere, and the plate racks are easily adjustable to suit all applications - even mixing plate sizes.

Models provide 50mm spacing between plate supports and they can be loaded and unloaded from four sides, and carry up to 400 empty plates to the dishwasher.



Designed by Chefs, for chefs

## JACKSTACK Model JS104

Makes it possible to stack between 12 to 104 plates of any size. Different size plates can be accommodated by adjusting the racks to suit. (For pizza applications, a special 'P' model longer arm unit is available at extra cost).

The unit comes with four castors (two with brakes), and easy to follow assembly instructions.

**Assembled Dimensions:** 600W x 600D x 1790Hmm

**Shipping Dimensions:** 800W x 620D x 300Hmm

**Weight:** 28Kg

| CODE  | CAPACITY   | SPACING | DIMENSION       | \$   |
|-------|------------|---------|-----------------|------|
| JS104 | 104 plates | 50mm    | 600x600x1790mmH | 3590 |

## JACKSTACK OPTIONS

### Thermocover for JS104

Preserves 72-104 plates in transit with warm or cold food.

Made of industrial High Tenacity PES fabric, with polyester fibre centre layer.

Includes special arm extensions.

Complete with 4 horizontal and 4 vertical zippers.

Washable - hygienic in use.

Dimensions: 720 x 720 x 1590Hmm.

Shipping Dimensions: 430 x 310 x 260Hmm

Weight: 6Kg

| MODEL   | DESCRIPTION                                    | \$   |
|---------|------------------------------------------------|------|
| JS104TC | Thermal covers available on request (pictured) | 2300 |
| JS901PC | Non thermal covers for 104 plate unit          | 460  |



MODEL JS104TC Thermal Cover

The Jetstream range of quality tapware and pre-rinse units heralds a new era of reliable, quality tapware to the New Zealand market with a two year on-site parts and labour warranty – designed by professionals with the features you would expect for your kitchen.

Features like 256mm swing faucet on full height pre-rinse models, six star Wels rated spray gun and quality construction with 100mm levers with a choice of 100 or 200mm flick mixers and more.

Watermark approved and Wels rated to comply with all Australian regulations, and supplied with our two year on-site parts and labour warranty for real peace of mind.

All units come packed with full instructions, fittings and hose connections (model dependant).

### DECK MOUNT PRE RINSE MODELS

#### JET1500D DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 256mm. Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Single hole mount. Overall height: 1073mm. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA.

**LIST PRICE EA. \$1352**

**6 BUY PRICE EA. \$1315**

**12 BUY PRICE EA. \$1268**

**Brushed  
Stainless  
Steel**



WM74827  
TM42362



#### JET1500DLH

#### DECK MOUNT *LOW HEIGHT*

Deck Mount Pre Rinse, Low Height Model, complete with wall bracket, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Single hole mount.

Overall height: 734mm. Hose length 845mm.

Operating water pressure Min 50kPA, Max 350kPA.

**LIST PRICE EA. \$1219**

**6 BUY PRICE EA. \$1188**

**12 BUY PRICE EA. \$1151**

**Brushed  
Stainless  
Steel**



WM74827  
TM42362



(Deck Mount units continued...)

\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

### JET1200D DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 256mm swing faucet, single lever flow and temperature control, and **6 Star** rated spray gun, 4 Star rated pot filler. Single hole mount. Overall height: 960-1030mm.

Hose length 845mm.

Operating water pressure Min 50kPA, Max 350kPA.

**LIST PRICE EA. \$1272**

**6 BUY PRICE EA. \$1246**

**12 BUY PRICE EA. \$1219**

**Brushed  
Stainless  
Steel**



WM74827  
T41863



### Jetstream features

- NEW stainless steel options are LEAD FREE.
- Pre-rinses come in showroom ready boxes
- Pre-rinses are assembled for easy installation
- NEW products - towel and soap dispenser
- Five year onsite parts and labour warranty

### WALL MOUNT PRE RINSE MODELS

#### JET1500W WALL MOUNT EXPOSED BREECH

Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps and **6 Star** rated spray gun, 4 Star rated pot filler as shown. Two hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. Overall height: 1023mm.

**LIST PRICE EA. \$1818**

**6 BUY PRICE EA. \$1792**

**12 BUY PRICE EA. \$1765**

**Brushed  
Stainless  
Steel**



WM74827  
TM44518



#### JET1500WCB WALL MOUNT CONCEALED BREECH

Wall Mount Pre Rinse, complete with wall bracket, 256mm Add on swing faucet, 1/4 turn 100mm lever operated ceramic disc taps **6 Star** rated spray gun, 4 Star rated pot filler as shown. Three hole mount. Hose length 845mm. Operating water pressure Min 50kPA, Max 350kPA. (Breech by others). Overall height: 713mm.

**LIST PRICE EA. \$1553**

**6 BUY PRICE EA. \$1527**

**12 BUY PRICE EA. \$1500**

**Brushed  
Stainless  
Steel**



WM74827  
T45342



\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



### DECK MOUNT FLICK MIXER MODELS

#### JET5200D DECK MOUNT FLICK MIXER 200mm swing spout

Deck Mount Flick Mixer, complete with 200mm Swing Spout, **4 Star** rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia. Operating water pressure Min 50kPA, Max 350kPA.

**LIST PRICE EA. \$292**

**6 BUY PRICE EA. \$281**

**12 BUY PRICE EA. \$276**

**Brushed  
Stainless  
Steel**



Lead Free

WM74827

TM44529



#### JET5100D DECK MOUNT FLICK MIXER 100mm spout

Deck Mount Flick Mixer, complete with 100mm Fixed Spout, **4 Star** rated, one hole mount, complete with flexible fittings. Cutout size: 35-36mm Dia. Operating water pressure Min 50kPA, Max 350kPA.

**LIST PRICE EA. \$299**

**6 BUY PRICE EA. \$253**

**12 BUY PRICE EA. \$271**

**Brushed  
Stainless  
Steel**



Lead Free

WM74827

TM44553



#### JET6000 THERMOSTATIC MIXING VALVE 15/20mm

Critical for supplying safe/desirable water temperatures to a Hands Free or Time Flow tapset. Output temperature range 35-50°C. Operating water pressure Min 20kPA, Max 350kPA.

**LIST PRICE EA. \$497**

**6 BUY PRICE EA. \$477**

**12 BUY PRICE EA. \$462**



Lead Free

WM74512



### HANDS FREE & TIME FLOW MODELS

#### JET4001D DECK MOUNT

##### HANDS-FREE SENSOR TAP

Modern Deck Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied).

**LIST PRICE EA. \$986**

**6 BUY PRICE EA. \$976**

**12 BUY PRICE EA. \$965**



WMKA25617  
T44719



#### JET4003W WALL MOUNT

##### HANDS-FREE SENSOR TAP

Modern Wall Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kPA, Max 350kPA.

**LIST PRICE EA. \$999**

**6 BUY PRICE EA. \$988**

**12 BUY PRICE EA. \$975**



WMKA25617  
T43444



#### JET745D DECK MOUNT

##### TIME FLOW TAP

Deck mounted Time Flow Tap. 15 Seconds. Single hole mount, 6 Star rating. Includes one connection tail and hardware.

Supplied with Blue Red and Yellow button. Operating water pressure Min 50kPA, Max 350kPA. Optimum 250-350kPA.

**LIST PRICE EA. \$308**

**6 BUY PRICE EA. \$295**

**12 BUY PRICE EA. \$282**



WM74827  
T43458



\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

### JET1100D LASER SENSOR

Digital sensor technology, low voltage, internal integrated sensor, hygiene flush programming available, single temperature (max 50°C). Battery operated. Recommended working pressure 350kPa

LIST PRICE EA. **\$1415**



### JET2600W LASER SENSOR

Digital sensor technology, low voltage, internal integrated sensor, hygiene flush programming available, single temperature (max 50°C). Battery operated. Recommended working pressure 350kPa

LIST PRICE EA. **\$1415**



\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

### KNEE OPERATED & CLEANERS SINK

#### JET780D KNEE OPERATED TIMER BASIN TAP SET

Includes deck mount fixed gooseneck outlet, 325mm lever / knee operated time-flow and connections. Six Star rated.

LIST PRICE EA. **\$525**



WM74827  
T35087



#### JET1836W CLEANERS SINK FAUCET SET with wall bracket support

Quality Wall mounted Cleaners Sink model with cable supported Spout and Bucket Hook. 4 Star rated.

LIST PRICE EA. **\$1815**



WM74827  
TM44774



### POT FILLER

#### JET2047W WALL MOUNT POT & KETTLE FILLING FAUCET double jointed with spout on-off control

Premium Pot filler with 457mm swing arm, double jointed, includes convenient on/off control on spout.

LIST PRICE EA. **\$1448**



WM74827  
T46133





### DECK MOUNT FAUCET/SINK SETS

#### JET3150D DECK MOUNT FAUCET WITH 180MM SPOUT

Deck Mounted 180mm Swing Faucet, with 100mm Lever operation, one hole mount, complete with flexible fittings. Ceramic cartridges, 1/4 turn levers, rugged construction and high quality finish. 4 Star rated.

LIST PRICE EA. **\$714**

6 BUY PRICE EA. **\$708**

12 BUY PRICE EA. **\$695**



#### JET8300D DECK MOUNT WITH 300MM SPOUT

Deck Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and brushed stainless steel finish. 4 Star rated. (Breech by others).

LIST PRICE EA. **\$621**

6 BUY PRICE EA. **\$608**

12 BUY PRICE EA. **\$595**

**W**  
Lead Free  
WM74827  
TM44514



#### JET3000D

Deck Mounted 180mm Swing Faucet with lever tap. Lead free. Soft close operation. 4 Star rated. Operating water pressure Min 50kPA, Max 500kPA - recommended 350kPA.

LIST PRICE EA. **\$377**

6 BUY PRICE EA. **\$361**



### WALL MOUNT FAUCET/SINK SETS

#### JET8300W WALL MOUNT WITH 300MM SPOUT

Wall Mounted 300mm Swing Faucet, with Lever operation, concealed breech, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and brushed stainless steel finish. 4 Star rated. (Breech by others).

**LIST PRICE EA. \$679**

**6 BUY PRICE EA. \$663**

**12 BUY PRICE EA. \$652**



WM74827  
TM44515



**Brushed  
Stainless  
Steel**

\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

### NEW LOW LINE SERIES

#### JET3560D DECK MOUNT WITH 300MM SPOUT

Deck Mounted 300mm Swing Faucet Sink Mixer with Lever operation, one hole mount complete with flexible fittings, ceramic cartridges, 1/4 turn levers, brushed stainless steel. Wells Rated 4 star.

LIST PRICE EA. **\$721**  
**6 BUY PRICE EA. \$711**  
**12 BUY PRICE EA. \$700**

**Brushed  
Stainless  
Steel**



WM74827  
T44283



#### JET3550W DECK MOUNT WITH 180MM SPOUT

Deck Mounted 180mm Swing Faucet Sink Mixer with Lever operation, one hole mount complete with flexible fittings, ceramic cartridges, 1/4 turn levers, brushed stainless steel. Wells Rated 4 star.

LIST PRICE EA. **\$670**  
**6 BUY PRICE EA. \$660**  
**12 BUY PRICE EA. \$650**

**Brushed  
Stainless  
Steel**



WM74827  
T44333



#### JET3560W WALL MOUNT WITH 350MM SPOUT

Wall Mounted 350mm Swing Faucet with Lever operation, three hole mount, concealed breech, 1/4 turn 100mm levers, brushed stainless steel. (Breech by others). Wells Rated 4 star.

LIST PRICE EA. **\$918**  
**6 BUY PRICE EA. \$907**  
**12 BUY PRICE EA. \$897**

**Brushed  
Stainless  
Steel**



WM74827  
T44332





\* Two Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

### DISPENSERS

#### JET8000 TOWEL DISPENSER

The surface-mounted towel dispenser is supplied with four mounting screws  
Unit dispenses C-fold or multifold paper towels 64-97mm deep  
Durable, heavy-duty product  
Slots in cabinet indicate refill time  
Stainless steel construction  
Recommended for any commercial project

**LIST PRICE EA.      \$225**





Jetstream Heavy Duty Retractable Hose Reels are manufactured to commercial grade standards with heavy gauge steel construction and springs/latches for reliable operation. Available in various hose lengths as well as stainless steel option (kHR 1035 Models). Positive latch system holds hose at desired length. Wall, ceiling or floor mount. All hoses are suitable for up to 82°C and up to 500kpa. On-site 13 month warranty\* on parts and labour.

## HEAVY DUTY HOSE REELS

### JET-1035-OSS-Y722

#### 11m HOSE

##### STAINLESS STEEL CONSTRUCTION

Open Hose Reel Assembly

11m (35') hose supplied with Y722 spray gun.

Shipping weight 17Kg

**13 MONTH WARRANTY\***

LIST PRICE EA.      \$3665

### JET-1035-O-Y722

#### 11m HOSE

##### GREY POWDER COATED

Open Hose Reel Assembly

11m (35') hose supplied with Y722 spray gun.

Shipping weight 17Kg

**13 MONTH WARRANTY\***

LIST PRICE EA.      \$3136

### JET-1050-O-Y722

#### 15.3m HOSE

##### GREY POWDER COATED

Open Hose Reel Assembly

15.3m (50') hose supplied with Y722 spray gun

Shipping weight 22Kg

**13 MONTH WARRANTY\***

LIST PRICE EA.      \$4915



\* 13 month parts and 13 month labour warranty covers manufacturing defects only.

## 297-SW16 VERTICAL CONTACT BUN TOASTER - *COMPACT SIZE*

When maximum throughput speed is essential, Prince Castle Vertical Bun Toasters offer up to 750 buns per hour capacity for venues that have high demand. The NEW 297-SW16 model is up to 20% smaller in footprint compared to previous models, and includes the 'Air Flapper' heat and energy saving device and new Front Safety Shield for operator safety and comfort.

### 297-SW16

**Slim-Line Vertical Bun Toaster** – up to 750 Buns per hour.  
 New Air Flapper increases bun temperatures by up to 3°C and saves energy.  
 New operator heat shield provides greater operator safety.  
 Adjustable platen temperature up to 304°C.  
 Includes Teflon Kit, Air Flapper & Safety Shield.  
 Dimensions: 515W x 590H x 206Dmm  
 Weight: 32Kg  
 Electrical: 1890W, 8Amp.  
 Supplied with 10A plug.

**LIST PRICE EA. \$6677**



297-5110 Top Mounting Bun Dresser  
**LIST PRICE EA \$620**

## CTS-WCE SLIM-LINE VERTICAL TOASTER

Introducing Prince Castle's CTS-WCE Mini Slim-Line Vertical Contact Toaster. A revolutionary new design that increases toasting versatility, maximises space savings, and provides perfect caramelisation with the convenience of vertical contact toasting. The unique two-level platen design allows the operators to toast thicker bun crowns and thinner bun heels at the same time. The variable speed motor is adjustable to allow for toasting speeds up to 2200 buns per hour.

### CTS-WCE

**Sim-Line Vertical Bun Toaster** – up to 2200 Buns per hour.  
 Small footprint of 514 x 184mm saves space  
 Adjustable toasting time from 9-40 seconds to customise product  
 Digital display and electronic controls make for precise and repeatable settings complete with wire belt  
 Simple to remove conveyor makes cleaning quick and easy  
 Dual compression adjustment knobs allow for maximum product flexibility  
 Accommodates all buns up to 1397mm in diameter  
 Heat Shield for cooler surfaces ensuring safer operation  
 Durable stainless steel construction makes the product easy-to-clean and maintain  
 Dimensions: 514W x 559H x 184Dmm  
 Weight: 30Kg  
 Electrical: 1500W, 6.25Amp.

**LIST PRICE EA. \$13074**



### 511-140

**Top Mounting Bun Dresser** – perfect solution to your buttering needs for CTS-WCE model only.  
 Dimensions: 137W x 745H x 300Lmm  
 Weight: 2Kg  
 Electrical: 1500W, 6.25Amp.

**LIST PRICE EA. \$1485**



## PRINCE CASTLE DEDICATED HOLDING BINS - The benchmark WITH EXCLUSIVE RELI-A-TEMP HEATING TECHNOLOGY AND MENU TRAK TIMER SYSTEM.

### DHB24ACE (WAS DHB2PT-33) - 8 Pans

Two Cavity, **Pass Through Model** – each cavity equipped with rack system which holds four pans (eight required in total), four individually controlled heaters.

Timer bars on both sides of unit.

Dimensions: 838 W x 282 H x 358 D mm.

Weight: 55Kg

Electrical: 2.6kw 11Amp Supplied with 15 amp plug.

Order Pans separately.

**LIST PRICE EA.      \$12825**



Call for details on other  
configurations to suit  
your kitchen/plans.

### DHB2SS-20 - 4 Pans

Two Cavity, **Single Sided Model** – each cavity equipped with rack system which holds two pans (four required in total), two individually controlled heaters.

Timer bar on front side of unit.

Dimensions: 500 W x 282 H x 358 D mm.

Weight: 24Kg

Electrical: 1550Watts 6.6 Amp, Supplied with 10 amp plug.

Order Pans separately.

**LIST PRICE EA.      \$9956**



## PANS FOR USE IN DHB CABINETS - save \$\$ with the 12 pack

| CODE      | DESCRIPTION                               | \$ each | 12 pack |
|-----------|-------------------------------------------|---------|---------|
| 30860HH13 | Double Handled Amber Pans, 1/3 size, 64mm | 93      | 1064    |
| 30860H13  | Single Handled Amber Pans, 1/3 size, 64mm | 91      | 1034    |



Double Handle Pan for  
pass-through operations

Prince Castle are innovators in food preparation and holding technologies, and offer quality solutions in many areas of the commercial kitchen. From Tomato/Citrus slicers to high speed vertical bun toasters to the industry standard Product Holding Units (PHUs) used in so many well known QSR outlets world-wide.

## HEAVY SAUCE PORTION DISPENSERS - 580 SERIES

Commercial-duty sauce dispenser guns available in a choice of portion size/volume.  
Suitable for most heavy sauces. Supplied without bottles.  
Dispenser: 262 x 193mm. Weight 1.3Kg

| CODE     | PORTION SIZE        | \$  |
|----------|---------------------|-----|
| 580-NMCC | 1/3 fl.oz (9.8ml)   | 292 |
| 581-NMCC | 1/2 fl.oz (14.8 ml) | 292 |
| 582-NMCC | 2/3 fl.oz (19.5 ml) | 250 |
| 583-NMCC | 1 fl.oz (29.5 ml)   | 286 |



When ordering sauce dispensers, order #136-1 bottles if not using pre-packaged sauces.

## ACCESSORIES FOR 580 SERIES HEAVY SAUCE DISPENSERS

### Dispenser Bottles (case of 9) re-useable.

Supplied with three nozzles for thinner sauces and nine flexible valve for chunky sauces.

| MODEL | DESCRIPTION                             | \$  |
|-------|-----------------------------------------|-----|
| 136-1 | DISPENSER BOTTLES (CASE OF 9) RE-USABLE | 185 |

### Bottle Storage Tray (Shown with bottles – supplied separately)

| MODEL | DESCRIPTION         | \$  |
|-------|---------------------|-----|
| 155   | BOTTLE STORAGE TRAY | 167 |



## SAUCE & MUSTARD DISPENSERS

**Commercial-Duty Sauce and Mustard dispenser guns.**  
**Enjoy perfect dispensing with calibrated portion control.**

- New slim/narrow design uses less prep table space
- Capacity: 0.91 kg above refill line
- Provides improved portion control (0.70ml)
- Container Dimensions: 165 x 89mm Overall Height: 232mm Weight 1.40 Kg
- Includes cover with tether attachment to reduce loss
- Easy calibration – no tools required

All internal parts are colored white or red, providing easy identification when mixed with mustard dispenser parts. Some assembly required.

| CODE    | DESCRIPTION                       | \$  |
|---------|-----------------------------------|-----|
| 398-CN  | Mustard Dispenser Narrow          | 185 |
| 406-AN  | Sauce Dispenser Narrow            | 191 |
| 417-ANP | Dual Holder for 398-CN and 406-AN | 327 |



398-CN Narrow Mustard Dispenser SHOWN



417-ANP Dual Holder

## PRINCE CASTLE POUCH MATE

### 404-26

Use with any Pouch-Pak condiment.  
Saves money by recovering previously wasted product  
Simple to use  
Stainless steel construction

**LIST PRICE EA. \$85**






## TOMATO SABER

Prince Castle's Tomato Saber is the world's leading tomato slicing system. The Perma-Tight® blade cartridge never requires blade tightening or adjusting. Blade replacement is fast and easy – simply snap the blade cartridge into position and the Saber is ready to use. A contoured pusher head holds the tomato in place for slicing, and permanently lubricated bearings ensure the slicing stroke is smooth and quick. The exclusive tomato catcher snaps onto the unit and catches the sliced tomato for easy handling.

Overall dimensions: 465W x 216D x 238Hmm

Weight: 6.4Kg.



| CODE  | DESCRIPTION                          | \$   |
|-------|--------------------------------------|------|
| 943-A | Tomato Saber 4.7mm Slice (12 blades) | 2495 |
| 943-B | Tomato Saber 6.3 mm Slice (9 blades) | 1660 |

Replacement Blades can be purchased individually from our Spares/Parts Department, see chart.

| SABER MODEL | CUT SIZE/ No of blades | PART CODE |
|-------------|------------------------|-----------|
| 943-A       | 4.7mm, 12 blade        | 943-038A  |
| 943-B       | 6.3mm, 9 blade         | 943-039A  |

## TOMATO CORE-IT

The fastest, safest way to easily core the tomato prior to slicing/dicing/cutting. Available singly or in bulk.



| CODE  | DESCRIPTION            | \$   |
|-------|------------------------|------|
| 953   | TOMATO CORE IT         | 15   |
| 950-1 | Bulk Pack (Box of 144) | 1070 |

## WEDGE WITCH

Citrus wedge slicers for the busiest bar/kitchen. Rugged blade construction and simple to use, with the choice of the heavy duty 908 model or the economical CW-6 (Yellow body) for smaller operations.

| MODEL  | DESCRIPTION                                   | \$   |
|--------|-----------------------------------------------|------|
| 908-A8 | WEDGE WITCH ( 8 SECTION) ALL METAL            | 1995 |
| CW-6   | CITRUS SABER (8 SECTION) YELLOW POLYCARBONATE | 395  |



## DICE WITCH

The answer to heavy duty dicing, with sturdy frame, precision pusher head and cutter assembly.

| MODEL | DESCRIPTION                         | \$   |
|-------|-------------------------------------|------|
| 910-A | Dice Witch 3/8" (9.53mm) Square Cut | 1605 |



## PRINCE CASTLE GRILL BRUSHES & MAINTENANCE TOOLS

Essential equipment for every venue involved in heavy grilling/char grilling. These heavy duty brushes are available in Medium or Coarse grade to suit most grills.

| CODE | DESCRIPTION         | \$  |
|------|---------------------|-----|
| CC   | Char-Brush (coarse) | 209 |
| CM   | Char-Brush (medium) | 226 |



Replacement brush heads (6 / Box) can be purchased individually from our Spares/Parts Department and come with replacement screws (see chart).

| BRUSH MODEL | REPLACEMENT HEAD |
|-------------|------------------|
| CC          | CC-1             |
| CM          | CM-1             |

## REDI-GRILL GRILL MAINTENANCE TOOLS

Maintain food standards and quality with these professional grill tools. The heavy duty 161 Scraper makes light work of grill plate maintenance.

| CODE | DESCRIPTION        | \$  |
|------|--------------------|-----|
| 161  | Redi-Grill Scraper | 250 |



Replacement Scraper Blades can be purchased from our Spares/Parts Department (see chart).

| SCRAPER BLADE CODE | DESCRIPTION      |
|--------------------|------------------|
| 161-1HD            | Heavy Duty       |
| 161-6DP            | Disposable (Pk6) |

Quick cleanup of the grill plate surface during the day is made easy with this made-for-purpose heavy duty grill plate wiper.

| CODE    | DESCRIPTION | \$  |
|---------|-------------|-----|
| 233-71A | Grill wiper | 298 |



Replacement Wiper Blades can be purchased from our Spares/Parts Department (see chart).

| WIPER MODEL | REPLACEMENT WIPER |
|-------------|-------------------|
| 233-71A     | 233-86C (Pk4)     |

## BUTTER SPREADER/MELTING PAN

**50**

Dress Up Butter Spreader

LIST PRICE EA. **\$450**



## MOP & BROOM STATIONS

**918-B**

Mop and Broom Station  
450mm long

LIST PRICE EA. **\$330**



## FRY SCOOPS

**252-DH**

Sturdy Dual Handle Fry Scoop.

LIST PRICE EA. **\$138**



San Jamar have been the innovators in quality solutions for food safety, counter service and washroom products- innovation driven by real world experience directly gained from its customers. Products that are used throughout the world that make dispensing, food handling, transportation, safety and sanitation so vital to successful food and venue management. With an ever increasing product range, San Jamar offer a high quality, reliable answer to the many needs in any establishment.

## EZ-FIT CUP & LID DISPENSERS

**HOLDS A  
SLEEVE OF  
CUPS**

The most versatile and popular cup dispenser to accommodate cup sizes from 73-121mm diameter, with easy to change rubber gaskets. Easy to install, reliable and ideal for venues dispensing different size cups, or where the cup size requirements may change over time.

Comes with pack of 4 different size black gaskets (S, M, L, XL) and chrome finish ring.

### **C2410CBKFSM EZ-Fit One-Size-Fits-All Counter Mount CUP Dispenser**

Metal finish trim ring, supplied with 4 pre-cut gaskets. Suits Rim Diameters: 73-121 mm

Tube Length: 597 mm, 146mm counter hole diameter.

[Companion Lid dispensers available](#)

**LIST PRICE EA. \$216**



### **L2400CFSM Ez-Fit In-Counter LID Dispenser**

(Companion to C2410 model dispensers)

Suits 95-115mm diameter lids, with "metal finish" trim ring.

Tube length: 603mm. 146mm counter hole diameter.

**LIST PRICE EA. \$382**

**Recommended  
for Horizontal  
mounting.**



### **C2210CBKFSM EZ-Fit One-Size-Fits-All Counter Mount CUP Dispenser**

Metal finish trim ring, supplied with 4 pre-cut gaskets. Suits Rim Diameters: 73-98 mm

Tube Length: 590 mm, 124mm counter hole diameter.

[Companion Lid dispensers available](#)

**LIST PRICE EA. \$204**



### **L2200CFSM Ez-Fit In-Counter LID Dispenser**

(Companion to C2210 model dispensers)

Suits 70-95mm diameter lids, with "metal finish" trim ring.

Tube length: 603mm. 124mm counter hole diameter.

**LIST PRICE EA. \$382**

**Recommended  
for Horizontal  
mounting.**



### **C2410SM Surface Mount CUP Dispenser**

One-Size-Fits-All EZ-Fit model for installations where counter mounting is impractical, comes with sturdy wire frame for mounting.

Rim Diameter 73-121 mm. Tube Length 597 mm.

Supplied with 4 pre-cut gaskets.

**LIST PRICE EA. \$599**







## COUNTER MOUNT ADJUSTABLE COLLAR CUP DISPENSERS

C Series Counter Mount dispensers come with adjustable collars to accommodate a specific range of cup sizes. Durable stainless steel construction and available in Vertical, Horizontal or Foam cup models to suit demanding installations. Many busy fast food outlets enjoy the reliability of these models.

### C3500 SERIES

**FOR CUP RIM DIAMETERS 101-123MM**

(Tube length 597mm, Counter hole dia. 146mm)

| CODE    | MOUNT      | CUP TYPE      | \$  |
|---------|------------|---------------|-----|
| C3500CH | Horizontal | Paper/plastic | 265 |

\*\*\*While stocks last

**HOLDS A  
SLEEVE OF  
CUPS**



### EZ-FIT HOT LID DISPENSER

**Space-efficient:**

The in-counter mount can be oriented horizontally or vertically, keeping countertops organised

**Sanitary:**

Its one-at-a-time rubber dispensing gaskets safeguard lids from contamination

**User-friendly:**

Compatible with a variety of lid shapes and sizes

**Operational efficiency:**

Reduces lid waste and eliminates messy stacks

**Versatile Design:**

Interchangeable rubber gaskets can fit a wide variety of lids

| CODE  | DESCRIPTION               | SUITS RIM SIZE | \$  |
|-------|---------------------------|----------------|-----|
| L2210 | Hot Lid Dispenser - Small | 76-95mm        | 205 |
| L2410 | Hot Lid Dispenser - Large | 95-101mm       | 205 |

\*\*\*While stocks last

\*\*\*While stocks last







## WALL MOUNT PULL TYPE FOAM CUP DISPENSERS

### UNBREAKABLE POLYETHYLENE

San Jamar Foam Cup Dispensers in economical and unbreakable Polyethylene construction with an easy to install wall mount 'slide-on' system, in two sizes to suit a wide range of Foam Cups.

| MODEL     | CUP SIZE   | RIM DIA. | \$  |
|-----------|------------|----------|-----|
| C4210PFSD | 120-300 ml | 70-85 mm | 166 |
| C4410PFSD | 350-710 ml | 82-98 mm | 114 |

\*\*\*While stocks last



### STAINLESS STEEL

San Jamar Foam Cup Dispensers in Stainless Steel construction with an easy to install wall mount 'slide-on' system, in three sizes to suit a wide range of Foam Cups.

| MODEL   | CUP SIZE    | RIM DIA.  | \$  |
|---------|-------------|-----------|-----|
| C4200PF | 120-300 m   | 70-85 mm  | 246 |
| C4400PF | 350-710 ml  | 82-98 mm  | 274 |
| C4500PF | 950-1360 ml | 98-123 mm | 268 |

\*\*\*While stocks last

## WALL MOUNT PULL TYPE STAINLESS STEEL CUP DISPENSERS

San Jamar's stainless steel dispensers offer the high-end image that only stainless steel can provide, with the utmost durability. Our pull-type cup dispensers have San Jamar's patented, time-tested design for dependable one-at-a-time dispensing. These dispensers include 'slide-on' wall mount brackets. Suitable for plastic and paper.

| MODEL  | CUP SIZE    | RIM DIA.   | \$  |
|--------|-------------|------------|-----|
| C3200P | 180-300 ml  | 50-80 mm   | 257 |
| C3400P | 350-710 ml  | 70-98 mm   | 274 |
| C3500P | 950-1360 ml | 101-123 mm | 434 |



## WIREWORKS CUP DISPENSER & LID ORGANISER

Cost effective option for dispensing paper, plastic or foam cups one-at-a-time. Coils adjust to fit cups ranging from 3 to 4.5mm rim diameter. Comes with side panels to prevent contamination.

| CODE    | DESCRIPTION                                          | \$  |
|---------|------------------------------------------------------|-----|
| C8503WF | 2 Cup dispensers, 1 lid organizer, NO side panels.   | 548 |
| C8504W  | 3 Cup dispensers, 1 lid organizer, NO 2 side panels. | 912 |

### ACCESSORIES

| CODE    | DESCRIPTION                                                             | \$ |
|---------|-------------------------------------------------------------------------|----|
| C8500S  | Optional straw caddy to suit both of the above models, sold separately. | 63 |
| X101987 | Optional spindle to suit both above models, <b>PACK OF 2.</b>           | 73 |



C8504WFD shown with optional Straw Caddy and spindles



## LID DISPENSERS

### L1014 - Counter or Wall Mounted Lid Organiser

Each compartment is adjustable to adapt to the lid size. Anti-slip feet ensure that unit will stay in place during counter-top use. Dimensions 165H x 362W x 133D

**LIST PRICE EA. \$337** \*\*\*While stocks last



### PCL3ADJ - Adjustable Portion Cup & Lid Organiser

2"-3" adjustable

Multi-channel adjustable design stores disposable portion cups and lids neatly in each unit

Provides easy access and quick refilling of lids in high-traffic environments

Faceplate can be switched out to accommodate different napkin styles

Allows smooth one-at-a time dispensing down to the last napkin- even when overfilled

Easy-to-clean clear plastic resists cracking and breaking for extended use

Dimensions: 304H x 109W x 260Dmm

**LIST PRICE EA. \$113**



## DIGITAL SCALES

### SCDG33WD Digital Scale

Waterproof – IP67 rated scale can be completely submerged for quick cleaning and sanitizing  
Rechargeable Battery – Lasts up to 64 hours on a single charge eliminating the hassles of cords and dead batteries

Easy Read Display – Large screen features imperial (lb / oz) and metric (kg / g) units of measure for precise portioning

Convenient Taring – Quickly reset the scale to zero weight to measure multiple items in a single container

1g increments, 15kg capacity. Dimensions: 28L x 25W x 12Hcm 2kg

**LIST PRICE EA. \$810** \*\*\*While stocks last






## NAPKIN and STRAW DISPENSERS

### H5003TBK COUNTER-TOP NAPKIN DISPENSER

San Jamar's Venue® line of napkin dispensers offer optimal dispensing for a variety of interfold napkin sizes.

Dispenser holds up to 550 interfold napkins reducing the need for frequent refilling  
Designed for storage convenience and high-volume dispensing in tight spaces  
Faceplate can be switched out to accommodate different napkin styles  
Allows smooth one-at-a time dispensing down to the last napkin- even when overfilled  
Easy-to-clean clear plastic resists cracking and breaking for extended use  
Dimensions: 184H x 209W x 413Dmm

**LIST PRICE EA. \$224**




### H5000STBK COUNTER-TOP with Stand NAPKIN DISPENSER

San Jamar's Venue® Napkin Dispenser with Stand is an ideal choice for full-fold countertop napkin dispensing. The Venue® Napkin dispenser provides smooth, precise dispensing—even at maximum capacity. The stand feature enhances image and offers high-volume dispensing in tight spaces.

Patented one-at-a-time dispensing reduces napkin waste  
33% more capacity than competing mini-fold and full-fold dispensers  
Stand model enhances image and saves counter space  
Smooth dispensing down to the last napkin

Impact-resistant plastic construction  
Dimensions: 441H x 203W x 330Dmm

**LIST PRICE EA. \$246**



### L320C

Organises straws or stirrers utilising a simple adjustable mounting ring to lock and secure the holder. Also doubles as a trash chute with removable bottom plate. Diameter: 136mm Tube Length: 152mm.

Counter hole diameter 106mm.

**LIST PRICE EA. \$211**



**ALSO AVAILABLE (not illustrated) L360C Large Trash Chute 168mm Diameter \$154**





## PUMP SYSTEMS / BAR SUPPLIES / SAFETY WRAP

### FRONTLINE PUMP SYSTEMS

Perfect for self-service areas where portion control is critical.

**Ultra pumps dispense in 1 x 28.34g portions.**

2.36 litre jars are removable for easy cleaning and refilling.

### CONDIMENT PUMP SERVICE CENTRES

| MODEL | WELLS/PUMPS         | \$   |
|-------|---------------------|------|
| P9712 | 2 well with 2 pumps | 952  |
| P9713 | 3 well with 3 pumps | 1209 |
| P9715 | 5 well with 5 pumps | 2007 |



### THE DOME GARNISH CENTRE

#### BD4006S

The domed lid rotates back for easy access and increased capacity when closed.

Uses six standard size trays supplied to keep food chilled (or optional deep trays for extra capacity).

Complete unit is slanted towards the operator for convenience. Integrated snap-on caddies store straws, stirrers and picks.

Dimensions:

590mmW x 180mmH x 130mmD with Caddies

520mmW x 180mmH x 130mmD without Caddies

**LIST PRICE EA. \$291**



BD4006S shown with caddies installed

### THE MINI DOME GARNISH CENTRE

#### BD2002

Connectors provide modularity between Mini Dome, Dome and snap-on caddies.

**LIST PRICE EA. \$160**



### SAF-T-WRAP DISPENSER

Makes proper food rotation faster and easier by combining wrapping and date labelling tools in one convenient location.

Saf-T-Wrap® Station holds film or foil, dating labels and includes storage areas for box cutters, pens and markers. Safer and more sanitary than dirty film and foil boxes, Saf-T-Wrap® Station's commercial-grade suction cup feet hold securely to countertops during use, minimising cut injuries.

#### SW1218SC

Saves money by reducing labelling time and minimizing food waste by aiding in FIFO food rotation.

Dispenses dating labels in multiple sizes and configurations. Comes with slider safety blade for film, foil and paper.

**LIST PRICE EA. \$411**







## ICE HANDLING SOLUTIONS

### SI9000 - SAF-T-SCOOP & GUARDIAN

Ergonomic handle, contamination shield, tapered chute, sanitary storage caddy, easy to clean.

LIST PRICE EA. **\$399**



### SI6000 - SAF-T-ICE TOTE

Ergonomic handle, drying and storage hook, clear identification

LIST PRICE EA. **\$240**



### SILD6000 - LIGHT DUTY ICE TOTE

Ergonomic design, integrated hanger, recessed bottom, clear identification. 22L

LIST PRICE EA. **\$158**



### IC222003 - Cateraide™ Ice Caddy

90kg ice capacity, 2 fixed and 2 swivel castors 1 with brake.

Dimensions including handle 781L x 559W x 927Hmm

LIST PRICE EA. **\$3409**



## OVEN MITTS

### 810CM15 - BESTGRIP CONVENTIONAL OVEN MITT

Heat protection up to 260°C, non-slip grip, integrated storage, easy to clean, ambidextrous design. Single mitt.

LIST PRICE EA. **\$72**



### 800FG17-BK - OVEN MITT BESTGUARD

Heat protection up to 230°C, Kevlar stitching, angled cuff, non-stick coating, ambidextrous design. Pair of mitts.

LIST PRICE EA. **\$63**



### 811TG15 - OVEN MITT TEFLON

Heat protection up to 230°C, hanging loop, non-stick coating, ambidextrous design. Pair of mitts. \*Whilst stocks last

LIST PRICE EA. **\$37**





## KLEEN-PAIL®

Kleen-Pail's meet HACCP dedicated use guidelines for cleaning and sanitising cloths used to wipe down surface areas. Kleen-Pails make it easy to separate containers used for food storage from those used for dangerous non-food purposes. They also eliminate potential confusion between cleaning and sanitising solution containers. Green Kleen-Pails are used for soap solutions and Red Kleen-Pails are used for sanitising solutions.

**KPP256RD** 7.5L Kleen-Pail® **RED**

**KPP256GN** 7.5L Kleen-Pail® **GREEN**

LIST PRICE EA. **\$38**

**KPP196RD** 5.6L Kleen-Pail® **RED**

**KPP196GN** 5.6L Kleen-Pail® **GREEN**

LIST PRICE EA. **\$29**

Each unit comes with volume indicators on the inside of the pail.



## ALLERGEN SAFE-T-ZONE SYSTEM

### ASZ121812SYS

Protects guests with food allergies  
Special purple colour to alert all kitchen staff  
Handy case includes Saf-T-Grip 305x457mm cutting board, tongs, turner and chef's knife.  
Board and tools dishwasher safe  
Works to avoid allergen cross-contact/contamination  
Optional waterproof thermometer available (code ASZTHERMW)

LIST PRICE EA. **\$555**



ASZTHERMW Optional professional thermometer  
(waterproof and dishwasher safe) POA



## DOCKET HOLDERS / SLIDE CHECK RAILS

Anodised Aluminium Docket Holders provide an easy-to-use system for check orders. Unique design allows for one handed check placement.

Aluminium slide check racks available in various lengths.

Glass marbles hold checks in place and will not melt even under the hottest of kitchen temperatures.



| MODEL   | CONSTRUCTION                 | LENGTH  | \$  |
|---------|------------------------------|---------|-----|
| CK6518A | Slide Check Rack – Aluminium | 460 mm  | 71  |
| CK6524A | Slide Check Rack – Aluminium | 610 mm  | 91  |
| CK6536A | Slide Check Rack – Aluminium | 915 mm  | 120 |
| CK6548A | Slide Check Rack – Aluminium | 1220 mm | 149 |

## HAND WASHING STATION COMBO - Hands Free & manual models

These Hand Washing Station Combo packs are the economical solution that ensures all the tools needed for employees to properly wash their hands are readily available. Controls towel usage per user and has completely hands free operation with the T1440TBK model with long-lasting battery power and manual override feature. Place these units wherever required to comply with regulations without the need for an electrician.

### T1430TBL (*Touchless Towel Dispenser*)

- Smart System Touchless battery powered towel dispenser Dispenses any quality of paper automatically with sensors, easy to use and reduces wastage.
- Bulk soap dispenser will dispense a wide variety of liquid and lotion, soaps (except pumice).
- Hand washing chart gives step-by-step instructions for proper hand washing.

LIST PRICE EA.

**\$730**

\*\*\*While stocks last



Soap dispenser above available in Arctic Blue to match towel dispenser. Please advise when ordering.





**The VITO® Portable Oil Filter System is available in three capacities to suit your workload and fryer capacity. Simple to use drop-in unit - no need to drain oil from the fryer.**  
**VITO® is the ONLY simple to use pressure filtration system that removes contaminants down to 5 microns in size - more efficient than in-built filters, and VITO® can easily pay for itself inside twelve months. And it switches off automatically so you can get on with other work.**  
**Dishwasher safe designed and manufactured in Germany.**  
**Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.**  
**Add a VITO® FT 440 Oil Tester to determine *exactly* when to change the oil and save even more.**

## VITO® OIL FILTER SYSTEM

| VITO MODEL | FILTER TIME (Approx) | CAPACITY & DESCRIPTION                                                                                            | WEIGHT | DIMS WHDmm      | \$   |
|------------|----------------------|-------------------------------------------------------------------------------------------------------------------|--------|-----------------|------|
| VS Connect | 4.5 mins approx.     | Suits fryers <b>up to 12L</b> litres volume. 300W (10Amp plug)<br>Includes 10 Filters. Wifi model - VITOconnect   | 6.3Kg  | 116 x 356 x 176 | 3657 |
| VM Connect | 4.5 mins approx.     | Suits fryers <b>up to 20 L</b> litres volume. 300W (10Amp plug)<br>Includes 10 Filters. Wifi model - VITOconnect  | 7.7Kg  | 116 x 400 x 191 | 5408 |
| VL Connect | 4.5 mins approx.     | Suits fryers <b>20L</b> litres volume upwards. 500W (10Amp plug)<br>Includes 10 Filters. Wifi model - VITOconnect | 8.8kg  | 116 x 502 x 187 | 6654 |



VITO VS

VITO VM

VITO VL



Exclusive In-Fryer Filtering  
With Automatic Shut Off

## #VITOconnect

filter effectively, monitor smart



### Connect

Connect the VITO 80 with the local Wifi network in the kitchen.



### Serve

Configure the VITO easily with the mobile phone, tablet or PC. For example the filtration cycle time.



### Select

Usage data can be analyzed directly, for example: number of filtration cycles, total run time, date of the last filtration.



### View

Usage data can be viewed on different devices as well as via e-mail reports and the CRM system.






## NEW VITO VM Battery: CORDLESS | INDEPENDENT | EFFICIENT

VITO VM battery cleans your oil cordlessly in an easy and hygienic way. VITO is placed in the hot oil and filters the oil from suspended particles and bitter substances without supervision. After the set time (standard 4-5 min) VITO stops automatically and your oil is ready to be used. VITO is integrated into the VITOconnect system environment. VITOconnect gives you an online overview of productivity, services and updates.

### Features:

- ▲ For 1-3 deep fryers up to 20 l (light to medium sediment)
- ▲ Cordless pressure flow filtration
- ▲ Automatic filtration - VITO stops after the adjustable time
- ▲ Automatic shut-off - integrated tilt switch & heat protection
- ▲ At least 3 filtration cycles per battery charge, allowing use on multiple fryers
- ▲ VITO is made out of stainless steel (1.4301) and other food safe materials
- ▲ Pump-filter unit and drip pan can be cleaned in dishwasher
- ▲ Network connection (WiFi)



## VITO® OIL FILTER SYSTEM BATTERY

| CODE       | DESCRIPTION                                                                                        | WEIGHT | DIMS<br>WHDmm   | \$   |
|------------|----------------------------------------------------------------------------------------------------|--------|-----------------|------|
| VM Battery | Up to 60l/min filtration power and 20L tank (10amp) including one battery and one charging station | 9Kg    | 116 x 420 x 191 | 6260 |





**VITO X cleans the oil and stores it in its tank. It provides an easy and hygienic transport in the kitchen. Because of its innovative vacuum-filtration technology, particles remain in the filter medium in a dry condition. Like every VITO oil filter system the X provides a microfiltration ensuring the optimal quality of your oil is preserved. The unique design makes sure the X can handle temperatures up to 200°C and provides highest safety at work, due to avoiding direct contact with hot oil. After filtration the oil can easily be pumped back into the fryer automatically.**

**Save up to 50% on your frying oil costs, improve your food quality and reduce your labour costs all at the same time.**

**Add a VITO® FT 440 Oil Tester to determine *exactly* when to change the oil and save even more.**

## VITO® X VACUUM FILTRATION SYSTEM

| CODE | DESCRIPTION                                           | WEIGHT | DIMS<br>WHDmm    | \$    |
|------|-------------------------------------------------------|--------|------------------|-------|
| XS   | Up to 35l/min filtration power and 40L tank (10amp)   | 45Kg   | 553 x 843 x 883  | 12825 |
| XM   | Up to 35l/min filtration power and 75L tank (10 amp)  | 56KG   | 553 x 1044 x 883 | 13905 |
| XL   | Up to 35l/min filtration power and 120L tank (10 amp) | 64Kg   | 553 x 1334 x 883 | 15450 |



### Additional Features

- **The VITO X can operate at frying temperatures**
- **Adjustable top handle**
- **Automatic off - Tank with built-in oillevel sensor**
- **Full stainless steel construction with cellulose filters (components used are food safe)**
- **Integrated heating for solid frying medium**
- **Big wheels with brakes**
- **Filter basket is dishwasher safe**
- **Easy off hose**



## VITO® T-SERIES TRANSPORT SYSTEM


| CODE | DESCRIPTION                        | WEIGHT | DIMS WHDmm       | \$    |
|------|------------------------------------|--------|------------------|-------|
| TS   | Transport pump   40L tank (10amp)  | 43Kg   | 555 x 843 x 723  | 8364  |
| TM   | Transport pump   75L tank (10amp)  | 56KG   | 553 x 1044 x 723 | 11176 |
| TL   | Transport pump   120L tank (10amp) | 64Kg   | 553 x 1334 x 723 | 12319 |

### Functionality:

VITO TS transports your used oil in an easy and fast way.  
It sucks the oil out of your fryer, and stores it inside its tank.  
From there, it can be safely transported on flat floors.  
The oil can then either be pumped back into the deep fryer, or simply disposed of.

### Features:

- ▲ Operating temperature up to 200°C
- ▲ Vacuum extraction
- ▲ Automatic off - VITO has built-in oil level sensor
- ▲ Automatic safety off - extraction/return 5min
- ▲ VITO made out of stainless steel
- ▲ Adjustable height of the handle
- ▲ Lockable castors
- ▲ Internal sieve to remove coarse debris





## VITO® OIL ACCESSORIES

### FT CONNECT BRIDGE OIL TESTER

FT CONNECT provides a fast, easy and reliable way to determine the quality of your frying oil. It measures the Total Polar Material (TPM) content and displays it as a percentage value. A three-colour alarm system simplifies the evaluation process by clearly indicating the oil's condition. Integrated with the VITOconnect platform, the FT CONNECT automatically creates an online HACCP list from your measured data via bluetooth. Bridge unit included.

LIST PRICE EA. **\$1990**



### 34022090 FRYER BOIL-OUT TABS

Powerful, safe and easy cleaning of commercial deep fryers and stainless steel fryer accessories.

Product description:

- removes burnt-in grease and oil
  - intensive cleaner packed as tabs for effective cleaning of commercial deep fryers
  - individually packed, simple dose
  - fryer accessories made of stainless steel can be cleaned as well
  - easy to use, saves working time
- 1 tin = 15 tabs

LIST PRICE EA. **\$136**

### FT 440 OIL TESTER

Food oil quality monitor and temperature measurement system, including probe, case & instructions. Easy to use "traffic light" warning system as well as digital display. Make sure you only change the oil when necessary and maintain perfect frying oil condition, whilst saving money.

LIST PRICE EA. **\$1475**



### VITO® REPLACEMENT CELLULOSE FILTERS

| CODE   | DESCRIPTION                         | \$  |
|--------|-------------------------------------|-----|
| 100112 | VS (WAS 30) FILTERS Box of 100      | 418 |
| 100114 | VM/VL(WAS 50/80) FILTERS Box of 100 | 510 |
| 101441 | FILTERS TO SUIT X SERIES Box of 50  | 510 |



Yellow Brand Induction Units, one of the leaders in induction technology to the Australian market, now established and recognised as a highly efficient and safe cooking technology. Yellow Induction units are made to last and offer superior performance and quality compared to lesser units. And each Yellow Induction model comes with our exclusive 13 month warranty for absolute peace of mind when you next specify for that important project.

## YELLOW INDUCTION HOBS

### SINGLE PORTABLE COUNTER-TOP HOBS

#### ET-24M Counter Top Unit

Powerful portable table top unit plug-in self contained for use in kitchen / buffets. Touch Panel, LED Display, 9 power setting, Temperature Holding, Timer, Smart Fan.

Dimensions: 295W x 425D x 84Hmm

Ceramic glass dimension: 294 x 275

2300 watts. 10 amp plug.

**LIST PRICE EA.      \$2160**



#### ET-35M Counter Top Unit

High Power portable table top unit plug-in self contained for use in kitchen / buffets. Touch Panel, LED Display, 9 power setting, Temperature Holding, Timer, Smart Fan.

Dimensions: 295W x 425D x 84Hmm

Ceramic glass dimension: 294 x 275

3400 watts. 15 amp plug.

**LIST PRICE EA.      \$2450**



#### Y1000WCS


Free Standing Unit mounted in attractive chrome stand with on-board controls and rear chafer support.

Dimensions: 385 x 385 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

1000 watts. 10 amp plug.

**LIST PRICE EA.      \$2395**



All Yellow Induction units offer Automatic Safety Shut-Off, Material Compatibility and small object Detector, Overheating Protection Device and Automatic Resetting. All these In-built/drop-in induction units have the same cut-out and require ventilation for optimum performance. Consult your FSM representative for more information.

## SINGLE DROP-IN HOB UNITS

### Y1000NT Drop In Unit

Perfect drop-in unit for buffet warming.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

1000 watts. 10 amp plug.

**LIST PRICE EA. \$1890**



### Y2000D Drop In Unit

Powerful 2000 Watts of power in a drop-in unit, ideal for buffet/kitchen/holding with remote control.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2000 watts. 10 amp plug.

**LIST PRICE EA. \$2130**



### Y2500AD Drop In Unit

High output 2500W drop-in unit for kitchen or buffet use.

Dimensions: 360 x 380 x 100mm

Ceramic glass dimension: 360 x 380 x 4mm (thick).

Remote controller supplied with flex cord.

2500 watts. 15 amp plug.

**LIST PRICE EA. \$2480**



Note: all these drop-In units have the same cutout dimensions

Yellow Induction built-in cooktops offer the rugged performance demanded of every commercial kitchen. Framed with stainless steel, these Dual Hob models have the capacity and versatility in one unit.

## BUILT-IN COOKTOPS

### Y3500DDSS

Built in Dual Hob Unit with remote controller for maximum performance and power, this dual unit offers versatility in a compact built-in unit.

Dimensions: 450 x 700 x 208mm

Comprises two 2 X 3500 watt cooking/warming surfaces.

Electrical: 7.2kw, 30 amp, Single phase. Unit supplied unplugged.

LIST PRICE EA. **\$9495**



**2 x  
3500  
WATTS  
POWER**

## BOILING TABLE

### 2Y3500DDSSBT

Yellow induction boiling table. Includes 4 x 3.5kw induction hobs, built in controls to stainless steel bench.

Dimensions: 1100 x 900 x 900Hmm

Comprises two 2 X Y3500DDSS built in cooktops

Electrical: 14.4w, 2 x 30 amp, Single phase. Outlets required. Supplied with cord no plug

LIST PRICE EA. **\$21480**



The new era of warming, **MULTI-ZONE** Induction technology that heats all points on the ceramic glass top. Newly developed technology can suit any shape and size of induction compatible display chafer, saucer, small utensils, pots and pans. Unlike normal Induction Units, these Yellow Multi-Zone units allow almost unlimited flexibility in pan size and placement and look fabulous in any setting.

## MULTI-ZONE BUFFET INDUCTION

### YMC-2-2500

Versatile Multi Zone unit with two x 2500W units for warming/holding flexibility. Complete with remote generator rack and two (2) remote controller panels (as below).  
Dimension: 800W x 380D x 66mmH  
Ceramic Glass Dimension: 800W x 380D x 6mm (thick).

**LIST PRICE EA. \$11800**



Two Remote controller panels supplied

**5000  
WATTS  
POWER**



### YMC-3-2500

Versatile Multi Zone unit with three x 2500W units for warming/holding flexibility. Complete with remote generator rack and three (3) remote controller panels (as below).  
Dimension: 1180W x 380D x 66mmH  
Ceramic Glass Dimension: 1180W x 380D x 6mm (thick).

**LIST PRICE EA. \$16650**



Three Remote controller panels supplied

**7500  
WATTS  
POWER**



## REMOTE GENERATOR CONTROL & RACK (included with above)

Compact and remote type generator with easy access for maintenance and less interruption to daily operation. These units are supplied with the cooktops above and can be located within 3m of the cooking surface.

| MODEL      | DIMENSIONS             | CABLE LENGTH | TOTAL POWER    |
|------------|------------------------|--------------|----------------|
| YMC-2-2500 | 385W x 450D x 275mmH   | 3m*          | 5kw, 30 amp.   |
| YMC-3-2500 | 385W x 450D x 387.5mmH | 3m*          | 7.5kw, 45 amp. |

\*Max 3m remote cable between hob and generator.  
Each Generator is supplied with its own 15A plug.  
YMC-2-2500 = 2 power cords and 15A plugs.  
YMC-3-2500 = 3 power cords and 15A plugs.

All Multi-zone Induction generator units require adequate ventilation for maximum performance.

YMC-2-2500  
GENERATOR RACK  
SHOWN  
MOUNTED REMOTELY







## YELLOW PLANETARY MIXER – NEW GEAR DRIVEN MODEL

Offering commercial quality at an affordable price is the Model MY7 planetary mixer. With a wide range of accessories for flexibility and ease of use, including a wire whip, dough hook, flat beater, stainless bowl and integrated safety guard with unique dosing feeder. Plus the peace of mind of an Australia-wide 13 month parts and labour warranty.

### MY7 Commercial Planetary Mixer.

Gear Driven

0-11 precision speed adjustments for variable speed control

Peacock blue coloured LED on controller

User friendly head design for easier lift

Very quiet operation

Fully enclosed gear drive to reduce wear for longer life

304 food grade stainless steel accessories to ensure the food safety

#### Specifications:

Rated Power: 35kW

Bowl Volume: 7L

Dimensions: 409D x 236W x 421Hmm

Net Weight: 15kg

Supplied corded with 10A cord and plug

#### Accessories included:

Wire whipper

Hook

Beater

Safety cover



\*STOCK DUE IN APPROX APRIL 2025

LIST PRICE EA. \$1180

6 BUY PRICE EA. \$1070



### ELECTRIC CHARGRILLS

The Icarus Electric CharGrills have been engineered to deliver the high-intensity heat associated with woodfired and charcoal cooking. This elevated temperature, combined with penetrating radiant heat and Icarus flame technology, helps achieve excellent caramelisation and grilling performance, enhancing texture and finish across a wide range of proteins in a way that traditional gas grills often struggle to replicate, providing a premium electric grilling experience.

#### 2 YEAR PARTS & LABOUR WARRANTY

##### Key Features :

**Heat Technology:** Proprietary Icarus Heat system reaches over 500°C for authentic chargrilled flavour, and penetrating heat.

**Refractory Floor:** Unique fat-vaporising system turns drippings into dust, for easy cleanup.

**Stainless Steel Resting Rack:** second-tier resting/grilling rack or optimal heat control and versatile cooking. Rest cooked or raw produce there to get to temperature.

**Temperature Control:** Adjustment for precision grilling, with an automatic element shutdown for safety.

**Control the Heat with the percentage dial.**

**Removable Components:** Easy-to-clean design with removable grilling racks and garnish rails



| MODEL    | DIMENSIONS WDH                                      | POWER USAGE               | COOKING ZONES | LIST PRICE |
|----------|-----------------------------------------------------|---------------------------|---------------|------------|
| IG600PRO | 600 X 730 (without garnish rail, 840 with) X 780mm  | 2 phase 240V 20amp 9.6kw  | Dual          | 25380      |
| IG900    | 900 X 730 (without garnish rail, 840 with) X 780mm  | 2 phase 240V 20amp 9.6kw  | Dual          | 28500      |
| IG900PRO | 900 X 730 (without garnish rail, 840 with) X 780mm  | 3 phase 240V 20amp 14.4kw | Triple        | 33300      |
| IG1200   | 1200 x 730 (without garnish rail, 840 with) X 780mm | 3 phase 240V 20amp 14.4kw | Triple        | 37450      |





## ELECTRIC CHARGRILLS - DROP IN

The Icarus Electric CharGrills have been engineered to deliver the high-intensity heat associated with woodfired and charcoal cooking. This elevated temperature, combined with penetrating radiant heat and Icarus flame technology, helps achieve excellent caramelisation and grilling performance, enhancing texture and finish across a wide range of proteins in a way that traditional gas grills often struggle to replicate, providing a premium electric grilling experience.

**2 YEAR PARTS & LABOUR WARRANTY**



### NEW DROP IN MODELS 2026

| MODEL      | DIMENSIONS WDH                             | POWER USAGE               | COOKING ZONES | LIST PRICE |
|------------|--------------------------------------------|---------------------------|---------------|------------|
| IG600PRODI | 600 X 668 X 615 (375 high from benchtop)mm | 2 phase 240V 20amp 9.6kw  | Dual          | 23600      |
| IG900PRODI | 900 X 730 X 780mm                          | 3 phase 240V 20amp 14.4kw | Triple        | 29650      |

## ACCESSORIES

| MODEL    | DIMENSIONS WDH   | DESCRIPTION                                                                                                                                                    | LIST PRICE |
|----------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| IGP300   | 300 X 485 X 85MM | DROP ON FLAT PLATE: a versatile accessory designed to enhance the cooking capability. Compatible with all models. Easy maintenance - simply lift off and clean | 1290       |
| IG600MS  |                  | MOBILE STAND - to suit IG600                                                                                                                                   | 1960       |
| IG900MS  |                  | MOBILE STAND - to suit IG900/PRO                                                                                                                               | 2180       |
| IG1200MS |                  | MOBILE STAND - to suit IG1200                                                                                                                                  | 2415       |

